

# The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List

Scott Pakin <[scott+cls1@pakin.org](mailto:scott+cls1@pakin.org)>\*

5 May 2021

## Abstract

This document lists 18150 symbols and the corresponding L<sup>A</sup>T<sub>E</sub>X commands that produce them. Some of these symbols are guaranteed to be available in every L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. All of the fonts and packages used to prepare this document—as well as this document itself—are freely available from the Comprehensive T<sub>E</sub>X Archive Network (<http://www.ctan.org/>).

## Contents

<b>Contents</b>	<b>1</b>
<b>1 Introduction</b>	<b>13</b>
1.1 Document Usage	13
1.2 Frequently Requested Symbols	14
<b>2 Body-text symbols</b>	<b>15</b>
Table 1: L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Escapable “Special” Characters	15
Table 2: Predefined L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Text-mode Commands	15
Table 3: L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Commands Defined to Work in Both Math and Text Mode	16
Table 4: $\mathcal{AMS}$ Commands Defined to Work in Both Math and Text Mode	16
Table 5: Non-ASCII Letters (Excluding Accented Letters)	16
Table 6: textgreek Upright Greek Letters	17
Table 7: Letters Used to Typeset African Languages	17
Table 8: Letters Used to Typeset Vietnamese	17
Table 9: Punctuation Marks Not Found in OT1	18
Table 10: pifont Decorative Punctuation Marks	18
Table 11: tipa Phonetic Symbols	18
Table 12: tipx Phonetic Symbols	19
Table 13: wsuipa Phonetic Symbols	20
Table 14: wasysym Phonetic Symbols	21
Table 15: phonetic Phonetic Symbols	21
Table 16: t4phonet Phonetic Symbols	21
Table 17: semtrans Transliteration Symbols	21
Table 18: Text-mode Accents	22
Table 19: tipa Text-mode Accents	22
Table 20: extraipa Text-mode Accents	24
Table 21: wsuipa Text-mode Accents	24
Table 22: phonetic Text-mode Accents	24
Table 23: metre Text-mode Accents	25

---

\*The original version of this document was written by David Carlisle, with several additional tables provided by Alexander Holt. See Section 11.8 on page 297 for more information about who did what.

Table 24:	t4phonet Text-mode Accents . . . . .	25
Table 25:	arcs Text-mode Accents . . . . .	25
Table 26:	semtrans Accents . . . . .	25
Table 27:	ogonek Accents . . . . .	25
Table 28:	combelow Accents . . . . .	26
Table 29:	wsuipa Diacritics . . . . .	26
Table 30:	textcomp Diacritics . . . . .	26
Table 31:	marvosym Diacritics . . . . .	26
Table 32:	textcomp Currency Symbols . . . . .	27
Table 33:	marvosym Currency Symbols . . . . .	27
Table 34:	fontawesome Currency Symbols . . . . .	27
Table 35:	wasysym Currency Symbols . . . . .	27
Table 36:	Q <sub>A</sub> 2e Currency Symbols . . . . .	27
Table 37:	teubner Currency Symbols . . . . .	28
Table 38:	tfruppee Currency Symbols . . . . .	28
Table 39:	eurosym Euro Signs . . . . .	28
Table 40:	fourier Euro Signs . . . . .	28
Table 41:	textcomp Legal Symbols . . . . .	28
Table 42:	fontawesome Legal Symbols . . . . .	28
Table 43:	cclicenses Creative Commons License Icons . . . . .	29
Table 44:	ccicons Creative Commons License Icons . . . . .	29
Table 45:	textcomp Old-style Numerals . . . . .	29
Table 46:	Miscellaneous textcomp Symbols . . . . .	29
Table 47:	Miscellaneous wasysym Text-mode Symbols . . . . .	30
<b>3</b>	<b>Mathematical symbols</b>	<b>31</b>
Table 48:	Math-mode Versions of Text Symbols . . . . .	31
Table 49:	cmll Unary Operators . . . . .	31
Table 50:	Binary Operators . . . . .	32
Table 51:	$\mathcal{AMS}$ Binary Operators . . . . .	32
Table 52:	stmaryrd Binary Operators . . . . .	33
Table 53:	wasysym Binary Operators . . . . .	33
Table 54:	txfonts/pxfonts Binary Operators . . . . .	33
Table 55:	mathabx Binary Operators . . . . .	34
Table 56:	MnSymbol Binary Operators . . . . .	34
Table 57:	fdsymbol Binary Operators . . . . .	35
Table 58:	boisik Binary Operators . . . . .	36
Table 59:	stix Binary Operators . . . . .	37
Table 60:	mathdesign Binary Operators . . . . .	38
Table 61:	cmll Binary Operators . . . . .	38
Table 62:	shuffle Binary Operators . . . . .	38
Table 63:	ulsy Geometric Binary Operators . . . . .	38
Table 64:	mathabx Geometric Binary Operators . . . . .	38
Table 65:	MnSymbol Geometric Binary Operators . . . . .	39
Table 66:	fdsymbol Geometric Binary Operators . . . . .	39
Table 67:	boisik Geometric Binary Operators . . . . .	40
Table 68:	stix Geometric Binary Operators . . . . .	41
Table 69:	halloweenmath Halloween-Themed Math Operators . . . . .	41
Table 70:	stix Small Integrals . . . . .	42
Table 71:	stix Small Integrals with Explicit Slant . . . . .	42
Table 72:	Variable-sized Math Operators . . . . .	43
Table 73:	$\mathcal{AMS}$ Variable-sized Math Operators . . . . .	43
Table 74:	stmaryrd Variable-sized Math Operators . . . . .	43
Table 75:	wasysym Variable-sized Math Operators . . . . .	44

Table 76:	<code>mathabx</code> Variable-sized Math Operators . . . . .	44
Table 77:	<code>txfonts/pxfonts</code> Variable-sized Math Operators . . . . .	45
Table 78:	<code>esint</code> Variable-sized Math Operators . . . . .	46
Table 79:	<code>bigints</code> Variable-sized Math Operators . . . . .	47
Table 80:	<code>MnSymbol</code> Variable-sized Math Operators . . . . .	47
Table 81:	<code>fdsymbol</code> Variable-sized Math Operators . . . . .	48
Table 82:	<code>boisik</code> Variable-sized Math Operators . . . . .	49
Table 83:	<code>stix</code> Variable-sized Math Operators . . . . .	49
Table 84:	<code>stix</code> Integrals with Explicit Slant . . . . .	51
Table 85:	<code>cmupint</code> Variable-sized Upright Integrals . . . . .	52
Table 86:	<code>mathdesign</code> Variable-sized Math Operators . . . . .	54
Table 87:	<code>prodint</code> Variable-sized Math Operators . . . . .	54
Table 88:	<code>cmll</code> Large Math Operators . . . . .	54
Table 89:	Binary Relations . . . . .	54
Table 90:	$\mathcal{AMS}$ Binary Relations . . . . .	55
Table 91:	$\mathcal{AMS}$ Negated Binary Relations . . . . .	55
Table 92:	<code>stmaryrd</code> Binary Relations . . . . .	55
Table 93:	<code>wasysym</code> Binary Relations . . . . .	55
Table 94:	<code>txfonts/pxfonts</code> Binary Relations . . . . .	56
Table 95:	<code>txfonts/pxfonts</code> Negated Binary Relations . . . . .	56
Table 96:	<code>mathabx</code> Binary Relations . . . . .	56
Table 97:	<code>mathabx</code> Negated Binary Relations . . . . .	57
Table 98:	<code>MnSymbol</code> Binary Relations . . . . .	57
Table 99:	<code>MnSymbol</code> Negated Binary Relations . . . . .	58
Table 100:	<code>fdsymbol</code> Binary Relations . . . . .	60
Table 101:	<code>fdsymbol</code> Negated Binary Relations . . . . .	61
Table 102:	<code>boisik</code> Binary Relations . . . . .	62
Table 103:	<code>boisik</code> Negated Binary Relations . . . . .	63
Table 104:	<code>stix</code> Binary Relations . . . . .	63
Table 105:	<code>stix</code> Negated Binary Relations . . . . .	65
Table 106:	<code>mathtools</code> Binary Relations . . . . .	65
Table 107:	<code>turnstile</code> Binary Relations . . . . .	65
Table 108:	<code>trsym</code> Binary Relations . . . . .	66
Table 109:	<code>trfsigns</code> Binary Relations . . . . .	67
Table 110:	<code>cmll</code> Binary Relations . . . . .	67
Table 111:	<code>colonequals</code> Binary Relations . . . . .	67
Table 112:	<code>fourier</code> Binary Relations . . . . .	67
Table 113:	Subset and Superset Relations . . . . .	67
Table 114:	$\mathcal{AMS}$ Subset and Superset Relations . . . . .	67
Table 115:	<code>stmaryrd</code> Subset and Superset Relations . . . . .	68
Table 116:	<code>wasysym</code> Subset and Superset Relations . . . . .	68
Table 117:	<code>txfonts/pxfonts</code> Subset and Superset Relations . . . . .	68
Table 118:	<code>mathabx</code> Subset and Superset Relations . . . . .	68
Table 119:	<code>MnSymbol</code> Subset and Superset Relations . . . . .	68
Table 120:	<code>fdsymbol</code> Subset and Superset Relations . . . . .	69
Table 121:	<code>boisik</code> Subset and Superset Relations . . . . .	69
Table 122:	<code>stix</code> Subset and Superset Relations . . . . .	69
Table 123:	Inequalities . . . . .	70
Table 124:	$\mathcal{AMS}$ Inequalities . . . . .	70
Table 125:	<code>wasysym</code> Inequalities . . . . .	70
Table 126:	<code>txfonts/pxfonts</code> Inequalities . . . . .	70
Table 127:	<code>mathabx</code> Inequalities . . . . .	71
Table 128:	<code>MnSymbol</code> Inequalities . . . . .	72
Table 129:	<code>fdsymbol</code> Inequalities . . . . .	73

Table 130:	boisik Inequalities . . . . .	74
Table 131:	stix Inequalities . . . . .	74
Table 132:	$\mathcal{AMS}$ Triangle Relations . . . . .	75
Table 133:	stmaryrd Triangle Relations . . . . .	75
Table 134:	mathabx Triangle Relations . . . . .	76
Table 135:	MnSymbol Triangle Relations . . . . .	76
Table 136:	fdsymbol Triangle Relations . . . . .	77
Table 137:	boisik Triangle Relations . . . . .	77
Table 138:	stix Triangle Relations . . . . .	77
Table 139:	Arrows . . . . .	78
Table 140:	Harpoons . . . . .	78
Table 141:	textcomp Text-mode Arrows . . . . .	78
Table 142:	$\mathcal{AMS}$ Arrows . . . . .	78
Table 143:	$\mathcal{AMS}$ Negated Arrows . . . . .	78
Table 144:	$\mathcal{AMS}$ Harpoons . . . . .	79
Table 145:	stmaryrd Arrows . . . . .	79
Table 146:	txfonts/pxfonts Arrows . . . . .	79
Table 147:	mathabx Arrows . . . . .	79
Table 148:	mathabx Negated Arrows . . . . .	79
Table 149:	mathabx Harpoons . . . . .	80
Table 150:	MnSymbol Arrows . . . . .	80
Table 151:	MnSymbol Negated Arrows . . . . .	82
Table 152:	MnSymbol Harpoons . . . . .	83
Table 153:	MnSymbol Negated Harpoons . . . . .	84
Table 154:	fdsymbol Arrows . . . . .	84
Table 155:	fdsymbol Negated Arrows . . . . .	86
Table 156:	fdsymbol Harpoons . . . . .	88
Table 157:	fdsymbol Negated Harpoons . . . . .	88
Table 158:	boisik Arrows . . . . .	89
Table 159:	boisik Negated Arrows . . . . .	90
Table 160:	boisik Harpoons . . . . .	90
Table 161:	stix Arrows . . . . .	90
Table 162:	stix Negated Arrows . . . . .	93
Table 163:	stix Harpoons . . . . .	93
Table 164:	harpoon Extensible Harpoons . . . . .	94
Table 165:	chemarrow Arrows . . . . .	94
Table 166:	fge Arrows . . . . .	94
Table 167:	old-arrows Arrows . . . . .	95
Table 168:	old-arrows Harpoons . . . . .	95
Table 169:	esrelation Restrictions . . . . .	95
Table 170:	MnSymbol Spoons . . . . .	96
Table 171:	MnSymbol Pitchforks . . . . .	96
Table 172:	MnSymbol Smiles and Frowns . . . . .	97
Table 173:	fdsymbol Spoons . . . . .	97
Table 174:	fdsymbol Pitchforks . . . . .	98
Table 175:	fdsymbol Smiles and Frowns . . . . .	98
Table 176:	halloweenmath Brooms and Pitchforks . . . . .	98
Table 177:	ulsy Contradiction Symbols . . . . .	98
Table 178:	Extension Characters . . . . .	98
Table 179:	stmaryrd Extension Characters . . . . .	98
Table 180:	txfonts/pxfonts Extension Characters . . . . .	98
Table 181:	mathabx Extension Characters . . . . .	99
Table 182:	stix Extension Characters . . . . .	99
Table 183:	Log-like Symbols . . . . .	99

Table 184:	<i>AMS</i> Log-like Symbols . . . . .	99
Table 185:	mismath Log-like Symbols . . . . .	100
Table 186:	mismath Asymptotic Notation . . . . .	100
Table 187:	QpA2e Number Sets . . . . .	100
Table 188:	Greek Letters . . . . .	101
Table 189:	<i>AMS</i> Greek Letters . . . . .	101
Table 190:	txfonts/pxfonts Upright Greek Letters . . . . .	102
Table 191:	upgreek Upright Greek Letters . . . . .	102
Table 192:	fourier Variant Greek Letters . . . . .	102
Table 193:	txfonts/pxfonts Variant Latin Letters . . . . .	103
Table 194:	boisik Variant Greek Letters . . . . .	103
Table 195:	boisik Variant Latin Letters . . . . .	103
Table 196:	stix Variant Greek Letters . . . . .	103
Table 197:	stix Transformed Greek Letters . . . . .	103
Table 198:	<i>AMS</i> Hebrew Letters . . . . .	103
Table 199:	MnSymbol Hebrew Letters . . . . .	103
Table 200:	fdsymbol Hebrew Letters . . . . .	103
Table 201:	boisik Hebrew Letters . . . . .	104
Table 202:	stix Hebrew Letters . . . . .	104
Table 203:	Letter-like Symbols . . . . .	104
Table 204:	<i>AMS</i> Letter-like Symbols . . . . .	104
Table 205:	txfonts/pxfonts Letter-like Symbols . . . . .	104
Table 206:	mathabx Letter-like Symbols . . . . .	104
Table 207:	MnSymbol Letter-like Symbols . . . . .	104
Table 208:	fdsymbol Letter-like Symbols . . . . .	105
Table 209:	boisik Letter-like Symbols . . . . .	105
Table 210:	stix Letter-like Symbols . . . . .	105
Table 211:	trfsigns Letter-like Symbols . . . . .	105
Table 212:	mathdesign Letter-like Symbols . . . . .	105
Table 213:	fge Letter-like Symbols . . . . .	106
Table 214:	fourier Letter-like Symbols . . . . .	106
Table 215:	cmll Letter-like Symbols . . . . .	106
Table 216:	<i>AMS</i> Delimiters . . . . .	106
Table 217:	stmaryrd Delimiters . . . . .	106
Table 218:	mathabx Delimiters . . . . .	106
Table 219:	boisik Delimiters . . . . .	106
Table 220:	stix Delimiters . . . . .	107
Table 221:	nath Delimiters . . . . .	107
Table 222:	Variable-sized Delimiters . . . . .	107
Table 223:	Large, Variable-sized Delimiters . . . . .	108
Table 224:	<i>AMS</i> Variable-sized Delimiters . . . . .	108
Table 225:	stmaryrd Variable-sized Delimiters . . . . .	108
Table 226:	mathabx Variable-sized Delimiters . . . . .	108
Table 227:	MnSymbol Variable-sized Delimiters . . . . .	109
Table 228:	fdsymbol Variable-sized Delimiters . . . . .	110
Table 229:	stix Variable-sized Delimiters . . . . .	111
Table 230:	mathdesign Variable-sized Delimiters . . . . .	112
Table 231:	nath Variable-sized Delimiters (Double) . . . . .	113
Table 232:	nath Variable-sized Delimiters (Triple) . . . . .	113
Table 233:	fourier Variable-sized Delimiters . . . . .	113
Table 234:	textcomp Text-mode Delimiters . . . . .	114
Table 235:	metre Text-mode Delimiters . . . . .	114
Table 236:	Math-mode Accents . . . . .	114
Table 237:	<i>AMS</i> Math-mode Accents . . . . .	114

Table 238:	MnSymbol Math-mode Accents	115
Table 239:	fdsymbol Math-mode Accents	115
Table 240:	boisik Math-mode Accents	115
Table 241:	stix Math-mode Accents	115
Table 242:	fge Math-mode Accents	115
Table 243:	yhmath Math-mode Accents	116
Table 244:	halloweenmath Halloween-Themed Math-mode Accents	116
Table 245:	realhats Math-mode Hat Accents	116
Table 246:	Extensible Accents	117
Table 247:	overrightarrow Extensible Accents	117
Table 248:	yhmath Extensible Accents	117
Table 249:	$\mathcal{AMS}$ Extensible Accents	118
Table 250:	MnSymbol Extensible Accents	118
Table 251:	fdsymbol Extensible Accents	118
Table 252:	stix Extensible Accents	119
Table 253:	mathtools Extensible Accents	119
Table 254:	mathabx Extensible Accents	119
Table 255:	fourier Extensible Accents	120
Table 256:	esvect Extensible Accents	120
Table 257:	abraces Extensible Accents	120
Table 258:	undertilde Extensible Accents	120
Table 259:	ushort Extensible Accents	121
Table 260:	mdwmath Extensible Accents	121
Table 261:	actuarialangle Extensible Accents	121
Table 262:	$\mathcal{AMS}$ Extensible Arrows	121
Table 263:	mathtools Extensible Arrows	121
Table 264:	chemarr Extensible Arrows	121
Table 265:	chemarrow Extensible Arrows	122
Table 266:	extarrows Extensible Arrows	122
Table 267:	extpfeil Extensible Arrows	122
Table 268:	DotArrow Extensible Arrows	122
Table 269:	halloweenmath Extensible Arrows	123
Table 270:	trfsigns Extensible Transform Symbols	123
Table 271:	esrelation Extensible Relations	123
Table 272:	halloweenmath Extensible Brooms and Pitchforks	123
Table 273:	halloweenmath Extensible Witches	124
Table 274:	halloweenmath Extensible Ghosts	124
Table 275:	halloweenmath Extensible Bats	124
Table 276:	holtpolt Non-commutative Division Symbols	125
Table 277:	Dots	125
Table 278:	$\mathcal{AMS}$ Dots	125
Table 279:	wasysym Dots	125
Table 280:	MnSymbol Dots	126
Table 281:	fdsymbol Dots	126
Table 282:	stix Dots	126
Table 283:	mathdots Dots	126
Table 284:	yhmath Dots	127
Table 285:	teubner Dots	127
Table 286:	begriff Begriffsschrift Symbols	127
Table 287:	frege Begriffsschrift Symbols	127
Table 288:	mathcomp Math Symbols	127
Table 289:	marvosym Math Symbols	128
Table 290:	marvosym Digits	128
Table 291:	fge Digits	128

Table 292:	dozenal Base-12 Digits . . . . .	128
Table 293:	mathabx Mayan Digits . . . . .	128
Table 294:	stix Infinities . . . . .	128
Table 295:	stix Primes . . . . .	128
Table 296:	stix Empty Sets . . . . .	129
Table 297:	$\mathcal{AMS}$ Angles . . . . .	129
Table 298:	MnSymbol Angles . . . . .	129
Table 299:	fdsymbol Angles . . . . .	129
Table 300:	boisik Angles . . . . .	129
Table 301:	stix Angles . . . . .	129
Table 302:	Miscellaneous $\text{\LaTeX} 2_{\epsilon}$ Math Symbols . . . . .	130
Table 303:	Miscellaneous $\mathcal{AMS}$ Math Symbols . . . . .	130
Table 304:	Miscellaneous wasysym Math Symbols . . . . .	130
Table 305:	Miscellaneous txfonts/pxfonts Math Symbols . . . . .	130
Table 306:	Miscellaneous mathabx Math Symbols . . . . .	130
Table 307:	Miscellaneous MnSymbol Math Symbols . . . . .	131
Table 308:	Miscellaneous Internal MnSymbol Math Symbols . . . . .	131
Table 309:	Miscellaneous fdsymbol Math Symbols . . . . .	131
Table 310:	Miscellaneous boisik Math Symbols . . . . .	132
Table 311:	Miscellaneous stix Math Symbols . . . . .	132
Table 312:	endofproofwd End-of-Proof Symbols . . . . .	132
Table 313:	Miscellaneous textcomp Text-mode Math Symbols . . . . .	133
Table 314:	Miscellaneous fge Math Symbols . . . . .	133
Table 315:	Miscellaneous mathdesign Math Symbols . . . . .	133
Table 316:	Math Alphabets . . . . .	134
<b>4</b>	<b>Science and technology symbols</b>	<b>136</b>
Table 317:	gensymb Symbols Defined to Work in Both Math and Text Mode . . . . .	136
Table 318:	wasysym Electrical and Physical Symbols . . . . .	136
Table 319:	ifsym Pulse Diagram Symbols . . . . .	136
Table 320:	ar Aspect Ratio Symbol . . . . .	136
Table 321:	plimsoll Plimsoll Symbol . . . . .	136
Table 322:	textcomp Text-mode Science and Engineering Symbols . . . . .	136
Table 323:	steinmetz Extensible Phasor Symbol . . . . .	137
Table 324:	emf Electromotive Force Symbols . . . . .	137
Table 325:	wasysym Astronomical Symbols . . . . .	137
Table 326:	marvosym Astronomical Symbols . . . . .	138
Table 327:	fontawesome Astronomical Symbols . . . . .	138
Table 328:	mathabx Astronomical Symbols . . . . .	138
Table 329:	stix Astronomical Symbols . . . . .	138
Table 330:	utfsym Astronomical Symbols . . . . .	139
Table 331:	starfont Astronomical Symbols . . . . .	140
Table 332:	wasysym APL Symbols . . . . .	140
Table 333:	stix APL Symbols . . . . .	141
Table 334:	apl APL Symbols . . . . .	141
Table 335:	marvosym Computer Hardware Symbols . . . . .	141
Table 336:	keystroke Computer Keys . . . . .	141
Table 337:	ascii Control Characters (CP437) . . . . .	142
Table 338:	logic Logic Gates . . . . .	142
Table 339:	marvosym Communication Symbols . . . . .	143
Table 340:	marvosym Engineering Symbols . . . . .	143
Table 341:	wasysym Biological Symbols . . . . .	143
Table 342:	stix Biological Symbols . . . . .	143
Table 343:	marvosym Biological Symbols . . . . .	143

Table 344:	utfsym Biological Symbols . . . . .	143
Table 345:	fontawesome Biological Symbols . . . . .	144
Table 346:	marvosym Safety-related Symbols . . . . .	144
Table 347:	feyn Feynman Diagram Symbols . . . . .	144
Table 348:	svrsymbols Physics Ideograms . . . . .	145

**5 Dingbats 146**

Table 349:	bbding Arrows . . . . .	146
Table 350:	pifont Arrows . . . . .	146
Table 351:	adfsymbols Arrows . . . . .	147
Table 352:	adorn Arrows . . . . .	147
Table 353:	arev Arrows . . . . .	147
Table 354:	utfsym Arrows . . . . .	148
Table 355:	fontawesome Arrows . . . . .	148
Table 356:	fontawesome Chevrons . . . . .	148
Table 357:	marvosym Scissors . . . . .	148
Table 358:	bbding Scissors . . . . .	149
Table 359:	pifont Scissors . . . . .	149
Table 360:	utfsym Scissors . . . . .	149
Table 361:	dingbat Pencils . . . . .	149
Table 362:	arev Pencils . . . . .	149
Table 363:	fontawesome Pencils . . . . .	149
Table 364:	bbding Pencils and Nibs . . . . .	149
Table 365:	pifont Pencils and Nibs . . . . .	150
Table 366:	utfsym Pencils, Pens, and Nibs . . . . .	150
Table 367:	dingbat Fists . . . . .	150
Table 368:	bbding Fists . . . . .	150
Table 369:	pifont Fists . . . . .	150
Table 370:	fourier Fists . . . . .	150
Table 371:	arev Fists . . . . .	150
Table 372:	utfsym Fists . . . . .	151
Table 373:	fontawesome Fists . . . . .	151
Table 374:	bbding Crosses and Plusses . . . . .	151
Table 375:	pifont Crosses and Plusses . . . . .	151
Table 376:	adfsymbols Crosses and Plusses . . . . .	151
Table 377:	utfsym Crosses and Plusses . . . . .	152
Table 378:	arev Crosses . . . . .	152
Table 379:	bbding Xs and Check Marks . . . . .	152
Table 380:	pifont Xs and Check Marks . . . . .	152
Table 381:	wasysym Xs and Check Marks . . . . .	152
Table 382:	marvosym Xs and Check Marks . . . . .	152
Table 383:	arev Xs and Check Marks . . . . .	152
Table 384:	utfsym Xs and Check Marks . . . . .	153
Table 385:	fontawesome Xs and Check Marks . . . . .	153
Table 386:	pifont Circled Numerals . . . . .	153
Table 387:	utfsym Circled Numerals . . . . .	154
Table 388:	wasysym Stars . . . . .	154
Table 389:	bbding Stars, Flowers, and Similar Shapes . . . . .	154
Table 390:	pifont Stars, Flowers, and Similar Shapes . . . . .	155
Table 391:	adfsymbols Stars, Flowers, and Similar Shapes . . . . .	155
Table 392:	utfsym Stars, Flowers, and Similar Shapes . . . . .	155
Table 393:	adorn Stars . . . . .	155
Table 394:	fontawesome Stars . . . . .	156
Table 395:	fourier Fleurons and Flowers . . . . .	156



Table 396:	adorn Fleurons and Flowers . . . . .	156
Table 397:	wasysym Geometric Shapes . . . . .	156
Table 398:	MnSymbol Geometric Shapes . . . . .	157
Table 399:	fdsymbol Geometric Shapes . . . . .	157
Table 400:	boisik Geometric Shapes . . . . .	157
Table 401:	stix Geometric Shapes . . . . .	158
Table 402:	ifsym Geometric Shapes . . . . .	159
Table 403:	bbding Geometric Shapes . . . . .	160
Table 404:	pifont Geometric Shapes . . . . .	160
Table 405:	universa Geometric Shapes . . . . .	160
Table 406:	adfsymbols Geometric Shapes . . . . .	160
Table 407:	utfsym Geometric Shapes . . . . .	161
Table 408:	fontawesome Geometric Shapes . . . . .	161
Table 409:	oplotsymb1 Geometric Shapes . . . . .	161
Table 410:	adorn Flourishes . . . . .	162
Table 411:	Miscellaneous oplotsymb1 Symbols . . . . .	162
Table 412:	Miscellaneous dingbat Dingbats . . . . .	162
Table 413:	Miscellaneous bbding Dingbats . . . . .	163
Table 414:	Miscellaneous pifont Dingbats . . . . .	163
Table 415:	Miscellaneous adorn Dingbats . . . . .	163
Table 416:	Miscellaneous utfsym Dingbats . . . . .	163
<b>6</b>	<b>Ancient languages</b>	<b>164</b>
Table 417:	phaistos Symbols from the Phaistos Disk . . . . .	164
Table 418:	protosem Proto-Semitic Characters . . . . .	164
Table 419:	hieroglf Hieroglyphics . . . . .	165
Table 420:	linearA Linear A Script . . . . .	165
Table 421:	linearb Linear B Basic and Optional Letters . . . . .	168
Table 422:	linearb Linear B Numerals . . . . .	168
Table 423:	linearb Linear B Weights and Measures . . . . .	168
Table 424:	linearb Linear B Ideograms . . . . .	169
Table 425:	linearb Unidentified Linear B Symbols . . . . .	169
Table 426:	cyriot Cypriot Letters . . . . .	169
Table 427:	sarabian South Arabian Letters . . . . .	170
Table 428:	teubner Archaic Greek Letters and Greek Numerals . . . . .	170
Table 429:	boisik Archaic Greek Letters and Greek Numerals . . . . .	170
Table 430:	epiolmec Epi-Olmec Script . . . . .	171
Table 431:	epiolmec Epi-Olmec Numerals . . . . .	172
Table 432:	allrunes Runes . . . . .	173
Table 433:	allrunes Rune Separators . . . . .	173
<b>7</b>	<b>Musical symbols</b>	<b>174</b>
Table 434:	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Musical Symbols . . . . .	174
Table 435:	textcomp Musical Symbols . . . . .	174
Table 436:	wasysym Musical Symbols . . . . .	174
Table 437:	MnSymbol Musical Symbols . . . . .	174
Table 438:	fdsymbol Musical Symbols . . . . .	174
Table 439:	boisik Musical Symbols . . . . .	174
Table 440:	stix Musical Symbols . . . . .	174
Table 441:	arev Musical Symbols . . . . .	175
Table 442:	utfsym Musical Symbols . . . . .	175
Table 443:	MusiX <sub>T</sub> E <sub>X</sub> Musical Symbols . . . . .	175
Table 444:	MusiX <sub>T</sub> E <sub>X</sub> Alternative Clefs . . . . .	176
Table 445:	harmony Musical Symbols . . . . .	176

Table 446:	musicography Musical Symbols . . . . .	177
Table 447:	musicography Time Signatures . . . . .	177
Table 448:	harmony Musical Accents . . . . .	178
Table 449:	<i>lily&amp;lypbs</i> Single Notes . . . . .	178
Table 450:	<i>lily&amp;lypbs</i> Beamed Notes . . . . .	179
Table 451:	<i>lily&amp;lypbs</i> Clefs . . . . .	179
Table 452:	<i>lily&amp;lypbs</i> Time Signatures . . . . .	179
Table 453:	<i>lily&amp;lypbs</i> Accidentals . . . . .	180
Table 454:	<i>lily&amp;lypbs</i> Rests . . . . .	180
Table 455:	<i>lily&amp;lypbs</i> Dynamics Letters . . . . .	180
Table 456:	<i>lily&amp;lypbs</i> Dynamics Symbols . . . . .	180
Table 457:	<i>lily&amp;lypbs</i> Articulations . . . . .	180
Table 458:	<i>lily&amp;lypbs</i> Scripts . . . . .	181
Table 459:	<i>lily&amp;lypbs</i> Accordion Notation . . . . .	181
Table 460:	<i>lily&amp;lypbs</i> Named Time Signatures . . . . .	181
Table 461:	<i>lily&amp;lypbs</i> Named Scripts . . . . .	181
Table 462:	<i>lily&amp;lypbs</i> Named Rests . . . . .	183
Table 463:	<i>lily&amp;lypbs</i> Named Pedals . . . . .	183
Table 464:	<i>lily&amp;lypbs</i> Named Flags . . . . .	184
Table 465:	<i>lily&amp;lypbs</i> Named Custodes . . . . .	184
Table 466:	<i>lily&amp;lypbs</i> Named Clefs . . . . .	185
Table 467:	<i>lily&amp;lypbs</i> Named Noteheads . . . . .	186
Table 468:	<i>lily&amp;lypbs</i> Named Accordion Symbols . . . . .	191
Table 469:	<i>lily&amp;lypbs</i> Named Accidentals . . . . .	191
Table 470:	<i>lily&amp;lypbs</i> Named Arrowheads . . . . .	192
Table 471:	<i>lily&amp;lypbs</i> Named Alphanumerics and Punctuation . . . . .	192
Table 472:	Miscellaneous <i>lily&amp;lypbs</i> Named Musical Symbols . . . . .	193

**8 Gaming symbols 194**

Table 473:	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> Playing-Card Suits . . . . .	194
Table 474:	txfonts/pxfonts Playing-Card Suits . . . . .	194
Table 475:	MnSymbol Playing-Card Suits . . . . .	194
Table 476:	fdsymbol Playing-Card Suits . . . . .	194
Table 477:	boisik Playing-Card Suits . . . . .	194
Table 478:	stix Playing-Card Suits . . . . .	194
Table 479:	arev Playing-Card Suits . . . . .	194
Table 480:	twemojis Playing-Card Suits . . . . .	195
Table 481:	utfsym Playing-Card Suits . . . . .	195
Table 482:	utfsym Playing Cards . . . . .	196
Table 483:	epsdice Dice . . . . .	196
Table 484:	hhcount Dice . . . . .	196
Table 485:	stix Dice . . . . .	197
Table 486:	ifsym Dice . . . . .	197
Table 487:	utfsym Dice . . . . .	197
Table 488:	utfsym Domino Tiles . . . . .	197
Table 489:	utfsym Mahjong Tiles . . . . .	198
Table 490:	utfsym Chess Pieces . . . . .	199

Table 491:	skak Chess Informator Symbols . . . . .	199
Table 492:	skak Chess Pieces and Chessboard Squares . . . . .	200
Table 493:	igo Go Symbols . . . . .	200
Table 494:	go Go Symbols . . . . .	201

**9 Other symbols 202**

Table 495:	textcomp Genealogical Symbols . . . . .	202
Table 496:	wasysym General Symbols . . . . .	202
Table 497:	utfsym Transportation Symbols . . . . .	202
Table 498:	twemojis Transportation Emoji . . . . .	203
Table 499:	manfnt Dangerous Bend Symbols . . . . .	204
Table 500:	Miscellaneous manfnt Symbols . . . . .	204
Table 501:	marvosym Media Control Symbols . . . . .	205
Table 502:	marvosym Laundry Symbols . . . . .	205
Table 503:	marvosym Information Symbols . . . . .	205
Table 504:	Other marvosym Symbols . . . . .	205
Table 505:	Miscellaneous universa Symbols . . . . .	205
Table 506:	Miscellaneous fourier Symbols . . . . .	205
Table 507:	utfsym Weather Symbols . . . . .	206
Table 508:	twemojis Weather Symbols . . . . .	206
Table 509:	ifsym Weather Symbols . . . . .	206
Table 510:	ifsym Alpine Symbols . . . . .	207
Table 511:	ifsym Clocks . . . . .	207
Table 512:	utfsym Clocks . . . . .	207
Table 513:	clock Clocks . . . . .	208
Table 514:	twemojis Clocks . . . . .	208
Table 515:	twemojis Animals . . . . .	209
Table 516:	twemojis Food Emoji . . . . .	210
Table 517:	hhcount Tally Markers . . . . .	211
Table 518:	ifsym Tally Markers . . . . .	212
Table 519:	bullcntr Tally Markers . . . . .	212
Table 520:	dozenal Tally Markers . . . . .	212
Table 521:	skull Symbols . . . . .	213
Table 522:	Non-Mathematical mathabx Symbols . . . . .	213
Table 523:	Other ifsym Symbols . . . . .	213
Table 524:	metre Metrical Symbols . . . . .	213
Table 525:	metre Small and Large Metrical Symbols . . . . .	213
Table 526:	teubner Metrical Symbols . . . . .	214
Table 527:	dictsym Dictionary Symbols . . . . .	214
Table 528:	simpsons Characters from <i>The Simpsons</i> . . . . .	214
Table 529:	pmbboxdraw Box-Drawing Symbols . . . . .	215
Table 530:	staves Magical Staves . . . . .	215
Table 531:	pigpen Cipher Symbols . . . . .	216
Table 532:	☾ Phases of the Moon . . . . .	216
Table 533:	twemojis Phases of the Moon . . . . .	217
Table 534:	☿ Recycling Symbols . . . . .	217
Table 535:	marvosym Recycling Symbols . . . . .	217
Table 536:	utfsym Recycling Symbols . . . . .	217
Table 537:	recycle Recycling Symbols . . . . .	218
Table 538:	Other ☾ Symbols . . . . .	218
Table 539:	soyombo Soyombo Symbols . . . . .	218
Table 540:	knitting Knitting Symbols . . . . .	219
Table 541:	countriesofeurope Country Maps . . . . .	219
Table 542:	rojud Maps of Romanian Counties . . . . .	222

Table 543:	euflag European Union Flag . . . . .	223
Table 544:	worldflags World Flags . . . . .	223
Table 545:	twemojis Flags . . . . .	226
Table 546:	Miscellaneous arev Symbols . . . . .	229
Table 547:	cookingsymbols Cooking Symbols . . . . .	229
Table 548:	tikzsymbols Cooking Symbols . . . . .	229
Table 549:	tikzsymbols Emoji . . . . .	230
Table 550:	tikzsymbols 3D Emoji . . . . .	230
Table 551:	utfsym Emoji . . . . .	231
Table 552:	tikzsymbols Trees . . . . .	231
Table 553:	Miscellaneous tikzsymbols Symbols . . . . .	231
Table 554:	Miscellaneous twemojis Emoji . . . . .	232
Table 555:	scsnowman Snowmen . . . . .	245
Table 556:	Miscellaneous bclogo Symbols . . . . .	246
Table 557:	Miscellaneous utfsym Pictographs . . . . .	247
Table 558:	fontawesome Web-Related Icons . . . . .	250
Table 559:	rubikcube Rubik’s Cube Rotations . . . . .	254
<b>10</b>	<b>Fonts with minimal L<sup>A</sup>T<sub>E</sub>X support</b>	<b>255</b>
Table 560:	hands Fists . . . . .	255
Table 561:	greenpoint Recycling Symbols . . . . .	255
Table 562:	nkarta Map Symbols . . . . .	255
Table 563:	moonphase Astronomical Symbols . . . . .	257
Table 564:	astrosym Astronomical Symbols . . . . .	257
Table 565:	webomints Decorative Borders . . . . .	260
Table 566:	umranda Decorative Borders . . . . .	261
Table 567:	umrandb Decorative Borders . . . . .	262
Table 568:	dingbat Decorative Borders . . . . .	264
Table 569:	knot Celtic Knots . . . . .	264
Table 570:	dancers Dancing Men . . . . .	268
Table 571:	semaphor Semaphore Alphabet . . . . .	271
Table 572:	cryst Crystallography Symbols . . . . .	273
Table 573:	dice Dice . . . . .	274
Table 574:	magic Trading Card Symbols . . . . .	275
Table 575:	bartel-chess-fonts Chess Pieces and Chessboard Squares . . . . .	275
<b>11</b>	<b>Additional Information</b>	<b>277</b>
11.1	Symbol Name Clashes . . . . .	277
11.2	Resizing symbols . . . . .	277
11.3	Where can I find the symbol for ...? . . . . .	280
11.4	Math-mode spacing . . . . .	291
11.5	Bold mathematical symbols . . . . .	292
11.6	ASCII and Latin 1 quick reference . . . . .	292
11.7	Unicode characters . . . . .	294
11.8	About this document . . . . .	297
11.9	Copyright and license . . . . .	299
	<b>References</b>	<b>300</b>
	<b>Index</b>	<b>301</b>

# 1 Introduction

Welcome to the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List! This document strives to be your primary source of L<sup>A</sup>T<sub>E</sub>X symbol information: font samples, L<sup>A</sup>T<sub>E</sub>X commands, packages, usage details, caveats—everything needed to put thousands of different symbols at your disposal. All of the fonts covered herein meet the following criteria:

1. They are freely available from the Comprehensive T<sub>E</sub>X Archive Network (<http://www.ctan.org/>).
2. All of their symbols have L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> bindings. That is, a user should be able to access a symbol by name (e.g., `\bigtriangleup`)

As of version 12 of the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List, that second restriction has been relaxed with the inclusion of Section 10, which showcases fonts that provide, at a minimum, either T<sub>E</sub>X font-metric files (`.tfm`) or the METAFONT sources (`.mf`) that produce those font-metric files. Some of the Section 10 fonts do include L<sup>A</sup>T<sub>E</sub>X font-definition files (`.fd`). However, what sets the fonts in Section 10 apart from the fonts in rest of the document is that they lack a L<sup>A</sup>T<sub>E</sub>X style file (`.sty`) that individually names each of the glyphs.

The restrictions listed above are not particularly limiting criteria; the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List contains samples of 18150 symbols—quite a large number. Some of these symbols are guaranteed to be available in every L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. See <http://www.tex.ac.uk/FAQ-installthings.html> for help with installing new fonts and packages.

## 1.1 Document Usage

Each section of this document contains a number of font tables. Each table shows a set of symbols, with the corresponding L<sup>A</sup>T<sub>E</sub>X command to the right of each symbol. A table’s caption indicates what package needs to be loaded in order to access that table’s symbols. For example, the symbols in Table 45, “textcomp Old-Style Numerals”, are made available by putting “`\usepackage{textcomp}`” in your document’s preamble. “ $\mathcal{AMS}$ ” means to use the  $\mathcal{AMS}$  packages, viz. `amssymb` and/or `amsmath`. Notes below a table provide additional information about some or all the symbols in that table.

One note that appears a few times in this document, particularly in Section 2, indicates that certain symbols do not exist in the OT1 font encoding (Donald Knuth’s original, 7-bit font encoding, which is the default font encoding for L<sup>A</sup>T<sub>E</sub>X) and that you should use `fontenc` to select a different encoding, such as T1 (a common 8-bit font encoding). That means that you should put “`\usepackage[encoding]{fontenc}`” in your document’s preamble, where *encoding* is, e.g., T1 or LY1. To limit the change in font encoding to the current group, use “`\fontencoding{encoding}\selectfont`”.

Section 11 contains some additional information about the symbols in this document. It discusses how certain mathematical symbols can vary in height, shows which symbol names are not unique across packages, gives examples of how to create new symbols out of existing symbols, explains how symbols are spaced in math mode, compares various schemes for boldfacing symbols, presents L<sup>A</sup>T<sub>E</sub>X ASCII and Latin 1 tables, shows how to input and output Unicode characters, and provides some information about this document itself. The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List ends with an index of all the symbols in the document and various additional useful terms.

A companion document, Raw Font Tables, also presents a large number of symbols but with a very different structure from this document. Raw Font Tables includes only symbols produced via a font file, while this document also includes composite symbols (combinations of two or more glyphs) and symbols drawn as pictures (using, e.g., `TikZ`). This document sorts symbols by category while Raw Font Tables sorts symbols by underlying font file. The two documents are intended to complement each other. It is usually easier to find a desired symbol in The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List, but Raw Font Tables is helpful for identifying related symbols, for finding symbols that exist in some font but are not exposed to the user via a L<sup>A</sup>T<sub>E</sub>X package (or that this document inadvertently overlooked), and for the font name and character position needed to typeset a single symbol in isolation. The last of those is especially important for math symbols. T<sub>E</sub>X imposes a limitation of at most 16 math alphabets per document, but symbols typeset with `\font` and `\char` are text symbols and do not consume a math alphabet. (They are less convenient to use within a mathematical expression, however.)

## 1.2 Frequently Requested Symbols

There are a number of symbols that are requested over and over again on `comp.text.tex`. If you're looking for such a symbol the following list will help you find it quickly.

<code>_</code> , as in “ <code>Spaces_are_significant.</code> ”	15	<code>\dots</code>	126
$\bar{i}$ , $\tilde{i}$ , $\acute{i}$ , $\grave{i}$ , etc. (versus $\bar{i}$ , $\tilde{i}$ , $\acute{i}$ , $\grave{i}$ , and $\check{i}$ )	22	$^\circ$ , as in “180 $^\circ$ ” or “15 $^\circ$ C”	133
$\phi$	27	$\mathcal{L}$ , $\mathcal{F}$ , etc.	134
$\epsilon$	27	$\mathbb{N}$ , $\mathbb{Z}$ , $\mathbb{R}$ , etc.	134
$\textcircled{C}$ , $\textcircled{R}$ , and $\text{TM}$	28	$\varepsilon$	134
$\%$	29	$f$	283
$\mathfrak{F}$	45	$\acute{a}$ , $\grave{e}$ , etc. (i.e., several accents per character)	285
$\therefore$	55	$<$ , $>$ , and $ $ (instead of $\grave{i}$ , $\grave{i}$ , and $—$ )	292
$:=$ and $::=$	56	$\hat{\ } and \tilde{\ } (or \sim)$	293
$\lesssim$ and $\gtrsim$	70		

## 2 Body-text symbols

This section lists symbols that are intended for use in running text, such as punctuation marks, accents, ligatures, and currency symbols.

TABLE 1: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Escapable “Special” Characters

\$ \ \$    % \%    - \\_ \*    } \}    & \&    # \#    { \{

\* The `underscore` package redefines “\_” to produce an underscore in text mode (i.e., it makes it unnecessary to escape the underscore character).

TABLE 2: Predefined L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Text-mode Commands

^	\textasciicircum*	<	\textless
~	\textasciitilde*	a	\textordfeminine
*	\textasteriskcentered	o	\textordmasculine
\	\textbackslash	¶	\textparagraph <sup>†</sup>
	\textbar	·	\textperiodcentered
	\textbardbl	% <sub>000</sub>	\textpertenthousand
○	\textbigcircle	% <sub>00</sub>	\textperthousand
{	\textbraceleft <sup>†</sup>	¿	\textquestiondown
}	\textbraceright <sup>†</sup>	“	\textquotedblleft
•	\textbullet	”	\textquotedblright
©	\textcopyright <sup>†</sup>	‘	\textquoteleft
†	\textdagger <sup>†</sup>	,	\textquoteright
‡	\textdaggerdbl <sup>†</sup>	®	\textregistered
\$	\textdollar <sup>†</sup>	§	\textsection <sup>†</sup>
...	\textellipsis <sup>†</sup>	£	\textsterling <sup>†</sup>
—	\textendash	™	\texttrademark
-	\textendash	-	\textunderscore <sup>†</sup>
¡	\textexclamdown	˘	\textvisiblespace
>	\textgreater		

The first symbol column represents the—sometimes “faked”—symbol that L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 2’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

\* `\^{}` and `\~{}` can be used instead of `\textasciicircum` and `\textasciitilde`. See the discussion of “~” on page 293.

<sup>†</sup> It’s generally preferable to use the corresponding symbol from Table 3 on the following page because the symbols in that table work properly in both text mode and math mode.

TABLE 3: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Commands Defined to Work in Both Math and Text Mode

{	\{	-	\_	‡	‡	\ddag	£	\pounds
}	\}	©	©	\copyright	...	\dots	§	\S
\$	\\$	†	†	\dag	¶	¶	\P	

The first symbol column represents the—sometimes “faked”—symbol that L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 3’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

TABLE 4: A<sup>M</sup>S Commands Defined to Work in Both Math and Text Mode

✓	\checkmark	®	\circledR	✠	\maltese
---	------------	---	-----------	---	----------

TABLE 5: Non-ASCII Letters (Excluding Accented Letters)

å	\aa	Ð	\DH*	L	\L	ø	\o	þ	\th*
Å	\AA	Ð	\DJ*	l	\l	œ	\oe	Þ	\TH*
Æ	\AE	đ	\dj*	l	\l	Œ	\OE		
æ	\ae	IJ	\IJ	ŋ	\ng*	ß	\ss		
ð	\dh*	ij	\ij	Ø	\O	SS	\SS		

\* Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.



TABLE 6: `textgreek` Upright Greek Letters

$\alpha$	<code>\textalpha</code>	$\eta$	<code>\texteta</code>	$\nu$	<code>\textnu</code>	$\tau$	<code>\texttau</code>
$\beta$	<code>\textbeta</code>	$\theta$	<code>\texttheta</code>	$\xi$	<code>\textxi</code>	$\upsilon$	<code>\textupsilon</code>
$\gamma$	<code>\textgamma</code>	$\iota$	<code>\textiota</code>	$\omicron$	<code>\textomikron</code>	$\phi$	<code>\textphi</code>
$\delta$	<code>\textdelta</code>	$\kappa$	<code>\textkappa</code>	$\pi$	<code>\textpi</code>	$\chi$	<code>\textchi</code>
$\epsilon$	<code>\textepsilon</code>	$\lambda$	<code>\textlambda</code>	$\rho$	<code>\textrho</code>	$\psi$	<code>\textpsi</code>
$\zeta$	<code>\textzeta</code>	$\mu$	<code>\textmu*</code>	$\sigma$	<code>\textsigma</code>	$\omega$	<code>\textomega</code>
A	<code>\textAlpha</code>	H	<code>\textEta</code>	N	<code>\textNu</code>	T	<code>\textTau</code>
B	<code>\textBeta</code>	$\Theta$	<code>\textTheta</code>	$\Xi$	<code>\textXi</code>	$\Upsilon$	<code>\textUpsilon</code>
$\Gamma$	<code>\textGamma</code>	I	<code>\textIota</code>	$\omicron$	<code>\textOmicron</code>	$\Phi$	<code>\textPhi</code>
$\Delta$	<code>\textDelta</code>	K	<code>\textKappa</code>	$\Pi$	<code>\textPi</code>	X	<code>\textChi</code>
E	<code>\textEpsilon</code>	$\Lambda$	<code>\textLambda</code>	P	<code>\textRho</code>	$\Psi$	<code>\textPsi</code>
Z	<code>\textZeta</code>	M	<code>\textMu</code>	$\Sigma$	<code>\textSigma</code>	$\Omega$	<code>\textOmega</code>

\* Synonyms for `\textmu` include `\textmicro` and `\textmugreek`.

`textgreek` tries to use a Greek font that matches the body text. As a result, the glyphs may appear slightly different from the above.

Unlike `upgreek` (Table 191 on page 102), `textgreek` works in text mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., in phrases such as “ $\beta$ -decay”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 7: Letters Used to Typeset African Languages

$\mathcal{D}$	<code>\B{D}</code>	$\mathcal{C}$	<code>\m{c}</code>	f	<code>\m{f}</code>	k	<code>\m{k}</code>	t	<code>\M{t}</code>	$\mathcal{Z}$	<code>\m{Z}</code>
d	<code>\B{d}</code>	$\mathcal{D}$	<code>\m{D}</code>	F	<code>\m{F}</code>	N	<code>\m{N}</code>	T	<code>\M{T}</code>	$\mathcal{E}$	<code>\T{E}</code>
H	<code>\B{H}</code>	d	<code>\M{d}</code>	G	<code>\m{G}</code>	n	<code>\m{n}</code>	t	<code>\m{t}</code>	$\mathcal{E}$	<code>\T{e}</code>
h	<code>\B{h}</code>	$\mathcal{D}$	<code>\M{D}</code>	g	<code>\m{g}</code>	o	<code>\m{o}</code>	T	<code>\m{T}</code>	$\mathcal{O}$	<code>\T{O}</code>
t	<code>\B{t}</code>	d	<code>\m{d}</code>	I	<code>\m{I}</code>	O	<code>\m{O}</code>	u	<code>\m{u}</code> *	$\mathcal{O}$	<code>\T{o}</code>
T	<code>\B{T}</code>	$\mathcal{E}$	<code>\m{E}</code>	i	<code>\m{i}</code>	P	<code>\m{P}</code>	U	<code>\m{U}</code> *		
b	<code>\m{b}</code>	$\mathcal{E}$	<code>\m{e}</code>	J	<code>\m{J}</code>	p	<code>\m{p}</code>	Y	<code>\m{Y}</code>		
$\mathcal{B}$	<code>\m{B}</code>	$\mathcal{E}$	<code>\M{E}</code>	j	<code>\m{j}</code>	s	<code>\m{s}</code>	y	<code>\m{y}</code>		
$\mathcal{C}$	<code>\m{C}</code>	$\mathcal{E}$	<code>\M{e}</code>	K	<code>\m{K}</code>	S	<code>\m{S}</code>	z	<code>\m{z}</code>		

These characters all need the T4 font encoding, which is provided by the `fc` package.

\* `\m{v}` and `\m{V}` are synonyms for `\m{u}` and `\m{U}`.

TABLE 8: Letters Used to Typeset Vietnamese

$\mathcal{O}$	<code>\OHORN</code>	$\mathcal{o}$	<code>\ohorn</code>	$\mathcal{U}$	<code>\UHORN</code>	$\mathcal{u}$	<code>\uhorn</code>
---------------	---------------------	---------------	---------------------	---------------	---------------------	---------------	---------------------

These characters all need the T5 font encoding, which is provided by the `vntex` package.

TABLE 9: Punctuation Marks Not Found in OT1

«	<code>\guillemetleft*</code>	<	<code>\guilsinglleft</code>	„	<code>\quotedblbase</code>	"	<code>\textquotedbl</code>
»	<code>\guillemetright*</code>	>	<code>\guilsinglright</code>	,	<code>\quotesinglbase</code>		

\* Older versions of L<sup>A</sup>T<sub>E</sub>X misspelled these as `\guillemotleft` and `\guillemotright`. The older names are still retained for backward compatibility.

To get these symbols, use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 10: pifont Decorative Punctuation Marks

•	<code>\ding{123}</code>	“	<code>\ding{125}</code>	¶	<code>\ding{161}</code>	•	<code>\ding{163}</code>
•	<code>\ding{124}</code>	”	<code>\ding{126}</code>	¶	<code>\ding{162}</code>		

TABLE 11: tipa Phonetic Symbols

$\gamma$	<code>\textbabygamma</code>	?	<code>\textglotstop</code>	$\eta$	<code>\textrightailn</code>
$\bar{b}$	<code>\textbarb</code>	·	<code>\texthalflength</code>	$\text{r}$	<code>\textrightailr</code>
$\epsilon$	<code>\textbarc</code>	$\bar{b}$	<code>\texthardsign</code>	$\text{s}$	<code>\textrightails</code>
$\bar{d}$	<code>\textbard</code>	ˆ	<code>\texthooktop</code>	$\text{t}$	<code>\textrightailt</code>
$\text{j}$	<code>\textbardotlessj</code>	$\bar{b}$	<code>\texthtb</code>	$\text{z}$	<code>\textrightailz</code>
$\text{g}$	<code>\textbarg</code>	$\text{f}$	<code>\texthtbardotlessj</code>	˘	<code>\textrthook</code>
?	<code>\textbarglotstop</code>	$\text{c}$	<code>\texthtc</code>	A	<code>\textasca</code>
$\text{i}$	<code>\textbari</code>	$\text{d}$	<code>\texthtd</code>	B	<code>\textascb</code>
$\text{l}$	<code>\textbarl</code>	$\text{g}$	<code>\texthtg</code>	E	<code>\textasce</code>
$\text{o}$	<code>\textbaro</code>	$\text{h}$	<code>\texthth</code>	G	<code>\textascg</code>
$\text{f}$	<code>\textbarrevglotstop</code>	$\text{j}$	<code>\texththeng</code>	H	<code>\textasch</code>
$\text{u}$	<code>\textbaru</code>	$\text{k}$	<code>\texthtk</code>	$\text{o}$	<code>\textaschwa</code>
$\text{l}$	<code>\textbeltl</code>	$\text{p}$	<code>\texthtp</code>	I	<code>\textasci</code>
$\beta$	<code>\textbeta</code>	$\text{q}$	<code>\texthtq</code>	J	<code>\textascj</code>
$\text{\O}$	<code>\textbullseye</code>	$\text{d}$	<code>\texthtrtaild</code>	L	<code>\textasccl</code>
˘	<code>\textceltpal</code>	$\text{c}$	<code>\texthtscg</code>	N	<code>\textascn</code>
$\chi$	<code>\textchi</code>	$\text{t}$	<code>\texthtt</code>	$\text{\O}$	<code>\textascoelig</code>
$\text{\varepsilon}$	<code>\textcloseepsilon</code>	$\text{h}$	<code>\texthvlig</code>	$\text{\Omega}$	<code>\textscomega</code>
$\text{\omega}$	<code>\textcloseomega</code>	$\text{\textcircled{b}}$	<code>\textinvglotstop</code>	R	<code>\textscr</code>
$\text{\varepsilon}$	<code>\textcloserevepsilon</code>	$\text{B}$	<code>\textinvscr</code>	$\text{\alpha}$	<code>\textscripta</code>
$\text{z}$	<code>\textcommatailz</code>	$\text{\iota}$	<code>\textiota</code>	$\text{g}$	<code>\textscriptg</code>
˘	<code>\textcorner</code>	$\text{\lambda}$	<code>\textlambda</code>	$\text{v}$	<code>\textscriptv</code>
$\text{b}$	<code>\textcrb</code>	:	<code>\textlengthmark</code>	$\text{U}$	<code>\textscu</code>
$\text{d}$	<code>\textcrd</code>	$\text{t}$	<code>\textlhookt</code>	$\text{Y}$	<code>\textscy</code>
$\text{g}$	<code>\textcrg</code>	$\text{l}$	<code>\textlhtlongi</code>	˘	<code>\textsecstress</code>
$\text{h}$	<code>\textcrh</code>	$\text{v}$	<code>\textlhtlongy</code>	$\text{b}$	<code>\textsoftsign</code>

(continued on next page)

(continued from previous page)

š	<code>\textcrinvglotstop</code>	ɿ	<code>\textlonglegr</code>	Ĉ	<code>\textstretchc</code>
λ	<code>\textcrlambda</code>	<	<code>\textlptr</code>	Ț	<code>\texttctclig</code>
z	<code>\textcrtwo</code>	ŋ	<code>\textltailm</code>	ʦ	<code>\texttेशlig</code>
ç	<code>\textctc</code>	ɹ	<code>\textltailn</code>	θ	<code>\texttheta</code>
d	<code>\textctd</code>	ł	<code>\textltilde</code>	þ	<code>\textthorn</code>
dz	<code>\textctdctzlig</code>	ɥ	<code>\textlyoghlig</code>		<code>\texttoneletterstem</code>
ʃ	<code>\textctesh</code>	Ț	<code>\textObardotlessj</code>	ts	<code>\textttslig</code>
j	<code>\textctj</code>	ɥ	<code>\textOlyoghlig</code>	ɹ	<code>\textturna</code>
ɳ	<code>\textctn</code>	ω	<code>\textomega</code>	æ	<code>\textturncelig</code>
t	<code>\textctt</code>	┌	<code>\textopencorner</code>	ɥ	<code>\textturnh</code>
Ț	<code>\textcttctclig</code>	o	<code>\textopeno</code>	ɣ	<code>\textturnk</code>
š	<code>\textctyogh</code>	ˆ	<code>\textpalhook</code>	l	<code>\textturnlonglegr</code>
z	<code>\textctz</code>	φ	<code>\textphi</code>	u	<code>\textturnm</code>
dz	<code>\textdctzlig</code>		<code>\textpipe</code>	uq	<code>\textturnmrlig</code>
ʃ	<code>\textdoublebaresh</code>	ˈ	<code>\textprimstress</code>	ɿ	<code>\textturnr</code>
‡	<code>\textdoublebarpipe</code>	ʔ	<code>\textraiseglotstop</code>	ɿ	<code>\textturnrrtail</code>
≠	<code>\textdoublebarslash</code>	ɿ	<code>\textraisevibyi</code>	ɿ	<code>\textturnscripta</code>
	<code>\textdoublepipe</code>	ɿ	<code>\texttramshorns</code>	ɿ	<code>\textturnt</code>
	<code>\textdoublevertline</code>	ˈ	<code>\textrevapostrophe</code>	Δ	<code>\textturnv</code>
↓	<code>\textdownstep</code>	ə	<code>\textreve</code>	Δ	<code>\textturnw</code>
ɥ	<code>\textdyoghlig</code>	ɿ	<code>\textreveysilon</code>	Δ	<code>\textturny</code>
dz	<code>\textdzlig</code>	ɿ	<code>\textrevglotstop</code>	u	<code>\textupsilon</code>
ε	<code>\textepsilon</code>	ɿ	<code>\textrevyogh</code>	↑	<code>\textupstep</code>
ʃ	<code>\textesh</code>	ɿ	<code>\textrhookreveysilon</code>		<code>\textvertline</code>
r	<code>\textfishhookr</code>	ɿ	<code>\textrhookschwa</code>	ɿ	<code>\textvibyi</code>
g	<code>\textg</code>	˘	<code>\textrhoticity</code>	ɿ	<code>\textvibyy</code>
γ	<code>\textgamma</code>	>	<code>\textrptr</code>	p	<code>\textwynn</code>
↘	<code>\textglobfall</code>	d	<code>\textrtaild</code>	z	<code>\textyogh</code>
↗	<code>\textglobrise</code>	l	<code>\textrtaill</code>		

tipa defines shortcut characters for many of the above. It also defines a command `\tone` for denoting tone letters (pitches). See the tipa documentation for more information.

TABLE 12: tipx Phonetic Symbols

æ	<code>\textaoilig</code>	ʃ	<code>\texthtbardotlessjvar</code>	l	<code>\textrthooklong</code>
z	<code>\textbentailyogh</code>	ω	<code>\textinomega</code>	Δ	<code>\textscaoilig</code>
γ	<code>\textbktailgamma</code>	v	<code>\textinvsca</code>	Δ	<code>\textscdelta</code>
ɿ	<code>\textctinvglotstop</code>	ɿ	<code>\textinvscripita</code>	F	<code>\textscf</code>
j	<code>\textctjvar</code>	ł	<code>\textlfishhookrlig</code>	K	<code>\textscck</code>
Ĉ	<code>\textctstretchc</code>	4	<code>\textlhookfour</code>	M	<code>\textscm</code>
Ĉ	<code>\textctstretchcvar</code>	p	<code>\textlhookp</code>	P	<code>\textscp</code>
ɿ	<code>\textctturnt</code>	1	<code>\textlhti</code>	Q	<code>\textscq</code>

(continued on next page)

(continued from previous page)

db	\textdblign	l	\textlooptoprevesh	←	\textspleftarrow
#	\textdoublebarpipevar	η	\textnrleg	⏟	\textstretchcvar
	\textdoublepipevar	⊙	\textObullseye	↔	\textsubdoublearrow
↓	\textdownfullarrow	∩	\textpalhooklong	→	\textsubbrightarrow
♀	\textfemale	∪	\textpalhookvar	⋈	\textthornvari
n	\textfrbarn		\textpipevar	⋈	\textthornvarii
ɹ	\textfrhookd	ϕ	\textqplig	⋈	\textthornvariii
ɹ	\textfrhookdvar	◻	\textrectangle	⋈	\textthornvariv
t	\textfrhookt	↔	\textretractingvar	⌂	\textturnglotstop
γ	\textfrtailgamma	∩	\textrevscl	⋈	\textturnsck
?	\textglotstopvari	∩	\textrevscr	∩	\textturnscu
?	\textglotstopvarii	α	\texttrhooka	g	\textturnthree
?	\textglotstopvariii	ε	\texttrhooke	z	\textturntwo
γ	\textgrgamma	ε	\texttrhookepsilon	♀	\textuncrfemale
h	\textheng	∩	\texttrhookopeno	↑	\textupfullarrow
h	\texthmlig	h	\texttrtailhth		

TABLE 13: wsuipa Phonetic Symbols

ɣ	\babygamma	ŋ	\eng	ŋ	\labdentalnas	ə	\schwa
b	\barb	ɸ	\er	ɸ	\latfric	ɪ	\sci
ɸ	\bard	ʃ	\esh	ɥ	\legm	N	\scn
i	\bari	ð	\eth	ɾ	\legr	R	\scr
ɸ	\barl	r	\flapr	ʒ	\lz	α	\scripta
e	\baro	ʔ	\glotstop	α	\nialpha	g	\scriptg
ɸ	\barp	β	\hookb	β	\nibeta	v	\scriptv
ɸ	\barsci	ɸ	\hookd	χ	\nich	U	\scu
ɸ	\barscu	g	\hookg	ε	\niepsilon	Y	\scy
u	\baru	h	\hookh	γ	\nigamma	ʃ	\slashb
⊙	\clickb	h	\hookheng	ι	\niiota	ʃ	\slashc
⏟	\clickc	ʒ	\hookrepepsilon	λ	\nilambda	ʃ	\slashd
ɸ	\clickt	lv	\hv	ω	\niomega	ʃ	\slashu
ω	\closedniomega	e	\inva	φ	\niphi	d	\taild
o	\closedrepepsilon	j	\invf	σ	\nisigma	ɿ	\tailinvr
b	\crossb	ɸ	\invglotstop	θ	\nitheta	l	\taill
d	\crossd	ɥ	\invh	υ	\niupsilon	η	\tailn
h	\crossh	l	\invlegr	ɿ	\nj	ɿ	\tailr
λ	\crossnilambda	uu	\invm	oo	\oo	ʒ	\tails
ε	\curlyc	ɿ	\invr	o	\openo	t	\tailt
ʃ	\curlyesh	B	\invscr	ə	\reve	z	\tailz
ʒ	\curlyyogh	v	\invscripta	ɸ	\reveject	ʃ	\tesh

(continued on next page)

(continued from previous page)

z	\curlyz	Λ	\invv	ʒ	\relepsilon	þ	\thorn
ı̄	\dlbari	⊘	\invw	ʃ	\revglotstop	†	\tildel
ɖʒ	\dz	ʃ	\invy	D	\scd	ʒ	\yogh
ʔ	\ejective	ʧ	\ipagamma	G	\scg		

TABLE 14: wasysym Phonetic Symbols

ð	\dh	ə	\inve	ʒ	\roundz	þ	\thorn
D	\DH	ɔ	\openo	D	\Thorn		

TABLE 15: phonetic Phonetic Symbols

ɟ	\barj	ɾ	\flap	ı̄	\libar	ɒ	\rotvara	ı̇	\vari
λ̄	\barlambda	ʔ	\glottal	ɔ	\openo	⊘	\rotw	ω	\varomega
ɱ	\emgma	Ƀ	\hausab	ħ	\planck	ʃ	\roty	ɔ	\varopeno
ɱ	\engma	β	\hausab	Λ	\pwedge	ə	\schwa	ʧ	\vod
ɱ	\enya	ḍ	\hausad	⊘	\revD	þ	\thorn	fi	\voicedh
ε	\epsi	D	\hausad	ı̇	\riota	u̇	\ubar	ʒ	\yogh
ʃ	\esh	ḳ	\hausak	ω	\rotm	ɥ	\udesc		
ð	\eth	Ḳ	\hausak	υ	\rotOmega	ɑ	\vara		
fj	\fj	ḍ	\hookd	ı̇	\rotr	g	\varg		

TABLE 16: t4phonet Phonetic Symbols

đ	\textcrd	ḍ	\texthtd		\textpipe
ħ	\textcrh	ḳ	\texthtk	ɔ̇	\textrtaild
ε	\textepsilon	ɓ̣	\texthtp	†	\textrtailt
ʃ	\textesh	f̣	\texthtt	ḍ	\textschwa
fj	\textfjlig	ı̇	\textiota	ʃ	\textscriptv
β	\texthtb	ɱ	\textltailn	ʧ	\texttleshlig
ɛ̇	\texthtc	ɔ	\textopeno	ʒ	\textyogh

The idea behind the t4phonet package’s phonetic symbols is to provide an interface to some of the characters in the T4 font encoding (Table 7 on page 17) but using the same names as the tipa characters presented in Table 11 on page 18.

TABLE 17: semtrans Transliteration Symbols

ˆ	\Alif	ˆ	\Ayn
---	-------	---	------

TABLE 18: Text-mode Accents

Ää	\{"A}\{a}	Áá	\ {A}\ {a}‡	Ââ	\f{A}\f{a}¶	Â̂	\t{A}\t{a}
Áá	\' {A}\' {a}	Ãã	\~ {A}\~ {a}	Ăă	\G{A}\G{a}‡	Ăă	\u{A}\u{a}
Ăă	\. {A}\. {a}	Ȃȃ	\b{A}\b{a}	Ȧ̈	\h{A}\h{a}§	Ȧ̈	\U{A}\U{a}‡
Ȃȃ	\={A}\={a}	Ȧȧ	\c{A}\c{a}	Ȧ̇	\H{A}\H{a}	Ȧ̇	\U{A}\U{a}¶
Ȧ̈	\^ {A}\^ {a}	Ȧ̈	\C{A}\C{a}¶	Ȧȧ	\k{A}\k{a}†	Ȧ̈	\v{A}\v{a}
Ȧ̈	\' {A}\' {a}	Ȧȧ	\d{A}\d{a}	Ȧ̈	\r{A}\r{a}		
		Ȧ̈	\newtie{A}\newtie{a}*      ⒶⒶ		\textcircled{A}\textcircled{a}		

\* Requires the `textcomp` package.

† Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

‡ Requires the T4 font encoding, provided by the `fc` package.

§ Requires the T5 font encoding, provided by the `vtex` package.

¶ Requires one of the Cyrillic font encodings (T2A, T2B, T2C, or X2). Use the `fontenc` package to select an encoding.

Also note the existence of `\i` and `\j`, which produce dotless versions of “i” and “j” (viz., “i” and “j”). These are useful when the accent is supposed to replace the dot in encodings that need to composite (i.e., combine) letters and accents. For example, “`na\{"i}ve`” always produces a correct “naïve”, while “`na\{i}ve`” yields the rather odd-looking “naïve” when using the OT1 font encoding and older versions of L<sup>A</sup>T<sub>E</sub>X. Font encodings other than OT1 and newer versions of L<sup>A</sup>T<sub>E</sub>X properly typeset “`na\{i}ve`” as “naïve”.

TABLE 19: tipa Text-mode Accents

Ăă	\textacutemacron{A}\textacutemacron{a}
Ăă	\textacutewedge{A}\textacutewedge{a}
Ȧȧ	\textadvancing{A}\textadvancing{a}
Ȧȧ	\textbottomtiebar{A}\textbottomtiebar{a}
Ȧ̈	\textbrevemacron{A}\textbrevemacron{a}
Ȧ̈	\textcircumacute{A}\textcircumacute{a}
Ȧ̈	\textcircumdot{A}\textcircumdot{a}
Ȧ̈	\textdotacute{A}\textdotacute{a}
Ȧ̈	\textdotbreve{A}\textdotbreve{a}
Ȧ̈	\textdoublegrave{A}\textdoublegrave{a}
Ȧ̈	\textdoublevbaraccent{A}\textdoublevbaraccent{a}

(continued on next page)

(continued from previous page)

$\tilde{A}\tilde{a}$  `\textfallrise{A}\textfallrise{a}`  
 $\grave{A}\grave{a}$  `\textgravecircum{A}\textgravecircum{a}`  
 $\ddot{A}\ddot{a}$  `\textgravedot{A}\textgravedot{a}`  
 $\grave{A}\grave{a}$  `\textgravemacron{A}\textgravemacron{a}`  
 $\grave{A}\grave{a}$  `\textgravemid{A}\textgravemid{a}`  
 $\acute{A}\acute{a}$  `\texthighrise{A}\texthighrise{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textinvsubbridge{A}\textinvsubbridge{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textlowering{A}\textlowering{a}`  
 $\grave{A}\grave{a}$  `\textlowrise{A}\textlowrise{a}`  
 $\acute{A}\acute{a}$  `\textmidacute{A}\textmidacute{a}`  
 $\overset{\times}{A}\overset{\times}{a}$  `\textovercross{A}\textovercross{a}`  
 $\overset{\sim}{A}\overset{\sim}{a}$  `\textoverw{A}\textoverw{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textpolhook{A}\textpolhook{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textraising{A}\textraising{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textretracting{A}\textretracting{a}`  
 $\overset{\circ}{A}\overset{\circ}{a}$  `\textringmacron{A}\textringmacron{a}`  
 $\tilde{A}\tilde{a}$  `\textrisefall{A}\textrisefall{a}`  
 $\hat{A}\hat{a}$  `\textroundcap{A}\textroundcap{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textseagull{A}\textseagull{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubacute{A}\textsubacute{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubarch{A}\textsubarch{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubbar{A}\textsubbar{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubbridge{A}\textsubbridge{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubcircum{A}\textsubcircum{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubdot{A}\textsubdot{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubgrave{A}\textsubgrave{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsublhalfring{A}\textsublhalfring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubplus{A}\textsubplus{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubrhalfring{A}\textsubrhalfring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubring{A}\textsubring{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubsquare{A}\textsubsquare{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubtilde{A}\textsubtilde{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubumlaut{A}\textsubumlaut{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubw{A}\textsubw{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsubwedge{A}\textsubwedge{a}`  
 $\overset{\sim}{A}\overset{\sim}{a}$  `\textsuperimposetilde{A}\textsuperimposetilde{a}`  
 $\underset{\cdot}{A}\underset{\cdot}{a}$  `\textsyllabic{A}\textsyllabic{a}`  
 $\tilde{\tilde{A}}\tilde{\tilde{a}}$  `\texttildedot{A}\texttildedot{a}`  
 $\widehat{A}\widehat{a}$  `\texttoptiebar{A}\texttoptiebar{a}`

(continued on next page)

(continued from previous page)

Áá \textvbaraccent{A}\textvbaraccent{a}

tipa defines shortcut sequences for many of the above. See the tipa documentation for more information.

TABLE 20: extraipa Text-mode Accents

Ää	\bibridge{A}\bibridge{a}	ȦȦ	\partvoiceless{A}\partvoiceless{a}
ȦȦ	\crtilde{A}\crtilde{a}	ȦȦ	\sliding{A}\sliding{a}
ȦȦ	\dottedtilde{A}\dottedtilde{a}	ȦȦ	\spreadlips{A}\spreadlips{a}
ȦȦ	\doubletilde{A}\doubletilde{a}	ȦȦ	\subcorner{A}\subcorner{a}
ȦȦ	\finpartvoice{A}\finpartvoice{a}	ȦȦ	\subdoublebar{A}\subdoublebar{a}
ȦȦ	\finpartvoiceless{A}\finpartvoiceless{a}	ȦȦ	\subdoublevert{A}\subdoublevert{a}
ȦȦ	\inipartvoice{A}\inipartvoice{a}	ȦȦ	\sublptr{A}\sublptr{a}
ȦȦ	\inipartvoiceless{A}\inipartvoiceless{a}	ȦȦ	\subrptr{A}\subrptr{a}
ȦȦ	\overbridge{A}\overbridge{a}	ȦȦ	\whistle{A}\whistle{a}
ȦȦ	\partvoice{A}\partvoice{a}		

TABLE 21: wsuipa Text-mode Accents

ȦȦ \dental{A}\dental{a}  
ȦȦ \underarch{A}\underarch{a}

TABLE 22: phonetic Text-mode Accents

ȦȦ \hill{A}\hill{a}    ȦȦ \rc{A}\rc{a}    ȦȦ \ut{A}\ut{a}  
ȦȦ \od{A}\od{a}    ȦȦ \syl{A}\syl{a}  
ȦȦ \ohill{A}\ohill{a}    ȦȦ \td{A}\td{a}

The phonetic package provides a few additional macros for linguistic accents. \acbar and \acarc compose characters with multiple accents; for example, \acbar{\'}{a} produces “á” and \acarc{\"}{e} produces “ë”. \labvel joins two characters with an arc: \labvel{mn} → “m̂n”. \upbar is intended to go between characters as in “x\upbar{y}” → “x’y”. Lastly, \uplett behaves like \textsuperscript but uses a smaller font. Contrast “p\uplett{h}” → “p<sup>h</sup>” with “p\textsuperscript{h}” → “p<sup>h</sup>”.



TABLE 23: metre Text-mode Accents

Áá	<code>\acutus{A}\acutus{a}</code>
Ăă	<code>\breve{A}\breve{a}</code>
Ââ	<code>\circumflexus{A}\circumflexus{a}</code>
Ää	<code>\diaeresis{A}\diaeresis{a}</code>
Àà	<code>\gravis{A}\gravis{a}</code>
Āā	<code>\macron{A}\macron{a}</code>

TABLE 24: t4phonet Text-mode Accents

Ää	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Àà	<code>\textvbaraccent{A}\textvbaraccent{a}</code>
Ää	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

The idea behind the `t4phonet` package’s text-mode accents is to provide an interface to some of the accents in the T4 font encoding (accents marked with “ $\ddagger$ ” in Table 18 on page 22) but using the same names as the `tipa` accents presented in Table 19 on page 22.

TABLE 25: arcs Text-mode Accents

$\widehat{a}$	<code>\overarc{A}\overarc{a}</code>	$\underline{a}$	<code>\underarc{A}\underarc{a}</code>
---------------	-------------------------------------	-----------------	---------------------------------------

The accents shown above scale only to a few characters wide. An optional macro argument alters the effective width of the accented characters. See the `arcs` documentation for more information.

At the time of this writing (2015/11/12), there exists an incompatibility between the `arcs` package and the `resize` package, upon which `arcs` depends. As a workaround, one should apply the patch proposed by Michael Sharpe on the X<sub>Y</sub>TeX mailing list (Subject: “The arcs package”, dated 2013/08/25) to prevent spurious text from being added to the document (as in, “5.0pt $\widehat{A}$ ” when “ $\widehat{A}$ ” is expected).

TABLE 26: semtrans Accents

$\grave{a}$	<code>\D{A}\D{a}</code>	$\grave{u}$	<code>\U{A}\U{a}</code>
$\ve$	<code>\T{A}\T{a}</code> *		

\* `\T` is not actually an accent but a command that rotates its argument 180° using the `graphicx` package’s `\rotatebox` command.

TABLE 27: ogonek Accents

$\k{a}$	<code>\k{A}\k{a}</code>
---------	-------------------------

TABLE 28: combelow Accents

Àà \cb{A}\cb{a}

\cb places a comma *above* letters with descenders. Hence, while “\cb{s}” produces “ſ̣”, “\cb{g}” produces “g̣”.

TABLE 29: wsuipa Diacritics

ˆ	\ain	<	\leftp	ˆ	\overring	ˆ	\stress	˘	\underwedge
⌞	\corner	⌞	\leftt	ˆ	\polishhook	ˆ	\syllabic	ˆ	\upp
˘	\downp	:	\length	>	\rightp	˙	\underdots	⊥	\upt
⌞	\downt	˜	\midtilde	⌞	\rightt	˙	\underring		
˘	\halflength	ˆ	\open	ˆ	\secstress	˜	\undertilde		

The `wsuipa` package defines all of the above as ordinary characters, not as accents. However, it does provide `\diatop` and `\diaunder` commands, which are used to compose diacritics with other characters. For example, `\diatop[\overring|a]` produces “å”, and `\diaunder[\underdots|a]` produces “ã”. See the `wsuipa` documentation for more information.

TABLE 30: textcomp Diacritics

ˆ	\textacutedbl	˘	\textasciicaron	ˆ	\textasciimacron
ˆ	\textasciiacute	ˆ	\textasciidieresis	ˆ	\textgravedbl
˘	\textasciibreve	˘	\textasciigrave		

The `textcomp` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 284 for more information.

TABLE 31: marvosym Diacritics

→	\arrowOver	—	\barOver	/	\StrikingThrough
→	\ArrowOver	—	\BarOver		

The `marvosym` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 284 for more information.

TABLE 32: textcomp Currency Symbols

B	<code>\textbaht</code>	\$	<code>\textdollar*</code>	₵	<code>\textguarani</code>	₩	<code>\textwon</code>
¢	<code>\textcent</code>	\$	<code>\textdollaroldstyle</code>	₯	<code>\textlira</code>	¥	<code>\textyen</code>
¢	<code>\textcentoldstyle</code>	₫	<code>\textdong</code>	₯	<code>\textnaira</code>		
₯	<code>\textcolonmonetary</code>	€	<code>\texteuro</code>	₱	<code>\textpeso</code>		
₱	<code>\textcurrency</code>	f	<code>\textflorin</code>	£	<code>\textsterling*</code>		

\* It's generally preferable to use the corresponding symbol from Table 3 on page 16 because the symbols in that table work properly in both text mode and math mode.

TABLE 33: marvosym Currency Symbols

₴	<code>\Denarius</code>	€	<code>\EURcr</code>	€	<code>\EURtm</code>	₴	<code>\Pfund</code>
€	<code>\Ecommerce</code>	€	<code>\EURdig</code>	\$	<code>\EyesDollar</code>	β	<code>\Shilling</code>
€	<code>\EUR</code>	€	<code>\EURhv</code>	₯	<code>\Florin</code>		

The different euro signs are meant to be visually compatible with different fonts—Courier (`\EURcr`), Helvetica (`\EURhv`), Times Roman (`\EURtm`), and the `marvosym` digits listed in Table 290 (`\EURdig`). The `mathdesign` package redefines `\texteuro` to be visually compatible with one of three additional fonts: Utopia (€), Charter (€), or Garamond (€).

TABLE 34: fontawesome Currency Symbols

₿	<code>\faBtc</code>	₹	<code>\faIls</code>	₩	<code>\faKrw</code>	\$	<code>\faUsd</code>
€	<code>\faEur</code>	₹	<code>\faInr</code>	₱	<code>\faRub</code>	₴	<code>\faViacoin</code>
£	<code>\faGbp</code>	¥	<code>\faJpy</code>	₴	<code>\faTry</code>		

`fontawesome` defines `\faBitcoin` as a synonym for `\faBtc`; `\faCny`, `\faYen`, and `\faRmb` as synonyms for `\faJpy`; `\faDollar` as a synonym for `\faUsd`; `\faEuro` as a synonym for `\faEur`; `\faRouble` and `\faRuble` as synonyms for `\faRub`; `\faRuppee` as a synonym for `\faInr`; `\faShekel` and `\faSheqel` as synonyms for `\faIls`; `\faTurkishLira` as a synonym for `\faTry`; and `\faWon` as a synonym for `\faKrw`.

TABLE 35: wasysym Currency Symbols

¢	<code>\cent</code>	₱	<code>\currency</code>	€	<code>\wasyeuro*</code>
---	--------------------	---	------------------------	---	-------------------------

\* `\wasyeuro` is also available as `\euro` unless you specify the `noeuro` package option.

TABLE 36: GPTA2e Currency Symbols

€	<code>\Euro</code>	₴	<code>\Pound</code>
---	--------------------	---	---------------------

TABLE 37: teubner Currency Symbols

⌘	<code>\denarius</code>	c	<code>\hemiobelion</code>	o	<code>\tetartemorion</code>
†	<code>\dracma</code>	§	<code>\stater</code>		

TABLE 38: tfrupée Currency Symbols

₹	<code>\rupee</code>
---	---------------------

TABLE 39: eurosym Euro Signs

€	<code>\geneuro</code>	€	<code>\geneuronarrow</code>	€	<code>\geneuowide</code>	€	<code>\officiaeuro</code>
---	-----------------------	---	-----------------------------	---	--------------------------	---	---------------------------

`\euro` is automatically mapped to one of the above—by default, `\officiaeuro`—based on a `eurosym` package option. See the `eurosym` documentation for more information. The `\geneuro...` characters are generated from the current body font’s “C” character and therefore may not appear exactly as shown.

TABLE 40: fourier Euro Signs

€	<code>\eurologo</code>	€	<code>\texteuro</code>
---	------------------------	---	------------------------

TABLE 41: textcomp Legal Symbols

⒫	<code>\textcircledP</code>	©	©	<code>\textcopyright</code>	SM	<code>\textservicemark</code>	
Ⓒ	<code>\textcopyleft</code>	®	®	<code>\textregistered</code>	TM	TM	<code>\texttrademark</code>






The first symbol column represents the—sometimes “faked”—symbol that  $\text{\LaTeX} 2_{\epsilon}$  provides by default. The second symbol column represents the symbol as redefined by `textcomp`. The `textcomp` package is generally required to typeset Table 41’s symbols in italic.

See <http://www.tex.ac.uk/FAQ-tradesyms.html> for solutions to common problems that occur when using these symbols (e.g., getting a “⒫” when you expected to get a “®”).

TABLE 42: fontawesome Legal Symbols














©	<code>\faCopyright</code>	®	<code>\faRegistered</code>
©	<code>\faCreativeCommons</code>	™	<code>\faTrademark</code>

TABLE 43: ccllicenses Creative Commons License Icons

	<code>\cc</code>		<code>\ccnc*</code>		<code>\ccsa*</code>
	<code>\ccby</code>		<code>\ccnd</code>		

\* These symbols utilize the `rotating` package and therefore display improperly in some DVI viewers.

TABLE 44: ccicons Creative Commons License Icons

	<code>\ccAttribution</code>		<code>\ccNonCommercialEU</code>		<code>\ccShare</code>
	<code>\ccCopy</code>		<code>\ccNonCommercialJP</code>		<code>\ccShareAlike</code>
	<code>\ccLogo</code>		<code>\ccPublicDomain</code>		<code>\ccZero</code>
	<code>\ccNoDerivatives</code>		<code>\ccRemix</code>		
	<code>\ccNonCommercial</code>		<code>\ccSampling</code>		


`ccicons` additionally defines a set of commands for typesetting many complete Creative Commons licenses (i.e., juxtapositions of two or more of the preceding icons). For example, the `\ccbyncnd` command typesets the “Attribution–Noncommercial–No Derivative Works” license (“”). See the `ccicons` documentation for more information.

TABLE 45: textcomp Old-style Numerals

0	<code>\textzerooldstyle</code>	4	<code>\textfouroldstyle</code>	8	<code>\texteightoldstyle</code>
1	<code>\textoneoldstyle</code>	5	<code>\textfiveoldstyle</code>	9	<code>\textnineoldstyle</code>
2	<code>\texttwooldstyle</code>	6	<code>\textsixoldstyle</code>		
3	<code>\textthreeoldstyle</code>	7	<code>\textsevenoldstyle</code>		

Rather than use the bulky `\textoneoldstyle`, `\texttwooldstyle`, etc. commands shown above, consider using `\oldstylenums{...}` to typeset an old-style number.

TABLE 46: Miscellaneous textcomp Symbols

<code>\b</code>	<code>\textblank</code>	<code>\P</code>	<code>\textpilcrow</code>
<code> </code>	<code>\textbrokenbar</code>	<code>'</code>	<code>\textquotesingle</code>
<code>=</code>	<code>\textdblhyphen</code>	<code>,</code>	<code>\textquotestraightbase</code>
<code>=</code>	<code>\textdblhyphenchar</code>	<code>„</code>	<code>\textquotestraightdblbase</code>
<code>%</code>	<code>\textdiscount</code>	<code>R</code>	<code>\textrecipe</code>
<code>€</code>	<code>\textestimated</code>	<code>*</code>	<code>\textreferencemark</code>
<code>?</code>	<code>\textinterrobang</code>	<code>—</code>	<code>\textthreequartersemdash</code>
<code>‡</code>	<code>\textinterrobangdown</code>	<code>~</code>	<code>\texttildelow</code>
<code>N<sup>o</sup></code>	<code>\textnumero</code>	<code>—</code>	<code>\texttwelveudash</code>
<code>o</code>	<code>\textopenbullet</code>		

TABLE 47: Miscellaneous wasysym Text-mode Symbols

f \longs    %<sub>00</sub> \permil    § \wasyparagraph\*

\* wasysym defines \Paragraph as a synonym for \wasyparagraph.

### 3 Mathematical symbols

Most, but not all, of the symbols in this section are math-mode only. That is, they yield a “Missing \$ inserted” error message if not used within  $\$. . \$$ ,  $\[. . \]$ , or another math-mode environment. Operators marked as “variable-sized” are taller in displayed formulas, shorter in in-text formulas, and possibly shorter still when used in various levels of superscripts or subscripts.

Alphanumeric symbols (e.g., “ $\mathcal{L}$ ” and “ $\mathcal{Z}$ ”) are usually produced using one of the math alphabets in Table 316 rather than with an explicit symbol command. Look there first if you need a symbol for a transform, number set, or some other alphanumeric.

Although there have been many requests on `comp.text.tex` for a contradiction symbol, the ensuing discussion invariably reveals innumerable ways to represent contradiction in a proof, including “ $\blitz$ ” (`\blitza`), “ $\Rightarrow\Leftarrow$ ” (`\Rightarrow\Leftarrow`), “ $\perp$ ” (`\bot`), “ $\Leftrightarrow$ ” (`\Leftrightarrow`), and “ $\textcircled{*}$ ” (`\textcircled{*}`). Because of the lack of notational consensus, it is probably better to spell out “Contradiction!” than to use a symbol for this purpose. Similarly, discussions on `comp.text.tex` have revealed that there are a variety of ways to indicate the mathematical notion of “is defined as”. Common candidates include “ $\triangleq$ ” (`\triangleq`), “ $\equiv$ ” (`\equiv`), “ $\coloneqq$ ” (*various*<sup>1</sup>), and “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`). See also the example of `\equalsfill` on page 286. Depending upon the context, disjoint union may be represented as “ $\coprod$ ” (`\coprod`), “ $\sqcup$ ” (`\sqcup`), “ $\dot{\cup}$ ” (`\dotcup`), “ $\oplus$ ” (`\oplus`), or any of a number of other symbols.<sup>2</sup> Finally, the average value of a variable  $x$  is written by some people as “ $\overline{x}$ ” (`\overline{x}`), by some people as “ $\langle x \rangle$ ” (`\langle x \rangle`), and by some people as “ $\emptyset x$ ” or “ $\emptyset x$ ” (`\diameter x` or `\varnothing x`). The moral of the story is that you should be careful always to explain your notation to avoid confusing your readers.

TABLE 48: Math-mode Versions of Text Symbols

\$	<code>\mathdollar</code>	¶	<code>\mathparagraph</code>	£	<code>\mathsterling</code>
...	<code>\mathellipsis</code>	§	<code>\mathsection</code>	-	<code>\mathunderscore</code>

It’s generally preferable to use the corresponding symbol from Table 3 on page 16 because the symbols in that table work properly in both text mode and math mode.

TABLE 49: `cmll` Unary Operators

!	<code>\oc*</code>	↑	<code>\shneg</code>	?	<code>\wn*</code>
↕	<code>\shift</code>	↓	<code>\shpos</code>		

\* `\oc` and `\wn` differ from “!” and “?” in terms of their math-mode spacing:  $\$A=!B\$$  produces “ $A =!B$ ”, for example, while  $\$A=\oc B\$$  produces “ $A = B$ ”.

<sup>1</sup>In `txfonts`, `pxfonts`, and `mathtools` the symbol is called `\coloneqq`. In `mathabx` and `MnSymbol` it’s called `\coloneq`. In `colonequals` it’s called `\colonequals`.

<sup>2</sup>Bob Tennent listed these and other disjoint-union symbol possibilities in a November 2007 post to `comp.text.tex`.

TABLE 50: Binary Operators

$\amalg$	<code>\amalg</code>	$\cup$	<code>\cup</code>	$\oplus$	<code>\oplus</code>	$\times$	<code>\times</code>
$*$	<code>\ast</code>	$\dagger$	<code>\dagger</code>	$\oslash$	<code>\oslash</code>	$\triangleleft$	<code>\triangleleft</code>
$\bigcirc$	<code>\bigcirc</code>	$\ddagger$	<code>\ddagger</code>	$\otimes$	<code>\otimes</code>	$\triangleright$	<code>\triangleright</code>
$\bigtriangledown$	<code>\bigtriangledown</code>	$\diamond$	<code>\diamond</code>	$\pm$	<code>\pm</code>	$\triangleleft$	<code>\unlhd*</code>
$\bigtriangleup$	<code>\bigtriangleup</code>	$\div$	<code>\div</code>	$\triangleright$	<code>\rhd*</code>	$\triangleleft$	<code>\unrhd*</code>
$\bullet$	<code>\bullet</code>	$\triangleleft$	<code>\lhd*</code>	$\setminus$	<code>\setminus</code>	$\oplus$	<code>\uplus</code>
$\cap$	<code>\cap</code>	$\mp$	<code>\mp</code>	$\sqcap$	<code>\sqcap</code>	$\vee$	<code>\vee</code>
$\cdot$	<code>\cdot</code>	$\odot$	<code>\odot</code>	$\sqcup$	<code>\sqcup</code>	$\wedge$	<code>\wedge</code>
$\circ$	<code>\circ</code>	$\ominus$	<code>\ominus</code>	$\star$	<code>\star</code>	$\wr$	<code>\wr</code>

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

TABLE 51:  $\mathcal{AMS}$  Binary Operators

$\bar{\wedge}$	<code>\barwedge</code>	$\odot$	<code>\circledcirc</code>	$\intercal$	<code>\intercal*</code>
$\boxdot$	<code>\boxdot</code>	$\ominus$	<code>\circleddash</code>	$\lambda$	<code>\leftthreetimes</code>
$\boxminus$	<code>\boxminus</code>	$\cup$	<code>\Cup</code>	$\ltimes$	<code>\ltimes</code>
$\boxplus$	<code>\boxplus</code>	$\curlyvee$	<code>\curlyvee</code>	$\llcorner$	<code>\rightthreetimes</code>
$\boxtimes$	<code>\boxtimes</code>	$\curlywedge$	<code>\curlywedge</code>	$\rtimes$	<code>\rtimes</code>
$\Cap$	<code>\Cap</code>	$\divideontimes$	<code>\divideontimes</code>	$\smallsetminus$	<code>\smallsetminus</code>
$\cdot$	<code>\centerdot</code>	$\dotplus$	<code>\dotplus</code>	$\veebar$	<code>\veebar</code>
$\circledast$	<code>\circledast</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>		

\* Some people use a superscripted `\intercal` for matrix transpose: “ $A^{\intercal}$ ”  $\mapsto$  “ $A^T$ ”. (See the May 2009 `comp.text.tex` thread, “raising math symbols”, for suggestions about altering the height of the superscript.) `\top` (Table 203 on page 104), `T`, and `\mathsf{T}` are other popular choices: “ $A^T$ ”, “ $A^T$ ”, “ $A^T$ ”.



TABLE 52: stmaryrd Binary Operators

$\phi$	<code>\baro</code>	$\parallel$	<code>\interleave</code>	$\oplus$	<code>\varoast</code>
$\backslash$	<code>\bbslash</code>	$\triangleleft$	<code>\leftslice</code>	$\odot$	<code>\varobar</code>
$\&$	<code>\binampersand</code>	$\M$	<code>\merge</code>	$\oslash$	<code>\varobslash</code>
$\wp$	<code>\bindnasrepma</code>	$\ominus$	<code>\minuso</code>	$\odot$	<code>\varocircle</code>
$\boxast$	<code>\boxast</code>	$\ddagger$	<code>\moo</code>	$\odot$	<code>\varodot</code>
$\boxbar$	<code>\boxbar</code>	$\oplus$	<code>\nplus</code>	$\otimes$	<code>\varogreaterthan</code>
$\boxbox$	<code>\boxbox</code>	$\odot$	<code>\obar</code>	$\oslash$	<code>\varolessthan</code>
$\boxbslash$	<code>\boxbslash</code>	$\square$	<code>\oblong</code>	$\ominus$	<code>\varominus</code>
$\boxcircle$	<code>\boxcircle</code>	$\oslash$	<code>\obslash</code>	$\oplus$	<code>\varoplus</code>
$\boxdot$	<code>\boxdot</code>	$\otimes$	<code>\ogreaterthan</code>	$\oslash$	<code>\varoslash</code>
$\boxempty$	<code>\boxempty</code>	$\oslash$	<code>\olessthan</code>	$\otimes$	<code>\varotimes</code>
$\boxslash$	<code>\boxslash</code>	$\oslash$	<code>\ovee</code>	$\oslash$	<code>\varovee</code>
$\curlyveedownarrow$	<code>\curlyveedownarrow</code>	$\oslash$	<code>\owedge</code>	$\oslash$	<code>\varowedge</code>
$\curlyveeuparrow$	<code>\curlyveeuparrow</code>	$\triangleright$	<code>\rightslice</code>	$\times$	<code>\vartimes</code>
$\curlywedgedownarrow$	<code>\curlywedgedownarrow</code>	$\//$	<code>\sslash</code>	$\Upsilon$	<code>\Ydown</code>
$\curlywedgeuparrow$	<code>\curlywedgeuparrow</code>	$\parallel$	<code>\talloblong</code>	$\leftarrow$	<code>\Yleft</code>
$\fatbslash$	<code>\fatbslash</code>	$\bigcirc$	<code>\varbigcirc</code>	$\rightarrow$	<code>\Yright</code>
$\fatsemi$	<code>\fatsemi</code>	$\Upsilon$	<code>\varcurlyvee</code>	$\Upsilon$	<code>\Yup</code>
$\fatslash$	<code>\fatslash</code>	$\wedge$	<code>\varcurlywedge</code>		

TABLE 53: wasysym Binary Operators

$\triangleleft$	<code>\lhd</code>	$\bigcirc$	<code>\ocircle</code>	$\blacktriangleright$	<code>\RHD</code>	$\triangleright$	<code>\unrhd</code>
$\blacktriangleleft$	<code>\LHD</code>	$\blacktriangleright$	<code>\rhd</code>	$\trianglelefteq$	<code>\unlhd</code>		

TABLE 54: txfonts/pxfonts Binary Operators

$\odot$	<code>\circledbar</code>	$\oslash$	<code>\circledwedge</code>	$\bigcirc$	<code>\medcirc</code>
$\oslash$	<code>\circledbslash</code>	$\wp$	<code>\invamp</code>	$\boxplus$	<code>\sqcapplus</code>
$\oslash$	<code>\circledvee</code>	$\bullet$	<code>\medbullet</code>	$\boxplus$	<code>\sqcupplus</code>

TABLE 55: mathabx Binary Operators

*	<code>\ast</code>	$\wedge$	<code>\curlywedge</code>	$\sqcap$	<code>\sqcap</code>
*	<code>\Asterisk</code>	$\div$	<code>\divdot</code>	$\sqcup$	<code>\sqcup</code>
$\bar{\wedge}$	<code>\barwedge</code>	*	<code>\divideontimes</code>	$\sqcap\sqcup$	<code>\sqdoublecap</code>
★	<code>\bigstar</code>	$\dot{\div}$	<code>\dotdiv</code>	$\sqcup\sqcup$	<code>\sqdoublecup</code>
★	<code>\bigvarstar</code>	$\dot{+}$	<code>\dotplus</code>	$\square$	<code>\square</code>
◆	<code>\blackdiamond</code>	$\dot{\times}$	<code>\dottimes</code>	$\boxplus$	<code>\squplus</code>
$\cap$	<code>\cap</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>	$\cdot$	<code>\udot</code>
$\dagger$	<code>\circplus</code>	$\cap\cap$	<code>\doublecap</code>	$\oplus$	<code>\uplus</code>
*	<code>\coasterisk</code>	$\cup\cup$	<code>\doublecup</code>	*	<code>\varstar</code>
*	<code>\coAsterisk</code>	$\times$	<code>\ltimes</code>	$\vee$	<code>\vee</code>
*	<code>\convolution</code>	$\oplus$	<code>\pluscirc</code>	$\veebar$	<code>\veebar</code>
$\cup$	<code>\cup</code>	$\times$	<code>\rtimes</code>	$\underline{\vee}$	<code>\veedoublebar</code>
$\vee$	<code>\curlyvee</code>	■	<code>\sqbullet</code>	$\wedge$	<code>\wedge</code>

Many of the preceding glyphs go by multiple names. `\centerdot` is equivalent to `\sqbullet`, and `\ast` is equivalent to `*`. `\asterisk` produces the same glyph as `\ast`, but as an ordinary symbol, not a binary operator. Similarly, `\bigast` produces a large-operator version of the `\Asterisk` binary operator, and `\bigcoast` produces a large-operator version of the `\coAsterisk` binary operator.

TABLE 56: MnSymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\sqcup\sqcup$	<code>\doublecup</code>	$\therefore$	<code>\righttherefore</code>
*	<code>\ast</code>	$\mathbb{W}$	<code>\doublevee</code>	$\times$	<code>\rightthreetimes</code>
$\backslash$	<code>\backslash</code>	$\mathbb{W}$	<code>\doublewedge</code>	$\succ$	<code>\rightY</code>
$\bowtie$	<code>\bowtie</code>	$\therefore$	<code>\downtherefore</code>	$\times$	<code>\rtimes</code>
•	<code>\bullet</code>	$\Upsilon$	<code>\downY</code>	$\div$	<code>\slashdiv</code>
$\cap$	<code>\cap</code>	$\times$	<code>\dtimes</code>	$\prod$	<code>\smallprod</code>
$\cap\dot{\cap}$	<code>\capdot</code>	$\therefore$	<code>\fivedots</code>	$\sqcap$	<code>\sqcap</code>
$\cap\oplus$	<code>\capplus</code>	$\infty$	<code>\hbarpropto</code>	$\sqcap\dot{\cap}$	<code>\sqcapdot</code>
$\cdot$	<code>\cdot</code>	$\ddot{\cdot}$	<code>\hdotdot</code>	$\sqcap\oplus$	<code>\sqcapplus</code>
$\circ$	<code>\circ</code>	$\lrcorner$	<code>\lefthalfcap</code>	$\sqcup$	<code>\sqcup</code>
$\curlyvee$	<code>\closedcurlyvee</code>	$\llcorner$	<code>\lefthalfcup</code>	$\sqcup\dot{\cup}$	<code>\sqcupdot</code>
$\curlywedge$	<code>\closedcurlywedge</code>	$\therefore$	<code>\lefttherefore</code>	$\sqcup\oplus$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\times$	<code>\leftthreetimes</code>	$\ddot{\cdot}$	<code>\squaredots</code>
$\cup\dot{\cup}$	<code>\cupdot</code>	$\prec$	<code>\leftY</code>	$\times$	<code>\times</code>
$\cup\oplus$	<code>\cupplus</code>	$\times$	<code>\ltimes</code>	$\cdot$	<code>\udotdot</code>
$\curlyvee$	<code>\curlyvee</code>	$\backslash$	<code>\medbackslash</code>	$\therefore$	<code>\uptherefore</code>
$\curlyvee\dot{\vee}$	<code>\curlyveedot</code>	$\bigcirc$	<code>\medcircle</code>	$\uparrow$	<code>\upY</code>
$\curlywedge$	<code>\curlywedge</code>	$\diagup$	<code>\medslash</code>	$\times$	<code>\utimes</code>
$\curlywedge\dot{\wedge}$	<code>\curlywedgedot</code>	$\lvert$	<code>\medvert</code>	$\wp$	<code>\vbipropto</code>
$\ddot{\cdot}$	<code>\ddotdot</code>	$\lrcorner$	<code>\medvertdot</code>	$\vdots$	<code>\vdotdot</code>
$\diamond\dot{\cdot}$	<code>\diamonddots</code>	$-$	<code>\minus</code>	$\vee$	<code>\vee</code>
$\div$	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	$\vee\dot{\vee}$	<code>\veedot</code>

(continued on next page)

(continued from previous page)

$\cdot$	<code>\dotmedvert</code>	$\mp$	<code>\mp</code>	$\bowtie$	<code>\vertbowtie</code>
$\dot{-}$	<code>\dotminus</code>	$\wp$	<code>\neswbipropto</code>	$\cdot$	<code>\vertdiv</code>
$\cap$	<code>\doublecap</code>	$\wp$	<code>\nwsebipropto</code>	$\wedge$	<code>\wedge</code>
$\cup$	<code>\doublecup</code>	$+$	<code>\plus</code>	$\wedge$	<code>\wedgedot</code>
$\curlyvee$	<code>\doublecurlyvee</code>	$\pm$	<code>\pm</code>	$\wr$	<code>\wreath</code>
$\curlywedge$	<code>\doublecurlywedge</code>	$\lrcorner$	<code>\righthalfcap</code>		
$\sqcup$	<code>\doublesqcup</code>	$\lrcorner$	<code>\righthalfcup</code>		

MnSymbol defines `\setminus` and `\smallsetminus` as synonyms for `\medbackslash`; `\Join` as a synonym for `\bowtie`; `\wr` as a synonym for `\wreath`; `\shortmid` as a synonym for `\medvert`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; and, `\uplus` as a synonym for `\cupplus`.

TABLE 57: fdsymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\sqcup$	<code>\doublesqcup</code>	$\succ$	<code>\rightY</code>
$*$	<code>\ast</code>	$\vee$	<code>\doublevee</code>	$\times$	<code>\rtimes</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\wedge$	<code>\doublewedge</code>	$\setminus$	<code>\setminus</code>
$\bowtie$	<code>\bowtie</code>	$\downarrow$	<code>\downY</code>	$\sqcap$	<code>\sqcap</code>
$\cap$	<code>\cap</code>	$\times$	<code>\dtimes</code>	$\sqcap$	<code>\sqcapdot</code>
$\cap$	<code>\capdot</code>	$\cdots$	<code>\hdotdot</code>	$\sqcap$	<code>\sqcapplus</code>
$\cup$	<code>\cupplus</code>	$\intercal$	<code>\intercal</code>	$\sqcup$	<code>\sqcup</code>
$\cdot$	<code>\cdot</code>	$\int$	<code>\intprod</code>	$\sqcup$	<code>\sqcupdot</code>
$\cdot$	<code>\centerdot</code>	$\int$	<code>\intprod</code>	$\sqcup$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\times$	<code>\leftthreetimes</code>	$\times$	<code>\times</code>
$\cup$	<code>\cupdot</code>	$\leftarrow$	<code>\leftY</code>	$\times$	<code>\timesbar</code>
$\cup$	<code>\cupplus</code>	$\ltimes$	<code>\ltimes</code>	$\cdot$	<code>\udotdot</code>
$\curlyvee$	<code>\curlyvee</code>	$\backslash$	<code>\medbackslash</code>	$\bowtie$	<code>\upbowtie</code>
$\curlywedge$	<code>\curlywedge</code>	$/$	<code>\medslash</code>	$\uparrow$	<code>\upY</code>
$\ddot{\cdot}$	<code>\ddotdot</code>	$-$	<code>\minus</code>	$\times$	<code>\utimes</code>
$\div$	<code>\div</code>	$\dot{-}$	<code>\minusdot</code>	$\amalg$	<code>\varamalg</code>
$\div$	<code>\divideontimes</code>	$\dot{-}$	<code>\minusfdots</code>	$:$	<code>\vdotdot</code>
$/$	<code>\divslash</code>	$\dot{-}$	<code>\minusrdots</code>	$:$	<code>\vdots</code>
$\dot{-}$	<code>\dotminus</code>	$\mp$	<code>\mp</code>	$\vee$	<code>\vee</code>
$\dot{+}$	<code>\dotplus</code>	$+$	<code>\plus</code>	$\underline{\vee}$	<code>\veebar</code>
$\dot{\times}$	<code>\dottimes</code>	$\dot{+}$	<code>\plusdot</code>	$\underline{\vee}$	<code>\veedot</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	$\pm$	<code>\pm</code>	$\underline{\underline{\vee}}$	<code>\veedoublebar</code>
$\cap$	<code>\doublecap</code>	$\lrcorner$	<code>\pullback</code>	$\wedge$	<code>\wedge</code>
$\cup$	<code>\doublecup</code>	$\lrcorner$	<code>\pushout</code>	$\wedge$	<code>\wedgedot</code>
$\sqcup$	<code>\doublesqcup</code>	$\leftarrow$	<code>\rightthreetimes</code>	$\wr$	<code>\wreath</code>

fdsymbol defines `\btimes` as a synonym for `\dtimes`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; `\hookupminus` as a synonym for `\intprodr`; `\hourglass` as a synonym for `\upbowtie`; `\land` as a synonym for `\wedge`; `\lor` as a synonym for `\vee`; `\minushookup` as a synonym for `\intprod`; `\smalldivslash` as a synonym for `\medslash`; `\smallsetminus` as a synonym for `\medbackslash`; `\Sqcap` as a synonym for `\doublesqcap`; `\Sqcup` as a synonym for `\doublecup`; `\ttimes` as a synonym for `\utimes`; `\lJoin` as a synonym for `\ltimes`; `\rJoin` as a synonym for `\rtimes`; `\Join` and `\lrtimes` as synonyms for `\bowtie`; `\uplus` as a synonym for `\cupplus`; `\veeonvee` as a synonym for `\doublevee`; `\wedgeonwedge` as a synonym for `\doublewedge`; and `\wr` as a synonym for `\wreath`).

TABLE 58: boisik Binary Operators

*	<code>\ast</code>	×	<code>\dottimes</code>	✕	<code>\rtimesblack</code>
ϕ	<code>\baro</code>	⌠	<code>\doublebarwedge</code>	⧵	<code>\smallsetminus</code>
⌠	<code>\barwedge</code>	;	<code>\fatsemi</code>	⊗	<code>\smashtimes</code>
∥	<code>\bbslash</code>	>	<code>\gtrdot</code>	⊕	<code>\sqplus</code>
&	<code>\binampersand</code>	⌞	<code>\intercal</code>	//	<code>\sslash</code>
⌘	<code>\bindnasrepma</code>	⌚	<code>\lbag</code>	×	<code>\times</code>
⌚	<code>\blackbowtie</code>	⌛	<code>\lblackbowtie</code>	⊕	<code>\uplus</code>
⌛	<code>\bowtie</code>	◁	<code>\leftslice</code>	∩	<code>\varcap</code>
∩	<code>\cap</code>	λ	<code>\leftthreetimes</code>	∪	<code>\varcup</code>
⊍	<code>\Cap</code>	≲	<code>\lessdot</code>	⌞	<code>\varintercal</code>
·	<code>\cdot</code>	×	<code>\ltimes</code>	∩	<code>\varsqcap</code>
.	<code>\centerdot</code>	⌛	<code>\ltimesblack</code>	∩	<code>\varsqcup</code>
‡	<code>\circplus</code>	⌛	<code>\merge</code>	×	<code>\vartimes</code>
*	<code>\coAsterisk</code>	⊖	<code>\minuso</code>	∨	<code>\vee</code>
*	<code>\convolution</code>	±	<code>\moo</code>	∨	<code>\Vee</code>
∪	<code>\cup</code>	⊗	<code>\mp</code>	∨	<code>\veebar</code>
⊍	<code>\Cup</code>	⊕	<code>\nplus</code>	∨	<code>\veeonvee</code>
⊕	<code>\cupleftarrow</code>	⊕	<code>\pluscirc</code>	∧	<code>\wedge</code>
∨	<code>\curlyvee</code>	⊕	<code>\plustrif</code>	∧	<code>\Wedge</code>
∧	<code>\curlywedge</code>	±	<code>\pm</code>	∨	<code>\Ydown</code>
†	<code>\dagger</code>	∫	<code>\rbag</code>	<	<code>\Yleft</code>
‡	<code>\ddagger</code>	⌛	<code>\rblackbowtie</code>	>	<code>\Yright</code>
÷	<code>\div</code>	▷	<code>\rightslice</code>	∧	<code>\Yup</code>
⊗	<code>\divideontimes</code>	∧	<code>\rightthreetimes</code>		
‡	<code>\dotplus</code>	×	<code>\rtimes</code>		

TABLE 59: stix Binary Operators

$\amalg$	<code>\amalg</code>	$;$	<code>\fcmp</code>	$\sqcup$	<code>\sqcup</code>
$*$	<code>\ast</code>	$/$	<code>\fracslash</code>	$\sqcup$	<code>\Sqcup</code>
$\bar{\cap}$	<code>\barcap</code>	$\intercal$	<code>\intercal</code>	$//$	<code>\sslash</code>
$\bar{\cup}$	<code>\barcup</code>	$\parallel$	<code>\interleave</code>	$:$	<code>\threedotcolon</code>
$\bar{\vee}$	<code>\barvee</code>	$\lrcorner$	<code>\intprod</code>	$\times$	<code>\times</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\lrcorner$	<code>\intprodr</code>	$\times$	<code>\timesbar</code>
$\bigvee$	<code>\bigvee</code>	$\sim$	<code>\invlazys</code>	$-$	<code>\tminus</code>
$\bigwedge$	<code>\bigwedge</code>	$\lambda$	<code>\leftthreetimes</code>	$+$	<code>\tplus</code>
$\times$	<code>\btimes</code>	$\triangleleft$	<code>\lhd</code>	$\#$	<code>\tripleplus</code>
$\cap$	<code>\cap</code>	$\times$	<code>\ltimes</code>	$///$	<code>\trslash</code>
$\Cap$	<code>\Cap</code>	$\forall$	<code>\midbarvee</code>	$\cap$	<code>\twocaps</code>
$\bar{\cap}$	<code>\capbarcup</code>	$\wedge$	<code>\midbarwedge</code>	$\cup$	<code>\twocup</code>
$\bar{\cup}$	<code>\capdot</code>	$-$	<code>\minusdot</code>	$:$	<code>\typecolon</code>
$\bar{\vee}$	<code>\capovercup</code>	$\dot{-}$	<code>\minusdots</code>	$\ominus$	<code>\uminus</code>
$\bar{\wedge}$	<code>\capwedge</code>	$\dot{-}$	<code>\minusdots</code>	$\triangleleft$	<code>\unlhd</code>
$\bar{\cup}$	<code>\closedvarcap</code>	$\mp$	<code>\mp</code>	$\triangleleft$	<code>\unrhd</code>
$\bar{\vee}$	<code>\closedvarcup</code>	$\#$	<code>\nhVvert</code>	$\wp$	<code>\upand</code>
$\bar{\wedge}$	<code>\closedvarcupsmashprod</code>	$\oplus$	<code>\opluslhrim</code>	$\oplus$	<code>\uplus</code>
$\dagger$	<code>\commaminus</code>	$\oplus$	<code>\oplusrhrim</code>	$\bar{\wedge}$	<code>\varbarwedge</code>
$\cup$	<code>\cup</code>	$\otimes$	<code>\otimeslhrim</code>	$\bar{\wedge}$	<code>\vardoublebarwedge</code>
$\Cup$	<code>\Cup</code>	$\otimes$	<code>\otimesrhrim</code>	$\underline{\vee}$	<code>\varveebar</code>
$\bar{\cap}$	<code>\cupbarcap</code>	$\dagger$	<code>\plusdot</code>	$\times$	<code>\vectimes</code>
$\bar{\vee}$	<code>\cupdot</code>	$\pm$	<code>\pluseqq</code>	$\vee$	<code>\Vee</code>
$\bar{\wedge}$	<code>\cupleftarrow</code>	$\hat{+}$	<code>\plushat</code>	$\vee$	<code>\vee</code>
$\bar{\cup}$	<code>\cupovercap</code>	$\ddagger$	<code>\plussim</code>	$\underline{\vee}$	<code>\veebar</code>
$\bar{\vee}$	<code>\cupvee</code>	$\ddagger$	<code>\plussubtwo</code>	$\vee$	<code>\veedot</code>
$\curlyvee$	<code>\curlyvee</code>	$\ddagger$	<code>\plustrif</code>	$\underline{\vee}$	<code>\veedoublebar</code>
$\curlywedge$	<code>\curlywedge</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veemidvert</code>
$\dagger$	<code>\dagger</code>	$\triangleright$	<code>\rhd</code>	$\dot{\vee}$	<code>\veeodot</code>
$\ddagger$	<code>\ddagger</code>	$\llcorner$	<code>\rightthreetimes</code>	$\wp$	<code>\veeonvee</code>
$\div$	<code>\div</code>	$\dagger$	<code>\ringplus</code>	$\wedge$	<code>\Wedge</code>
$\ast$	<code>\divideontimes</code>	$\dagger$	<code>\rsolbar</code>	$\wedge$	<code>\wedge</code>
$\dot{-}$	<code>\dotminus</code>	$\times$	<code>\rtimes</code>	$\triangle$	<code>\wedgebar</code>
$\dot{+}$	<code>\dotplus</code>	$\setminus$	<code>\setminusminus</code>	$\triangle$	<code>\wedgedot</code>
$\times$	<code>\dottimes</code>	$\sqcup$	<code>\shuffle</code>	$\underline{\triangle}$	<code>\wedgedoublebar</code>
$\bar{\vee}$	<code>\doublebarvee</code>	$\dagger$	<code>\simplus</code>	$\wedge$	<code>\wedgemidvert</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	$\setminus$	<code>\smallsetminusminus</code>	$\wedge$	<code>\wedgeodot</code>
$\#$	<code>\doubleplus</code>	$\ast$	<code>\smashtimes</code>	$\wedge$	<code>\wedgeonwedge</code>
$/$	<code>\dsol</code>	$\sqcap$	<code>\sqcap</code>	$\wr$	<code>\wr</code>
$\bar{\mp}$	<code>\eqqplus</code>	$\sqcap$	<code>\Sqcap</code>		

stix defines `\land` as a synonym for `\wedge`, `\lor` as a synonym for `\vee`, `\doublecap` as a synonym for `\Cap`, and `\doublecup` as a synonym for `\Cup`.

TABLE 60: mathdesign Binary Operators

$\times$  `\dtimes`  $\times$  `\udtimes`  $\times$  `\utimes`

The `mathdesign` package additionally provides versions of each of the binary operators shown in Table 51 on page 32.

TABLE 61: cml Binary Operators

$\wp$  `\parr*`  $\&$  `\with†`

\* `cml` defines `\invamp` as a synonym for `\parr`.

† `\with` differs from `\&` in terms of its math-mode spacing: `$A \& B$` produces “ $A \& B$ ”, for example, while `$A \with B$` produces “ $A \& B$ ”.

TABLE 62: shuffle Binary Operators

$\sqcup$  `\cshuffle`  $\sqcup$  `\shuffle`

TABLE 63: ulsy Geometric Binary Operators

$\oplus$  `\odplus`

TABLE 64: mathabx Geometric Binary Operators

$\blacktriangledown$	<code>\blacktriangledown</code>	$\boxright$	<code>\boxright</code>	$\ominus$	<code>\ominus</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\boxslash$	<code>\boxslash</code>	$\oplus$	<code>\oplus</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\boxtimes$	<code>\boxtimes</code>	$\otimes$	<code>\otimes</code>
$\blacktriangleup$	<code>\blacktriangleup</code>	$\boxtop$	<code>\boxtop</code>	$\oslash$	<code>\oslash</code>
$\boxasterisk$	<code>\boxasterisk</code>	$\boxtriangleup$	<code>\boxtriangleup</code>	$\otimes$	<code>\otimes</code>
$\boxbackslash$	<code>\boxbackslash</code>	$\boxvoid$	<code>\boxvoid</code>	$\oplus$	<code>\otop</code>
$\boxbot$	<code>\boxbot</code>	$\oasterisk$	<code>\oasterisk</code>	$\triangleup$	<code>\otriangleup</code>
$\boxcirc$	<code>\boxcirc</code>	$\obackslash$	<code>\obackslash</code>	$\circ$	<code>\ovoid</code>
$\boxcoasterisk$	<code>\boxcoasterisk</code>	$\obot$	<code>\obot</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\boxdiv$	<code>\boxdiv</code>	$\ocirc$	<code>\ocirc</code>	$\blacktriangleleft$	<code>\smalltriangleleft</code>
$\boxdot$	<code>\boxdot</code>	$\ocoasterisk$	<code>\ocoasterisk</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\boxleft$	<code>\boxleft</code>	$\odiv$	<code>\odiv</code>	$\blacktriangleup$	<code>\smalltriangleup</code>
$\boxminus$	<code>\boxminus</code>	$\odot$	<code>\odot</code>		
$\boxplus$	<code>\boxplus</code>	$\oleft$	<code>\oleft</code>		

TABLE 65: MnSymbol Geometric Binary Operators

◻	<code>\boxbackslash</code>	▼	<code>\filledmedtriangledown</code>	⊙	<code>\ocirc</code>
▣	<code>\boxbox</code>	◀	<code>\filledmedtriangleleft</code>	⊙	<code>\odot</code>
◻	<code>\boxdot</code>	▶	<code>\filledmedtriangleright</code>	⊖	<code>\ominus</code>
◻	<code>\boxminus</code>	▲	<code>\filledmedtriangleup</code>	⊕	<code>\oplus</code>
⊕	<code>\boxplus</code>	■	<code>\filledsquare</code>	⊘	<code>\oslash</code>
◻	<code>\boxslash</code>	★	<code>\filledstar</code>	⊗	<code>\otimes</code>
⊗	<code>\boxtimes</code>	▼	<code>\filledtriangledown</code>	⊗	<code>\otimes</code>
▣	<code>\boxvert</code>	◀	<code>\filledtriangleleft</code>	⊕	<code>\otriangle</code>
◊	<code>\diamondbackslash</code>	▶	<code>\filledtriangleright</code>	⊕	<code>\overt</code>
⊕	<code>\diamonddiamond</code>	▲	<code>\filledtriangleup</code>	★	<code>\pentagram</code>
◊	<code>\diamonddot</code>	◊	<code>\meddiamond</code>	◊	<code>\smalldiamond</code>
◊	<code>\diamondminus</code>	◻	<code>\medsquare</code>	◻	<code>\smallsquare</code>
⊕	<code>\diamondplus</code>	☆	<code>\medstar</code>	★	<code>\smallstar</code>
◊	<code>\diamondslash</code>	▼	<code>\medtriangledown</code>	▼	<code>\smalltriangledown</code>
⊗	<code>\diamondtimes</code>	◀	<code>\medtriangleleft</code>	◀	<code>\smalltriangleleft</code>
◊	<code>\diamondvert</code>	▶	<code>\medtriangleright</code>	▶	<code>\smalltriangleright</code>
▽	<code>\downslice</code>	△	<code>\medtriangleup</code>	△	<code>\smalltriangleup</code>
◆	<code>\filleddiamond</code>	⊗	<code>\oast</code>	★	<code>\thinstar</code>
■	<code>\filledmedsquare</code>	⊘	<code>\obackslash</code>	△	<code>\upslice</code>

MnSymbol defines `\blacksquare` as a synonym for `\filledmedsquare`; `\square` and `\Box` as synonyms for `\medsquare`; `\diamond` as a synonym for `\smalldiamond`; `\Diamond` as a synonym for `\meddiamond`; `\star` as a synonym for `\thinstar`; `\circledast` as a synonym for `\oast`; `\circledcirc` as a synonym for `\ocirc`; and, `\circleddash` as a synonym for `\ominus`.

TABLE 66: fdsymbol Geometric Binary Operators

◻	<code>\boxbackslash</code>	▼	<code>\medblacktriangledown</code>	⊕	<code>\oplus</code>
▣	<code>\boxbox</code>	◀	<code>\medblacktriangleleft</code>	⊘	<code>\oslash</code>
◻	<code>\boxdot</code>	▶	<code>\medblacktriangleright</code>	⊗	<code>\otimes</code>
◻	<code>\boxminus</code>	▲	<code>\medblacktriangleup</code>	⊕	<code>\overt</code>
⊕	<code>\boxplus</code>	○	<code>\medcircle</code>	●	<code>\smallblackcircle</code>
◻	<code>\boxslash</code>	◊	<code>\meddiamond</code>	◆	<code>\smallblackdiamond</code>
⊗	<code>\boxtimes</code>	/	<code>\medslash</code>	■	<code>\smallblacksquare</code>
▣	<code>\boxvert</code>	◻	<code>\medsquare</code>	★	<code>\smallblackstar</code>
◊	<code>\diamondbackslash</code>	▼	<code>\medtriangledown</code>	▼	<code>\smallblacktriangledown</code>
⊕	<code>\diamonddiamond</code>	◀	<code>\medtriangleleft</code>	◀	<code>\smallblacktriangleleft</code>
◊	<code>\diamonddot</code>	▶	<code>\medtriangleright</code>	▶	<code>\smallblacktriangleright</code>
◊	<code>\diamondminus</code>	△	<code>\medtriangleup</code>	▲	<code>\smallblacktriangleup</code>
⊕	<code>\diamondplus</code>	☆	<code>\medwhitestar</code>	○	<code>\smallcircle</code>
◊	<code>\diamondslash</code>	⊗	<code>\oast</code>	◊	<code>\smalldiamond</code>
⊗	<code>\diamondtimes</code>	⊘	<code>\obackslash</code>	◻	<code>\smallsquare</code>
◊	<code>\diamondvert</code>	⊙	<code>\ocirc</code>	▼	<code>\smalltriangledown</code>

(continued on next page)

(continued from previous page)

●	<code>\medblackcircle</code>	⊖	<code>\odash</code>	◁	<code>\smalltriangleleft</code>
◆	<code>\medblackdiamond</code>	⊙	<code>\odot</code>	▷	<code>\smalltriangleright</code>
■	<code>\medblacksquare</code>	⊖	<code>\oequal</code>	△	<code>\smalltriangleup</code>
★	<code>\medblackstar</code>	⊖	<code>\ominus</code>	☆	<code>\smallwhitestar</code>

`fdsymbol` defines synonyms for most of the preceding symbols:

◆	<code>\blackdiamond</code>	◇	<code>\diamond</code>	●	<code>\smbkcircle</code>
▲	<code>\blacktriangle</code>	◇	<code>\Diamond</code>	◆	<code>\smbkdiamond</code>
▼	<code>\blacktriangledown</code>	◇	<code>\diamondbslash</code>	■	<code>\smbklsquare</code>
◀	<code>\blacktriangleleft</code>	◇	<code>\diamondcdot</code>	☆	<code>\smwhitestar</code>
▶	<code>\blacktriangleright</code>	◆	<code>\mdblkdiamond</code>	○	<code>\smwhtcircle</code>
□	<code>\Box</code>	■	<code>\mdblksquare</code>	◇	<code>\smwhtdiamond</code>
▣	<code>\boxbar</code>	●	<code>\mdlgbkcircle</code>	◻	<code>\smwhtsquare</code>
▤	<code>\boxbslash</code>	◆	<code>\mdlgbkdiamond</code>	□	<code>\square</code>
▥	<code>\boxdiag</code>	■	<code>\mdlgbklsquare</code>	★	<code>\star</code>
•	<code>\bullet</code>	○	<code>\mdlgwhtcircle</code>	△	<code>\triangle</code>
◦	<code>\circ</code>	◇	<code>\mdlgwhtdiamond</code>	▽	<code>\triangledown</code>
⊗	<code>\circledast</code>	◻	<code>\mdlgwhtsquare</code>	◁	<code>\triangleleft</code>
⊙	<code>\circledcirc</code>	◇	<code>\mdwhtdiamond</code>	▷	<code>\triangleright</code>
⊖	<code>\circleddash</code>	◻	<code>\mdwhtsquare</code>	△	<code>\vartriangle</code>
⊖	<code>\circledequal</code>	★	<code>\medstar</code>		
⊕	<code>\circledvert</code>	⊙	<code>\obslash</code>		

TABLE 67: boisk Geometric Binary Operators

◆	<code>\blacklozenge</code>	▣	<code>\boxright</code>	□	<code>\oblong</code>
■	<code>\blacksquare</code>	▤	<code>\boxslash</code>	⊕	<code>\obot</code>
▲	<code>\blacktriangle</code>	⊗	<code>\boxtimes</code>	⊙	<code>\obslash</code>
▼	<code>\blacktriangledown</code>	▣	<code>\boxtop</code>	⊗	<code>\ogreaterthan</code>
◀	<code>\blacktriangleleft</code>	▤	<code>\boxtriangle</code>	⊕	<code>\oleft</code>
▶	<code>\blacktriangleright</code>	⊗	<code>\circledast</code>	⊖	<code>\olessthan</code>
⊗	<code>\boxast</code>	⊙	<code>\circledcirc</code>	⊖	<code>\ominus</code>
▣	<code>\boxbar</code>	⊖	<code>\circleddash</code>	⊕	<code>\oplus</code>
▣	<code>\boxbot</code>	◇	<code>\diamond</code>	⊕	<code>\oright</code>
▣	<code>\boxbox</code>	⋈	<code>\diamondbar</code>	⊖	<code>\oslash</code>
▤	<code>\boxbslash</code>	⊖	<code>\diamondcircle</code>	⊗	<code>\otimes</code>
▣	<code>\boxcircle</code>	⋈	<code>\diamondminus</code>	⊕	<code>\otop</code>
▣	<code>\boxdivision</code>	◇	<code>\diamondop</code>	⊖	<code>\otriangle</code>
□	<code>\boxdot</code>	⊕	<code>\diamondplus</code>	⊖	<code>\ovee</code>
▣	<code>\boxleft</code>	⊖	<code>\diamondtimes</code>	⊖	<code>\owedge</code>
▣	<code>\boxminus</code>	⊖	<code>\diamondtriangle</code>	★	<code>\star</code>
▣	<code>\boxplus</code>	⊕	<code>\obar</code>	▣	<code>\talloblong</code>



TABLE 68: stix Geometric Binary Operators

⚬	<code>\blackhourglass</code>	◊	<code>\concavediamondtickleft</code>	⊕	<code>\oplus</code>
⊠	<code>\boxast</code>	◊	<code>\concavediamondtickright</code>	⊘	<code>\oslash</code>
▢	<code>\boxbar</code>	◊	<code>\diamond</code>	⊗	<code>\otimes</code>
▣	<code>\boxbox</code>	◁	<code>\dsub</code>	⊛	<code>\Otimes</code>
▤	<code>\boxbslash</code>	⌚	<code>\hourglass</code>	⊜	<code>\otimeshat</code>
⊝	<code>\boxcircle</code>	◊	<code>\lozengeminus</code>	▷	<code>\rsub</code>
▧	<code>\boxdiag</code>	◆	<code>\mdlgbklozenge</code>	•	<code>\smbkcircle</code>
◻	<code>\boxdot</code>	○	<code>\mdlgwhtcircle</code>	★	<code>\star</code>
▢	<code>\boxminus</code>	⊖	<code>\obar</code>	∏	<code>\talloblong</code>
⊞	<code>\boxplus</code>	⊕	<code>\obot*</code>	△	<code>\triangle</code>
⊠	<code>\boxtimes</code>	⊗	<code>\obslash</code>	△	<code>\triangleminus</code>
⊛	<code>\circledast</code>	⊕	<code>\odiv</code>	△	<code>\triangleplus</code>
⊝	<code>\circledcirc</code>	⊙	<code>\odot</code>	△	<code>\triangleserifs</code>
⊖	<code>\circleddash</code>	⊗	<code>\odotslashdot*</code>	△	<code>\trianglerightimes</code>
⊕	<code>\circledequal</code>	⊗	<code>\ogreaterthan</code>	•	<code>\vysmbkcircle<sup>†</sup></code>
⊕	<code>\circledparallel</code>	⊗	<code>\olcross*</code>	◦	<code>\vysmwhtcircle</code>
⊕	<code>\circledvert</code>	⊖	<code>\olessthan</code>	◻	<code>\whitesquaretickleft</code>
⊖	<code>\circlehbar</code>	⊖	<code>\ominus</code>	◻	<code>\whitesquaretickright</code>
◊	<code>\concavediamond</code>	⊖	<code>\operp</code>		

\* Defined as an ordinary character, not as a binary relation. However, these symbols more closely resemble the other symbols in this table than they do the geometric shapes presented in Table 401, which is why they are included here.

<sup>†</sup> stix defines `\bullet` as a synonym for `\vysmbkcircle`.

TABLE 69: halloweenmath Halloween-Themed Math Operators

🎃	<code>\bigpumpkin<sup>‡</sup></code>	👻	<code>\mathleftghost</code>	☁	<code>\reversemathcloud</code>
💀	<code>\bigskull</code>	🦇	<code>\mathrightbat</code>	👻	<code>\reversemathwitch<sup>†</sup></code>
🦇	<code>\mathbat</code>	👻	<code>\mathrightghost</code>	👻	<code>\reversemathwitch*<sup>†</sup></code>
☁	<code>\mathcloud</code>	👻	<code>\mathwitch*<sup>†</sup></code>	💀	<code>\skull</code>
👻	<code>\mathghost</code>	👻	<code>\mathwitch<sup>†</sup></code>		
🦇	<code>\mathleftbat</code>	🎃	<code>\pumpkin</code>		

<sup>†</sup> These symbols accept limits. For example, `\mathwitch*_{i=0}^{\infty} f(x)` produces “ $\sum_{i=0}^{\infty} f(x)$ ” in text mode and

$$\sum_{i=0}^{\infty} f(x)$$

in display mode.

<sup>‡</sup> `\greatpumpkin` is a synonym for `\bigpumpkin`.

TABLE 70: stix Small Integrals

$\int$	<code>\smallawint</code>	$\int$	<code>\smallintcap</code>	$\int$	<code>\smalloint</code>
$\int$	<code>\smallcirfnint</code>	$\int$	<code>\smallintclockwise</code>	$\int$	<code>\smallointctrcclockwise</code>
$\int$	<code>\smallfint</code>	$\int$	<code>\smallintcup</code>	$\int$	<code>\smallpointint</code>
$\int$	<code>\smalliiiint</code>	$\int$	<code>\smallintlarhk</code>	$\int$	<code>\smallrppointint</code>
$\int$	<code>\smalliiint</code>	$\int$	<code>\smallintx</code>	$\int$	<code>\smallscpointint</code>
$\int$	<code>\smalliint</code>	$\int$	<code>\smalllowint</code>	$\int$	<code>\smallsqint</code>
$\int$	<code>\smallint</code>	$\int$	<code>\smallnpointint</code>	$\int$	<code>\smallsumint</code>
$\int$	<code>\smallintbar</code>	$\int$	<code>\smallloiiint</code>	$\int$	<code>\smallupint</code>
$\int$	<code>\smallintBar</code>	$\int$	<code>\smallloiiint</code>	$\int$	<code>\smallvarointclockwise</code>

By default, each of the preceding commands points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 71.

TABLE 71: stix Small Integrals with Explicit Slant

$\int$	<code>\smallawintsl</code>	$\int$	<code>\smallawintup</code>
$\int$	<code>\smallcirfnintsl</code>	$\int$	<code>\smallcirfnintup</code>
$\int$	<code>\smallfintsl</code>	$\int$	<code>\smallfintup</code>
$\int$	<code>\smalliiiintsl</code>	$\int$	<code>\smalliiiintup</code>
$\int$	<code>\smalliiintsl</code>	$\int$	<code>\smalliiintup</code>
$\int$	<code>\smalliintsl</code>	$\int$	<code>\smalliintup</code>
$\int$	<code>\smallintbarsl</code>	$\int$	<code>\smallintBarup</code>
$\int$	<code>\smallintBarsl</code>	$\int$	<code>\smallintbarup</code>
$\int$	<code>\smallintcapsl</code>	$\int$	<code>\smallintcapup</code>
$\int$	<code>\smallintclockwisesl</code>	$\int$	<code>\smallintclockwiseup</code>
$\int$	<code>\smallintcupsl</code>	$\int$	<code>\smallintcupup</code>
$\int$	<code>\smallintlarhksl</code>	$\int$	<code>\smallintlarhkup</code>
$\int$	<code>\smallintsl</code>	$\int$	<code>\smallintup</code>
$\int$	<code>\smallintxsl</code>	$\int$	<code>\smallintxup</code>
$\int$	<code>\smalllowintsl</code>	$\int$	<code>\smalllowintup</code>
$\int$	<code>\smallnpointintsl</code>	$\int$	<code>\smallnpointintup</code>
$\int$	<code>\smallloiiintsl</code>	$\int$	<code>\smallloiiintup</code>
$\int$	<code>\smallloiiintsl</code>	$\int$	<code>\smallloiiintup</code>
$\int$	<code>\smallointctrcclockwisesl</code>	$\int$	<code>\smallointctrcclockwiseup</code>
$\int$	<code>\smallointsl</code>	$\int$	<code>\smallointup</code>
$\int$	<code>\smallpointintsl</code>	$\int$	<code>\smallpointintup</code>
$\int$	<code>\smallrppointintsl</code>	$\int$	<code>\smallrppointintup</code>
$\int$	<code>\smallscpointintsl</code>	$\int$	<code>\smallscpointintup</code>
$\int$	<code>\smallsqintsl</code>	$\int$	<code>\smallsqintup</code>
$\int$	<code>\smallsumintsl</code>	$\int$	<code>\smallsumintup</code>
$\int$	<code>\smallupintsl</code>	$\int$	<code>\smallupintup</code>
$\int$	<code>\smallvarointclockwisesl</code>	$\int$	<code>\smallvarointclockwiseup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 70 either with or without the `upint` package option. Specifying `upint` selects each integral’s upright (`up`) variant, while omitting `upint` selects each integral’s slanted (`sl`) variant. Use the symbols shown in Table 71 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 72: Variable-sized Math Operators

$\cap \cap$	<code>\bigcap</code>	$\otimes \otimes$	<code>\bigotimes</code>	$\wedge \wedge$	<code>\bigwedge</code>	$\prod \prod$	<code>\prod</code>
$\cup \cup$	<code>\bigcup</code>	$\sqcup \sqcup$	<code>\bigsqcup</code>	$\coprod \coprod$	<code>\coprod</code>	$\sum \sum$	<code>\sum</code>
$\odot \odot$	<code>\bigodot</code>	$\oplus \oplus$	<code>\bigoplus</code>	$\int \int$	<code>\int</code>		
$\oplus \oplus$	<code>\bigoplus</code>	$\vee \vee$	<code>\bigvee</code>	$\oint \oint$	<code>\oint</code>		

TABLE 73:  $\mathcal{A}\mathcal{M}\mathcal{S}$  Variable-sized Math Operators

$\iint \iint$	<code>\iint</code>	$\iiint \iiint$	<code>\iiint</code>
$\iiint \iiint$	<code>\iiiint</code>	$\int \dots \int \int \dots \int$	<code>\idotsint</code>

TABLE 74: `stmaryrd` Variable-sized Math Operators

$\square \square$	<code>\bigbox</code>	$\parallel \parallel$	<code>\biginterleave</code>	$\sqcap \sqcap$	<code>\bigsqcap</code>
$\curlyvee \curlyvee$	<code>\bigcurlyvee</code>	$\bigoplus \bigoplus$	<code>\bignplus</code>	$\nabla \nabla$	<code>\bigtriangledown</code>
$\curlywedge \curlywedge$	<code>\bigcurlywedge</code>	$\parallel \parallel$	<code>\bigparallel</code>	$\triangle \triangle$	<code>\bigtriangleup</code>

TABLE 75: wasysym Variable-sized Math Operators

$\int \int$	<code>\int</code>	$\iint \iiint$	<code>\iint</code>	$\iiint \iiint$	<code>\iiint</code>
$\oint$	<code>\oint</code>	$\oiint$	<code>\oiint</code>		

If `wasysym` is loaded without package options then none of the preceding symbols are defined. However, `\varint` produces `wasysym`'s `\int` glyph, and `\varoint` produces `wasysym`'s `\oint` glyph.

If `wasysym` is loaded with the `integrals` option then all of the preceding symbols are defined, but `\varint` and `\varoint` are left undefined.

If `wasysym` is loaded with the `nointegrals` option then none of the preceding symbols, `\varint`, or `\varoint` are defined.

TABLE 76: mathabx Variable-sized Math Operators

$\curlyvee \curlyvee$	<code>\bigcurlyvee</code>	$\boxslash \boxslash$	<code>\bigboxslash</code>	$\oplus \oplus$	<code>\bigoright</code>
$\sqcap \sqcap$	<code>\bigsqcap</code>	$\boxtimes \boxtimes$	<code>\bigboxtimes</code>	$\oslash \oslash$	<code>\bigoslash</code>
$\curlywedge \curlywedge$	<code>\bigcurlywedge</code>	$\boxplus \boxplus$	<code>\bigboxplus</code>	$\oplus \oplus$	<code>\bigotop</code>
$\boxast \boxast$	<code>\bigboxast</code>	$\triangleup \triangleup$	<code>\bigtriangleup</code>	$\triangleup \triangleup$	<code>\bigtriangleup</code>
$\boxbackslash \boxbackslash$	<code>\bigboxbackslash</code>	$\square \square$	<code>\bigboxvoid</code>	$\bigcirc \bigcirc$	<code>\bigovoid</code>
$\boxbot \boxbot$	<code>\bigboxbot</code>	$\complement \complement$	<code>\bigcomplement</code>	$\plus \plus$	<code>\bigplus</code>
$\boxcirc \boxcirc$	<code>\bigboxcirc</code>	$\bigcirc \bigcirc$	<code>\bigcirc</code>	$\boxplus \boxplus$	<code>\bigboxplus</code>
$\boxcoasterisk \boxcoasterisk$	<code>\bigboxcoasterisk</code>	$\oslash \oslash$	<code>\bigoslash</code>	$\times \times$	<code>\bigtimes</code>
$\boxdiv \boxdiv$	<code>\bigboxdiv</code>	$\oplus \oplus$	<code>\bigoplus</code>	$\iiint \iiint$	<code>\iiint</code>
$\boxdot \boxdot$	<code>\bigboxdot</code>	$\odot \odot$	<code>\bigodot</code>	$\iint \iint$	<code>\iint</code>

(continued on next page)



(continued from previous page)

$\oint$	$\oint$	<code>\ointclockwise</code>	$\oint$	$\oint$	<code>\varointctrckwise</code>
$\oint$	$\oint$	<code>\ointctrckwise</code>	$\times$	$\times$	<code>\varprod</code>
$\oint$	$\oint$	<code>\oint</code>			

TABLE 78: esint Variable-sized Math Operators

$\int \dots \int$	$\int \dots \int$	<code>\dotsint</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\int$	$\int$	<code>\fint</code>	$\oint$	$\oint$	<code>\ointctrckwise</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iiint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iint</code>	$\varoint$	$\varoint$	<code>\varoint</code>
$\int$	$\int$	<code>\landdownint</code>	$\varoint$	$\varoint$	<code>\varointclockwise</code>
$\int$	$\int$	<code>\landupint</code>	$\varoint$	$\varoint$	<code>\varointctrckwise</code>
$\oint$	$\oint$	<code>\oint</code>			

TABLE 79: bigints Variable-sized Math Operators

$\int$	$\int$	<code>\bigint</code>	$\oint$	$\oint$	<code>\bigoint</code>
$\int$	$\int$	<code>\bigints</code>	$\oint$	$\oint$	<code>\bigoints</code>
$\int$	$\int$	<code>\bigintss</code>	$\oint$	$\oint$	<code>\bigointss</code>
$\int$	$\int$	<code>\bigintsss</code>	$\oint$	$\oint$	<code>\bigointsss</code>
$\int$	$\int$	<code>\bigintsssss</code>	$\oint$	$\oint$	<code>\bigointsssss</code>

TABLE 80: MnSymbol Variable-sized Math Operators

$\cap$	$\cap$	<code>\bigcap</code>	$\ominus$	$\ominus$	<code>\bigominus</code>	$\complement$	$\complement$	<code>\complement</code>
$\cap\cdot$	$\cap\cdot$	<code>\bigcapdot</code>	$\oplus$	$\oplus$	<code>\bigoplus</code>	$\coprod$	$\coprod$	<code>\coprod</code>
$\cap+$	$\cap+$	<code>\bigcapplus</code>	$\oslash$	$\oslash$	<code>\bigoslash</code>	$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>
$\bigcirc$	$\bigcirc$	<code>\bigcircle</code>	$\otimes$	$\otimes$	<code>\bigostar</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\cup$	$\cup$	<code>\bigcup</code>	$\otimes$	$\otimes$	<code>\bigotimes</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\cup\cdot$	$\cup\cdot$	<code>\bigcupdot</code>	$\triangleleft$	$\triangleleft$	<code>\bigtriangleleft</code>	$\iint$	$\iint$	<code>\iint</code>
$\cup+$	$\cup+$	<code>\bigcupplus*</code>	$\circ$	$\circ$	<code>\bigover</code>	$\int$	$\int$	<code>\int</code>
$\curlyvee$	$\curlyvee$	<code>\bigcurlyvee</code>	$+$	$+$	<code>\bigplus</code>	$\int$	$\int$	<code>\landdownint</code>
$\curlyvee\cdot$	$\curlyvee\cdot$	<code>\bigcurlyveedot</code>	$\sqcap$	$\sqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\landupint</code>
$\curlywedge$	$\curlywedge$	<code>\bigcurlywedge</code>	$\sqcap\cdot$	$\sqcap\cdot$	<code>\bigsqcapdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\curlywedge\cdot$	$\curlywedge\cdot$	<code>\bigcurlywedgedot</code>	$\cap+$	$\cap+$	<code>\bigsqcapplus</code>	$\oint$	$\oint$	<code>\lclircleleftint</code>
$\curlywedge\cdot\cdot$	$\curlywedge\cdot\cdot$	<code>\bigdoublecurlywedge</code>	$\sqcup$	$\sqcup$	<code>\bigsqcup</code>	$\oiint$	$\oiint$	<code>\oiint</code>
$\curlywedge\cdot\cdot\cdot$	$\curlywedge\cdot\cdot\cdot$	<code>\bigdoublecurlywedgedot</code>	$\sqcup\cdot$	$\sqcup\cdot$	<code>\bigsqcupdot</code>	$\oint$	$\oint$	<code>\oint</code>

(continued on next page)

(continued from previous page)

$\mathbb{W}$	$\mathbb{V}$	<code>\bigdoublevee</code>	$\boxplus$	$\boxplus$	<code>\bigsqcupplus</code>	$\prod$	$\prod$	<code>\prod</code>
$\mathbb{A}$	$\mathbb{A}$	<code>\bigdoublewedge</code>	$\times$	$\times$	<code>\bigtimes</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\otimes$	$\otimes$	<code>\bigoast</code>	$\vee$	$\vee$	<code>\bigvee</code>	$\oint$	$\oint$	<code>\rcirclerightint</code>
$\oslash$	$\oslash$	<code>\bigobackslash</code>	$\vee$	$\vee$	<code>\bigveedot</code>	$f$	$f$	<code>\strokedint</code>
$\odot$	$\odot$	<code>\bigocirc</code>	$\wedge$	$\wedge$	<code>\bigwedge</code>	$\Sigma$	$\Sigma$	<code>\sum</code>
$\odot$	$\odot$	<code>\bigodot</code>	$\wedge$	$\wedge$	<code>\bigwedgedot</code>	$\int$	$\int$	<code>\sumint</code>

\* MnSymbol defines `\biguplus` as a synonym for `\bigcupplus`.

TABLE 81: fdsymbol Variable-sized Math Operators

$\cap$	$\cap$	<code>\bigcap</code>	$\sqcup$	$\sqcup$	<code>\bigsqcup</code>	$\int$	$\int$	<code>\landupint</code>
$\cap$	$\cap$	<code>\bigcapdot</code>	$\sqcup$	$\sqcup$	<code>\bigsqcupdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\cap$	$\cap$	<code>\bigcapplus</code>	$\boxplus$	$\boxplus$	<code>\bigsqcupplus</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\cup$	$\cup$	<code>\bigcup</code>	$\times$	$\times$	<code>\bigtimes</code>	$\int$	$\int$	<code>\oiint</code>
$\cup$	$\cup$	<code>\bigcupdot</code>	$\vee$	$\vee$	<code>\bigvee</code>	$\int$	$\int$	<code>\oiint</code>
$\cup$	$\cup$	<code>\bigcupplus</code>	$\vee$	$\vee$	<code>\bigveedot</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlyvee$	$\curlyvee$	<code>\bigcurlyvee</code>	$\wedge$	$\wedge$	<code>\bigwedge</code>	$\Sigma$	$\Sigma$	<code>\osum</code>
$\curlywedge$	$\curlywedge$	<code>\bigcurlywedge</code>	$\wedge$	$\wedge$	<code>\bigwedgedot</code>	$\prod$	$\prod$	<code>\prod</code>
$\mathbb{W}$	$\mathbb{W}$	<code>\bigdoublevee</code>	$\prod$	$\prod$	<code>\coprod</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\mathbb{A}$	$\mathbb{A}$	<code>\bigdoublewedge</code>	$\int$	$\int$	<code>\fint</code>	$\oint$	$\oint$	<code>\rcirclerightint</code>
$\otimes$	$\otimes$	<code>\bigoast</code>	$\int \dots \int$	$\int \dots \int$	<code>\idotsint</code>	$\Sigma$	$\Sigma$	<code>\sum</code>
$\odot$	$\odot$	<code>\bigodot</code>	$\int \dots \int$	$\int \dots \int$	<code>\iiint</code>	$\int$	$\int$	<code>\sumint</code>
$\oplus$	$\oplus$	<code>\bigoplus</code>	$\int \dots \int$	$\int \dots \int$	<code>\iint</code>	$\prod$	$\prod$	<code>\varcoprod</code>

(continued on next page)





(continued from previous page)

$\bigcup$	$\bigcup$	<code>\bigcupdot</code>	$\iiint$	$\iiint$	<code>\iiint</code>	$\oint$	$\oint$	<code>\pointint</code>
$\odot$	$\odot$	<code>\bigodot</code>	$\iint$	$\iint$	<code>\iint</code>	$\prod$	$\prod$	<code>\prod</code>
$\oplus$	$\oplus$	<code>\bigoplus</code>	$\int$	$\int$	<code>\int</code>	$\int$	$\int$	<code>\rppolint</code>
$\otimes$	$\otimes$	<code>\bigotimes</code>	$\int$	$\int$	<code>\intbar</code>	$\int$	$\int$	<code>\scpolint</code>
$\sqcap$	$\sqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\intBar</code>	$\int$	$\int$	<code>\sqint</code>
$\sqcup$	$\sqcup$	<code>\bigsqcup</code>	$\int$	$\int$	<code>\intcap</code>	$\Sigma$	$\Sigma$	<code>\sum</code>
$\llcorner$	$\llcorner$	<code>\bigtalloblong</code>	$\int$	$\int$	<code>\intclockwise</code>	$\int$	$\int$	<code>\sumint</code>
$\times$	$\times$	<code>\bigtimes</code>	$\int$	$\int$	<code>\intcup</code>	$\int$	$\int$	<code>\upint</code>
$\uplus$	$\uplus$	<code>\biguplus</code>	$\int$	$\int$	<code>\intlarhk</code>	$\int$	$\int$	<code>\varointclockwise</code>
$\vee$	$\vee$	<code>\bigvee</code>	$\int$	$\int$	<code>\intx</code>	$\backslash$	$\backslash$	<code>\xbsol</code>
$\wedge$	$\wedge$	<code>\bigwedge</code>	$\int$	$\int$	<code>\lowint</code>	$/$	$/$	<code>\xsol</code>
$\oint$	$\oint$	<code>\cirfnint</code>	$\Sigma$	$\Sigma$	<code>\modtwosum</code>			
$\mathbb{A}$	$\mathbb{A}$	<code>\conjquant</code>	$\oint$	$\oint$	<code>\npolint</code>			

By default, each of the integral-producing commands in Table 83 points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 84.

TABLE 84: stix Integrals with Explicit Slant

$\int$	$\int$	<code>\intsl</code>	$\int$	$\int$	<code>\intup</code>
$\iint$	$\iint$	<code>\iintsl</code>	$\iint$	$\iint$	<code>\iintup</code>
$\iiint$	$\iiint$	<code>\iiintsl</code>	$\iiint$	$\iiint$	<code>\iiintup</code>
$\oint$	$\oint$	<code>\ointsl</code>	$\oint$	$\oint$	<code>\ointup</code>
$\oiint$	$\oiint$	<code>\oiintsl</code>	$\oiint$	$\oiint$	<code>\oiintup</code>
$\oiiint$	$\oiiint$	<code>\oiiintsl</code>	$\oiiint$	$\oiiint$	<code>\oiiintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwisesl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwiseup</code>
$\oint$	$\oint$	<code>\varointclockwisesl</code>	$\oint$	$\oint$	<code>\varointclockwiseup</code>
$\oint$	$\oint$	<code>\ointctrclockwisesl</code>	$\oint$	$\oint$	<code>\ointctrclockwiseup</code>
$\sumint$	$\sumint$	<code>\sumintsl</code>	$\sumint$	$\sumint$	<code>\sumintup</code>
$\iiiiiint$	$\iiiiiint$	<code>\iiiiiintsl</code>	$\iiiiiint$	$\iiiiiint$	<code>\iiiiiintup</code>
$\int\bar{\phantom{x}}$	$\int\bar{\phantom{x}}$	<code>\intbarsl</code>	$\int\bar{\phantom{x}}$	$\int\bar{\phantom{x}}$	<code>\intbarup</code>
$\int\bar{\phantom{x}}$	$\int\bar{\phantom{x}}$	<code>\intBarsl</code>	$\int\bar{\phantom{x}}$	$\int\bar{\phantom{x}}$	<code>\intBarup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\fintsl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\fintup</code>
$\oint$	$\oint$	<code>\cirfnintsl</code>	$\oint$	$\oint$	<code>\cirfnintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\awintsl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\awintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\rppolintsl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\rppolintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\scpolintsl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\scpolintup</code>

(continued on next page)

(continued from previous page)

$\int^{\circ}$	$\int^{\circ}$	<code>\npolintsl</code>	$\int^{\circ}$	$\int^{\circ}$	<code>\npolintup</code>
$\oint$	$\oint$	<code>\pointintsl</code>	$\oint$	$\oint$	<code>\pointintup</code>
$\int^{\square}$	$\int^{\square}$	<code>\sqintsl</code>	$\int^{\square}$	$\int^{\square}$	<code>\sqintup</code>
$\int^{\curvearrowright}$	$\int^{\curvearrowright}$	<code>\intlarhksl</code>	$\int^{\curvearrowright}$	$\int^{\curvearrowright}$	<code>\intlarhkup</code>
$\int^{\times}$	$\int^{\times}$	<code>\intxsl</code>	$\int^{\times}$	$\int^{\times}$	<code>\intxup</code>
$\int^{\cap}$	$\int^{\cap}$	<code>\intcapsl</code>	$\int^{\cap}$	$\int^{\cap}$	<code>\intcapup</code>
$\int^{\cup}$	$\int^{\cup}$	<code>\intcupsl</code>	$\int^{\cup}$	$\int^{\cup}$	<code>\intcupup</code>
$\int^{\bar{}}$	$\int^{\bar{}}$	<code>\upintsl</code>	$\int^{\bar{}}$	$\int^{\bar{}}$	<code>\upintup</code>
$\int^{\underline{}}$	$\int^{\underline{}}$	<code>\lowintsl</code>	$\int^{\underline{}}$	$\int^{\underline{}}$	<code>\lowintup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 83 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (`up`) variant, while omitting `upint` selects each integral's slanted (`sl`) variant. Use the symbols shown in Table 84 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 85: `cmupint` Variable-sized Upright Integrals

$\int$	$\int$	<code>\awint</code>	$\int^{\circ}$	$\int^{\circ}$	<code>\npolint</code>
$\int$	$\int$	<code>\barint</code>	$\int^{\circ}$	$\int^{\circ}$	<code>\oiint</code>
$\int$	$\int$	<code>\cirfnint</code>	$\int^{\circ}$	$\int^{\circ}$	<code>\oiint</code>

(continued on next page)

(continued from previous page)

$\int\!\!\int$	$\int\!\!\int$	<code>\doublebarint</code>	$\oint$	$\oint$	<code>\oint</code>
$\int\!\!\int\!\!\int$	$\int\!\!\int\!\!\int$	<code>\downint</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\int$	$\int$	<code>\fint</code>	$\oint$	$\oint$	<code>\ointctrlockwise</code>
$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint*</code>	$\oint$	$\oint$	<code>\pointint</code>
$\iiint$	$\iiint$	<code>\iiint</code>	$\int$	$\int$	<code>\rppoint</code>
$\iint$	$\iint$	<code>\iint</code>	$\int$	$\int$	<code>\scpoint</code>
$\iint$	$\iint$	<code>\iint</code>	$\int\!\!\int$	$\int\!\!\int$	<code>\sqint</code>
$\int$	$\int$	<code>\int</code>	$\int$	$\int$	<code>\sqint</code>
$\oint$	$\oint$	<code>\intcap</code>	$\oint$	$\oint$	<code>\sumint</code>
$\oint$	$\oint$	<code>\intclockwise</code>	$\int$	$\int$	<code>\upint</code>
$\oint$	$\oint$	<code>\intcup</code>	$\int\cdots\int$	$\int\cdots\int$	<code>\varidotsint*</code>
$\oint$	$\oint$	<code>\intlarhk</code>	$\oint$	$\oint$	<code>\varointclockwise</code>
$\oint$	$\oint$	<code>\landdownint</code>	$\oint$	$\oint$	<code>\varointctrlockwise</code>
$\oint$	$\oint$	<code>\landupint</code>	$\int$	$\int$	<code>\xint</code>

cmupint additionally provides `\longint`, `\longiint`, `\longoint`, and `\longoint` commands that stretch arbitrarily tall. See the cmupint documentation for more information.

\* `\varidotsint` is always drawn as is. `\idotsint` is drawn identically to `\varidotsint` when `amsmath` is not loaded or with more space surrounding each dot when `amsmath` is loaded.

TABLE 86: `mathdesign` Variable-sized Math Operators

$\int$	$\int$	<code>\intclockwise</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\oiint$	$\oiint$	<code>\oiintctrlockwise</code>
$\iint$	$\iint$	<code>\oiint</code>			

The `mathdesign` package provides three versions of each integral—in fact, of every symbol—to accompany different text fonts: Utopia ( $\int$ ), Garamond ( $\int$ ), and Charter ( $\int$ ).

TABLE 87: `prodint` Variable-sized Math Operators

$\prod$	<code>\prodi</code>	$\prod$	<code>\Prodi</code>	$\prod$	<code>\PRODI</code>
---------	---------------------	---------	---------------------	---------	---------------------

`prodint` currently requires the author to manually specify `\prodi` for inlined expressions ( $\dots$ ), `\Prodi` for displayed math ( $\left[ \dots \right]$ ), and `\PRODI` for displayed math involving tall integrands. The package does not define a product integral command that scales automatically akin to the symbols in Table 72.

TABLE 88: `cmll` Large Math Operators

$\bigarr$	<code>\bigarr*</code>	$\&$	<code>\bigwith</code>
-----------	-----------------------	------	-----------------------

\* `cmll` defines `\biginvamp` as a synonym for `\bigarr`.

TABLE 89: Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\perp$	<code>\perp</code>	$\smile$	<code>\smile</code>
$\asymp$	<code>\asymp</code>	$\frown$	<code>\frown</code>	$\prec$	<code>\prec</code>	$\succ$	<code>\succ</code>
$\bowtie$	<code>\bowtie</code>	$\Join$	<code>\Join*</code>	$\preceq$	<code>\preceq</code>	$\succeq$	<code>\succeq</code>
$\cong$	<code>\cong</code>	$\mid$	<code>\mid<sup>†</sup></code>	$\propto$	<code>\propto</code>	$\vdash$	<code>\vdash</code>
$\dashv$	<code>\dashv</code>	$\models$	<code>\models</code>	$\sim$	<code>\sim</code>		
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\simeq$	<code>\simeq</code>		

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

<sup>†</sup> The difference between `\mid` and `|` is that the former is a binary relation while the latter is a math ordinal. Consequently,  $\text{\LaTeX}$  typesets the two with different surrounding spacing. Contrast “ $P(A \mid B)$ ”  $\mapsto$  “ $P(A|B)$ ” with “ $P(A \mid B)$ ”  $\mapsto$  “ $P(A \mid B)$ ”.

TABLE 90:  $\mathcal{AMS}$  Binary Relations

$\approx$	<code>\approxeq</code>	$\equiv$	<code>\eqcirc</code>	$\rightsquigarrow$	<code>\succapprox</code>
$\backsimeq$	<code>\backepsilon</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\backsim$	<code>\backsim</code>	$\multimap$	<code>\multimap</code>	$\succsim$	<code>\succsim</code>
$\backsimeq$	<code>\backsimeq</code>	$\pitchfork$	<code>\pitchfork</code>	$\therefore$	<code>\therefore</code>
$\because$	<code>\because</code>	$\precapprox$	<code>\precapprox</code>	$\thickapprox$	<code>\thickapprox</code>
$\between$	<code>\between</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\thicksim$	<code>\thicksim</code>
$\bumpeq$	<code>\bumpeq</code>	$\precsim$	<code>\precsim</code>	$\varpropto$	<code>\varpropto</code>
$\bumpeq$	<code>\bumpeq</code>	$\risingdotseq$	<code>\risingdotseq</code>	$\Vdash$	<code>\Vdash</code>
$\circeq$	<code>\circeq</code>	$\shortmid$	<code>\shortmid</code>	$\vDash$	<code>\vDash</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\shortparallel$	<code>\shortparallel</code>	$\Vvdash$	<code>\Vvdash</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\smallfrown$	<code>\smallfrown</code>		
$\doteqdot$	<code>\doteqdot</code>	$\smallsmile$	<code>\smallsmile</code>		

TABLE 91:  $\mathcal{AMS}$  Negated Binary Relations

$\ncong$	<code>\ncong</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVDash$	<code>\nVDash</code>
$\nmid$	<code>\nmid</code>	$\nsim$	<code>\nsim</code>	$\precnapprox$	<code>\precnapprox</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>	$\precnsim$	<code>\precnsim</code>
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>	$\succnapprox$	<code>\succnapprox</code>
$\npreceq$	<code>\npreceq</code>	$\nVDash$	<code>\nVDash</code>	$\succnsim$	<code>\succnsim</code>
$\nshortmid$	<code>\nshortmid</code>	$\nvdash$	<code>\nvdash</code>		

TABLE 92: `stmaryrd` Binary Relations

$\inplus$	<code>\inplus</code>	$\niplus$	<code>\niplus</code>
-----------	----------------------	-----------	----------------------

TABLE 93: `wasysym` Binary Relations

$\invneg$	<code>\invneg</code>	$\leadsto$	<code>\leadsto</code>	$\asymppto$	<code>\asymppto</code>
$\Join$	<code>\Join</code>	$\logof$	<code>\logof</code>		

TABLE 94: txfonts/pxfonts Binary Relations

$\odot$	<code>\circledgtr</code>	$\times$	<code>\lJoin</code>	$\times$	<code>\opentimes</code>
$\ominus$	<code>\circledless</code>	$\times$	<code>\lRtimes</code>	$\perp$	<code>\Perp</code>
$\approx$	<code>\colonapprox</code>	$\circ$	<code>\multimap</code>	$\approx$	<code>\preceqq</code>
$\approx$	<code>\Colonapprox</code>	$\circ$	<code>\multimapboth</code>	$\approx$	<code>\precneqq</code>
$\text{--}$	<code>\coloneq</code>	$\circ$	<code>\multimapbothvert</code>	$\times$	<code>\rJoin</code>
$\text{--}$	<code>\Coloneq</code>	$\bullet$	<code>\multimapdot</code>	$\text{--}$	<code>\strictfi</code>
$\text{--}$	<code>\Coloneqq</code>	$\bullet$	<code>\multimapdotboth</code>	$\text{--}$	<code>\strictif</code>
$\text{--}$	<code>\coloneqq*</code>	$\circ$	<code>\multimapdotbothA</code>	$\text{--}$	<code>\strictiff</code>
$\text{--}$	<code>\Colonsim</code>	$\circ$	<code>\multimapdotbothAvert</code>	$\approx$	<code>\succeqq</code>
$\text{--}$	<code>\colonsim</code>	$\circ$	<code>\multimapdotbothB</code>	$\approx$	<code>\succneqq</code>
$\text{--}$	<code>\Eqcolon</code>	$\bullet$	<code>\multimapdotbothBvert</code>	$\parallel$	<code>\varparallel</code>
$\text{--}$	<code>\eqcolon</code>	$\bullet$	<code>\multimapdotbothvert</code>	$\parallel$	<code>\varparallelinv</code>
$\text{--}$	<code>\eqqcolon</code>	$\bullet$	<code>\multimapdotinv</code>	$\text{--}$	<code>\VvDash</code>
$\text{--}$	<code>\Eqqcolon</code>	$\circ$	<code>\multimapinv</code>		
$\sim$	<code>\eqsim</code>	$\times$	<code>\openJoin</code>		

\* As an alternative to using txfonts/pxfonts, a “:=” symbol can be constructed with “`\mathrel{\mathop:}=`”.

TABLE 95: txfonts/pxfonts Negated Binary Relations

$\not\approx$	<code>\napproxeq</code>	$\not\approx$	<code>\npreccurlyeq</code>	$\not\approx$	<code>\nthickapprox</code>
$\not\sim$	<code>\nasymp</code>	$\not\approx$	<code>\npreceqq</code>	$\leftarrow$	<code>\ntwoheadleftarrow</code>
$\not\sim$	<code>\nbacksim</code>	$\not\approx$	<code>\nprecsim</code>	$\rightarrow$	<code>\ntwoheadrightarrow</code>
$\not\sim$	<code>\nbacksimeq</code>	$\not\approx$	<code>\nsimeq</code>	$\#$	<code>\nvarparallel</code>
$\not\sim$	<code>\nbumpeq</code>	$\not\approx$	<code>\nsuccapprox</code>	$\#$	<code>\nvarparallelinv</code>
$\not\sim$	<code>\nBumpeq</code>	$\not\approx$	<code>\nsucccurlyeq</code>	$\#$	<code>\nVdash</code>
$\not\sim$	<code>\nequiv</code>	$\not\approx$	<code>\nsucceqq</code>		
$\not\sim$	<code>\nprecapprox</code>	$\not\approx$	<code>\nsucssim</code>		

TABLE 96: mathabx Binary Relations

$\text{--}$	<code>\between</code>	$\mid$	<code>\divides</code>	$\text{--}$	<code>\risingdotseq</code>
$\text{--}$	<code>\botdoteq</code>	$\text{--}$	<code>\dotseq</code>	$\approx$	<code>\succapprox</code>
$\text{--}$	<code>\Bumpedeq</code>	$\text{--}$	<code>\eqbumped</code>	$\succ$	<code>\succcurlyeq</code>
$\text{--}$	<code>\bumpedeq</code>	$\text{--}$	<code>\eqcirc</code>	$\succ$	<code>\sucddot</code>
$\text{--}$	<code>\circeq</code>	$\text{--}$	<code>\eqcolon</code>	$\succ$	<code>\sucssim</code>
$\text{--}$	<code>\coloneq</code>	$\text{--}$	<code>\fallingdotseq</code>	$\therefore$	<code>\therefore</code>
$\text{--}$	<code>\corresponds</code>	$\succ$	<code>\ggcurly</code>	$\text{--}$	<code>\topdoteq</code>
$\text{--}$	<code>\curlyeqprec</code>	$\ll$	<code>\llcurly</code>	$\text{--}$	<code>\vDash</code>
$\text{--}$	<code>\curlyeqsucc</code>	$\approx$	<code>\precapprox</code>	$\text{--}$	<code>\Vdash</code>
$\text{--}$	<code>\DashV</code>	$\succ$	<code>\preccurlyeq</code>	$\text{--}$	<code>\VDash</code>
$\text{--}$	<code>\Dashv</code>	$\succ$	<code>\precdot</code>	$\text{--}$	<code>\Vvdash</code>
$\text{--}$	<code>\dashVv</code>	$\succ$	<code>\precsim</code>		



TABLE 97: mathabx Negated Binary Relations

$\not\approx$	<code>\napprox</code>	$\not\perp$	<code>\notperp</code>	$\not\equiv$	<code>\nvDash</code>
$\not\cong$	<code>\ncong</code>	$\nprec$	<code>\nprec</code>	$\not\equiv$	<code>\nVDash</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nprecapprox$	<code>\nprecapprox</code>	$\not\equiv$	<code>\nVdash</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\not\equiv$	<code>\nvDash</code>
$\nDashv$	<code>\nDashv</code>	$\npreceq$	<code>\npreceq</code>	$\not\equiv$	<code>\nVdash</code>
$\ndashV$	<code>\ndashV</code>	$\nprecsim$	<code>\nprecsim</code>	$\not\equiv$	<code>\nVdash</code>
$\ndashv$	<code>\ndashv</code>	$\nsim$	<code>\nsim</code>	$\not\equiv$	<code>\nVdash</code>
$\nDashV$	<code>\nDashV</code>	$\nsimeq$	<code>\nsimeq</code>	$\not\equiv$	<code>\nVdash</code>
$\ndashVv$	<code>\ndashVv</code>	$\nsucc$	<code>\nsucc</code>	$\not\equiv$	<code>\nVdash</code>
$\neq$	<code>\neq</code>	$\nsuccapprox$	<code>\nsuccapprox</code>	$\not\equiv$	<code>\nVdash</code>
$\notasymp$	<code>\notasymp</code>	$\succcurlyeq$	<code>\succcurlyeq</code>	$\not\equiv$	<code>\nVdash</code>
$\notdivides$	<code>\notdivides</code>	$\nsucceq$	<code>\nsucceq</code>	$\not\equiv$	<code>\nVdash</code>
$\notequiv$	<code>\notequiv</code>	$\succsim$	<code>\succsim</code>	$\not\equiv$	<code>\nVdash</code>

The `\changenotsign` command toggles the behavior of `\not` to produce either a vertical or a diagonal slash through a binary operator. Thus, “`\$a \not= b\$`” can be made to produce either “ $a \nmid b$ ” or “ $a \neq b$ ”.

TABLE 98: MnSymbol Binary Relations

$\approx$	<code>\approx</code>	$\hat{=}$	<code>\hateq</code>	$\infty$	<code>\rightpropto</code>
$\approxeq$	<code>\approxeq</code>	$\times$	<code>\hcrossing</code>	$\triangleright$	<code>\rightslice</code>
$\backapprox$	<code>\backapprox</code>	$\dashv$	<code>\leftfootline</code>	$\Vdash$	<code>\rightVdash</code>
$\backapproxeq$	<code>\backapproxeq</code>	$\leftarrow$	<code>\leftfree</code>	$\vdash$	<code>\rightvdash</code>
$\backcong$	<code>\backcong</code>	$\models$	<code>\leftmodels</code>	$\doteq$	<code>\risingdotseq</code>
$\backeqsim$	<code>\backeqsim</code>	$\models$	<code>\leftModels</code>	$\searrow$	<code>\sefootline</code>
$\backsim$	<code>\backsim</code>	$\infty$	<code>\leftpropto</code>	$\searrow$	<code>\sefree</code>
$\backsimeq$	<code>\backsimeq</code>	$\dashv$	<code>\leftrightline</code>	$\ll$	<code>\seModels</code>
$\backtriple sim$	<code>\backtriple sim</code>	$\equiv$	<code>\Leftrightarrow</code>	$\ll$	<code>\semodels</code>
$\between$	<code>\between</code>	$\triangleleft$	<code>\leftslice</code>	$\langle \rangle$	<code>\separated</code>
$\bumpeq$	<code>\bumpeq</code>	$\Vdash$	<code>\leftVdash</code>	$\ll$	<code>\seVdash</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\vdash$	<code>\leftvdash</code>	$\ll$	<code>\sevdash</code>
$\circeq$	<code>\circeq</code>	$\searrow$	<code>\nefootline</code>	$\parallel$	<code>\shortparallel</code>
$\closedequal$	<code>\closedequal</code>	$\searrow$	<code>\nefree</code>	$\sim$	<code>\sim</code>
$\closedprec$	<code>\closedprec</code>	$\ll$	<code>\neModels</code>	$\simeq$	<code>\simeq</code>
$\closedsucc$	<code>\closedsucc</code>	$\ll$	<code>\nemodels</code>	$\succ$	<code>\succ</code>
$\coloneq$	<code>\coloneq</code>	$\swarrow$	<code>\neswline</code>	$\gtrsim$	<code>\succapprox</code>
$\cong$	<code>\cong</code>	$\swarrow$	<code>\Neswline</code>	$\gtrsim$	<code>\succcurlyeq</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\ll$	<code>\neVdash</code>	$\geq$	<code>\succeq</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\ll$	<code>\nevDash</code>	$\gtrsim$	<code>\succsim</code>
$\Doteq$	<code>\Doteq</code>	$\nwarrow$	<code>\nwfootline</code>	$\checkmark$	<code>\swfootline</code>
$\doteq$	<code>\doteq</code>	$\nwarrow$	<code>\nwfree</code>	$\checkmark$	<code>\swfree</code>
$\downfootline$	<code>\downfootline</code>	$\searrow$	<code>\nwmodels</code>	$\gg$	<code>\swModels</code>

(continued on next page)

(continued from previous page)

$\downarrow$	<code>\downfree</code>	$\Downarrow$	<code>\nwModels</code>	$\Rrightarrow$	<code>\swmodels</code>
$\Uparrow$	<code>\downmodels</code>	$\nrightarrow$	<code>\nwsecrossing</code>	$\searrow$	<code>\swVdash</code>
$\Uparrow$	<code>\downModels</code>	$\Downarrow$	<code>\Nwseline</code>	$\succ$	<code>\swvdash</code>
$\propto$	<code>\downpropto</code>	$\diagdown$	<code>\nwseline</code>	$\approx$	<code>\triplesim</code>
$\dashv$	<code>\downvdash</code>	$\sphericalangle$	<code>\nwvdash</code>	$\updownarrow$	<code>\updownline</code>
$\dashv$	<code>\downVdash</code>	$\Downarrow$	<code>\nwVdash</code>	$\parallel$	<code>\Updownline</code>
$\bumpeq$	<code>\eqbump</code>	$\prec$	<code>\prec</code>	$\uparrow$	<code>\upfootline</code>
$\eqcirc$	<code>\eqcirc</code>	$\approx$	<code>\precapprox</code>	$\Uparrow$	<code>\upfree</code>
$\eqdot$	<code>\eqdot</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\perp$	<code>\upModels</code>
$\eqsim$	<code>\eqsim</code>	$\preceq$	<code>\preceq</code>	$\perp$	<code>\upmodels</code>
$=$	<code>\equal</code>	$\precsim$	<code>\precsim</code>	$\propto$	<code>\uppropto</code>
$\equiv$	<code>\equalclosed</code>	$\rightfootline$	<code>\rightfootline</code>	$\perp$	<code>\upvdash</code>
$\equiv$	<code>\equiv</code>	$\rightarrow$	<code>\rightfree</code>	$\perp$	<code>\upVdash</code>
$\equiv$	<code>\equivclosed</code>	$\models$	<code>\rightmodels</code>	$\times$	<code>\vcrossing</code>
$\equiv$	<code>\fallingdotseq</code>	$\models$	<code>\rightModels</code>	$\Vdash$	<code>\Vdash</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\dashv$	<code>\dashv</code>	(same as <code>\leftvdash</code> )
$\diagdown$	<code>\diagdown</code>	(same as <code>\nwseline</code> )
$\diagup$	<code>\diagup</code>	(same as <code>\neswline</code> )
$\diagdown$	<code>\divides</code>	(same as <code>\updownline</code> )
$\doteqdot$	<code>\doteqdot</code>	(same as <code>\Doteq</code> )
$\models$	<code>\models</code>	(same as <code>\rightmodels</code> )
$\parallel$	<code>\parallel</code>	(same as <code>\Updownline</code> )
$\perp$	<code>\perp</code>	(same as <code>\upvdash</code> )
$\propto$	<code>\propto</code>	(same as <code>\leftpropto</code> )
$\relbar$	<code>\relbar</code>	(same as <code>\leftrightline</code> )
$\ReLbar$	<code>\ReLbar</code>	(same as <code>\Leftrightline</code> )
$\varpropto$	<code>\varpropto</code>	(same as <code>\leftpropto</code> )
$\vDash$	<code>\vDash</code>	(same as <code>\rightmodels</code> )
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightModels</code> )
$\vdash$	<code>\vdash</code>	(same as <code>\rightvdash</code> )
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightVdash</code> )

TABLE 99: MnSymbol Negated Binary Relations

$\napprox$	<code>\napprox</code>	$\nleftfootline$	<code>\nleftfootline</code>	$\nrisingdotseq$	<code>\nrisingdotseq</code>
$\napproxq$	<code>\napproxq</code>	$\nleftfree$	<code>\nleftfree</code>	$\nsefootline$	<code>\nsefootline</code>
$\nbackapprox$	<code>\nbackapprox</code>	$\nleftmodels$	<code>\nleftmodels</code>	$\nsefree$	<code>\nsefree</code>
$\nbackapproxq$	<code>\nbackapproxq</code>	$\nleftModels$	<code>\nleftModels</code>	$\nseModels$	<code>\nseModels</code>
$\nbackcong$	<code>\nbackcong</code>	$\nleftrightline$	<code>\nleftrightline</code>	$\nsemodels$	<code>\nsemodels</code>
$\nbackeqsim$	<code>\nbackeqsim</code>	$\nLeftrightline$	<code>\nLeftrightline</code>	$\nsevdash$	<code>\nsevdash</code>
$\nbacksim$	<code>\nbacksim</code>	$\nleftvdash$	<code>\nleftvdash</code>	$\nseVdash$	<code>\nseVdash</code>

(continued on next page)

(continued from previous page)

⋈	<code>\nbacksimeq</code>	⋈	<code>\nleftVdash</code>	⋈	<code>\nshortmid</code>
⋉	<code>\nbacktriple sim</code>	⋉	<code>\nnefootline</code>	⋈	<code>\nshortparallel</code>
⋊	<code>\nbumpeq</code>	⋊	<code>\nnefree</code>	⋈	<code>\nsim</code>
⋋	<code>\nBumpeq</code>	⋋	<code>\nnemodels</code>	⋈	<code>\nsimeq</code>
⋌	<code>\ncirceq</code>	⋌	<code>\nneModels</code>	⋈	<code>\nsucc</code>
⋍	<code>\nclosedequal</code>	⋍	<code>\nneswline</code>	⋈	<code>\nsuccapprox</code>
⋎	<code>\ncong</code>	⋎	<code>\nNeswline</code>	⋈	<code>\nsucccurlyeq</code>
⋏	<code>\ncurlyeqprec</code>	⋏	<code>\nneVdash</code>	⋈	<code>\nsucceq</code>
⋐	<code>\ncurlyeqsucc</code>	⋐	<code>\nnevDash</code>	⋈	<code>\nsuccsim</code>
⋑	<code>\ndoteq</code>	⋑	<code>\nnwfootline</code>	⋈	<code>\nswfootline</code>
⋒	<code>\nDoteq</code>	⋒	<code>\nnwfree</code>	⋈	<code>\nswfree</code>
⋓	<code>\ndownfootline</code>	⋓	<code>\nnwmodels</code>	⋈	<code>\nswModels</code>
⋔	<code>\ndownfree</code>	⋔	<code>\nnwModels</code>	⋈	<code>\nswmodels</code>
⋕	<code>\ndownModels</code>	⋕	<code>\nNwseline</code>	⋈	<code>\nswvdash</code>
⋖	<code>\ndownmodels</code>	⋖	<code>\nnwseline</code>	⋈	<code>\nswVdash</code>
⋗	<code>\ndownVdash</code>	⋗	<code>\nnwvdash</code>	⋈	<code>\ntriple sim</code>
⋘	<code>\ndownvdash</code>	⋘	<code>\nnwVdash</code>	⋈	<code>\nUpdownline</code>
⋙	<code>\neqbump</code>	⋙	<code>\nprec</code>	⋈	<code>\nupdownline</code>
⋚	<code>\neqcirc</code>	⋚	<code>\nprecapprox</code>	⋈	<code>\nupfootline</code>
⋛	<code>\neqdot</code>	⋛	<code>\npreccurlyeq</code>	⋈	<code>\nupfree</code>
⋜	<code>\neqsim</code>	⋜	<code>\npreceq</code>	⋈	<code>\nupModels</code>
⋝	<code>\nequal</code>	⋝	<code>\nprec sim</code>	⋈	<code>\nupmodels</code>
⋞	<code>\nequalclosed</code>	⋞	<code>\nrightfootline</code>	⋈	<code>\nupVdash</code>
⋟	<code>\nequiv</code>	⋟	<code>\nrightfree</code>	⋈	<code>\nupvdash</code>
⋠	<code>\nequivclosed</code>	⋠	<code>\nrightModels</code>	⋈	<code>\precnapprox</code>
⋡	<code>\neswcrossing</code>	⋡	<code>\nrightmodels</code>	⋈	<code>\precnsim</code>
⋢	<code>\nfallingdotseq</code>	⋢	<code>\nrightvdash</code>	⋈	<code>\succnapprox</code>
⋣	<code>\nhateq</code>	⋣	<code>\nrightVdash</code>	⋈	<code>\succnsim</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

⋈	<code>\ndashv</code>	(same as <code>\nleftvdash</code> )
⋉	<code>\ndiagdown</code>	(same as <code>\nnwseline</code> )
⋊	<code>\ndiagup</code>	(same as <code>\nneswline</code> )
⋋	<code>\ndivides</code>	(same as <code>\nupdownline</code> )
⋌	<code>\ne</code>	(same as <code>\nequal</code> )
⋍	<code>\neq</code>	(same as <code>\nequal</code> )
⋎	<code>\nmid</code>	(same as <code>\nupdownline</code> )
⋏	<code>\nmodels</code>	(same as <code>\nrightmodels</code> )
⋐	<code>\nparallel</code>	(same as <code>\nUpdownline</code> )
⋑	<code>\nperp</code>	(same as <code>\nupvdash</code> )
⋒	<code>\nrelbar</code>	(same as <code>\nleftrightrightline</code> )
⋓	<code>\nRelbar</code>	(same as <code>\nLeftrightline</code> )
⋔	<code>\nvDash</code>	(same as <code>\nrightmodels</code> )
⋕	<code>\nvDash</code>	(same as <code>\nrightvdash</code> )
⋖	<code>\nVDash</code>	(same as <code>\nrightVdash</code> )
⋗	<code>\nVDash</code>	(same as <code>\nrightModels</code> )

TABLE 100: fdsymbol Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\vDash$	<code>\rightmodels</code>
$\approx$	<code>\approxeq</code>	$\doteq$	<code>\fallingdotseq</code>	$\Vdash$	<code>\rightVdash</code>
$\cong$	<code>\backcong</code>	$\frown$	<code>\frown</code>	$\Vdash$	<code>\rightVDash</code>
$\propto$	<code>\backpropto</code>	$\frown$	<code>\frown</code>	$\vdash$	<code>\rightvdash</code>
$\sim$	<code>\backsim</code>	$\smile$	<code>\frownsmile</code>	$\vDash$	<code>\rightvDash</code>
$\simeq$	<code>\backsimeq</code>	$\in$	<code>\in</code>	$\doteq$	<code>\risingdotseq</code>
$\between$	<code>\between</code>	$\dashv$	<code>\leftassert</code>	$\mid$	<code>\shortmid</code>
$\bowtie$	<code>\bowtie</code>	$\dashv$	<code>\leftAssert</code>	$\parallel$	<code>\shortparallel</code>
$\bumpeq$	<code>\bumpeq</code>	$\dashv$	<code>\leftfootline</code>	$\sim$	<code>\sim</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\dashv$	<code>\leftmodels</code>	$\simeq$	<code>\simeq</code>
$\bumpeq$	<code>\bumpeq</code>	$\dashv$	<code>\leftvdash</code>	$\smile$	<code>\smile</code>
$\circ$	<code>\circeq</code>	$\dashv$	<code>\leftvDash</code>	$\simeq$	<code>\smileeq</code>
$\coloneqq$	<code>\coloneq</code>	$\dashv$	<code>\leftVdash</code>	$\succ$	<code>\smilefrown</code>
$\cong$	<code>\cong</code>	$\dashv$	<code>\leftVDash</code>	$\stareq$	<code>\stareq</code>
$\times$	<code>\crossing</code>	$\dashv$	<code>\longleftfootline</code>	$\succ$	<code>\succ</code>
$\asymp$	<code>\curlyeqprec</code>	$\dashv$	<code>\Longmapsfrom</code>	$\asymp$	<code>\succapprox</code>
$\asymp$	<code>\curlyeqsucc</code>	$\dashv$	<code>\longmapsfrom</code>	$\asymp$	<code>\succcurlyeq</code>
$\dashv$	<code>\dashVv</code>	$\dashv$	<code>\longrightfootline</code>	$\succ$	<code>\succeq</code>
$\dashv$	<code>\Ddashv</code>	$\mid$	<code>\mid</code>	$\asymp$	<code>\succeqq</code>
$\dot{\cong}$	<code>\dotcong</code>	$\owns$	<code>\owns</code>	$\asymp$	<code>\sucssim</code>
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\approx$	<code>\thickapprox</code>
$\doteq$	<code>\Doteq</code>	$\prec$	<code>\prec</code>	$\sim$	<code>\thicksim</code>
$\dotsminusdots$	<code>\dotsminusdots</code>	$\approx$	<code>\precapprox</code>	$\approx$	<code>\triplesim</code>
$\dashv$	<code>\downAssert</code>	$\asymp$	<code>\preccurlyeq</code>	$\perp$	<code>\upassert</code>
$\dashv$	<code>\downassert</code>	$\asymp$	<code>\preceq</code>	$\perp$	<code>\upAssert</code>
$\dashv$	<code>\downmodels</code>	$\asymp$	<code>\preceqq</code>	$\perp$	<code>\upmodels</code>
$\dashv$	<code>\downvDash</code>	$\asymp$	<code>\precnapprox</code>	$\perp$	<code>\upvdash</code>
$\dashv$	<code>\downVdash</code>	$\asymp$	<code>\precneq</code>	$\perp$	<code>\upVdash</code>
$\dashv$	<code>\downvdash</code>	$\asymp$	<code>\precneqq</code>	$\perp$	<code>\upVDash</code>
$\dashv$	<code>\downVDash</code>	$\asymp$	<code>\precnsim</code>	$\perp$	<code>\upVDash</code>
$\#$	<code>\eqcirc</code>	$\asymp$	<code>\precsim</code>	$\vDash$	<code>\vDdash</code>
$\equiv$	<code>\eqcolon</code>	$\propto$	<code>\propto</code>	$\vDash$	<code>\veeeq</code>
$\equiv$	<code>\eqdot</code>	$\vdash$	<code>\rightassert</code>	$\Vdash$	<code>\Vdash</code>
$\approx$	<code>\eqsim</code>	$\Vdash$	<code>\rightAssert</code>	$\vDash$	<code>\wedgeeq</code>
$=$	<code>\equal</code>	$\dashv$	<code>\rightfootline</code>		

fdsymbol defines synonyms for many of the preceding symbols:

$\approx$	<code>\approxident</code>	$\dashv$	<code>\dashV</code>	$\vdash$	<code>\shortrighttack</code>
$\cong$	<code>\arceq</code>	$\doteq$	<code>\doteqdot</code>	$\perp$	<code>\shortuptack</code>
$\Vdash$	<code>\Assert</code>	$\equiv$	<code>\eqqcolon</code>	$\frown$	<code>\smallfrown</code>
$\vdash$	<code>\assert</code>	$\vDash$	<code>\hateq</code>	$\smile$	<code>\smallsmile</code>
$\asymp$	<code>\asyp</code>	$\bowtie$	<code>\Join</code>	$\propto$	<code>\varpropto</code>
$\bar{\vdash}$	<code>\Barv</code>	$\dashv$	<code>\longdashv</code>	$\perp$	<code>\vBar</code>
$\bar{\Vdash}$	<code>\barV</code>	$\vDash$	<code>\models</code>	$\perp$	<code>\Vbar</code>
$\circ$	<code>\closure</code>	$\ni$	<code>\ni</code>	$\vDash$	<code>\vDash</code>
$\equiv$	<code>\coloneqq</code>	$\perp$	<code>\perp</code>	$\Vdash$	<code>\VDash</code>

(continued on next page)

(continued from previous page)

$\dashv$	<code>\dashv</code>	$\propto$	<code>\propfrom</code>	$\Vdash$	<code>\Vdash</code>
$\DashV$	<code>\DashV</code>	$\top$	<code>\shortdowntack</code>	$\vdash$	<code>\vdash</code>
$\Dashv$	<code>\Dashv</code>	$\dashv$	<code>\shortlefttack</code>	$\longdash$	<code>\longdash</code>

TABLE 101: fdsymbol Negated Binary Relations

$\backsimeqq$	<code>\backsimeqq</code>	$\notin$	<code>\notin</code>	$\nsim$	<code>\nsim</code>
$\napprox$	<code>\napprox</code>	$\nleftAssert$	<code>\nleftAssert</code>	$\nsimeq$	<code>\nsimeq</code>
$\napproxeq$	<code>\napproxeq</code>	$\nleftassert$	<code>\nleftassert</code>	$\nsmile$	<code>\nsmile</code>
$\nbackcong$	<code>\nbackcong</code>	$\nleftfootline$	<code>\nleftfootline</code>	$\nsmilleq$	<code>\nsmilleq</code>
$\nbacksim$	<code>\nbacksim</code>	$\nleftmodels$	<code>\nleftmodels</code>	$\nsmilefrown$	<code>\nsmilefrown</code>
$\nbacksimeq$	<code>\nbacksimeq</code>	$\nleftvDash$	<code>\nleftvDash</code>	$\nstareq$	<code>\nstareq</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nleftvdash$	<code>\nleftvdash</code>	$\nsucc$	<code>\nsucc</code>
$\nBumpeq$	<code>\nBumpeq</code>	$\nleftVDash$	<code>\nleftVDash</code>	$\nsuccapprox$	<code>\nsuccapprox</code>
$\nbumpeqq$	<code>\nbumpeqq</code>	$\nleftVDash$	<code>\nleftVDash</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>
$\ncirceq$	<code>\ncirceq</code>	$\nlongleftfootline$	<code>\nlongleftfootline</code>	$\nsucceq$	<code>\nsucceq</code>
$\ncong$	<code>\ncong</code>	$\nLongmapsfrom$	<code>\nLongmapsfrom</code>	$\nsucceqq$	<code>\nsucceqq</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nlongmapsfrom$	<code>\nlongmapsfrom</code>	$\nsuccsim$	<code>\nsuccsim</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\nlongrightfootline$	<code>\nlongrightfootline</code>	$\ntriplesim$	<code>\ntriplesim</code>
$\ndashVv$	<code>\ndashVv</code>	$\nmid$	<code>\nmid</code>	$\nupassert$	<code>\nupassert</code>
$\nDdashv$	<code>\nDdashv</code>	$\nowns$	<code>\nowns</code>	$\nupAssert$	<code>\nupAssert</code>
$\ndoteq$	<code>\ndoteq</code>	$\nparallel$	<code>\nparallel</code>	$\nupmodels$	<code>\nupmodels</code>
$\nDoteq$	<code>\nDoteq</code>	$\nprec$	<code>\nprec</code>	$\nupVDash$	<code>\nupVDash</code>
$\ndownassert$	<code>\ndownassert</code>	$\nprecapprox$	<code>\nprecapprox</code>	$\nupvDash$	<code>\nupvDash</code>
$\ndownAssert$	<code>\ndownAssert</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nupVdash$	<code>\nupVdash</code>
$\ndownmodels$	<code>\ndownmodels</code>	$\npreceq$	<code>\npreceq</code>	$\nupvdash$	<code>\nupvdash</code>
$\ndownvdash$	<code>\ndownvdash</code>	$\npreceqq$	<code>\npreceqq</code>	$\nvDdash$	<code>\nvDdash</code>
$\ndownVDash$	<code>\ndownVDash</code>	$\nprecsim$	<code>\nprecsim</code>	$\nvveeq$	<code>\nvveeq</code>
$\ndownVDash$	<code>\ndownVDash</code>	$\nrightassert$	<code>\nrightassert</code>	$\nVvdash$	<code>\nVvdash</code>
$\ndownvDash$	<code>\ndownvDash</code>	$\nrightAssert$	<code>\nrightAssert</code>	$\nwedgeq$	<code>\nwedgeq</code>
$\neqcirc$	<code>\neqcirc</code>	$\nrightfootline$	<code>\nrightfootline</code>	$\nprecneq$	<code>\nprecneq</code>
$\neqdot$	<code>\neqdot</code>	$\nrightmodels$	<code>\nrightmodels</code>	$\nprecneqq$	<code>\nprecneqq</code>
$\neqsim$	<code>\neqsim</code>	$\nrightvdash$	<code>\nrightvdash</code>	$\nsimneqq$	<code>\nsimneqq</code>
$\nequal$	<code>\nequal</code>	$\nrightVdash$	<code>\nrightVdash</code>	$\succnapprox$	<code>\succnapprox</code>
$\nequiv$	<code>\nequiv</code>	$\nrightvDash$	<code>\nrightvDash</code>	$\succneq$	<code>\succneq</code>
$\nfallingdotseq$	<code>\nfallingdotseq</code>	$\nrightVDash$	<code>\nrightVDash</code>	$\succneqq$	<code>\succneqq</code>
$\nfrown$	<code>\nfrown</code>	$\nrisingdotseq$	<code>\nrisingdotseq</code>	$\succnsim$	<code>\succnsim</code>
$\nfrowneg$	<code>\nfrowneg</code>	$\nshortmid$	<code>\nshortmid</code>		
$\nfrownsmile$	<code>\nfrownsmile</code>	$\nshortparallel$	<code>\nshortparallel</code>		

fdsymbol defines synonyms for many of the preceding symbols:

$\approx$	<code>\napproxident</code>	$\dashv$	<code>\ndashV</code>	$\nshortrightarrow$	<code>\nshortrighttack</code>
$\arceq$	<code>\narceq</code>	$\neq$	<code>\ne</code>	$\nshortuparrow$	<code>\nshortuptack</code>
$\Assert$	<code>\nAssert</code>	$\neq$	<code>\neq</code>	$\nsime$	<code>\nsime</code>
$\nassert$	<code>\nassert</code>	$\nhat{=}$	<code>\nhateq</code>	$\nvbar$	<code>\nvBar</code>
$\nasymp$	<code>\nasymp</code>	$\nlongdashv$	<code>\nlongdashv</code>	$\nVbar$	<code>\nVbar</code>
$\nBarv$	<code>\nBarv</code>	$\nmodels$	<code>\nmodels</code>	$\nVdash$	<code>\nVdash</code>
$\nbarV$	<code>\nbarV</code>	$\nmi$	<code>\nmi</code>	$\nvDash$	<code>\nvDash</code>
$\nclosure$	<code>\nclosure</code>	$\notin$	<code>\notin</code>	$\nVDash$	<code>\nVDash</code>
$\nDashV$	<code>\nDashV</code>	$\nperp$	<code>\nperp</code>	$\nvdash$	<code>\nvdash</code>
$\nDashv$	<code>\nDashv</code>	$\nshortdownarrow$	<code>\nshortdownarrow</code>	$\nvlongdash$	<code>\nvlongdash</code>
$\ndashv$	<code>\ndashv</code>	$\nshortleftarrow$	<code>\nshortleftarrow</code>		

TABLE 102: boisik Binary Relations

$\approx$	<code>\ac</code>	$\//$	<code>\fatslash</code>	$\scurel$	<code>\scurel</code>
$\approx$	<code>\approxeq</code>	$\forkv$	<code>\forkv</code>	$\shortmid$	<code>\shortmid</code>
$\arceq$	<code>\arceq</code>	$\frown$	<code>\frown</code>	$\shortparallel$	<code>\shortparallel</code>
$\backsim$	<code>\backsim</code>	$\ggcurly$	<code>\ggcurly</code>	$\sim$	<code>\sim</code>
$\backsimeq$	<code>\backsimeq</code>	$\#$	<code>\hash</code>	$\smallfrown$	<code>\smallfrown</code>
$\in$	<code>\bagmember</code>	$\inplus$	<code>\inplus</code>	$\smallsmile$	<code>\smallsmile</code>
$\because$	<code>\because</code>	$\kernelcontraction$	<code>\kernelcontraction</code>	$\smile$	<code>\smile</code>
$\between$	<code>\between</code>	$\llcurly$	<code>\llcurly</code>	$\strictfi$	<code>\strictfi</code>
$\bumpeq$	<code>\bumpeq</code>	$\multimap$	<code>\multimap</code>	$\strictif$	<code>\strictif</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\multimapboth$	<code>\multimapboth</code>	$\succapprox$	<code>\succapprox</code>
$\circeq$	<code>\circeq</code>	$\multimapbothvert$	<code>\multimapbothvert</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\CircledEq$	<code>\CircledEq</code>	$\multimapdot$	<code>\multimapdot</code>	$\succnapprox$	<code>\succnapprox</code>
$\cong$	<code>\cong</code>	$\multimapdotboth$	<code>\multimapdotboth</code>	$\succneqq$	<code>\succneqq</code>
$\corresponds$	<code>\corresponds</code>	$\multimapdotbothA$	<code>\multimapdotbothA</code>	$\succnsim$	<code>\succnsim</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\multimapdotbothAvert$	<code>\multimapdotbothAvert</code>	$\succsim$	<code>\succsim</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\multimapdotbothB$	<code>\multimapdotbothB</code>	$\therefore$	<code>\therefore</code>
$\dashV$	<code>\dashV</code>	$\multimapdotbothBvert$	<code>\multimapdotbothBvert</code>	$\thickapprox$	<code>\thickapprox</code>
$\DashV$	<code>\DashV</code>	$\multimapdotbothvert$	<code>\multimapdotbothvert</code>	$\thicksim$	<code>\thicksim</code>
$\dashVv$	<code>\dashVv</code>	$\multimapdotinv$	<code>\multimapdotinv</code>	$\topfork$	<code>\topfork</code>
$\dfourier$	<code>\dfourier</code>	$\multimapinv$	<code>\multimapinv</code>	$\triangleq$	<code>\triangleq</code>
$\Dfourier$	<code>\Dfourier</code>	$\niplus$	<code>\niplus</code>	$\varhash$	<code>\varhash</code>
$\disin$	<code>\disin</code>	$\nisd$	<code>\nisd</code>	$\varisins$	<code>\varisins</code>
$\doteq$	<code>\doteq</code>	$\Perp$	<code>\Perp</code>	$\varnis$	<code>\varnis</code>
$\doteqdot$	<code>\doteqdot</code>	$\pitchfork$	<code>\pitchfork</code>	$\varpropto$	<code>\varpropto</code>
$\dotminus$	<code>\dotminus</code>	$\precapprox$	<code>\precapprox</code>	$\Vdash$	<code>\Vdash</code>
$\dotsim$	<code>\dotsim</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\vDash$	<code>\vDash</code>
$\eqbumped$	<code>\eqbumped</code>	$\precnapprox$	<code>\precnapprox</code>	$\VDash$	<code>\VDash</code>
$\eqcirc$	<code>\eqcirc</code>	$\precneqq$	<code>\precneqq</code>	$\veeeq$	<code>\veeeq</code>
$\eqsim$	<code>\eqsim</code>	$\precnsim$	<code>\precnsim</code>	$\Vvdash$	<code>\Vvdash</code>
$\equalparallel$	<code>\equalparallel</code>	$\precsim$	<code>\precsim</code>	$\ztransf$	<code>\ztransf</code>

(continued on next page)

(continued from previous page)

$\dot{=}$	<code>\fallingdotseq</code>	$\rightarrow$	<code>\prurel</code>	$\rightsquigarrow$	<code>\Ztransf</code>
$\backslash$	<code>\fatbslash</code>	$\dot{=}$	<code>\risingdotseq</code>		

TABLE 103: boisi Negated Binary Relations

$\not\cong$	<code>\ncong</code>	$\not\preceq$	<code>\npreceq</code>	$\nVdash$	<code>\nVDash</code>
$\neq$	<code>\neq</code>	$\nshortmid$	<code>\nshortmid</code>	$\nVdash$	<code>\nVdash</code>
$\not\equiv$	<code>\nequiv</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nvdash$	<code>\nvdash</code>
$\nmid$	<code>\nmid</code>	$\nsim$	<code>\nsim</code>	$\nVDash$	<code>\nVDash</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>		
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>		

TABLE 104: stix Binary Relations

$\approx$	<code>\approx</code>	$\#$	<code>\eqvparl</code>	$\rightarrow$	<code>\rightfishtail</code>
$\approxeq$	<code>\approxeq</code>	$\dot{=}$	<code>\fallingdotseq</code>	$\Rightarrow$	<code>\rightimply</code>
$\approxeqq$	<code>\approxeqq</code>	$\bowtie$	<code>\fbowtie</code>	$\Upsilon$	<code>\righttail</code>
$\approxident$	<code>\approxident</code>	$\forksnot$	<code>\forksnot</code>	$\dot{=}$	<code>\risingdotseq</code>
$\arceq$	<code>\arceq</code>	$\forkv$	<code>\forkv</code>	$\sqsupset$	<code>\rsqhook</code>
$\assert$	<code>\assert</code>	$\frown$	<code>\frown</code>	$\rightarrow$	<code>\ruledelayed</code>
$\asteq$	<code>\asteq</code>	$\gleichstark$	<code>\gleichstark</code>	$\rightsquigarrow$	<code>\scurel</code>
$\asymp$	<code>\asymp</code>	$\hat{\approx}$	<code>\hatapprox</code>	$\top$	<code>\shortdowntack</code>
$\backcong$	<code>\backcong</code>	$\imaeof$	<code>\imaeof</code>	$\dagger$	<code>\shortlefttack</code>
$\backsim$	<code>\backsim</code>	$\in$	<code>\in</code>	$\mid$	<code>\shortmid</code>
$\backsimeq$	<code>\backsimeq</code>	$\in\dot{}$	<code>\isin\dot{}</code>	$\parallel$	<code>\shortparallel</code>
$\baggmember$	<code>\baggmember</code>	$\in E$	<code>\isinE</code>	$\top$	<code>\shortuptack</code>
$\Barv$	<code>\Barv</code>	$\in\bar{}$	<code>\isinobar</code>	$\sim$	<code>\sim</code>
$\bar{V}$	<code>\bar{V}</code>	$\in\text{ins}$	<code>\isins</code>	$\simeq$	<code>\simeq</code>
$\between$	<code>\between</code>	$\in\text{vb}$	<code>\isinvb</code>	$\simeq\text{siminussim}$	<code>\siminussim</code>
$\bNot$	<code>\bNot</code>	$\rightsquigarrow$	<code>\kernelcontraction</code>	$\not\sim$	<code>\simneqq</code>
$\bowtie$	<code>\bowtie</code>	$\left\lrcorner$	<code>\leftdbltail</code>	$\rightsquigarrow$	<code>\simrdots</code>
$\bumpeq$	<code>\bumpeq</code>	$\left\lrcorner$	<code>\leftfishtail</code>	$\frown$	<code>\smallfrown</code>
$\bumpeq$	<code>\bumpeq</code>	$\left\lrcorner$	<code>\lefttail</code>	$\in$	<code>\smallin</code>
$\bumpeq$	<code>\bumpeq</code>	$\bowtie$	<code>\lfbowtie</code>	$\ni$	<code>\smallni</code>
$\cirbot$	<code>\cirbot</code>	$\times$	<code>\lftimes</code>	$\smile$	<code>\smallsmile</code>
$\circeq$	<code>\circeq</code>	$\longdashv$	<code>\longdashv</code>	$\#$	<code>\smeparsl</code>
$\circ$	<code>\circ</code>	$\sqsupset$	<code>\lsqhook</code>	$\smile$	<code>\smile</code>
$\circ$	<code>\circ</code>	$\dot{=}$	<code>\measeq</code>	$\dot{=}$	<code>\stareq</code>
$\Coloneq$	<code>\Coloneq</code>	$\mid$	<code>\mid</code>	$\succ$	<code>\succ</code>

(continued on next page)

(continued from previous page)

$\text{  }$	<code>\coloneq</code>	$\text{∩}$	<code>\midcir</code>	$\text{⋈}$	<code>\Succ</code>
$\text{  }$	<code>\cong</code>	$\text{⊃}$	<code>\mlcp</code>	$\text{⋈}$	<code>\succapprox</code>
$\text{  }$	<code>\congdot</code>	$\text{⊄}$	<code>\models</code>	$\text{⋈}$	<code>\succcurlyeq</code>
$\text{⋈}$	<code>\curlyeqprec</code>	$\text{∩}$	<code>\multimap</code>	$\text{⋈}$	<code>\succeq</code>
$\text{⋈}$	<code>\curlyeqsucc</code>	$\text{∩}$	<code>\multimapinv</code>	$\text{⋈}$	<code>\succeqq</code>
$\text{∩}$	<code>\dashcolon</code>	$\text{⊃}$	<code>\ni</code>	$\text{⋈}$	<code>\succnapprox</code>
$\text{∩}$	<code>\dashv</code>	$\text{⊃}$	<code>\niobar</code>	$\text{⋈}$	<code>\succneq</code>
$\text{∩}$	<code>\dashV</code>	$\text{⊃}$	<code>\nis</code>	$\text{⋈}$	<code>\succneqq</code>
$\text{∩}$	<code>\Dashv</code>	$\text{⊃}$	<code>\nisd</code>	$\text{⋈}$	<code>\succnsim</code>
$\text{∩}$	<code>\DashV</code>	$\text{∩}$	<code>\Not</code>	$\text{⋈}$	<code>\succsim</code>
$\text{∩}$	<code>\DashVDash</code>	$\text{∩}$	<code>\notchar</code>	$\text{⋈}$	<code>\thickapprox</code>
$\text{∩}$	<code>\dashVdash</code>	$\text{∩}$	<code>\origof</code>	$\text{⋈}$	<code>\thicksim</code>
$\text{∩}$	<code>\ddotseq</code>	$\text{∩}$	<code>\parallel</code>	$\text{⋈}$	<code>\topfork</code>
$\text{∩}$	<code>\disin</code>	$\text{⋈}$	<code>\parsim</code>	$\text{⋈}$	<code>\upfishtail</code>
$\text{∩}$	<code>\Doteq</code>	$\text{∩}$	<code>\perp</code>	$\text{⋈}$	<code>\upin</code>
$\text{∩}$	<code>\doteq</code>	$\text{⋈}$	<code>\pitchfork</code>	$\text{⋈}$	<code>\varisinobar</code>
$\text{∩}$	<code>\dotequiv</code>	$\text{∩}$	<code>\prec</code>	$\text{⋈}$	<code>\varisins</code>
$\text{∩}$	<code>\dotssim</code>	$\text{⋈}$	<code>\Prec</code>	$\text{⋈}$	<code>\varniobar</code>
$\text{∩}$	<code>\dotsminusdots</code>	$\text{⋈}$	<code>\precapprox</code>	$\text{⋈}$	<code>\varnis</code>
$\text{∩}$	<code>\downfishtail</code>	$\text{⋈}$	<code>\preccurlyeq</code>	$\text{⋈}$	<code>\varpropto</code>
$\text{∩}$	<code>\dualmap</code>	$\text{∩}$	<code>\preceq</code>	$\text{⋈}$	<code>\varVdash</code>
$\text{∩}$	<code>\eparsl</code>	$\text{∩}$	<code>\preceqq</code>	$\text{∩}$	<code>\vBar</code>
$\text{∩}$	<code>\eqcirc</code>	$\text{⋈}$	<code>\precnapprox</code>	$\text{∩}$	<code>\Vbar</code>
$\text{∩}$	<code>\eqcolon</code>	$\text{∩}$	<code>\precneq</code>	$\text{∩}$	<code>\vBarv</code>
$\text{∩}$	<code>\eqdef</code>	$\text{∩}$	<code>\precneqq</code>	$\text{∩}$	<code>\Vdash</code>
$\text{∩}$	<code>\eqdot</code>	$\text{∩}$	<code>\precnsim</code>	$\text{∩}$	<code>\vdash</code>
$\text{∩}$	<code>\eqeq</code>	$\text{∩}$	<code>\precsim</code>	$\text{∩}$	<code>\vDash</code>
$\text{∩}$	<code>\eqeqeq</code>	$\text{∩}$	<code>\propto</code>	$\text{∩}$	<code>\VDash</code>
$\text{∩}$	<code>\eqqsim</code>	$\text{∩}$	<code>\prurel</code>	$\text{∩}$	<code>\vDdash</code>
$\text{∩}$	<code>\eqsim</code>	$\text{∩}$	<code>\pullback</code>	$\text{∩}$	<code>\vdots</code>
$\text{∩}$	<code>\equalparallel</code>	$\text{∩}$	<code>\pushout</code>	$\text{∩}$	<code>\veeeq</code>
$\text{∩}$	<code>\equiv</code>	$\text{∩}$	<code>\questeq</code>	$\text{∩}$	<code>\veeonwedge</code>
$\text{∩}$	<code>\Equiv</code>	$\text{∩}$	<code>\revnmid</code>	$\text{∩}$	<code>\vertoverlay</code>
$\text{∩}$	<code>\equivDD</code>	$\text{∩}$	<code>\rfbowtie</code>	$\text{∩}$	<code>\vlongdash</code>
$\text{∩}$	<code>\equivVert</code>	$\text{∩}$	<code>\rftimes</code>	$\text{∩}$	<code>\Vvdash</code>
$\text{∩}$	<code>\equivVvert</code>	$\text{∩}$	<code>\rightdbltail</code>	$\text{∩}$	<code>\wedgeeq</code>

stix defines `\owns` as a synonym for `\ni` and `\doteqdot` as a synonym for `\Doteq`.



TABLE 105: stix Negated Binary Relations

$\nexists$	<code>\forks</code>	$\nparallel$	<code>\nhpar</code>	$\nsimeq$	<code>\nsime</code>
$\approx$	<code>\napprox</code>	$\nmid$	<code>\nmid</code>	$\nsucc$	<code>\nsucc</code>
$\approxq$	<code>\napproxeqq</code>	$\ncong$	<code>\nni</code>	$\nsucceq$	<code>\nsucceq</code>
$\asymp$	<code>\nasymp</code>	$\notin$	<code>\notin</code>	$\nsucceq$	<code>\nsucceq</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nparallel$	<code>\nparallel</code>	$\nvarisinobar$	<code>\nvarisinobar</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nprec$	<code>\nprec</code>	$\nvarniobar$	<code>\nvarniobar</code>
$\ncong$	<code>\ncong</code>	$\nprec$	<code>\nprec</code>	$\nvDash$	<code>\nvDash</code>
$\ncongdot$	<code>\ncongdot</code>	$\npreceq$	<code>\npreceq</code>	$\nvdash$	<code>\nvdash</code>
$\neq$	<code>\neq</code>	$\nshortmid$	<code>\nshortmid</code>	$\nVDash$	<code>\nVDash</code>
$\neqsim$	<code>\neqsim</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVdash$	<code>\nVdash</code>
$\nequiv$	<code>\nequiv</code>	$\nsim$	<code>\nsim</code>		

stix defines `\neq` as a synonym for `\neq`, `\simeq` as a synonym for `\simeq`, and `\forksnot` as a synonym for `\forks`.

TABLE 106: mathtools Binary Relations

$\approx$	<code>\Colonapprox</code>	$\coloneq$	<code>\coloneq</code>	$\Eqcolon$	<code>\Eqcolon</code>
$\approx$	<code>\colonapprox</code>	$\colonsim$	<code>\colonsim</code>	$\eqqcolon$	<code>\eqqcolon</code>
$\equiv$	<code>\coloneqq</code>	$\Colonsim$	<code>\Colonsim</code>	$\Eqqcolon$	<code>\Eqqcolon</code>
$\equiv$	<code>\Coloneqq</code>	$\dblcolon$	<code>\dblcolon</code>		
$\equiv$	<code>\Coloneq</code>	$\eqcolon$	<code>\eqcolon</code>		

Similar symbols can be defined using mathtools’s `\vcentcolon`, which produces a colon centered on the font’s math axis:

$$\begin{array}{ccc} \equiv \vcentcolon \equiv & \text{vs.} & \equiv \vcentcolon \equiv \\ \text{“} \equiv \vcentcolon \equiv \text{”} & & \text{“} \equiv \vcentcolon \equiv \text{”} \end{array}$$

TABLE 107: turnstile Binary Relations

$\frac{def}{abc}$	<code>\dddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nntstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\stdtstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nnttstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsdtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddttstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\stttstile{abc}{def}</code>
$\frac{def}{abc}$	<code>\dndtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nststile{abc}{def}</code>	$\frac{def}{abc}$	<code>\tddtstile{abc}{def}</code>

(continued on next page)

(continued from previous page)

$\left\  \frac{def}{abc} \right\ $	<code>\dnststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\nsttstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdststile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dntstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdtstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dnttstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tdttstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dsdtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\nttstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tndtstile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dsststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ntttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\tnststile{abc}{def}</code>
$\left\  \frac{def}{abc} \right\ $	<code>\dststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sddtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\tntstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dsttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sdststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tnttstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtdtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsdtstile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\sdtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsststile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\sndtstile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tststile{abc}{def}</code>
$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\dtttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\ $	<code>\snststile{abc}{def}</code>	$\left\  \left\  \frac{def}{abc} \right\  \right\ $	<code>\tsttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\nddtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\sntstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttdtstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\snttstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttststile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssdtstile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\tttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\ndttstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssststile{abc}{def}</code>	$\frac{def}{abc} \left\  \right\ $	<code>\ttttstile{abc}{def}</code>
$\frac{def}{abc} \left\  \right\ $	<code>\nndtstile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\sststile{abc}{def}</code>		
$\frac{def}{abc} \left\  \right\ $	<code>\nnststile{abc}{def}</code>	$\left\  \frac{def}{abc} \right\  \right\ $	<code>\ssttstile{abc}{def}</code>		

Each of the above takes an optional argument that controls the size of the upper and lower expressions. See the turnstile documentation for more information.

TABLE 108: trsym Binary Relations

$\circ \text{---} \bullet$	<code>\InversTransformHoriz</code>	$\circ \text{---} \bullet$	<code>\TransformHoriz</code>
$\circ \text{---} \circ$	<code>\InversTransformVert</code>	$\circ \text{---} \circ$	<code>\TransformVert</code>

TABLE 109: trfsigns Binary Relations

$\curvearrowright$	<code>\dfourier</code>	$\curvearrowleft$	<code>\Dfourier</code>
$\text{---}\circ$	<code>\fourier</code>	$\text{---}\circ$	<code>\Fourier</code>
$\text{---}\bullet$	<code>\laplace</code>	$\bullet\text{---}\circ$	<code>\Laplace</code>
$\curvearrowright\bullet$	<code>\ztransf</code>	$\bullet\curvearrowleft$	<code>\Ztransf</code>

TABLE 110: cml Binary Relations

$\circ$	<code>\coh</code>	$\frown$	<code>\scoh</code>
$\times$	<code>\incoh</code>	$\smile$	<code>\sincoh</code>
$\perp$	<code>\Perp</code>	$\downarrow$	<code>\simperp</code>
$\circ\circ$	<code>\multimapboth</code>		

TABLE 111: colonequals Binary Relations

$\approx$	<code>\approxcolon</code>	$::-$	<code>\coloncolonminus</code>	$=:$	<code>\equalscoloncolon</code>
$\approx::$	<code>\approxcoloncolon</code>	$::\sim$	<code>\coloncolonsim</code>	$-:$	<code>\minuscolon</code>
$:\approx$	<code>\colonapprox</code>	$:=$	<code>\colonequals</code>	$-::$	<code>\minuscoloncolon</code>
$::$	<code>\coloncolon</code>	$:-$	<code>\colonminus</code>	$:$	<code>\ratio</code>
$:\approx::$	<code>\coloncolonapprox</code>	$:\sim$	<code>\colonsim</code>	$\sim:$	<code>\simcolon</code>
$:=$	<code>\coloncolonequals</code>	$=$	<code>\equalscolon</code>	$\sim::$	<code>\simcoloncolon</code>

TABLE 112: fourier Binary Relations

$\#$	<code>\nparallelslant</code>	$//$	<code>\parallelslant</code>
------	------------------------------	------	-----------------------------

TABLE 113: Subset and Superset Relations

$\sqsubset^*$	<code>\sqsubset^*</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supset$	<code>\supset</code>
$\sqsubseteq$	<code>\sqsubseteq</code>	$\subset$	<code>\subset</code>	$\supseteq$	<code>\supseteq</code>
$\sqsupset^*$	<code>\sqsupset^*</code>	$\subseteq$	<code>\subseteq</code>		

\* Not predefined by the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> core. Use the latexsym package to expose this symbol.

TABLE 114:  $\mathcal{AMS}$  Subset and Superset Relations

$\not\subseteq$	<code>\nsubseteq</code>	$\subseteq$	<code>\subseteq</code>	$\supsetneq$	<code>\supsetneq</code>
$\not\supseteq$	<code>\nsupseteq</code>	$\subsetneq$	<code>\subsetneq</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\not\subseteq$	<code>\nsubseteq</code>	$\subsetneqq$	<code>\subsetneqq</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsupseteq</code>	$\Supset$	<code>\Supset</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\sqsubset$	<code>\sqsubset</code>	$\supseteq$	<code>\supseteq</code>	$\varsupseteq$	<code>\varsupseteq</code>
$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>		

TABLE 115: stmaryrd Subset and Superset Relations

$\Subset$	<code>\subsetplus</code>	$\supsetplus$	<code>\supsetplus</code>
$\Subseteq$	<code>\subsetpluseq</code>	$\supsetpluseq$	<code>\supsetpluseq</code>

TABLE 116: wasysym Subset and Superset Relations

$\sqsubset$	<code>\sqsubset</code>	$\sqsupset$	<code>\sqsupset</code>
-------------	------------------------	-------------	------------------------

TABLE 117: txfonts/pxfonts Subset and Superset Relations

$\nsqsubset$	<code>\nsqsubset</code>	$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\nSupset$	<code>\nSupset</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nSubset$	<code>\nSubset</code>		
$\nsqsupset$	<code>\nsqsupset</code>	$\nsubseteqeq$	<code>\nsubseteqeq</code>		

TABLE 118: mathabx Subset and Superset Relations

$\nsqsubset$	<code>\nsqsubset</code>	$\nsupset$	<code>\nsupset</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>
$\nsqSubset$	<code>\nsqSubset</code>	$\nSupset$	<code>\nSupset</code>	$\sqsupseteqq$	<code>\sqsupseteqq</code>	$\supseteqq$	<code>\supseteqq</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nsupseteq$	<code>\nsupseteq</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supsetneq$	<code>\supsetneq</code>
$\nsqsubseteqq$	<code>\nsqsubseteqq</code>	$\nsupseteqq$	<code>\nsupseteqq</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\nsqsupset$	<code>\nsqsupset</code>	$\sqsubset$	<code>\sqsubset</code>	$\subset$	<code>\subset</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\nsqSupset$	<code>\nsqSupset</code>	$\sqSubset$	<code>\sqSubset</code>	$\Subset$	<code>\Subset</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\subseteq$	<code>\subseteq</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\nsqsupseteqq$	<code>\nsqsupseteqq</code>	$\sqsubseteqq$	<code>\sqsubseteqq</code>	$\subseteqq$	<code>\subseteqq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\nsubset$	<code>\nsubset</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subsetneq$	<code>\subsetneq</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\nSubset$	<code>\nSubset</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subsetneqq$	<code>\subsetneqq</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\nsubseteq$	<code>\nsubseteq</code>	$\sqsupset$	<code>\sqsupset</code>	$\supset$	<code>\supset</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\nsubseteqq$	<code>\nsubseteqq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>

TABLE 119: MnSymbol Subset and Superset Relations

$\nSqssubset$	<code>\nSqssubset</code>	$\nsubseteq$	<code>\nsubseteq</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteq</code>
$\nsqsubset$	<code>\nsqsubset</code>	$\nsubseteqq$	<code>\nsubseteqq</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subseteqq$	<code>\subseteqq</code>
$\nsqsubseteq$	<code>\nsqsubseteq</code>	$\nSupset$	<code>\nSupset</code>	$\nSqsupset$	<code>\nSqsupset</code>	$\nsubseteq$	<code>\nsubseteq</code>
$\nsqsubseteqq$	<code>\nsqsubseteqq</code>	$\nsupset$	<code>\nsupset</code>	$\sqsupset$	<code>\sqsupset</code>	$\nsubseteqq$	<code>\nsubseteqq</code>
$\nSqsupset$	<code>\nSqsupset</code>	$\nsupseteq$	<code>\nsupseteq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\Supset$	<code>\Supset</code>
$\nsqsupset$	<code>\nsqsupset</code>	$\nsupseteqq$	<code>\nsupseteqq</code>	$\sqsupseteqq$	<code>\sqsupseteqq</code>	$\supset$	<code>\supset</code>
$\nsqsupseteq$	<code>\nsqsupseteq</code>	$\nSqssubset$	<code>\nSqssubset</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteq</code>
$\nsqsupseteqq$	<code>\nsqsupseteqq</code>	$\sqsubset$	<code>\sqsubset</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supseteqq$	<code>\supseteqq</code>
$\nSubset$	<code>\nSubset</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\nsubset$	<code>\nsubset</code>	$\sqsubseteqq$	<code>\sqsubseteqq</code>	$\subset$	<code>\subset</code>	$\supsetneqq$	<code>\supsetneqq</code>

MnSymbol additionally defines `\varsubsetneq` as a synonym for `\subsetneq`, `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsupsetneq` as a synonym for `\supsetneq`, and `\varsupsetneqq` as a synonym for `\supsetneqq`.

TABLE 120: fdsymbol Subset and Superset Relations

$\not\subseteq$	<code>\nqssubset</code>	$\not\subseteq$	<code>\nsubseteq</code>	$\not\subseteq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteq</code>
$\not\supseteq$	<code>\nSqssubset</code>	$\not\supseteq$	<code>\nsubseteqqq</code>	$\not\supseteq$	<code>\sqsubsetneqq</code>	$\subseteq$	<code>\subseteqqq</code>
$\not\supset$	<code>\nqssubseteq</code>	$\not\supset$	<code>\nsupset</code>	$\not\supset$	<code>\sqsupset</code>	$\supseteq$	<code>\supseteq</code>
$\not\supseteq$	<code>\nqssubseteqqq</code>	$\not\supseteq$	<code>\nSupset</code>	$\not\supseteq$	<code>\Sqsupset</code>	$\supseteq$	<code>\supseteqqq</code>
$\not\subset$	<code>\nqssubset</code>	$\not\subset$	<code>\nsupseteq</code>	$\not\subset$	<code>\sqsupseteq</code>	$\supset$	<code>\supset</code>
$\not\supset$	<code>\nSqssubset</code>	$\not\supset$	<code>\nsupseteqqq</code>	$\not\supset$	<code>\sqsupseteqqq</code>	$\supset$	<code>\Supset</code>
$\not\subsetneq$	<code>\nqssubseteq</code>	$\not\subsetneq$	<code>\sqsubset</code>	$\not\subsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteq</code>
$\not\supsetneq$	<code>\nqssubseteqqq</code>	$\not\supsetneq$	<code>\Sqsubset</code>	$\not\supsetneq$	<code>\sqsupsetneqq</code>	$\supseteq$	<code>\supseteqqq</code>
$\subsetneq$	<code>\nsubset</code>	$\subsetneq$	<code>\sqsubseteq</code>	$\subsetneq$	<code>\subsetneq</code>	$\supsetneq$	<code>\supsetneq</code>
$\supsetneq$	<code>\nSubset</code>	$\supsetneq$	<code>\sqsubseteqqq</code>	$\supsetneq$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneqq</code>

fdsymbol additionally defines `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsubsetneq` as a synonym for `\subsetneq`, `\varsupsetneqq` as a synonym for `\supsetneqq`, and `\varsupsetneq` as a synonym for `\supsetneq`.

TABLE 121: boisik Subset and Superset Relations

$\subset$	<code>\nsubset</code>	$\sqsubset$	<code>\sqSubset</code>	$\subsetplus$	<code>\subsetplus</code>	$\supsetplus$	<code>\supsetplus</code>
$\subseteq$	<code>\nsubseteq</code>	$\supset$	<code>\sqSupset</code>	$\subseteqplus$	<code>\subseteqplus</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\subseteqqq$	<code>\nsubseteqqq</code>	$\supset$	<code>\sqsupset</code>	$\Supset$	<code>\Supset</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\supset$	<code>\nsupset</code>	$\Subset$	<code>\Subset</code>	$\supseteqqq$	<code>\supseteqqq</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\supseteq$	<code>\nsupseteq</code>	$\subseteqqq$	<code>\subseteqqq</code>	$\supsetneq$	<code>\supsetneq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\supseteqqq$	<code>\nsupseteqqq</code>	$\varsubsetneq$	<code>\varsubsetneq</code>	$\supsetneqq$	<code>\supsetneqq</code>		
$\sqsubset$	<code>\sqsubset</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>	$\supsetplus$	<code>\supsetplus</code>		

TABLE 122: stix Subset and Superset Relations

$\subsetl$	<code>\bsolhsb</code>	$\supseteq$	<code>\sqsupseteq</code>	$\supsetsubset$	<code>\suphsb</code>
$\subset$	<code>\csub</code>	$\supsetneq$	<code>\sqsupsetneq</code>	$\supsetlarr$	<code>\suplarr</code>
$\subseteq$	<code>\csube</code>	$\subseteq$	<code>\subedot</code>	$\supmult$	<code>\supmult</code>
$\supset$	<code>\csup</code>	$\supmult$	<code>\submult</code>	$\Supset$	<code>\Supset</code>
$\supseteq$	<code>\csupe</code>	$\supbrarr$	<code>\subrarr</code>	$\supset$	<code>\supset</code>
$\leftarrow\subset$	<code>\leftarrowsubset</code>	$\Subset$	<code>\Subset</code>	$\supsetapprox$	<code>\supsetapprox</code>
$\not\subset$	<code>\nqssubset</code>	$\subset$	<code>\subset</code>	$\supsetcirc^*$	<code>\supsetcirc^*</code>
$\not\subseteq$	<code>\nqssubseteq</code>	$\subseteq$	<code>\subsetapprox</code>	$\supsetdot$	<code>\supsetdot</code>
$\not\supset$	<code>\nqssubset</code>	$\supsetcirc^*$	<code>\subsetcirc^*</code>	$\supseteq$	<code>\supseteq</code>
$\not\supseteq$	<code>\nqssubseteqqq</code>	$\subseteq$	<code>\subsetdot</code>	$\supseteqqq$	<code>\supseteqqq</code>
$\subsetneq$	<code>\nsubset</code>	$\subseteq$	<code>\subeteq</code>	$\supsetneq$	<code>\supsetneq</code>
$\subseteq$	<code>\nsubseteq</code>	$\subseteqqq$	<code>\subeteqq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\subseteqqq$	<code>\nsubseteqqq</code>	$\varsubsetneq$	<code>\subsetneq</code>	$\supsetplus$	<code>\supsetplus</code>
$\supset$	<code>\nsupset</code>	$\varsubsetneqq$	<code>\subsetneqq</code>	$\supsim$	<code>\supsim</code>
$\supseteq$	<code>\nsupseteq</code>	$\varsubsetneqq$	<code>\subsetplus</code>	$\supsub$	<code>\supsub</code>

(continued on next page)

(continued from previous page)

$\supseteq$	<code>\nsupseteqq</code>	$\subset$	<code>\subsim</code>	$\supset$	<code>\supsup</code>
$\supsetneq$	<code>\rightarrowsupset</code>	$\subsetneq$	<code>\subsub</code>	$\subsetneq$	<code>\varsubsetneq</code>
$\sqsubset$	<code>\sqsubset</code>	$\supset$	<code>\subsup</code>	$\supsetneq$	<code>\varsubsetneqq</code>
$\sqsubseteq$	<code>\sqsubseteq</code>	$\supsetneq$	<code>\supdsub</code>	$\supsetneq$	<code>\varsupsetneq</code>
$\sqsupsetneq$	<code>\sqsubsetneq</code>	$\supseteq$	<code>\supedot</code>	$\supsetneq$	<code>\varsupsetneqq</code>
$\sqsupset$	<code>\sqsupset</code>	$\supsetneq$	<code>\supsol</code>		

\* Defined as an ordinary character, not as a binary relation.

TABLE 123: Inequalities

$\geq$  `\geq`  $\gg$  `\gg`  $\leq$  `\leq`  $\ll$  `\ll`  $\neq$  `\neq`

TABLE 124:  $\mathcal{AMS}$  Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrdot$	<code>\lesseqgtr</code>	$\nlessgtr$	<code>\ngeq</code>
$\lesssim$	<code>\eqslantless</code>	$\gtreqless$	<code>\lesseqqgtr</code>	$\nlessqqgtr$	<code>\ngeqq</code>
$\gtrsim$	<code>\geqq</code>	$\gtreqqlless$	<code>\lessgtr</code>	$\nlessgtr$	<code>\ngeqslant</code>
$\gtrsim$	<code>\geqslant</code>	$\gtrless$	<code>\lesssim</code>	$\nlesssim$	<code>\ngtr</code>
$\ggg$	<code>\ggg</code>	$\gtrsim$	<code>\lll</code>	$\nlll$	<code>\nleq</code>
$\gtrapprox$	<code>\gnapprox</code>	$\gvertneqq$	<code>\lnapprox</code>	$\nlnapprox$	<code>\nleqq</code>
$\gtrneq$	<code>\gneq</code>	$\leqq$	<code>\lneq</code>	$\nleqq$	<code>\nleqslant</code>
$\gtrneqq$	<code>\gneqq</code>	$\leqslant$	<code>\lneqq</code>	$\nleqq$	<code>\nless</code>
$\gtrsim$	<code>\gnsim</code>	$\lessapprox$	<code>\lnsim</code>		
$\gtrapprox$	<code>\gtrapprox</code>	$\lessdot$	<code>\lvertneqq</code>		

TABLE 125: wasysym Inequalities

$\gtrsim$  `\apprge`  $\lesssim$  `\apprle`

TABLE 126: txfonts/pxfonts Inequalities

$\ngg$	<code>\ngg</code>	$\ngtrsim$	<code>\ngtrsim</code>	$\nlesssim$	<code>\nlesssim</code>
$\ngtrapprox$	<code>\ngtrapprox</code>	$\nlessapprox$	<code>\nlessapprox</code>	$\nll$	<code>\nll</code>
$\ngtrless$	<code>\ngtrless</code>	$\nlessgtr$	<code>\nlessgtr</code>		

TABLE 127: `mathabx` Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrless$	<code>\gtreqless</code>	$\lessssim$	<code>\lessssim</code>	$\ngtr$	<code>\ngtr</code>
$\lessgtr$	<code>\eqslantless</code>	$\gtreqless$	<code>\gtreqqless</code>	$\ll$	<code>\ll</code>	$\ngtrapprox$	<code>\ngtrapprox</code>
$\geq$	<code>\geq</code>	$\gtrless$	<code>\gtrless</code>	$\lll$	<code>\lll</code>	$\ngtrsim$	<code>\ngtrsim</code>
$\geqq$	<code>\geqq</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$	<code>\nleq</code>
$\gg$	<code>\gg</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneq$	<code>\lneq</code>	$\nleqq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nless$	<code>\nless</code>
$\gapprox$	<code>\gapprox</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nlessapprox$	<code>\nlessapprox</code>
$\gneq$	<code>\gneq</code>	$\lessapprox$	<code>\lessapprox</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nlesssim$	<code>\nlesssim</code>
$\gneqq$	<code>\gneqq</code>	$\lessdot$	<code>\lessdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nvargeq$	<code>\nvargeq</code>
$\gnsim$	<code>\gnsim</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\neqslantless$	<code>\neqslantless</code>	$\nvarleq$	<code>\nvarleq</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngeq$	<code>\ngeq</code>	$\vargeq$	<code>\vargeq</code>
$\gtrdot$	<code>\gtrdot</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$	<code>\ngeqq</code>	$\varleq$	<code>\varleq</code>

`mathabx` defines `\leqslant` and `\le` as synonyms for `\leq`, `\geqslant` and `\ge` as synonyms for `\geq`, `\nleqslant` as a synonym for `\nleq`, and `\ngeqslant` as a synonym for `\ngeq`.

TABLE 128: MnSymbol Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrsim$	<code>\gtreqqless</code>	$\lesssim$	<code>\lesssim</code>	$\gtrless$	<code>\ngtreqlless</code>
$\lessgtr$	<code>\eqslantless</code>	$\gtrless$	<code>\gtrless</code>	$\ll$	<code>\ll</code>	$\ngtrless$	<code>\ngtreqllessslant</code>
$\geq$	<code>\geq</code>	$\gtrneqqless$	<code>\gtrneqqless</code>	$\lll$	<code>\lll</code>	$\ngtrneqqless$	<code>\ngtreqqless</code>
$\geq$	<code>\geqclosed</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\ngtrless$	<code>\ngtrless</code>
$\geq$	<code>\geqdot</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nleq$	<code>\nleq</code>
$\geq$	<code>\geqq</code>	$\leqclosed$	<code>\leqclosed</code>	$\lnsim$	<code>\lnsim</code>	$\nleqclosed$	<code>\nleqclosed</code>
$\geq$	<code>\geqslant</code>	$\leqdot$	<code>\leqdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nleqdot$	<code>\nleqdot</code>
$\geq$	<code>\geqslantdot</code>	$\leqq$	<code>\leqq</code>	$\neqslantless$	<code>\neqslantless</code>	$\nleqq$	<code>\nleqq</code>
$\gg$	<code>\gg</code>	$\leqslant$	<code>\leqslant</code>	$\ngeq$	<code>\ngeq</code>	$\nleqslant$	<code>\nleqslant</code>
$\ggg$	<code>\ggg</code>	$\leqslantdot$	<code>\leqslantdot</code>	$\ngeqclosed$	<code>\ngeqclosed</code>	$\nleqslantdot$	<code>\nleqslantdot</code>
$\gtrapprox$	<code>\gnapprox</code>	$\less$	<code>\less</code>	$\ngeqdot$	<code>\ngeqdot</code>	$\nless$	<code>\nless</code>
$\gtrneqq$	<code>\gneqq</code>	$\lessapprox$	<code>\lessapprox</code>	$\ngeqq$	<code>\ngeqq</code>	$\nlessclosed$	<code>\nlessclosed</code>
$\gtrsim$	<code>\gnsim</code>	$\lessclosed$	<code>\lessclosed</code>	$\ngeqslant$	<code>\ngeqslant</code>	$\nlessdot$	<code>\nlessdot</code>
$\gtr$	<code>\gtr</code>	$\lessdot$	<code>\lessdot</code>	$\ngeqslantdot$	<code>\ngeqslantdot</code>	$\nlesseqgtr$	<code>\nlesseqgtr</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngg$	<code>\ngg</code>	$\nlesseqgtrslant$	<code>\nlesseqgtrslant</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\lesseqgtrslant$	<code>\lesseqgtrslant</code>	$\nggg$	<code>\nggg</code>	$\nlesseqqgtr$	<code>\nlesseqqgtr</code>
$\gtrdot$	<code>\gtrdot</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngtr$	<code>\ngtr</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\gtreqless$	<code>\gtreqless</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngtrclosed$	<code>\ngtrclosed</code>	$\nll$	<code>\nll</code>
$\gtreqlessslant$	<code>\gtreqlessslant</code>	$\lessneqqgtr$	<code>\lessneqqgtr</code>	$\ngtrdot$	<code>\ngtrdot</code>	$\nlll$	<code>\nlll</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\gggtr$	<code>\gggtr</code>	(same as <code>\ggg</code> )
$\gvertneqq$	<code>\gvertneqq</code>	(same as <code>\gneqq</code> )
$\lhd$	<code>\lhd</code>	(same as <code>\lessclosed</code> )
$\lllless$	<code>\lllless</code>	(same as <code>\lll</code> )
$\lvertneqq$	<code>\lvertneqq</code>	(same as <code>\lneqq</code> )
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	(same as <code>\nleqclosed</code> )
$\ntriangleleft$	<code>\ntriangleleft</code>	(same as <code>\nlessclosed</code> )
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	(same as <code>\ngeqclosed</code> )
$\ntriangleright$	<code>\ntriangleright</code>	(same as <code>\ngtrclosed</code> )
$\rhd$	<code>\rhd</code>	(same as <code>\gtrclosed</code> )
$\trianglelefteq$	<code>\trianglelefteq</code>	(same as <code>\leqclosed</code> )
$\trianglerighteq$	<code>\trianglerighteq</code>	(same as <code>\geqclosed</code> )
$\unlhd$	<code>\unlhd</code>	(same as <code>\leqclosed</code> )
$\unrhd$	<code>\unrhd</code>	(same as <code>\geqclosed</code> )
$\vartriangleleft$	<code>\vartriangleleft</code>	(same as <code>\lessclosed</code> )
$\vartriangleright$	<code>\vartriangleright</code>	(same as <code>\gtrclosed</code> )



TABLE 129: fdsymbol Inequalities

$\succ$	<code>\eqslantgtr</code>	$\simeq$	<code>\leqslantdot</code>	$\napprox$	<code>\ngtrapprox</code>
$\lessdot$	<code>\eqslantless</code>	$\triangleleft$	<code>\leqslcc</code>	$\nless$	<code>\ngtrcc</code>
$\geq$	<code>\geq</code>	$<$	<code>\less</code>	$\nless$	<code>\ngtrclosed</code>
$\geq$	<code>\geqclosed</code>	$\simeq$	<code>\lessapprox</code>	$\nless$	<code>\ngtrdot</code>
$\geq$	<code>\geqdot</code>	$\triangleleft$	<code>\lesscc</code>	$\nless$	<code>\ngtreqlless</code>
$\geq$	<code>\geqq</code>	$\triangleleft$	<code>\lessclosed</code>	$\nless$	<code>\ngtreqqless</code>
$\geq$	<code>\geqslant</code>	$\triangleleft$	<code>\lessdot</code>	$\nless$	<code>\ngtreqslantless</code>
$\geq$	<code>\geqslantdot</code>	$\simeq$	<code>\lesseqgtr</code>	$\nless$	<code>\ngtrless</code>
$\geq$	<code>\geqslcc</code>	$\simeq$	<code>\lesseqqgtr</code>	$\nless$	<code>\ngtrsim</code>
$\gg$	<code>\gg</code>	$\simeq$	<code>\lesseqslantgtr</code>	$\nless$	<code>\nleq</code>
$\ggg$	<code>\ggg</code>	$\simeq$	<code>\lessgtr</code>	$\nless$	<code>\nleqclosed</code>
$\gtrsim$	<code>\gnapprox</code>	$\simeq$	<code>\lesssim</code>	$\nless$	<code>\nleqdot</code>
$\gtrsim$	<code>\gneq</code>	$\ll$	<code>\ll</code>	$\nless$	<code>\nleqq</code>
$\gtrsim$	<code>\gneqq</code>	$\lll$	<code>\lll</code>	$\nless$	<code>\nleqslant</code>
$\gtrsim$	<code>\gnsim</code>	$\approx$	<code>\lnapprox</code>	$\nless$	<code>\nleqslantdot</code>
$>$	<code>\gtr</code>	$\nless$	<code>\nleq</code>	$\nless$	<code>\nleqslcc</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\nless$	<code>\nleqq</code>	$\nless$	<code>\nless</code>
$\gtrcc$	<code>\gtrcc</code>	$\nless$	<code>\lnsim</code>	$\nless$	<code>\nlessapprox</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\nless$	<code>\neqslantgtr</code>	$\nless$	<code>\nlesscc</code>
$\gtrdot$	<code>\gtrdot</code>	$\nless$	<code>\neqslantless</code>	$\nless$	<code>\nlessclosed</code>
$\gtreqless$	<code>\gtreqless</code>	$\nless$	<code>\ngeq</code>	$\nless$	<code>\nlessdot</code>
$\gtreqless$	<code>\gtreqqless</code>	$\nless$	<code>\ngeqclosed</code>	$\nless$	<code>\nlesseqgtr</code>
$\gtreqslantless$	<code>\gtreqslantless</code>	$\nless$	<code>\ngeqdot</code>	$\nless$	<code>\nlesseqqgtr</code>
$\gtrless$	<code>\gtrless</code>	$\nless$	<code>\ngeqq</code>	$\nless$	<code>\nlesseqslantgtr</code>
$\gtrsim$	<code>\gtrsim</code>	$\nless$	<code>\ngeqslant</code>	$\nless$	<code>\nlessgtr</code>
$\leq$	<code>\leq</code>	$\nless$	<code>\ngeqslantdot</code>	$\nless$	<code>\nlesssim</code>
$\leq$	<code>\leqclosed</code>	$\nless$	<code>\ngeqslcc</code>	$\nless$	<code>\nll</code>
$\leq$	<code>\leqdot</code>	$\nless$	<code>\ngg</code>	$\nless$	<code>\nlll</code>
$\leq$	<code>\leqq</code>	$\ggg$	<code>\nggg</code>		
$\leq$	<code>\leqslant</code>	$\nless$	<code>\ngtr</code>		

`fdsymbol` defines synonyms for some of the preceding symbols:

$\geq$	<code>\ge</code>	$\leq$	<code>\lesdot</code>	$\nless$	<code>\ngtcc</code>
$\geq$	<code>\gescc</code>	$\leq$	<code>\lesg</code>	$\nless$	<code>\ngtreqllesslant</code>
$\geq$	<code>\gesdot</code>	$\leq$	<code>\lesseqgtrslant</code>	$\nless$	<code>\nlescc</code>
$\geq$	<code>\gesl</code>	$\triangleleft$	<code>\lhd</code>	$\nless$	<code>\nlesdot</code>
$\ggg$	<code>\gggtr</code>	$\lll$	<code>\lllless</code>	$\nless$	<code>\nlesg</code>

(continued on next page)

(continued from previous page)

$\triangleright$	<code>\gtcc</code>	$\triangleleft$	<code>\ltcc</code>	$\nlessseqgtrslant$
$\gtrless$	<code>\gtreqlessslant</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nltcc$
$\gvertneqq$	<code>\gvertneqq</code>	$\ngescc$	<code>\ngescc</code>	$\rhd$
$\leq$	<code>\le</code>	$\ngesdot$	<code>\ngesdot</code>	$\unlhd$
$\lescc$	<code>\lescc</code>	$\ngesl$	<code>\ngesl</code>	$\unrhd$

TABLE 130: boisik Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtcirc$	<code>\gtcirc</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngeq$
$\lessgtr$	<code>\eqslantless</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$
$\geqq$	<code>\geqq</code>	$\gtreqless$	<code>\gtreqless</code>	$\lessssim$	<code>\lessssim</code>	$\ngeqslant$
$\geqslant$	<code>\geqslant</code>	$\gtreqqlless$	<code>\gtreqqlless</code>	$\lll$	<code>\lll</code>	$\ngtr$
$\ggg$	<code>\ggg</code>	$\gtrless$	<code>\gtrless</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$
$\glj$	<code>\glj</code>	$\gtrsim$	<code>\gtrsim</code>	$\lneq$	<code>\lneq</code>	$\nleqq$
$\gnapprox$	<code>\gnapprox</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneqq$	<code>\lneqq</code>	$\nleqslant$
$\gneq$	<code>\gneq</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nless$
$\gneqq$	<code>\gneqq</code>	$\leqslant$	<code>\leqslant</code>	$\Lt$	<code>\Lt</code>	
$\gnsim$	<code>\gnsim</code>	$\lessapprox$	<code>\lessapprox</code>	$\ltcirc$	<code>\ltcirc</code>	
$\Gt$	<code>\Gt</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\lvertneqq$	<code>\lvertneqq</code>	

TABLE 131: stix Inequalities

$\egsdot$	<code>\egsdot</code>	$\gtquest$	<code>\gtquest</code>	$\lnsim$
$\elsdot$	<code>\elsdot</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lsime$
$\eqgtr$	<code>\eqgtr</code>	$\gtrarr$	<code>\gtrarr</code>	$\lsimg$
$\eqless$	<code>\eqless</code>	$\gtrdot$	<code>\gtrdot</code>	$\Lt$
$\eqqgtr$	<code>\eqqgtr</code>	$\gtreqless$	<code>\gtreqless</code>	$\ltcc$
$\eqqlless$	<code>\eqqlless</code>	$\gtreqqlless$	<code>\gtreqqlless</code>	$\ltcirc$
$\eqqslantgtr$	<code>\eqqslantgtr</code>	$\gtrless$	<code>\gtrless</code>	$\ltlarr$
$\eqqslantless$	<code>\eqqslantless</code>	$\gtrsim$	<code>\gtrsim</code>	$\ltquest$
$\eqslantgtr$	<code>\eqslantgtr</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lvertneqq$
$\eqslantless$	<code>\eqslantless</code>	$\lat$	<code>\lat</code>	$\neqslantgtr$
$\geq$	<code>\geq</code>	$\late$	<code>\late</code>	$\neqslantless$
$\geqq$	<code>\geqq</code>	$\leftarrowless$	<code>\leftarrowless</code>	$\ngeq$

(continued on next page)

(continued from previous page)

$\cong$	<code>\geqqslant</code>	$\leq$	<code>\leq</code>	$\ncong$	<code>\ngeqq</code>
$\supseteq$	<code>\geqslant</code>	$\leqq$	<code>\leqq</code>	$\nsubseteq$	<code>\ngeqslant</code>
$\triangleright$	<code>\gescc</code>	$\leqqslant$	<code>\leqqslant</code>	$\ntriangleright$	<code>\ngg</code>
$\trianglerighteq$	<code>\gesdot</code>	$\leqslant$	<code>\leqslant</code>	$\ntrianglerighteq$	<code>\ngtr</code>
$\trianglerighteqdot$	<code>\gesdoto</code>	$\lescc$	<code>\lescc</code>	$\ntrianglerighteqless$	<code>\ngtrless</code>
$\trianglerighteqdotol$	<code>\gesdoto1</code>	$\lesdot$	<code>\lesdot</code>	$\ntrianglerighteqsim$	<code>\ngtrsim</code>
$\leqq$	<code>\gesles</code>	$\lesdoto$	<code>\lesdoto</code>	$\nleq$	<code>\nleq</code>
$\gg$	<code>\gg</code>	$\lesdotor$	<code>\lesdotor</code>	$\nleqq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\lesges$	<code>\lesges</code>	$\nleqqslant$	<code>\nleqqslant</code>
$\gggnest$	<code>\gggnest</code>	$\lessapprox$	<code>\lessapprox</code>	$\nless$	<code>\nless</code>
$\gla$	<code>\gla</code>	$\lessdot$	<code>\lessdot</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\glE$	<code>\glE</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\nlesssim$	<code>\nlesssim</code>
$\glj$	<code>\glj</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\nll$	<code>\nll</code>
$\gnapprox$	<code>\gnapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\partialmeetcontraction$	<code>\partialmeetcontraction</code>
$\gneq$	<code>\gneq</code>	$\lesssim$	<code>\lesssim</code>	$\rightarrowtr$	<code>\rightarrowtr</code>
$\gneqq$	<code>\gneqq</code>	$\lgE$	<code>\lgE</code>	$\simE$	<code>\simE</code>
$\gnsim$	<code>\gnsim</code>	$\ll$	<code>\ll</code>	$\simgtr$	<code>\simgtr</code>
$\gsime$	<code>\gsime</code>	$\lll$	<code>\lll</code>	$\simlE$	<code>\simlE</code>
$\gsiml$	<code>\gsiml</code>	$\lllnest$	<code>\lllnest</code>	$\simless$	<code>\simless</code>
$\gt$	<code>\gt</code>	$\lnapprox$	<code>\lnapprox</code>	$\smt$	<code>\smt</code>
$\gtcc$	<code>\gtcc</code>	$\lneq$	<code>\lneq</code>	$\smte$	<code>\smte</code>
$\gtcir$	<code>\gtcir</code>	$\lneqq$	<code>\lneqq</code>		

stix defines `\le` as a synonym for `\leq`, `\ge` as a synonym for `\geq`, `\llless` as a synonym for `\lll`, `\gggtr` as a synonym for `\ggg`, `\nle` as a synonym for `\nleq`, and `\nge` as a synonym for `\ngeq`.

TABLE 132:  $\mathcal{AMS}$  Triangle Relations

$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\blacktriangleright$	<code>\blacktriangleright</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\blacktriangleright$	<code>\blacktriangleright</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\blacktriangleright$	<code>\blacktriangleright</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>

TABLE 133: stmaryd Triangle Relations

$\triangleleft$	<code>\triangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\triangleright</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\blacktrianglelefteq$	<code>\blacktrianglelefteq</code>	$\blacktriangleright$	<code>\blacktriangleright</code>	$\blacktrianglerighteq$	<code>\blacktrianglerighteq</code>

TABLE 134: mathabx Triangle Relations

$\blacktriangleleft$	<code>\ntriangleleft</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\blacktrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\blacktriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>		
$\blacktrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 135: MnSymbol Triangle Relations

$\blacktriangledown$	<code>\filledmedtriangledown</code>	$\triangle$	<code>\largetriangleup</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\blacktriangleleft$	<code>\filledmedtriangleleft</code>	$\blacktriangledown$	<code>\medtriangledown</code>	$\triangleleft$	<code>\smalltriangleleft</code>
$\blacktriangleright$	<code>\filledmedtriangleright</code>	$\triangleleft$	<code>\medtriangleleft</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\blacktriangleup$	<code>\filledmedtriangleup</code>	$\blacktriangleright$	<code>\medtriangleright</code>	$\triangleup$	<code>\smalltriangleup</code>
$\blacktriangledown$	<code>\filledtriangledown</code>	$\triangle$	<code>\medtriangleup</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleleft$	<code>\filledtriangleleft</code>	$\neq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleright$	<code>\filledtriangleright</code>	$\blacktriangleleft$	<code>\ntriangleleft</code>	$\blacktrianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleup$	<code>\filledtriangleup</code>	$\blacktrianglelefteq$	<code>\ntrianglelefteq</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\blacktriangledown$	<code>\largetriangledown</code>	$\blacktriangleright$	<code>\ntriangleright</code>	$\blacktriangleright$	<code>\vartriangleright</code>
$\blacktriangleleft$	<code>\largetriangleleft</code>	$\blacktrianglerighteq$	<code>\ntrianglerighteq</code>		
$\blacktriangleright$	<code>\largetriangleright</code>	$\circ$	<code>\otriangle</code>		

MnSymbol additionally defines synonyms for many of the preceding symbols: `\trianglelefteq` is a synonym for `\trianglelefteq`; `\lhd` and `\lessclosed` are synonyms for `\vartriangleleft`; `\rhd` and `\gtrclosed` are synonyms for `\vartriangleright`; `\unlhd` and `\leqclosed` are synonyms for `\trianglelefteq`; `\unrhd` and `\geqclosed` are synonyms for `\trianglerighteq`; `\blacktriangledown`, `\blacktriangleleft`, `\blacktriangleright`, and `\blacktriangle` [sic] are synonyms for, respectively, `\filledmedtriangledown`, `\filledmedtriangleleft`, `\filledmedtriangleright`, and `\filledmedtriangleup`; `\triangleright` is a synonym for `\medtriangleright`; `\triangle`, `\vartriangle`, and `\bigtriangleup` are synonyms for `\medtriangleup`; `\triangleleft` is a synonym for `\medtriangleleft`; `\triangledown` and `\bigtriangledown` are synonyms for `\medtriangledown`; `\nlessclosed` is a synonym for `\ntriangleleft`; `\ngtrclosed` is a synonym for `\ntriangleright`; `\nleqclosed` is a synonym for `\ntrianglelefteq`; and `\ngeqclosed` is a synonym for `\ntrianglerighteq`.

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as T<sub>E</sub>X relations (class 3 symbols). The `\largetriangle...` symbols are defined as T<sub>E</sub>X “ordinary” characters (class 0) and all of the remaining characters are defined as T<sub>E</sub>X binary operators (class 2).

TABLE 136: fdsymbol Triangle Relations

$\triangleright$	<code>\geqclosed</code>	$\nabla$	<code>\medtriangledown</code>	$\blacktriangleleft$	<code>\smallblacktriangleleft</code>
$\triangleright$	<code>\gtrclosed</code>	$\triangleleft$	<code>\medtriangleleft</code>	$\blacktriangleright$	<code>\smallblacktriangleright</code>
$\nabla$	<code>\largetriangledown</code>	$\triangleright$	<code>\medtriangleright</code>	$\blacktriangleup$	<code>\smallblacktriangleup</code>
$\triangle$	<code>\largetriangleup</code>	$\triangle$	<code>\medtriangleup</code>	$\nabla$	<code>\smalltriangledown</code>
$\trianglelefteq$	<code>\leqclosed</code>	$\ntrianglelefteq$	<code>\ngeqclosed</code>	$\triangleleft$	<code>\smalltriangleleft</code>
$\triangleleft$	<code>\lessclosed</code>	$\ntriangleright$	<code>\ngtrclosed</code>	$\triangleright$	<code>\smalltriangleright</code>
$\blacktriangledown$	<code>\medblacktriangledown</code>	$\nleqclosed$	<code>\nleqclosed</code>	$\triangle$	<code>\smalltriangleup</code>
$\blacktriangleleft$	<code>\medblacktriangleleft</code>	$\nlessclosed$	<code>\nlessclosed</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleright$	<code>\medblacktriangleright</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>		
$\blacktriangleup$	<code>\medblacktriangleup</code>	$\nsmallblacktriangledown$	<code>\nsmallblacktriangledown</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

$\nabla$	<code>\bigtriangledown</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\triangle$	<code>\bigtriangleup</code>	$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangledown$	<code>\blacktriangledown</code>	$\triangle$	<code>\triangle</code>	$\triangle$	<code>\vartriangle</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\ntriangledown$	<code>\ntriangledown</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\vartriangleright</code>
$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>		

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as  $\TeX$  relations (class 3 symbols). The `\largetriangle...` symbols are defined as  $\TeX$  “ordinary” characters (class 0) and all of the remaining characters are defined as  $\TeX$  binary operators (class 2).

TABLE 137: boisik Triangle Relations

$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\vartriangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteqslant$	<code>\trianglelefteqslant</code>	$\triangle$	<code>\vartriangle</code>
$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\triangleleft$	<code>\triangleleft</code>	$\trianglerighteqslant$	<code>\trianglerighteqslant</code>		

TABLE 138: stix Triangle Relations

$\trianglelefteq$	<code>\ltrianglelefteq</code>	$\nvartriangleright$	<code>\nvartriangleright</code>	$\triangle$	<code>\vartriangle</code>
$\triangleleft$	<code>\ltrivb</code>	$\ntriltri$	<code>\ntriltri</code>	$\triangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vartriangleright</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\vbrtri</code>
$\nvartriangleleft$	<code>\nvartriangleleft</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 139: Arrows

$\Downarrow$	<code>\Downarrow</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\downarrow$	<code>\downarrow</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\longleftrightarrow$	<code>\longleftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\Longleftrightarrow$	<code>\Longleftrightarrow</code>	$\searrow$	<code>\searrow</code>
$\leadsto$	<code>\leadsto*</code>	$\mapsto$	<code>\mapsto</code>	$\swarrow$	<code>\swarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\Longrightarrow$	<code>\Longrightarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\longrightarrow$	<code>\longrightarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\mapsto$	<code>\mapsto</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\leftrightharpoonup$	<code>\leftrightharpoonup</code>	$\nearrow$	<code>\nearrow†</code>	$\Updownarrow$	<code>\Updownarrow</code>

\* Not predefined by the  $\text{\LaTeX} 2_{\epsilon}$  core. Use the `latexsym` package to expose this symbol.

† See the note beneath Table 246 for information about how to put a diagonal arrow across a mathematical expression (as in “ $\nabla \cdot \overset{0}{B}$ ”).

TABLE 140: Harpoons

$\leftharpoondown$	<code>\leftharpoondown</code>	$\rightharpoondown$	<code>\rightharpoondown</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>
$\leftharpoonup$	<code>\leftharpoonup</code>	$\rightharpoonup$	<code>\rightharpoonup</code>		

TABLE 141: `textcomp` Text-mode Arrows

$\downarrow$	<code>\textdownarrow</code>	$\rightarrow$	<code>\textrightarrow</code>
$\leftarrow$	<code>\textleftarrow</code>	$\uparrow$	<code>\textuparrow</code>

TABLE 142:  $\mathcal{AMS}$  Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftleftarrows$	<code>\leftleftarrows</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftrightarrows$	<code>\leftrightarrows</code>	$\rightrightarrows$	<code>\rightrightarrows</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\Lleftarrow$	<code>\Lleftarrow</code>	$\Rsh$	<code>\Rsh</code>
$\dashleftarrow$	<code>\dashleftarrow</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\twoheadleftarrow$	<code>\twoheadleftarrow</code>
$\dashrightarrow$	<code>\dashrightarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\twoheadrightarrow$	<code>\twoheadrightarrow</code>
$\downdownarrows$	<code>\downdownarrows</code>	$\Lsh$	<code>\Lsh</code>	$\upuparrows$	<code>\upuparrows</code>
$\leftarrowtail$	<code>\leftarrowtail</code>	$\rightarrowtail$	<code>\rightarrowtail</code>		

TABLE 143:  $\mathcal{AMS}$  Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>
$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>

TABLE 144:  $\mathcal{AMS}$  Harpoons

$\downarrow$	<code>\downharpoonleft</code>	$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\uparrow$	<code>\upharpoonleft</code>
$\downarrow$	<code>\downharpoonright</code>	$\Rrightarrow$	<code>\rightleftharpoons</code>	$\uparrow$	<code>\upharpoonright</code>

TABLE 145: `stmaryd` Arrows

$\leftarrow$	<code>\leftarrowtriangle</code>	$\Leftarrow$	<code>\Mapsfrom</code>	$\leftarrow$	<code>\shortleftarrow</code>
$\Leftrightarrow$	<code>\leftrightharweq</code>	$\leftarrow$	<code>\mapsfrom</code>	$\rightarrow$	<code>\shortrightarrow</code>
$\leftrightarrow$	<code>\leftrightharweqtriangle</code>	$\Rightarrow$	<code>\Mapsto</code>	$\uparrow$	<code>\shortuparrow</code>
$\lightning$	<code>\lightning</code>	$\nearrow$	<code>\nnearrow</code>	$\searrow$	<code>\ssearrow</code>
$\Longleftarrow$	<code>\Longmapsfrom</code>	$\nwarrow$	<code>\nnwarrow</code>	$\swarrow$	<code>\sswarrow</code>
$\longleftarrow$	<code>\longmapsfrom</code>	$\rightarrow$	<code>\rightarrowtriangle</code>		
$\Longrightarrow$	<code>\Longmapsto</code>	$\downarrow$	<code>\shortdownarrow</code>		

TABLE 146: `txfonts`/`pxfonts` Arrows

$\boxdotleft$	<code>\boxdotLeft</code>	$\circrightarrow$	<code>\circleddotright</code>	$\diamondleft$	<code>\Diamondleft</code>
$\boxdotleft$	<code>\boxdotleft</code>	$\circleftarrow$	<code>\circleleft</code>	$\diamondrightarrow$	<code>\Diamondright</code>
$\boxdotright$	<code>\boxdotright</code>	$\circrightarrow$	<code>\circcleright</code>	$\diamondrightarrow$	<code>\DiamondRight</code>
$\boxdotright$	<code>\boxdotRight</code>	$\dashleftarrow$	<code>\dashleftrighthararrow</code>	$\leftleftarrows$	<code>\leftsquigarrow</code>
$\boxleftarrow$	<code>\boxLeft</code>	$\diamondleftarrow$	<code>\DiamonddotLeft</code>	$\nearrow$	<code>\Nearrow</code>
$\boxleftarrow$	<code>\boxleft</code>	$\diamondleftarrow$	<code>\Diamonddotleft</code>	$\nwarrow$	<code>\Nwarrow</code>
$\boxrightarrow$	<code>\boxright</code>	$\diamondrightarrow$	<code>\Diamonddotright</code>	$\Rightarrow$	<code>\Rrightarrow</code>
$\boxrightarrow$	<code>\boxRight</code>	$\diamondrightarrow$	<code>\DiamonddotRight</code>	$\searrow$	<code>\Searrow</code>
$\circleftarrow$	<code>\circleddotleft</code>	$\diamondleftarrow$	<code>\DiamondLeft</code>	$\swarrow$	<code>\Swarrow</code>

TABLE 147: `mathabx` Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftarrow$	<code>\leftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftleftarrows$	<code>\leftleftarrows</code>	$\uparrow$	<code>\restriction</code>
$\curvearrowleft$	<code>\curvearrowbotleft</code>	$\leftrightarrow$	<code>\leftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowright$	<code>\curvearrowbotleft</code>	$\leftrightarrows$	<code>\leftrightarrows</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowleft$	<code>\curvearrowbotright</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightrightarrows$	<code>\rightrightarrows</code>
$\curvearrowright$	<code>\curvearrowbotright</code>	$\leftsquigarrow$	<code>\leftsquigarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\lefttorightarrow$	<code>\lefttorightarrow</code>	$\righttoleftarrow$	<code>\righttoleftarrow</code>
$\curvearrowright$	<code>\curvearrowleft</code>	$\looparrowleft$	<code>\looparrowdownleft</code>	$\Rsh$	<code>\Rsh</code>
$\dls$	<code>\dls</code>	$\looparrowright$	<code>\looparrowdownright</code>	$\searrow$	<code>\searrow</code>
$\downdownarrows$	<code>\downdownarrows</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\swarrow$	<code>\swarrow</code>
$\downtoupward$	<code>\downtoupward</code>	$\looparrowright$	<code>\looparrowright</code>	$\updownarrows$	<code>\updownarrows</code>
$\downuparrows$	<code>\downuparrows</code>	$\Lsh$	<code>\Lsh</code>	$\uptodownarrow$	<code>\uptodownarrow</code>
$\drsh$	<code>\drsh</code>	$\nearrow$	<code>\nearrow</code>	$\upuparrows$	<code>\upuparrows</code>

TABLE 148: `mathabx` Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nleftrightarrow$	<code>\nleftrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\nLeftarrow$	<code>\nLeftarrow</code>	$\nRightarrow$	<code>\nRightarrow</code>

TABLE 149: mathabx Harpoons

$\leftharpoonup$	<code>\barleftharpoonup</code>	$\leftarrow$	<code>\leftharpoonupup</code>	$\rightleftarrows$	<code>\rightleftharpoons</code>
$\rightharpoonup$	<code>\barrightharpoonup</code>	$\Leftarrow$	<code>\leftleftharpoons</code>	$\rightleftharpoons$	<code>\rightrightarpoons</code>
$\Downarrow$	<code>\downdownharpoons</code>	$\leftrightarrow$	<code>\leftrightharpoonup</code>	$\Downarrow$	<code>\updownharpoons</code>
$\harpoonleft$	<code>\downharpoonleft</code>	$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\Uparrow$	<code>\upharpoonleft</code>
$\harpoonright$	<code>\downharpoonright</code>	$\Rightarrow$	<code>\rightbarharpoonup</code>	$\Uparrow$	<code>\upharpoonright</code>
$\Updownarrow$	<code>\downupharpoons</code>	$\rightarrow$	<code>\rightharpoonowdown</code>	$\Uparrow$	<code>\upupharpoons</code>
$\Leftarrow$	<code>\leftbarharpoonup</code>	$\rightarrow$	<code>\rightharpoonupup</code>		
$\leftarrow$	<code>\leftharpoonowdown</code>	$\rightarrow$	<code>\rightleftharpoonup</code>		

TABLE 150: MnSymbol Arrows

$\curvearrowright$	<code>\curvearrowdownup</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\curvearrowright$	<code>\rhookswarrow</code>
$\curvearrowleft$	<code>\curvearrowleftright</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\uparrow$	<code>\rhookuparrow</code>
$\curvearrowright$	<code>\curvearrownesw</code>	$\longleftrightarrow$	<code>\longleftarrowrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowleft$	<code>\curvearrownwse</code>	$\Leftrightarrow$	<code>\Longleftarrowrightarrow</code>	$\Rightarrow$	<code>\rightarrow</code>
$\curvearrowright$	<code>\curvearrowrightleft</code>	$\mapsto$	<code>\longmapsto</code>	$\rightarrow$	<code>\rightarrowtail</code>
$\curvearrowleft$	<code>\curvearrowrsenw</code>	$\rightarrow$	<code>\rightarrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowright$	<code>\curvearrowswne</code>	$\Rightarrow$	<code>\rightarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowleft$	<code>\curvearrowupdown</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\mapsto$	<code>\mapsto</code>
$\dashrightarrow$	<code>\dasheddownarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\rightarrow$	<code>\rightarrowrightarrow</code>
$\dashleftarrow$	<code>\dashedleftarrow</code>	$\Lsh$	<code>\Lsh</code>	$\rightsquigarrow$	<code>\rightarrowrightsquigarrow</code>
$\nearrow$	<code>\dashednearrow</code>	$\nearrow$	<code>\nearrow</code>	$\Rightarrow$	<code>\rightarrow</code>
$\nearrow$	<code>\dashednwarrow</code>	$\nearrow$	<code>\nearrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\rightarrow$	<code>\dashedrightarrow</code>	$\nearrowtail$	<code>\nearrowtail</code>	$\searrow$	<code>\searrow</code>
$\searrow$	<code>\dashedsearrow</code>	$\nelsquigarrow$	<code>\nelsquigarrow</code>	$\searrow$	<code>\searrow</code>
$\swarrow$	<code>\dashedswarrow</code>	$\nemapsto$	<code>\nemapsto</code>	$\searrowtail$	<code>\searrowtail</code>
$\uparrow$	<code>\dasheduparrow</code>	$\nearerrows$	<code>\nearerrows</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\Downarrow</code>	$\nersquigarrow$	<code>\nersquigarrow</code>	$\searrow$	<code>\searrow</code>
$\downarrow$	<code>\downarrow</code>	$\neswarrow$	<code>\neswarrow</code>	$\searrow$	<code>\searrow</code>
$\downarrowtail$	<code>\downarrowtail</code>	$\Neswarrow$	<code>\Neswarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downdownarrows</code>	$\neswarrows$	<code>\neswarrows</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downlsquigarrow</code>	$\nwarrow$	<code>\nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downmapsto</code>	$\Nwarrow$	<code>\Nwarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downrsquigarrow</code>	$\nwarrowtail$	<code>\nwarrowtail</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downuparrows</code>	$\nwlsquigarrow$	<code>\nwlsquigarrow</code>	$\searrow$	<code>\searrow</code>
$\circlearrowdown$	<code>\lcirclearrowdown</code>	$\nwmapsto$	<code>\nwmapsto</code>	$\searrow$	<code>\searrow</code>
$\circlearrowleft$	<code>\lcirclearrowleft</code>	$\nwnwarrows$	<code>\nwnwarrows</code>	$\searrow$	<code>\searrow</code>
$\circlearrowright$	<code>\lcirclearrowright</code>	$\nwrsquigarrow$	<code>\nwrsquigarrow</code>	$\searrow$	<code>\searrow</code>
$\circlearrowup$	<code>\lcirclearrowup</code>	$\nwsearrow$	<code>\nwsearrow</code>	$\searrow$	<code>\searrow</code>
$\curvearrowright$	<code>\lcurvearrowdown</code>	$\Nwsearrow$	<code>\Nwsearrow</code>	$\swarrow$	<code>\swarrow</code>
$\curvearrowleft$	<code>\lcurvearrowleft</code>	$\nwsearrows$	<code>\nwsearrows</code>	$\swarrow$	<code>\swarrow</code>
$\curvearrowright$	<code>\lcurvearrowne</code>	$\partial\text{circleleftint}^*$	<code>\partial\text{circleleftint}^*</code>	$\swarrowtail$	<code>\swarrowtail</code>
$\curvearrowleft$	<code>\lcurvearrownw</code>	$\partial\text{circleleftint}^*$	<code>\partial\text{circleleftint}^*</code>	$\swarrow$	<code>\swarrow</code>
$\curvearrowright$	<code>\lcurvearrowright</code>	$\partial\text{circleleftint}^*$	<code>\partial\text{circleleftint}^*</code>	$\swarrow$	<code>\swarrow</code>

(continued on next page)



(continued from previous page)





















































































































$\curvearrowright$	<code>\lcurvearrowse</code>	$\mathbb{Q}$	<code>\partialvar{drcircle}{rightint}*</code>	$\rightleftharpoons$	<code>\swnearrows</code>
$\curvearrowleft$	<code>\lcurvearrowsw</code>	$\circ$	<code>\partialvar{t{lcircle}{leftint}*</code>	$\leftrightsquigarrow$	<code>\swrsquigarrow</code>
$\curvearrowup$	<code>\lcurvearrowup</code>	$\circ$	<code>\partialvar{t{lcircle}{rightint}*</code>	$\rightleftharpoons$	<code>\swswarrows</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\circ$	<code>\partialvar{tr{circle}{leftint}*</code>	$\Downarrow$	<code>\twoheaddownarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\circ$	<code>\partialvar{tr{circle}{rightint}*</code>	$\Leftarrow$	<code>\twoheadleftarrow</code>
$\leftarrowtail$	<code>\leftarrowtail</code>	$\bigcirc$	<code>\rcirclearrowdown</code>	$\nearrow$	<code>\twoheadnearrow</code>
$\Leftleftarrows$	<code>\Leftleftarrows</code>	$\bigcirc$	<code>\rcirclearrowleft</code>	$\nwarrow$	<code>\twoheadnarrow</code>
$\leftleftsquigarrow$	<code>\leftleftsquigarrow</code>	$\mathbb{Q}$	<code>\rcirclearrowright</code>	$\rightarrow$	<code>\twoheadrightarrow</code>
$\leftmapsto$	<code>\leftmapsto</code>	$\bigcirc$	<code>\rcirclearrowup</code>	$\searrow$	<code>\twoheadsearrow</code>
$\leftrightarrow$	<code>\leftrightarrow</code>	$\curvearrowright$	<code>\rcurvearrowdown</code>	$\swarrow$	<code>\twoheadswarrow</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\curvearrowleft$	<code>\rcurvearrowleft</code>	$\Uparrow$	<code>\twoheaduparrow</code>
$\Leftrightarrows$	<code>\Leftrightarrows</code>	$\curvearrowright$	<code>\rcurvearrowne</code>	$\uparrow$	<code>\uparrow</code>
$\lefttrsquigarrow$	<code>\lefttrsquigarrow</code>	$\curvearrowleft$	<code>\rcurvearrownw</code>	$\Uparrow$	<code>\Uparrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\curvearrowright$	<code>\rcurvearrowright</code>	$\uparrowtail$	<code>\uparrowtail</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\curvearrowleft$	<code>\rcurvearrowse</code>	$\Updownarrow$	<code>\updownarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\curvearrowright$	<code>\rcurvearrowsw</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\curvearrowleft$	<code>\rcurvearrowup</code>	$\Updownarrow$	<code>\updownarrows</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\downarrow$	<code>\rhookdownarrow</code>	$\updownarrow$	<code>\uplsquigarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\leftarrow$	<code>\rhookleftarrow</code>	$\upmapsto$	<code>\upmapsto</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\nearrow$	<code>\rhooknearrow</code>	$\uprightsquigarrow$	<code>\uprsquigarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\nwarrow$	<code>\rhooknwarrow</code>	$\Uparrow$	<code>\upuparrows</code>
$\lightning$	<code>\lightning</code>	$\rightarrow$	<code>\rhookrightarrow</code>		
$\Lleftarrow$	<code>\Lleftarrow</code>	$\curvearrowright$	<code>\rhooksearrow</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\bigcirc$	<code>\circlearrowleft</code>	(same as <code>\rcirclearrowup</code> )
$\bigcirc$	<code>\circlearrowright</code>	(same as <code>\lcirclearrowup</code> )
$\curvearrowleft$	<code>\curvearrowleft</code>	(same as <code>\rcurvearrowleft</code> )
$\curvearrowright$	<code>\curvearrowright</code>	(same as <code>\lcurvearrowright</code> )
$\dashleftarrow$	<code>\dashleftarrow</code>	(same as <code>\dashedleftarrow</code> )
$\dashrightarrow$	<code>\dashrightarrow</code>	(same as <code>\dashedrightarrow</code> )
$\hookleftarrow$	<code>\hookleftarrow</code>	(same as <code>\rhookleftarrow</code> )
$\hookrightarrow$	<code>\hookrightarrow</code>	(same as <code>\lhookrightarrow</code> )
$\leadsto$	<code>\leadsto</code>	(same as <code>\rightlsquigarrow</code> )
$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code> )
$\mapsto$	<code>\mapsto</code>	(same as <code>\rightmapsto</code> )
$\rightsquigarrow$	<code>\rightsquigarrow</code>	(same as <code>\rightlsquigarrow</code> )

\* The `\partialvar...int` macros are intended to be used internally by MnSymbol to produce various types of integrals.

TABLE 151: MnSymbol Negated Arrows

	<code>\ncurvearrowdownup</code>		<code>\nlhooknwarrow</code>		<code>\nrightharpoonleft</code>
	<code>\ncurvearrowleftright</code>		<code>\nlhookrightarrow</code>		<code>\nrightharpoonrightarrow</code>
	<code>\ncurvearrowupsw</code>		<code>\nlhooksearrow</code>		<code>\nrightharpoonmapsto</code>
	<code>\ncurvearrowdownsw</code>		<code>\nlhookswarrow</code>		<code>\nrightharpoonrightarrowrightarrow</code>
	<code>\ncurvearrowupsw</code>		<code>\nlhooksearrow</code>		<code>\nrightharpoonrightarrowrightarrow</code>
	<code>\ncurvearrowdownsw</code>		<code>\nlhookswarrow</code>		<code>\nrightharpoonrightarrow</code>
	<code>\ncurvearrowupdown</code>		<code>\nnearrow</code>		<code>\nsearrow</code>
	<code>\ndasheddownarrow</code>		<code>\nnearrowtail</code>		<code>\nsearrowtail</code>
	<code>\ndashedleftarrow</code>		<code>\nnelsquigarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndashednearrow</code>		<code>\nnemapsto</code>		<code>\nsearrowmapsto</code>
	<code>\ndasheddownarrow</code>		<code>\nnenearrows</code>		<code>\nsearrowarrows</code>
	<code>\ndashedrightarrow</code>		<code>\nnersquigarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndashedsearrow</code>		<code>\nneswarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndashedswarrow</code>		<code>\nneswarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndasheduparrow</code>		<code>\nneswarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownarrow</code>		<code>\nnwarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nsearrowrightarrow</code>
	<code>\ndowndownarrows</code>		<code>\nnwlsquigarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownlsquigarrow</code>		<code>\nnwmapsto</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownmapsto</code>		<code>\nnwnwarrows</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownrsquigarrow</code>		<code>\nnwrsquigarrow</code>		<code>\nsearrowrightarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrow</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcirclearrowdown</code>		<code>\nnwsearrow</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcirclearrowleft</code>		<code>\nnwsearrow</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcirclearrowright</code>		<code>\nrcirclearrowdown</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcirclearrowup</code>		<code>\nrcirclearrowleft</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowdown</code>		<code>\nrcirclearrowright</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowleft</code>		<code>\nrcirclearrowup</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowone</code>		<code>\nrcurvearrowdown</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowtwo</code>		<code>\nrcurvearrowleft</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowthree</code>		<code>\nrcurvearrowone</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowfour</code>		<code>\nrcurvearrowtwo</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowfive</code>		<code>\nrcurvearrowthree</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowsix</code>		<code>\nrcurvearrowfour</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowseven</code>		<code>\nrcurvearrowfive</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearroweight</code>		<code>\nrcurvearrowone</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrownine</code>		<code>\nrcurvearrowtwo</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowten</code>		<code>\nrcurvearrowthree</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearroweleven</code>		<code>\nrcurvearrowfour</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowtwelve</code>		<code>\nrcurvearrowfive</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowthirteen</code>		<code>\nrcurvearrowone</code>		<code>\nsearrowrightarrow</code>
	<code>\nllcurvearrowfourteen</code>		<code>\nrcurvearrowtwo</code>		<code>\nsearrowrightarrow</code>

(continued on next page)

(continued from previous page)

$\leftrightsquigarrow$	<code>\nlhookleftarrow</code>	$\Rightarrow$	<code>\nrightarrow</code>	$\Uparrow$	<code>\nupuparrows</code>
$\nearrow$	<code>\nlhooknearrow</code>	$\rightsquigarrow$	<code>\nrightarrowtail</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\circlearrowleft$	<code>\ncirclearrowleft</code>	(same as <code>\nrcirclearrowup</code> )
$\circlearrowright$	<code>\ncirclearrowright</code>	(same as <code>\nlcirclearrowup</code> )
$\curvearrowleft$	<code>\ncurvearrowleft</code>	(same as <code>\nrcurvearrowleft</code> )
$\curvearrowright$	<code>\ncurvearrowright</code>	(same as <code>\nlcurvearrowright</code> )
$\dashrightarrow$	<code>\ndasharrow</code>	(same as <code>\ndashedrightarrow</code> )
$\dashleftarrow$	<code>\ndashleftarrow</code>	(same as <code>\ndashedleftarrow</code> )
$\dashvrightarrow$	<code>\ndashrightarrow</code>	(same as <code>\ndashedrightarrow</code> )
$\leftarrow$	<code>\ngets</code>	(same as <code>\nleftarrow</code> )
$\hookleftarrow$	<code>\nhookleftarrow</code>	(same as <code>\nrhookleftarrow</code> )
$\hookrightarrow$	<code>\nhookrightarrow</code>	(same as <code>\nlhookrightarrow</code> )
$\leadsto$	<code>\nleadsto</code>	(same as <code>\nrightlsquigarrow</code> )
$\leftrightsquigarrow$	<code>\nleftrightsquigarrow</code>	(same as <code>\nsquigarrowleftright</code> )
$\mapsto$	<code>\nmapsto</code>	(same as <code>\nrightmapsto</code> )
$\rightsquigarrow$	<code>\nrightrightarrow</code>	(same as <code>\nrightlsquigarrow</code> )
$\rightarrow$	<code>\nto</code>	(same as <code>\nrightarrow</code> )

TABLE 152: MnSymbol Harpoons

$\downharpoonccw^*$	<code>\downharpoonccw^*</code>	$\swarrow$	<code>\neswharpoons</code>	$\searrow$	<code>\seharpooncw</code>
$\downharpooncw^*$	<code>\downharpooncw^*</code>	$\nearrow$	<code>\neswharpoonsenw</code>	$\nwarrow$	<code>\senwharpoons</code>
$\downupharpoons$	<code>\downupharpoons</code>	$\nwarrow$	<code>\nwharpoonccw</code>	$\swarrow$	<code>\swharpoonccw</code>
$\leftharpoonccw^*$	<code>\leftharpoonccw^*</code>	$\searrow$	<code>\nwharpooncw</code>	$\nearrow$	<code>\swharpooncw</code>
$\leftharpooncw^*$	<code>\leftharpooncw^*</code>	$\swarrow$	<code>\nwseharpoonnesw</code>	$\nwarrow$	<code>\swneharpoons</code>
$\leftrightharpoondownup$	<code>\leftrightharpoondownup</code>	$\swarrow$	<code>\nwseharpoons</code>	$\updownharpoonleftright$	<code>\updownharpoonleftright</code>
$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\nwarrow$	<code>\nwseharpoonswne</code>	$\downharpoonrightleft$	<code>\updownharpoonrightleft</code>
$\leftrightharpoonupdown$	<code>\leftrightharpoonupdown</code>	$\rightarrow$	<code>\rightharpoonccw^*</code>	$\updownharpoons$	<code>\updownharpoons</code>
$\neharpoonccw$	<code>\neharpoonccw</code>	$\rightarrow$	<code>\rightharpooncw^*</code>	$\upharpoonccw^*$	<code>\upharpoonccw^*</code>
$\neharpooncw$	<code>\neharpooncw</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>	$\upharpooncw^*$	<code>\upharpooncw^*</code>
$\neswharpoonnwse$	<code>\neswharpoonnwse</code>	$\searrow$	<code>\seharpoonccw</code>		

\* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\upharpooncw` can be written as `\restriction`.)

TABLE 153: MnSymbol Negated Harpoons

‡	<code>\ndownharpoonccw*</code>	⌘	<code>\nneswharpoons</code>	⌘	<code>\nseharpooncw</code>
‡	<code>\ndownharpooncw*</code>	⌘	<code>\nneswharpoonsenw</code>	⌘	<code>\nsenwharpoons</code>
‡	<code>\ndownupharpoons</code>	⌘	<code>\nnwharpoonccw</code>	⌘	<code>\nswharpoonccw</code>
↵	<code>\nleftharpoonccw*</code>	⌘	<code>\nnwharpooncw</code>	⌘	<code>\nswharpooncw</code>
↵	<code>\nleftharpooncw*</code>	⌘	<code>\nnwseharpoonsesw</code>	⌘	<code>\nswneharpoons</code>
↵	<code>\nleftrightharpoondownup</code>	⌘	<code>\nnwseharpoons</code>	‡	<code>\nupdownharpoonleftright</code>
↵	<code>\nleftrightharpoons</code>	⌘	<code>\nnwseharpoonswne</code>	‡	<code>\nupdownharpoonrightleft</code>
↵	<code>\nleftrightharpoonupdown</code>	↵	<code>\nrightharpoonccw*</code>	‡	<code>\nupdownharpoons</code>
⌘	<code>\nneharpoonccw</code>	↵	<code>\nrightharpooncw*</code>	‡	<code>\nupharpoonccw*</code>
⌘	<code>\nneharpooncw</code>	‡	<code>\nrightharpoons</code>	‡	<code>\nupharpooncw*</code>
⌘	<code>\nneswharpoonnwse</code>	⌘	<code>\nseharpoonccw</code>		

\* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\nupharpooncw` can be written as `\nrestriction`.)

TABLE 154: fdsymbol Arrows

↻	<code>\acwcirculararrowdown</code>	←	<code>\leftarrow</code>	⇒	<code>\rightrightarrows</code>
↻	<code>\acwcirculararrowleft</code>	↵	<code>\leftarrowtail</code>	↷	<code>\rightwvearrow</code>
↻	<code>\acwcirculararrowright</code>	↵	<code>\leftbkarrow</code>	⇒	<code>\Rrightarrow</code>
↻	<code>\acwcirculararrowup</code>	⇐	<code>\leftleftarrows</code>	↶	<code>\Rsh</code>
↵	<code>\acwleftarcarrow</code>	↵	<code>\leftmapsto</code>	↷	<code>\searrow</code>
↵	<code>\acwnearcarrow</code>	⇐	<code>\Leftmapsto</code>	↷	<code>\Searrow</code>
↵	<code>\acwnwarcarrow</code>	⇐	<code>\Leftrightarrow</code>	↷	<code>\searrowtail</code>
↵	<code>\acwoverarcarrow</code>	↵	<code>\leftrightharrow</code>	↷	<code>\sebkarrow</code>
↵	<code>\acwrightarcarrow</code>	↷	<code>\leftrightharrows</code>	↷	<code>\senwarrows</code>
↷	<code>\acwsearcarrow</code>	↷	<code>\leftrightwvearrow</code>	↷	<code>\sesearrows</code>
↷	<code>\acwswarcarrow</code>	↷	<code>\leftwvearrow</code>	↷	<code>\Swarrow</code>
↷	<code>\acwunderarcarrow</code>	⚡	<code>\lightning</code>	↷	<code>\swarrow</code>
↷	<code>\bdleftarcarrow</code>	⇐	<code>\Lleftarrow</code>	↷	<code>\swarrowtail</code>
↷	<code>\bdnearcarrow</code>	⇐	<code>\Longleftarrow</code>	↷	<code>\swbkarrow</code>
↷	<code>\bdnwarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swnearrows</code>
↷	<code>\bdoverarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\swswarrows</code>
↷	<code>\bdrightarcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\twoheaddownarrow</code>
↷	<code>\bdsearcarrow</code>	⇐	<code>\longleftarrow</code>	↷	<code>\twoheadleftarrow</code>
↷	<code>\bdswarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnearrow</code>
↷	<code>\bdunderarcarrow</code>	⇐	<code>\longmapsfrom</code>	↷	<code>\twoheadnwarrow</code>
↻	<code>\cwcirculararrowdown</code>	⇐	<code>\Longmapsto</code>	↷	<code>\twoheadrightarrow</code>
↻	<code>\cwcirculararrowleft</code>	↶	<code>\longmapsto</code>	↷	<code>\twoheadsearrow</code>
↻	<code>\cwcirculararrowright</code>	→	<code>\longrightarrow</code>	↷	<code>\twoheadswarrow</code>
↻	<code>\cwcirculararrowup</code>	⇒	<code>\Longrightarrow</code>	↷	<code>\twoheaduparrow</code>
↶	<code>\cwleftarcarrow</code>	↷	<code>\longrightwvearrow</code>	↑	<code>\uparrow</code>
↶	<code>\cwnearcarrow</code>	↶	<code>\looparrowleft</code>	↑	<code>\Uparrow</code>

(continued on next page)

(continued from previous page)

$\curvearrowright$	<code>\cwnwarcarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\uparrow$	<code>\uparrowtail</code>
$\curvearrowleft$	<code>\cwoverarcarrow</code>	$\Lsh$	<code>\Lsh</code>	$\Uparrow$	<code>\upbkarrow</code>
$\curvearrowright$	<code>\cwrightarcarrow</code>	$\nearrow$	<code>\nearrow</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\curvearrowleft$	<code>\cwsearcarrow</code>	$\nearrow$	<code>\Nearrow</code>	$\updownarrow$	<code>\updownarrow</code>
$\curvearrowright$	<code>\cswarcarrow</code>	$\nearrow$	<code>\nearrowtail</code>	$\updownarrows$	<code>\updownarrows</code>
$\curvearrowleft$	<code>\cwunderarcarrow</code>	$\nearrow$	<code>\nebkarrow</code>	$\updownwavearrow$	<code>\updownwavearrow</code>
$\Downarrow$	<code>\Ddownarrow</code>	$\nearrow$	<code>\nenearrows</code>	$\upmapsto$	<code>\upmapsto</code>
$\downarrow$	<code>\Downarrow</code>	$\nearrow$	<code>\Neswarrow</code>	$\Upmapsto$	<code>\Upmapsto</code>
$\downarrow$	<code>\downarrow</code>	$\nearrow$	<code>\neswarrow</code>	$\upuparrows$	<code>\upuparrows</code>
$\downarrow$	<code>\downarrowtail</code>	$\nearrow$	<code>\neswarrows</code>	$\upwavearrow$	<code>\upwavearrow</code>
$\downarrow$	<code>\downbkarrow</code>	$\nearrow$	<code>\Nwarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Downarrow$	<code>\downdownarrows</code>	$\nearrow$	<code>\nwarrow</code>	$\vardownwavearrow$	<code>\vardownwavearrow</code>
$\Downarrow$	<code>\Downmapsto</code>	$\nearrow$	<code>\nwarrowtail</code>	$\varhookdownarrow$	<code>\varhookdownarrow</code>
$\Downarrow$	<code>\downmapsto</code>	$\nearrow$	<code>\nwbkarrow</code>	$\varhookleftarrow$	<code>\varhookleftarrow</code>
$\Downarrow$	<code>\downuparrows</code>	$\nearrow$	<code>\nwnwarrows</code>	$\varhooknearrow$	<code>\varhooknearrow</code>
$\Downarrow$	<code>\downwavearrow</code>	$\nearrow$	<code>\Nwsearrow</code>	$\varhooknwarrow$	<code>\varhooknwarrow</code>
$\downarrow$	<code>\hookdownarrow</code>	$\nearrow$	<code>\nwsearrow</code>	$\varhookrightarrow$	<code>\varhookrightarrow</code>
$\leftarrow$	<code>\hookleftarrow</code>	$\nearrow$	<code>\nwsearrows</code>	$\varhooksearrow$	<code>\varhooksearrow</code>
$\nearrow$	<code>\hooknearrow</code>	$\Lsh$	<code>\Rdsh</code>	$\varhookswarrow$	<code>\varhookswarrow</code>
$\nearrow$	<code>\hooknwarrow</code>	$\Rightarrow$	<code>\rightarrow</code>	$\varhookuparrow$	<code>\varhookuparrow</code>
$\rightarrow$	<code>\hookrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>	$\varleftrighthwavearrow$	<code>\varleftrighthwavearrow</code>
$\searrow$	<code>\hooksearrow</code>	$\rightarrow$	<code>\rightarrowtail</code>	$\varleftwavearrow$	<code>\varleftwavearrow</code>
$\nearrow$	<code>\hookswarrow</code>	$\rightarrow$	<code>\rightarrowtail</code>	$\varrightwavearrow$	<code>\varrightwavearrow</code>
$\uparrow$	<code>\hookuparrow</code>	$\rightarrow$	<code>\rightarrowtail</code>	$\varupdownwavearrow$	<code>\varupdownwavearrow</code>
$\leftarrow$	<code>\Ldsh</code>	$\Rightarrow$	<code>\Rightmapsto</code>	$\varupwavearrow$	<code>\varupwavearrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\rightarrow$	<code>\rightarrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

$\circlearrowleft$	<code>\acwgapcirclearrow</code>	$\leftrightarrow$	<code>\leftrightsquigarrow</code>	$\curvearrowright$	<code>\rhooknwarrow</code>
$\circlearrowright$	<code>\acwopencirclearrow</code>	$\leftrightarrow$	<code>\leftrsquigarrow</code>	$\rightarrow$	<code>\rhookrightarrow</code>
$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftrightarrow$	<code>\leftsquigarrow</code>	$\searrow$	<code>\rhooksearrow</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\curvearrowright$	<code>\leftupcurvedarrow</code>	$\nearrow$	<code>\rhookswarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\downarrow$	<code>\lhookdownarrow</code>	$\uparrow$	<code>\rhookuparrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\leftarrow$	<code>\lhookleftarrow</code>	$\curvearrowright$	<code>\rightcurvedarrow</code>
$\circlearrowleft$	<code>\cwgapcirclearrow</code>	$\nearrow$	<code>\lhooknearrow</code>	$\searrow$	<code>\rightdowncurvedarrow</code>
$\circlearrowright$	<code>\cwopencirclearrow</code>	$\curvearrowright$	<code>\lhooknwarrow</code>	$\curvearrowright$	<code>\rightlcurvearrow</code>
$\rightarrow$	<code>\dasharrow</code>	$\rightarrow$	<code>\lhookrightarrow</code>	$\curvearrowleft$	<code>\rightleftcurvearrow</code>
$\leftarrow$	<code>\dashleftarrow</code>	$\searrow$	<code>\lhooksearrow</code>	$\leftrightarrow$	<code>\rightleftsquigarrow</code>
$\rightarrow$	<code>\dashrightarrow</code>	$\nearrow$	<code>\lhookswarrow</code>	$\curvearrowright$	<code>\rightlsquigarrow</code>
$\downarrow$	<code>\downlcurvearrow</code>	$\uparrow$	<code>\lhookuparrow</code>	$\curvearrowright$	<code>\rightrcurvearrow</code>
$\curvearrowleft$	<code>\downleftcurvedarrow</code>	$\rightsquigarrow$	<code>\longleadsto</code>	$\curvearrowright$	<code>\rightrsquigarrow</code>
$\searrow$	<code>\downlsquigarrow</code>	$\rightsquigarrow$	<code>\longleftsquigarrow</code>	$\curvearrowright$	<code>\rightsquigarrow</code>
$\searrow$	<code>\downrcurvearrow</code>	$\rightsquigarrow$	<code>\longrightsquigarrow</code>	$\nearrow$	<code>\rightupcurvedarrow</code>
$\curvearrowright$	<code>\downrightcurvedarrow</code>	$\downarrow$	<code>\mapsdown</code>	$\curvearrowright$	<code>\selcurvearrow</code>
$\searrow$	<code>\downrsquigarrow</code>	$\Downarrow$	<code>\Mapsdown</code>	$\curvearrowright$	<code>\senwcurvearrow</code>
$\curvearrowright$	<code>\downupcurvearrow</code>	$\leftarrow$	<code>\mapsfrom</code>	$\searrow$	<code>\sercurvearrow</code>
$\searrow$	<code>\downupsquigarrow</code>	$\Leftarrow$	<code>\Mapsfrom</code>	$\curvearrowleft$	<code>\swlcurvearrow</code>
$\nearrow$	<code>\downzigzagarrow</code>	$\rightarrow$	<code>\mapsto</code>	$\curvearrowright$	<code>\swnecurvearrow</code>

(continued on next page)

(continued from previous page)

$\leftarrow$	<code>\gets</code>	$\Rightarrow$	<code>\Mapsto</code>	$\curvearrowright$	<code>\swrcurvearrow</code>
$\nearrow$	<code>\hknearrow</code>	$\uparrow$	<code>\mapsup</code>	$\rightarrow$	<code>\to</code>
$\rightsquigarrow$	<code>\hknwarrow</code>	$\Uparrow$	<code>\Mapsup</code>	$\curvearrowleft$	<code>\updowncurvearrow</code>
$\searrow$	<code>\hksearrow</code>	$\curvearrowright$	<code>\nelcurvearrow</code>	$\S$	<code>\updownsquigarrow</code>
$\swarrow$	<code>\hkswarrow</code>	$\curvearrowleft$	<code>\nercurvearrow</code>	$\curvearrowright$	<code>\uplcurvearrow</code>
$\leadsto$	<code>\leadsto</code>	$\curvearrowright$	<code>\neswcurvearrow</code>	$\curvearrowleft$	<code>\upleftcurvedarrow</code>
$\leftarrow$	<code>\leftcurvedarrow</code>	$\curvearrowleft$	<code>\nwlcurvearrow</code>	$\curvearrowright$	<code>\uplsquigarrow</code>
$\leftarrow$	<code>\leftdowncurvedarrow</code>	$\curvearrowleft$	<code>\nwrcurvearrow</code>	$\curvearrowright$	<code>\uprcurvearrow</code>
$\leftarrow$	<code>\lefttlcurvearrow</code>	$\curvearrowright$	<code>\nwsecurvearrow</code>	$\curvearrowright$	<code>\uprightcurvearrow</code>
$\leftarrow$	<code>\lefttlsquigarrow</code>	$\downarrow$	<code>\rhookdownarrow</code>	$\S$	<code>\uprsquigarrow</code>
$\rightarrow$	<code>\leftrcurvearrow</code>	$\leftarrow$	<code>\rhookleftarrow</code>		
$\rightarrow$	<code>\leftrrightcurvearrow</code>	$\nearrow$	<code>\rhooknearrow</code>		

TABLE 155: fdsymbol Negated Arrows

$\nrightarrow$	<code>\nacwcirclearrowdown</code>	$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nRrightarrow</code>
$\nrightarrow$	<code>\nacwcirclearrowleft</code>	$\nleftarrow$	<code>\nLeftarrow</code>	$\nrightarrow$	<code>\nsearrow</code>
$\nrightarrow$	<code>\nacwcirclearrowright</code>	$\nleftarrow$	<code>\nleftarrowtail</code>	$\nrightarrow$	<code>\nSearrow</code>
$\nrightarrow$	<code>\nacwcirclearrowup</code>	$\nleftarrow$	<code>\nleftbkarrow</code>	$\nrightarrow$	<code>\nsearrowtail</code>
$\nrightarrow$	<code>\nacwleftarcarrow</code>	$\nleftarrow$	<code>\nleftleftarrows</code>	$\nrightarrow$	<code>\nsebkarrow</code>
$\nrightarrow$	<code>\nacwnearcarrow</code>	$\nleftarrow$	<code>\nleftmapsto</code>	$\nrightarrow$	<code>\nsenwarrows</code>
$\nrightarrow$	<code>\nacwnwarcarrow</code>	$\nleftarrow$	<code>\nLeftmapsto</code>	$\nrightarrow$	<code>\nsesearrows</code>
$\nrightarrow$	<code>\nacwoverarcarrow</code>	$\nleftarrow$	<code>\nleftrightarrow</code>	$\nrightarrow$	<code>\nswarrow</code>
$\nrightarrow$	<code>\nacwrightarcarrow</code>	$\nleftarrow$	<code>\nLeftrightarrow</code>	$\nrightarrow$	<code>\nSwarrow</code>
$\nrightarrow$	<code>\nacwsearcarrow</code>	$\nleftarrow$	<code>\nleftrightarrows</code>	$\nrightarrow$	<code>\nswarrowtail</code>
$\nrightarrow$	<code>\nacwswarcarrow</code>	$\nleftarrow$	<code>\nleftrightwavearrow</code>	$\nrightarrow$	<code>\nswbkarrow</code>
$\nrightarrow$	<code>\nacwunderarcarrow</code>	$\nleftarrow$	<code>\nleftwavearrow</code>	$\nrightarrow$	<code>\nswnearrows</code>
$\nrightarrow$	<code>\nbdleftarcarrow</code>	$\nleftarrow$	<code>\nLleftarrow</code>	$\nrightarrow$	<code>\nswswarrows</code>
$\nrightarrow$	<code>\nbdnearcarrow</code>	$\nleftarrow$	<code>\nlongleftarrow</code>	$\nrightarrow$	<code>\ntwoheaddownarrow</code>
$\nrightarrow$	<code>\nbdnwarcarrow</code>	$\nleftarrow$	<code>\nLongleftarrow</code>	$\nrightarrow$	<code>\ntwoheadleftarrow</code>
$\nrightarrow$	<code>\nbdoverarcarrow</code>	$\nleftarrow$	<code>\nlongleftrightarrow</code>	$\nrightarrow$	<code>\ntwoheadnearrow</code>
$\nrightarrow$	<code>\nbdrightarcarrow</code>	$\nleftarrow$	<code>\nLongleftrightarrow</code>	$\nrightarrow$	<code>\ntwoheadnwarrow</code>
$\nrightarrow$	<code>\nbdsearcarrow</code>	$\nleftarrow$	<code>\nlongleftwavearrow</code>	$\nrightarrow$	<code>\ntwoheadrightarrow</code>
$\nrightarrow$	<code>\nbdswarcarrow</code>	$\nleftarrow$	<code>\nlongmapsfrom</code>	$\nrightarrow$	<code>\ntwoheadsearrow</code>
$\nrightarrow$	<code>\nbdunderarcarrow</code>	$\nleftarrow$	<code>\nLongmapsfrom</code>	$\nrightarrow$	<code>\ntwoheadswarrow</code>
$\nrightarrow$	<code>\ncwcirclearrowdown</code>	$\nrightarrow$	<code>\nlongmapsto</code>	$\nrightarrow$	<code>\ntwoheaduparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowleft</code>	$\nrightarrow$	<code>\nLongmapsto</code>	$\nrightarrow$	<code>\nuparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowright</code>	$\nrightarrow$	<code>\nlongrightarrow</code>	$\nrightarrow$	<code>\nUparrow</code>
$\nrightarrow$	<code>\ncwcirclearrowup</code>	$\nrightarrow$	<code>\nLongrightarrow</code>	$\nrightarrow$	<code>\nuparrowtail</code>
$\nrightarrow$	<code>\ncwleftarcarrow</code>	$\nrightarrow$	<code>\nlongrightwavearrow</code>	$\nrightarrow$	<code>\nupbkarrow</code>
$\nrightarrow$	<code>\ncwnearcarrow</code>	$\nrightarrow$	<code>\nnearrow</code>	$\nrightarrow$	<code>\nupdownarrow</code>
$\nrightarrow$	<code>\ncwnwarcarrow</code>	$\nrightarrow$	<code>\nNearrow</code>	$\nrightarrow$	<code>\nUpdownarrow</code>
$\nrightarrow$	<code>\ncwoverarcarrow</code>	$\nrightarrow$	<code>\nnearrowtail</code>	$\nrightarrow$	<code>\nupdownarrows</code>

(continued on next page)

(continued from previous page)

$\curvearrowright$	<code>\ncwrightarcarrow</code>	$\nrightarrow$	<code>\nnebkarrow</code>	$\Downarrow$	<code>\nupdownwvewarrow</code>
$\curvearrowleft$	<code>\ncwsearcarrow</code>	$\nrightarrow$	<code>\nnenearrows</code>	$\Uparrow$	<code>\nupmapsto</code>
$\curvearrowright$	<code>\ncwswarcarrow</code>	$\nrightarrow$	<code>\nneswarrow</code>	$\Updownarrow$	<code>\nUpmapsto</code>
$\curvearrowleft$	<code>\ncwunderarcarrow</code>	$\nrightarrow$	<code>\nNeswarrow</code>	$\Uparrow$	<code>\nupuparrows</code>
$\Downarrow$	<code>\nDdownarrow</code>	$\nrightarrow$	<code>\nneswarrows</code>	$\Downarrow$	<code>\nupwvewarrow</code>
$\downarrow$	<code>\ndownarrow</code>	$\nrightarrow$	<code>\nnwarrow</code>	$\Uparrow$	<code>\nUuparrow</code>
$\Downarrow$	<code>\nDownarrow</code>	$\nrightarrow$	<code>\nNwarrow</code>	$\Downarrow$	<code>\nvardownwvewarrow</code>
$\downarrowtail$	<code>\ndownarrowtail</code>	$\nrightarrow$	<code>\nnwarrowtail</code>	$\Downarrow$	<code>\nvarhookdownarrow</code>
$\Downarrowtail$	<code>\nDownarrowtail</code>	$\nrightarrow$	<code>\nnwbkarrow</code>	$\Leftarrow$	<code>\nvarhookleftarrow</code>
$\Downarrow$	<code>\ndowndownarrows</code>	$\nrightarrow$	<code>\nnwnwarrows</code>	$\rightarrow$	<code>\nvarhooknearrow</code>
$\Downarrow$	<code>\ndownmapsto</code>	$\nrightarrow$	<code>\nnwsearrow</code>	$\nrightarrow$	<code>\nvarhooknarrow</code>
$\Downarrow$	<code>\nDownmapsto</code>	$\nrightarrow$	<code>\nNwsearrow</code>	$\rightarrow$	<code>\nvarhookrightarrow</code>
$\Downarrow$	<code>\ndownuparrows</code>	$\nrightarrow$	<code>\nnwsearrows</code>	$\nrightarrow$	<code>\nvarhooksearrow</code>
$\Downarrow$	<code>\ndownwvewarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nvarhookswarrow</code>
$\Downarrow$	<code>\nhookdownarrow</code>	$\rightarrow$	<code>\nrightarrow</code>	$\rightarrow$	<code>\nvarhookuparrow</code>
$\Leftarrow$	<code>\nhookleftarrow</code>	$\rightarrow$	<code>\nrightarrowtail</code>	$\leftrightarrow$	<code>\nvarleftrighwvewarrow</code>
$\rightarrow$	<code>\nhooknearrow</code>	$\rightarrow$	<code>\nrightarrowbckarrow</code>	$\rightarrow$	<code>\nvarleftwvewarrow</code>
$\nrightarrow$	<code>\nhooknarrow</code>	$\rightarrow$	<code>\nrightarrowleftarrows</code>	$\rightarrow$	<code>\nvarrightwvewarrow</code>
$\rightarrow$	<code>\nhookrightarrow</code>	$\rightarrow$	<code>\nrightarrowmapsto</code>	$\Downarrow$	<code>\nvarupdownwvewarrow</code>
$\nrightarrow$	<code>\nhooksearrow</code>	$\rightarrow$	<code>\nrightarrowmapsto</code>	$\Downarrow$	<code>\nvarupwvewarrow</code>
$\nrightarrow$	<code>\nhookswarrow</code>	$\rightarrow$	<code>\nrightarrowrightarrows</code>		
$\rightarrow$	<code>\nhookuparrow</code>	$\rightarrow$	<code>\nrightarrowwvewarrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

$\circlearrowleft$	<code>\nacwgapcirclearrow</code>	$\curvearrowleft$	<code>\nleftdowncurvedarrow</code>	$\rightarrow$	<code>\nrightcurvedarrow</code>
$\circlearrowright$	<code>\nacwopencirclearrow</code>	$\curvearrowright$	<code>\nleftlcurvearrow</code>	$\curvearrowright$	<code>\nrightdowncurvedarrow</code>
$\circlearrowleft$	<code>\ncirclearrowleft</code>	$\rightarrow$	<code>\nleftlsquigarow</code>	$\rightarrow$	<code>\nrightlcurvearrow</code>
$\circlearrowright$	<code>\ncirclearrowright</code>	$\rightarrow$	<code>\nleftrcurvearrow</code>	$\curvearrowright$	<code>\nrightleftcurvearrow</code>
$\curvearrowleft$	<code>\ncurvearrowleft</code>	$\rightarrow$	<code>\nleftrightcurvearrow</code>	$\leftrightarrow$	<code>\nrightleftsquigarow</code>
$\curvearrowright$	<code>\ncurvearrowright</code>	$\rightarrow$	<code>\nleftrightsquigarow</code>	$\rightarrow$	<code>\nrightlsquigarow</code>
$\circlearrowleft$	<code>\ncwgapcirclearrow</code>	$\rightarrow$	<code>\nleftsquigarow</code>	$\curvearrowright$	<code>\nrightrcurvearrow</code>
$\circlearrowright$	<code>\ncwopencirclearrow</code>	$\rightarrow$	<code>\nleftsquigarow</code>	$\rightarrow$	<code>\nrightrsquigarow</code>
$\dashrightarrow$	<code>\ndasharrow</code>	$\nrightarrow$	<code>\nleftupcurvedarrow</code>	$\rightarrow$	<code>\nrightsquigarow</code>
$\dashleftarrow$	<code>\ndashleftarrow</code>	$\rightarrow$	<code>\nlongleadsto</code>	$\nrightarrow$	<code>\nrightupcurvedarrow</code>
$\dashrightarrow$	<code>\ndashrightarrow</code>	$\rightarrow$	<code>\nlongleftsquigarow</code>	$\nrightarrow$	<code>\nselectcurvearrow</code>
$\curvearrowleft$	<code>\ndownlcurvearrow</code>	$\rightarrow$	<code>\nlongrightsquigarow</code>	$\nrightarrow$	<code>\nsewcurvearrow</code>
$\curvearrowleft$	<code>\ndownleftcurvedarrow</code>	$\rightarrow$	<code>\nmapsdown</code>	$\curvearrowright$	<code>\nsercurvearrow</code>
$\curvearrowleft$	<code>\ndownlsquigarow</code>	$\rightarrow$	<code>\nMapsdown</code>	$\curvearrowleft$	<code>\nswlcurvearrow</code>
$\curvearrowleft$	<code>\ndownrcurvearrow</code>	$\rightarrow$	<code>\nmapsfrom</code>	$\curvearrowright$	<code>\nswncurvearrow</code>
$\curvearrowright$	<code>\ndownrightcurvedarrow</code>	$\rightarrow$	<code>\nMapsfrom</code>	$\curvearrowleft$	<code>\nswrcurvearrow</code>
$\curvearrowright$	<code>\ndownrsquigarow</code>	$\rightarrow$	<code>\nmapsto</code>	$\rightarrow$	<code>\nto</code>
$\curvearrowright$	<code>\ndownupcurvearrow</code>	$\rightarrow$	<code>\nMapsto</code>	$\rightarrow$	<code>\nupdowncurvearrow</code>
$\curvearrowright$	<code>\ndownupsquigarow</code>	$\rightarrow$	<code>\nmapsup</code>	$\rightarrow$	<code>\nupdownsquigarow</code>
$\rightarrow$	<code>\ngets</code>	$\rightarrow$	<code>\nMapsup</code>	$\rightarrow$	<code>\nuplcurvearrow</code>
$\rightarrow$	<code>\nhknearrow</code>	$\rightarrow$	<code>\nnelcurvearrow</code>	$\rightarrow$	<code>\nupleftcurvedarrow</code>
$\rightarrow$	<code>\nhknwarrow</code>	$\rightarrow$	<code>\nnercurvearrow</code>	$\rightarrow$	<code>\nuplsquigarow</code>
$\rightarrow$	<code>\nhksearrow</code>	$\rightarrow$	<code>\nneswcurvearrow</code>	$\rightarrow$	<code>\nuprcurvearrow</code>
$\rightarrow$	<code>\nhkswarrow</code>	$\rightarrow$	<code>\nnwlcurvearrow</code>	$\rightarrow$	<code>\nuprightcurvearrow</code>

(continued on next page)

(continued from previous page)

$\rightsquigarrow$	<code>\nleadsto</code>	$\curvearrowright$	<code>\nnwrcurvearrow</code>	$\nrightarrow$	<code>\nuprsquigarrow</code>
$\leftarrow$	<code>\nleftcurvedarrow</code>	$\curvearrowleft$	<code>\nnwsecurvearrow</code>		

TABLE 156: fdsymbol Harpoons

$\Downarrow$	<code>\downharpoonleft</code>	$\swarrow$	<code>\neswharpoons</code>	$\searrow$	<code>\seharpoonsw</code>
$\Downarrow$	<code>\downharpoonright</code>	$\swarrow$	<code>\neswharpoonsenw</code>	$\searrow$	<code>\senwharpoons</code>
$\Updownarrow$	<code>\downupharpoons</code>	$\swarrow$	<code>\nwharpoonne</code>	$\swarrow$	<code>\swharpoonnw</code>
$\leftarrow$	<code>\leftharpoondown</code>	$\swarrow$	<code>\nwharpoonsw</code>	$\swarrow$	<code>\swharpoonse</code>
$\leftarrow$	<code>\leftharpoonup</code>	$\swarrow$	<code>\nwseharpoonsesw</code>	$\swarrow$	<code>\swneharpoons</code>
$\rightarrow$	<code>\leftrightharpoondownup</code>	$\swarrow$	<code>\nwseharpoons</code>	$\updownarrow$	<code>\updownharpoonleftright</code>
$\rightleftarrows$	<code>\leftrightharpoons</code>	$\swarrow$	<code>\nwseharpoonswne</code>	$\downarrow$	<code>\updownharpoonrightleft</code>
$\rightarrow$	<code>\leftrightharpoonupdown</code>	$\rightarrow$	<code>\rightharpoondown</code>	$\updownarrow$	<code>\updownharpoons</code>
$\nearrow$	<code>\neharpoonnw</code>	$\rightarrow$	<code>\rightharpoonup</code>	$\uparrow$	<code>\upharpoonleft</code>
$\nearrow$	<code>\neharpoonse</code>	$\rightleftarrows$	<code>\rightleftharpoons</code>	$\uparrow$	<code>\upharpoonright</code>
$\nearrow$	<code>\neswharpoonnwse</code>	$\searrow$	<code>\seharpoonne</code>		

fdsymbol defines `\restriction` as a synonym for `\upharpoonright`, `\updownharpoonsleftright` as a synonym for `\updownharpoons`, and `\downupharpoonsleftright` as a synonym for `\downupharpoons`.

TABLE 157: fdsymbol Negated Harpoons

$\dagger$	<code>\ndownharpoonleft</code>	$\times$	<code>\nneswharpoons</code>	$\times$	<code>\nseharpoonsw</code>
$\dagger$	<code>\ndownharpoonright</code>	$\times$	<code>\nneswharpoonsenw</code>	$\times$	<code>\nsenwharpoons</code>
$\#$	<code>\ndownupharpoons</code>	$\times$	<code>\nnwharpoonne</code>	$\times$	<code>\nswharpoonnw</code>
$\nleftarrow$	<code>\nleftharpoondown</code>	$\times$	<code>\nnwharpoonsw</code>	$\times$	<code>\nswharpoonse</code>
$\nleftarrow$	<code>\nleftharpoonup</code>	$\times$	<code>\nnwseharpoonsesw</code>	$\times$	<code>\nswneharpoons</code>
$\nrightarrow$	<code>\nleftrightharpoondownup</code>	$\times$	<code>\nnwseharpoons</code>	$\dagger$	<code>\nupdownharpoonleftright</code>
$\nrightleftarrows$	<code>\nleftrightharpoons</code>	$\times$	<code>\nnwseharpoonswne</code>	$\dagger$	<code>\nupdownharpoonrightleft</code>
$\nrightarrow$	<code>\nleftrightharpoonupdown</code>	$\nrightarrow$	<code>\nrightharpoondown</code>	$\#$	<code>\nupdownharpoons</code>
$\nearrow$	<code>\nneharpoonnw</code>	$\nrightarrow$	<code>\nrightharpoonup</code>	$\dagger$	<code>\nupharpoonleft</code>
$\nearrow$	<code>\nneharpoonse</code>	$\nrightleftarrows$	<code>\nrightrightleftharpoons</code>	$\dagger$	<code>\nupharpoonright</code>
$\nearrow$	<code>\nneswharpoonnwse</code>	$\times$	<code>\nseharpoonne</code>		

fdsymbol defines `\nrestriction` as a synonym for `\nupharpoonright`, `\ndownupharpoonsleftright` as a synonym for `\ndownupharpoons`, and `\nupdownharpoonsleftright` as a synonym for `\nupdownharpoons`.



TABLE 158: boisik Arrows

	<code>\barleftarrow</code>		<code>\Lsh</code>
	<code>\barleftarrowrightarrowbar</code>		<code>\mapsdown</code>
	<code>\barovernorthwestarrow</code>		<code>\Mapsfrom</code>
	<code>\carriagereturn</code>		<code>\mapsfrom</code>
	<code>\circlearrowleft</code>		<code>\Mapsto</code>
	<code>\circlearrowright</code>		<code>\mapsto</code>
	<code>\cupleftarrow</code>		<code>\mapsup</code>
	<code>\curlyveedownarrow</code>		<code>\Nearrow</code>
	<code>\curlyveeparrow</code>		<code>\nearrowcorner</code>
	<code>\curlywedgedownarrow</code>		<code>\nnearrow</code>
	<code>\curlywedgearrow</code>		<code>\nnwarrow</code>
	<code>\curvearrowbotleft</code>		<code>\Nwarrow</code>
	<code>\curvearrowbotleftright</code>		<code>\nwarrowcorner</code>
	<code>\curvearrowbotright</code>		<code>\rightarrowbar</code>
	<code>\curvearrowleft</code>		<code>\rightarrowcircle</code>
	<code>\curvearrowleftright</code>		<code>\rightarrowtail</code>
	<code>\curvearrowright</code>		<code>\rightarrowTriangle</code>
	<code>\dlsh</code>		<code>\rightarrowtriangle</code>
	<code>\downblackarrow</code>		<code>\rightarrowblackarrow</code>
	<code>\downdasharrow</code>		<code>\rightarrowdasharrow</code>
	<code>\downdownarrows</code>		<code>\rightleftarrows</code>
	<code>\downtouparrow</code>		<code>\rightrightarrows</code>
	<code>\downwhitearrow</code>		<code>\rightsquigarrow</code>
	<code>\downzigzagarrow</code>		<code>\rightthreearrows</code>
	<code>\drsh</code>		<code>\righttoleftarrow</code>
	<code>\eqleftrightarrow</code>		<code>\rightarrowwhitearrow</code>
	<code>\hookleftarrow</code>		<code>\rightarrowwhiteroundarrow</code>
	<code>\hookrightarrow</code>		<code>\Rrightarrow</code>
	<code>\leftarrowtail</code>		<code>\Rsh</code>
	<code>\leftarrowTriangle</code>		<code>\Searrow</code>
	<code>\leftarrowtriangle</code>		<code>\ssearrow</code>
	<code>\leftblackarrow</code>		<code>\sswarrow</code>
	<code>\leftdasharrow</code>		<code>\Swarrow</code>
	<code>\leftleftarrows</code>		<code>\twoheaddownarrow</code>
	<code>\leftrightarroweq</code>		<code>\twoheadleftarrow</code>
	<code>\leftrightarrows</code>		<code>\twoheadrightarrow</code>
	<code>\leftrightarrowTriangle</code>		<code>\twoheaduparrow</code>
	<code>\leftrightarrowtriangle</code>		<code>\twoheadwhiteuparrow</code>
	<code>\leftrightblackarrow</code>		<code>\twoheadwhiteuparrowpedestal</code>
	<code>\leftrightsquigarrow</code>		<code>\upblackarrow</code>
	<code>\leftsquigarrow</code>		<code>\updasharrow</code>
	<code>\lefttorightarrow</code>		<code>\updownarrowbar</code>
	<code>\leftwhitearrow</code>		<code>\updownblackarrow</code>
	<code>\leftwhiteroundarrow</code>		<code>\updownwhitearrow</code>
	<code>\leftzigzagarrow</code>		<code>\uptodownarrow</code>
	<code>\linefeed</code>		<code>\upuparrows</code>
	<code>\Lleftarrow</code>		<code>\upwhitearrow</code>

(continued on next page)

(continued from previous page)

$\looparrowleft$	<code>\looparrowleft</code>	$\uparrow$	<code>\whitearrowupfrombar</code>
$\looparrowright$	<code>\looparrowright</code>	$\Uparrow$	<code>\whitearrowuppedestal</code>
$\looparrowleft$	<code>\looparrowleft</code>	$\Updownarrow$	<code>\whitearrowuppedestalthbar</code>
$\looparrowright$	<code>\looparrowright</code>	$\Updownarrow$	<code>\whitearrowuppedestallvbar</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 159: boisik Negated Arrows

$\nrightarrow$	<code>\nHdownarrow</code>	$\leftrightarrow$	<code>\nLeftrightarrow</code>	$\Rightarrow$	<code>\nRightarrow</code>
$\nleftarrow$	<code>\nHuparrow</code>	$\Leftrightarrow$	<code>\nlefttrightarrow</code>	$\Leftarrow$	<code>\nVleftarrow</code>
$\nleftarrow$	<code>\nLeftarrow</code>	$\Leftrightarrow$	<code>\nLeftrightarrow</code>	$\Rightarrow$	<code>\nVrightarrow</code>
$\leftarrow$	<code>\nleftarrow</code>	$\rightarrow$	<code>\nrightarrow</code>		

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 160: boisik Harpoons

$\downharpoonleft$	<code>\downharpoonleft</code>	$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\upharpoonleft$	<code>\upharpoonleft</code>
$\downharpoonright$	<code>\downharpoonright</code>	$\rightarrow$	<code>\rightarrow</code>	$\upharpoonright$	<code>\upharpoonright</code>
$\lefttharpoonright$	<code>\lefttharpoonright</code>	$\rightarrow$	<code>\rightarrow</code>		
$\lefttharpoonup$	<code>\lefttharpoonup</code>	$\rightleftharpoons$	<code>\rightleftharpoons</code>		

TABLE 161: stix Arrows

$\circlearrowleft$	<code>\acwcirclearrow</code>	$\mapsto$	<code>\longmapsto</code>
$\circlearrowright$	<code>\acwgapcirclearrow</code>	$\Longrightarrow$	<code>\Longmapsto</code>
$\curvearrowleft$	<code>\acwleftarcarrow</code>	$\rightarrow$	<code>\longrightarrow</code>
$\curvearrowright$	<code>\acwoverarcarrow</code>	$\Rightarrow$	<code>\Longrightarrow</code>
$\undercurvearrowleft$	<code>\acwunderarcarrow</code>	$\rightsquigarrow$	<code>\longrightsquigarrow</code>
$\barleftarrow$	<code>\barleftarrow</code>	$\looparrowleft$	<code>\looparrowleft</code>
$\barleftarrow\barrightarrow$	<code>\barleftarrow\barrightarrow*</code>	$\looparrowright$	<code>\looparrowright</code>
$\barrightarrow\bardiamond$	<code>\barrightarrow\bardiamond</code>	$\Lsh$	<code>\Lsh</code>
$\baruparrow$	<code>\baruparrow</code>	$\mapsto$	<code>\mapsdown</code>
$\bsimilarleftarrow$	<code>\bsimilarleftarrow</code>	$\Leftarrow$	<code>\Mapsfrom</code>
$\bsimilarrightarrow$	<code>\bsimilarrightarrow</code>	$\leftarrow$	<code>\mapsfrom</code>
$\carriagereturn$	<code>\carriagereturn*</code>	$\mapsto$	<code>\mapsto</code>
$\ccwundercurvearrow$	<code>\ccwundercurvearrow</code>	$\Rightarrow$	<code>\Mapsto</code>
$\circlearrowleft$	<code>\circlearrowleft</code>	$\uparrow$	<code>\mapsup</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\nearrow$	<code>\Nearrow</code>

(continued on next page)

(continued from previous page)

	<code>\circleonleftarrow</code>		<code>\nearrow</code>
	<code>\circleonrightarrow</code>		<code>\neovnearrow*</code>
	<code>\curvearrowleft</code>		<code>\neovsearrow*</code>
	<code>\curvearrowleftplus</code>		<code>\neswarrow</code>
	<code>\curvearrowright</code>		<code>\narrow</code>
	<code>\curvearrowrightminus</code>		<code>\Narrow</code>
	<code>\cwcirculararrow</code>		<code>\nwovnearrow*</code>
	<code>\cwgapcirculararrow</code>		<code>\nwsearrow</code>
	<code>\cwrightarcarrow</code>		<code>\rdiagovsearrow*</code>
	<code>\cwundercurvearrow</code>		<code>\Rdsh</code>
	<code>\dbkarow</code>		<code>\Rightarrow</code>
	<code>\DDownarrow</code>		<code>\rightarrow</code>
	<code>\Downarrow</code>		<code>\rightarrowapprox</code>
	<code>\diamondleftarrow</code>		<code>\rightarrowbackapprox</code>
	<code>\diamondleftarrowbar</code>		<code>\rightarrowbar</code>
	<code>\downarrow</code>		<code>\rightarrowbsimilar</code>
	<code>\Downarrow</code>		<code>\rightarrowdiamond</code>
	<code>\downarrowbar</code>		<code>\rightarrowonoplus</code>
	<code>\downarrowbarred</code>		<code>\rightarrowplus</code>
	<code>\downdasharrow*</code>		<code>\rightarrowshortleftarrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowsimilar</code>
	<code>\downrightcurvedarrow*</code>		<code>\rightarrowtail</code>
	<code>\downuparrows</code>		<code>\rightarrowtriangle</code>
	<code>\downwhitearrow*</code>		<code>\rightarrowx</code>
	<code>\downzigzagarrow</code>		<code>\rightbkarrow</code>
	<code>\draftingarrow*</code>		<code>\rightcurvedarrow</code>
	<code>\drbkarrow</code>		<code>\rightdasharrow*</code>
	<code>\equalleftarrow</code>		<code>\rightdotarrow</code>
	<code>\equalrightarrow</code>		<code>\rightdowncurvedarrow</code>
	<code>\fdiagovnearrow*</code>		<code>\rightleftarrows</code>
	<code>\hknearrow</code>		<code>\rightrightarrows</code>
	<code>\hknwarrow</code>		<code>\rightsquigarrow</code>
	<code>\hksearrow</code>		<code>\rightthreearrows</code>
	<code>\hkswarrow</code>		<code>\rightwavearrow</code>
	<code>\hookleftarrow</code>		<code>\rightwhitearrow*</code>
	<code>\hookrightarrow</code>		<code>\RRightarrow</code>
	<code>\Ldsh</code>		<code>\Rrightarrow</code>
	<code>\leftarrow</code>		<code>\Rsh</code>
	<code>\Leftarrow</code>		<code>\searrow</code>
	<code>\leftarrowapprox</code>		<code>\Searrow</code>
	<code>\leftarrowbackapprox</code>		<code>\seovnearrow*</code>
	<code>\leftarrowbsimilar</code>		<code>\shortrightarrowleftarrow</code>
	<code>\leftarrowonoplus</code>		<code>\similarleftarrow</code>
	<code>\leftarrowplus</code>		<code>\similarrightarrow</code>
	<code>\leftarrowshortrightarrow</code>		<code>\swarrow</code>
	<code>\leftarrowsimilar</code>		<code>\Swarrow</code>
	<code>\leftarrowtail</code>		<code>\toea</code>
	<code>\leftarrowtriangle</code>		<code>\tona</code>
	<code>\leftarrowx</code>		<code>\tosa</code>

(continued on next page)

(continued from previous page)

$\leftarrow$	<code>\leftbkarrow</code>	$\boxtimes$	<code>\towa</code>
$\curvearrowleft$	<code>\leftcurvedarrow</code>	$\Downarrow$	<code>\twoheaddownarrow</code>
$\dashleftarrow$	<code>\leftdasharrow*</code>	$\leftarrow$	<code>\twoheadleftarrow</code>
$\leftleftarrows$	<code>\leftdbkarrow</code>	$\leftarrow$	<code>\twoheadleftarrowtail</code>
$\leftarrow$	<code>\leftdotarrow</code>	$\leftarrow$	<code>\twoheadleftdbkarrow</code>
$\curvearrowright$	<code>\leftdowncurvedarrow</code>	$\leftarrow$	<code>\twoheadmapsfrom</code>
$\leftleftarrows$	<code>\leftleftarrows</code>	$\mapsto$	<code>\twoheadmapsto</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\rightarrow$	<code>\twoheadrightarrow</code>
$\rightarrow$	<code>\leftrightharpoonup</code>	$\rightarrow$	<code>\twoheadrightarrowtail</code>
$\circlearrowleft$	<code>\leftrightharpoonupcircle</code>	$\Uparrow$	<code>\twoheaduparrow</code>
$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\Updownarrow$	<code>\twoheaduparrowcircle</code>
$\blacktriangleright$	<code>\leftrightharpoonuptriangle</code>	$\uparrow$	<code>\uparrow</code>
$\rightsquigarrow$	<code>\leftrightsquigarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\rightsquigarrow$	<code>\leftsquigarrow</code>	$\uparrow$	<code>\uparrowbarred</code>
$\rightarrow$	<code>\leftthreearrows</code>	$\dashrightarrow$	<code>\updasharrow*</code>
$\rightarrow$	<code>\leftwvearrow</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\rightarrow$	<code>\leftwhitearrow*</code>	$\updownarrow$	<code>\updownarrow</code>
$\rightarrow$	<code>\linefeed*</code>	$\updownarrow$	<code>\updownarrowbar*</code>
$\Leftarrow$	<code>\LLeftarrow</code>	$\Updownarrow$	<code>\updownarrows</code>
$\Leftarrow$	<code>\Lleftarrow</code>	$\curvearrowright$	<code>\uprightcurvearrow*</code>
$\rightarrow$	<code>\longleftarrow</code>	$\Uparrow$	<code>\upuparrows</code>
$\Leftarrow$	<code>\Longleftarrow</code>	$\uparrow$	<code>\upwhitearrow*</code>
$\Leftrightarrow$	<code>\Longleftrightharpoonup</code>	$\Uparrow$	<code>\UUparrow</code>
$\rightarrow$	<code>\longleftrightharpoonup</code>	$\Uparrow$	<code>\Uuparrow</code>
$\rightsquigarrow$	<code>\longleftsquigarrow</code>	$\curvearrowright$	<code>\varcarriagereturn*</code>
$\Leftarrow$	<code>\Longmapsfrom</code>	$\uparrow$	<code>\whitearrowupfrombar*</code>
$\rightarrow$	<code>\longmapsfrom</code>		

\* Defined as an ordinary character, not as a binary relation.

stix defines `\acwopencirclearrow` as a synonym for `\circlearrowleft`, `\cwopencirclearrow` as a synonym for `\circlearrowright`, `\leadsto` as a synonym for `\rightsquigarrow`, `\dashleftarrow` as a synonym for `\leftdbkarrow`, and `\dashrightarrow` and `\dasharrow` as synonyms for `\dbkarrow`.

TABLE 162: stix Negated Arrows

‡	<code>\nHdownarrow*</code>	↔	<code>\nvLeftrightarrow</code>
‡	<code>\nHuparrow*</code>	↔	<code>\nVrightarrow</code>
↔	<code>\nleftarrow†</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nLeftarrow</code>	↔	<code>\nvrightarrow</code>
↔	<code>\nleftrightarrow</code>	↔	<code>\nVrightarrowtail</code>
↔	<code>\nLeftrightarrow</code>	↔	<code>\nvrightarrowtail</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nrightarrow</code>	↔	<code>\nVtwoheadleftarrow</code>
↔	<code>\nvleftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nvLeftarrow</code>	↔	<code>\nVtwoheadleftarrowtail</code>
↔	<code>\nVleftarrow</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nVleftarrowtail</code>	↔	<code>\nVtwoheadrightarrow</code>
↔	<code>\nvleftarrowtail</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nvleftrightarrow</code>	↔	<code>\nVtwoheadrightarrowtail</code>
↔	<code>\nVleftrightarrow</code>		

\* Defined as an ordinary character, not as a binary relation.

† stix defines `\ngets` as a synonym for `\nleftarrow`.

TABLE 163: stix Harpoons

↵	<code>\bardownharpoonleft</code>	↔	<code>\leftrightharpoons</code>
↵	<code>\bardownharpoonright</code>	↔	<code>\leftrightharpoonsdown</code>
↵	<code>\barleftharpoonupdown</code>	↔	<code>\leftrightharpoonsup</code>
↵	<code>\barleftharpoonup</code>	↔	<code>\leftrightharpoonupdown</code>
↵	<code>\barrightharpoonupdown</code>	↔	<code>\leftrightharpoonupup</code>
↵	<code>\barrightharpoonup</code>	↔	<code>\rightharpoonupdown</code>
↵	<code>\barupharpoonleft</code>	↔	<code>\rightharpoonupdownbar</code>
↵	<code>\barupharpoonright</code>	↔	<code>\rightharpoonsupdown</code>
↔	<code>\dashleftharpoonupdown</code>	↔	<code>\rightharpoonup</code>
↔	<code>\dashrightharpoonupdown</code>	↔	<code>\rightharpoonupbar</code>
↵	<code>\downharpoonleft</code>	↔	<code>\rightharpoonupdash</code>
↵	<code>\downharpoonleftbar</code>	↔	<code>\rightleftharpoons</code>
↵	<code>\downharpoonright</code>	↔	<code>\rightleftharpoonsdown</code>
↵	<code>\downharpoonrightbar</code>	↔	<code>\rightleftharpoonsup</code>
↵	<code>\downharpoonsleftright</code>	↵	<code>\updownharpoonleftleft</code>
↵	<code>\downupharpoonsleftright</code>	↵	<code>\updownharpoonleftright</code>
↵	<code>\leftharpoonupdown</code>	↵	<code>\updownharpoonrightleft</code>
↵	<code>\leftharpoonupdownbar</code>	↵	<code>\updownharpoonrightright</code>
↔	<code>\leftharpoonsupdown</code>	↵	<code>\updownharpoonsleftright</code>
↔	<code>\leftharpoonup</code>	↵	<code>\upharpoonleft</code>
↔	<code>\leftharpoonupbar</code>	↵	<code>\upharpoonleftbar</code>
↔	<code>\leftharpoonupdash</code>	↵	<code>\upharpoonright*</code>

(continued on next page)

(continued from previous page)

$\rightrightarrows$  `\leftrightharpoondowndown`     $\upharpoonright$  `\upharpoonrightbar`  
 $\leftrightharpoons$  `\leftrightharpoondownup`     $\Uparrow$  `\upharpoonsleftright`

\* stix defines `\restriction` as a synonym for `\upharpoonright`.

TABLE 164: harpoon Extensible Harpoons

$\overleftarrow{abc}$	<code>\overleftharp{abc}</code>	$\overrightarrow{abc}$	<code>\overrightharpdown{abc}</code>	$\underline{abc}$	<code>\underrightharp{abc}</code>
$\overleftarrow{\downarrow abc}$	<code>\overleftharpdown{abc}</code>	$\underline{abc}$	<code>\underleftharp{abc}</code>	$\underline{\overrightarrow{abc}}$	<code>\underrightharpdown{abc}</code>
$\overrightarrow{abc}$	<code>\overrightharp{abc}</code>	$\underline{\overrightarrow{abc}}$	<code>\underleftharpdown{abc}</code>		

All of the harpoon symbols are implemented using the `graphics` package (specifically, `graphics`'s `\resizebox` command). Consequently, only T<sub>E</sub>X backends that support graphical transformations (e.g., *not* Xdvi) can properly display these symbols.

TABLE 165: chemarrow Arrows

$\rightarrow$  `\chemarrow`


TABLE 166: fge Arrows

$\Rightarrow$  `\fgerightarrow`     $\Uparrow$  `\fgeuparrow`

TABLE 167: old-arrows Arrows

$\downarrow$	<code>\downarrow</code>	$\longleftrightarrow$	<code>\longlefttrightarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\longleftarrow$	<code>\longmapsfrom*</code>	$\rightarrow$	<code>\rightarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\mapsto$	<code>\longmapsto</code>	$\searrow$	<code>\searrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\longrightarrow$	<code>\longrightarrow</code>	$\swarrow$	<code>\swarrow</code>
$\leftrightarrow$	<code>\leftrightarrow</code>	$\mapsto$	<code>\mapsfrom*</code>	$\uparrow$	<code>\uparrow</code>
$\longhookrightarrow$	<code>\longhookrightarrow</code>	$\mapsto$	<code>\mapsto</code>	$\updownarrow$	<code>\updownarrow</code>
$\longleftarrow$	<code>\longleftarrow</code>	$\nearrow$	<code>\nearrow</code>		

The arrows provided by `old-arrows` represent Donald Knuth’s pre-1992 Computer Modern glyphs, which feature smaller arrowheads. Contrast the following:



In addition to the arrows shown above, `old-arrows` also reduces the arrowhead size for  $\mathcal{AMS}$ ’s `\overleftarrow`, `\overrightarrow`, `\overleftrightarrow`, `\underleftarrow`, `\underrightarrow`, `\underleftrightarrow`, `\xleftarrow`, `\xrightarrow`, `\varinjlim`, and `\varprojlim` symbols (Table 246 on page 117, Table 262 on page 121, and Table 184 on page 99) and `mathtools`’s `\xleftrightarrow`, `\xhookleftarrow`, `\xhookrightarrow`, and `\xmapsto` symbols (Table 263 on page 121).

With the new package option, `old-arrows` prefixes all of the above with “`var`” (i.e., `\vardownarrow`, `\varhookleftarrow`, etc.) so both old and new glyphs can be used in the same document. See the `old-arrows` documentation for more information.

\* Requires `stmaryrd`.

TABLE 168: old-arrows Harpoons

$\longleftarrow$	<code>\longlefttharpoondown</code>	$\longrightarrow$	<code>\longrightharpoondown</code>
$\longleftarrow$	<code>\longlefttharpoonup</code>	$\longrightarrow$	<code>\longrightharpoonup</code>

Unlike the symbols shown in Table 167, the new package option does not define a `\var...` version of the symbols in this table. Also unlike the symbols shown in Table 167, the harpoon arrowheads in this table are not reduced in size (i.e., relative to the size of those shown in Table 140 on page 78).

TABLE 169: esrelation Restrictions

$\downarrow$	<code>\restrictbarb</code>	$\downarrow$	<code>\restrictmallet</code>	$\downarrow$	<code>\restrictwand</code>
$\uparrow$	<code>\restrictbarbup</code>	$\uparrow$	<code>\restrictmalletup</code>	$\uparrow$	<code>\restrictwandup</code>

TABLE 170: MnSymbol Spoons

↓	<code>\downfilledspoon</code>	↙	<code>\nnespoon</code>	↘	<code>\nwfilledspoon</code>
∅	<code>\downspoon</code>	↘	<code>\nnwfilledspoon</code>	↘	<code>\nwspoon</code>
←	<code>\leftfilledspoon</code>	↘	<code>\nnwspoon</code>	→	<code>\rightfilledspoon</code>
∅	<code>\leftspoon</code>	↗	<code>\nrighfilledspoon</code>	∅	<code>\rightspoon*</code>
↓	<code>\ndownfilledspoon</code>	↗	<code>\nrighspoon*</code>	↘	<code>\seffilledspoon</code>
∅	<code>\ndownspoon</code>	↘	<code>\nseffilledspoon</code>	↘	<code>\sespoon</code>
↗	<code>\neffilledspoon</code>	↘	<code>\nsespoon</code>	↘	<code>\swfilledspoon</code>
∅	<code>\nespoon</code>	↘	<code>\nswfilledspoon</code>	↘	<code>\swspoon</code>
↗	<code>\nleftfilledspoon</code>	↘	<code>\nswspoon</code>	↑	<code>\upfilledspoon</code>
∅	<code>\nleftspoon</code>	↑	<code>\nupfilledspoon</code>	∅	<code>\upspoon</code>
↗	<code>\neffilledspoon</code>	↑	<code>\nupspoon</code>		

\* MnSymbol defines `\multimap` as a synonym for `\rightspoon` and `\nmultimap` as a synonym for `\nrighspoon`.

TABLE 171: MnSymbol Pitchforks

ψ	<code>\downpitchfork</code>	↘	<code>\nnwpitchfork</code>	⇒	<code>\rightpitchfork</code>
←	<code>\leftpitchfork</code>	⇒	<code>\nrighpitchfork</code>	↘	<code>\sepitchfork</code>
ψ	<code>\ndownpitchfork</code>	↘	<code>\nsepitchfork</code>	↘	<code>\swpitchfork</code>
↘	<code>\nepitchfork</code>	↘	<code>\nswpitchfork</code>	↑	<code>\uppitchfork</code>
←	<code>\nleftpitchfork</code>	↑	<code>\nuppitchfork</code>		
↘	<code>\nepitchfork</code>	↘	<code>\nwpitchfork</code>		

\* MnSymbol defines `\pitchfork` as a synonym for `\uppitchfork` and `\npitchfork` as a synonym for `\nuppitchfork`.





TABLE 174: fdsymbol Pitchforks

$\Psi$	<code>\downpitchfork</code>	$\nleftpitchfork$	<code>\nleftpitchfork</code>	$\ni$	<code>\rightpitchfork</code>
$\leftarrow$	<code>\leftpitchfork</code>	$\nrightpitchfork$	<code>\nrightpitchfork</code>	$\pitchfork$	<code>\uppitchfork</code>
$\Psi$	<code>\ndownpitchfork</code>	$\pitchfork$	<code>\nuppitchfork</code>		

fdsymbol defines `\npitchfork` as a synonym for `\nuppitchfork` and `\pitchfork` as a synonym for `\uppitchfork`.

TABLE 175: fdsymbol Smiles and Frowns

$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smile$	<code>\smile</code>
$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smile$	<code>\smile</code>
$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smile$	<code>\smile</code>
$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smile$	<code>\smile</code>

fdsymbol defines `\arceq` as a synonym for `\frown`, `\asymp` as a synonym for `\smile`, `\closure` as a synonym for `\frown`, `\arceq` as a synonym for `\nfrown`, `\nasymp` as a synonym for `\nsmile`, `\nclosure` as a synonym for `\nfrown`, `\smallfrown` as a synonym for `\frown`, and `\smallsmile` as a synonym for `\smile`.

TABLE 176: halloweenmath Brooms and Pitchforks

$\leftarrow$	<code>\hmlleftpitchfork</code>	$\leftarrow$	<code>\leftbroom</code>
$\rightarrow$	<code>\hmrighpitchfork</code>	$\rightarrow$	<code>\rightbroom</code>

TABLE 177: ulsy Contradiction Symbols

$\blitz$	<code>\blitza</code>	$\blitz$	<code>\blitzb</code>	$\blitz$	<code>\blitzc</code>	$\blitz$	<code>\blitzd</code>	$\blitz$	<code>\blitze</code>
----------	----------------------	----------	----------------------	----------	----------------------	----------	----------------------	----------	----------------------

TABLE 178: Extension Characters

$\bar{\phantom{x}}$	<code>\relbar</code>	$\bar{\phantom{x}}$	<code>\Relbar</code>
---------------------	----------------------	---------------------	----------------------

TABLE 179: stmaryrd Extension Characters

$\rightarrow$	<code>\Arrownot</code>	$\rightarrow$	<code>\Mapsfromchar</code>	$\rightarrow$	<code>\Mapstochar</code>
$\rightarrow$	<code>\arrownot</code>	$\rightarrow$	<code>\mapsfromchar</code>		

TABLE 180: txfonts/pxfonts Extension Characters

$\rightarrow$	<code>\Mappedfromchar</code>	$\rightarrow$	<code>\Mmappedfromchar</code>	$\rightarrow$	<code>\Mmapstochar</code>
$\rightarrow$	<code>\mappedfromchar</code>	$\rightarrow$	<code>\mmappedfromchar</code>	$\rightarrow$	<code>\mmapstochar</code>

TABLE 181: `mathabx` Extension Characters

<code>\mapsfromchar</code>	<code>\mapstochar</code>
<code>\Mapsfromchar</code>	<code>\Mapstochar</code>

TABLE 182: `stix` Extension Characters

<code>\lhook</code>	<code>\relbar</code>	<code>\RRelbar</code>
<code>\mapsfromchar</code>	<code>\Relbar</code>	<code>\Rrelbar</code>
<code>\mapstochar</code>	<code>\rhook</code>	

TABLE 183: Log-like Symbols

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

Calling the above “symbols” may be a bit misleading.<sup>3</sup> Each log-like symbol merely produces the eponymous textual equivalent, but with proper surrounding spacing. See Section 11.4 for more information about log-like symbols. As `\bmod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for samples.

TABLE 184:  $\mathcal{A}\mathcal{M}\mathcal{S}$  Log-like Symbols

<code>injlim</code>	<code>\injlim</code>	$\varinjlim$	<code>\varinjlim</code>	$\overline{\lim}$	<code>\varlimsup</code>
<code>projlim</code>	<code>\projlim</code>	$\varliminf$	<code>\varliminf</code>	$\varprojlim$	<code>\varprojlim</code>

Load the `amsmath` package to get these symbols. See Section 11.4 for some additional comments regarding log-like symbols. As `\mod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for samples.

---

<sup>3</sup>Michael J. Downes prefers the more general term, “atomic math objects”.

TABLE 185: mismath Log-like Symbols

adj	<code>\adj</code>	Conv	<code>\Conv</code>	id	<code>\id</code>	sech	<code>\sech</code>
arccot	<code>\arccot</code>	Cov	<code>\Cov</code>	Id	<code>\Id</code>	sgn	<code>\sgn</code>
arcosh	<code>\arcosh</code>	cov	<code>\cov</code>	im	<code>\im</code>	span	<code>\spa</code>
arcoth	<code>\arcoth</code>	csch	<code>\csch</code>	Im	<code>\Im*</code>	tr	<code>\tr</code>
arsch	<code>\arsch</code>	$\overrightarrow{\text{curl}}$	<code>\curl</code>	lb	<code>\lb</code>	Var	<code>\Var</code>
arsech	<code>\arsech</code>	div	<code>\divg</code>	lcm	<code>\lcm</code>	Z	<code>\Zu</code>
arsinh	<code>\arsinh</code>	End	<code>\End</code>	rank	<code>\rank</code>		
artanh	<code>\artanh</code>	erf	<code>\erf</code>	Re	<code>\Re*</code>		
Aut	<code>\Aut</code>	$\overrightarrow{\text{grad}}$	<code>\grad</code>	$\overrightarrow{\text{rot}}$	<code>\rot</code>		

\* mismath renames L<sup>A</sup>T<sub>E</sub>X's `\Re` and `\Im` (Table 203) to `\oldRe` and `\oldIm`.

TABLE 186: mismath Asymptotic Notation

O	<code>\bigo</code>	0	<code>\big0</code>	o	<code>\lito</code>
---	--------------------	---	--------------------	---	--------------------

TABLE 187: G<sup>N</sup>A<sub>2e</sub> Number Sets

C	<code>\Complex</code>	Z	<code>\Integer</code>	N	<code>\Natural</code>	Q	<code>\Rational</code>	R	<code>\Real</code>
C	<code>\COMPLEX</code>	Z	<code>\INTEGER</code>	N	<code>\NATURAL</code>	Q	<code>\RATIONAL</code>	R	<code>\REAL</code>

TABLE 188: Greek Letters

$\alpha$	<code>\alpha</code>	$\theta$	<code>\theta</code>	$o$	<code>o</code>	$\tau$	<code>\tau</code>
$\beta$	<code>\beta</code>	$\vartheta$	<code>\vartheta</code>	$\pi$	<code>\pi</code>	$\upsilon$	<code>\upsilon</code>
$\gamma$	<code>\gamma</code>	$\iota$	<code>\iota</code>	$\varpi$	<code>\varpi</code>	$\phi$	<code>\phi</code>
$\delta$	<code>\delta</code>	$\kappa$	<code>\kappa</code>	$\rho$	<code>\rho</code>	$\varphi$	<code>\varphi</code>
$\epsilon$	<code>\epsilon</code>	$\lambda$	<code>\lambda</code>	$\varrho$	<code>\varrho</code>	$\chi$	<code>\chi</code>
$\varepsilon$	<code>\varepsilon</code>	$\mu$	<code>\mu</code>	$\sigma$	<code>\sigma</code>	$\psi$	<code>\psi</code>
$\zeta$	<code>\zeta</code>	$\nu$	<code>\nu</code>	$\varsigma$	<code>\varsigma</code>	$\omega$	<code>\omega</code>
$\eta$	<code>\eta</code>	$\xi$	<code>\xi</code>				
$\Gamma$	<code>\Gamma</code>	$\Lambda$	<code>\Lambda</code>	$\Sigma$	<code>\Sigma</code>	$\Psi$	<code>\Psi</code>
$\Delta$	<code>\Delta</code>	$\Xi$	<code>\Xi</code>	$\Upsilon$	<code>\Upsilon</code>	$\Omega$	<code>\Omega</code>
$\Theta$	<code>\Theta</code>	$\Pi$	<code>\Pi</code>	$\Phi$	<code>\Phi</code>		

The remaining Greek majuscules can be produced with ordinary Latin letters. The symbol “M”, for instance, is used for both an uppercase “m” and an uppercase “ $\mu$ ”. To make available commands for *all* of the Greek majuscules, either use the `mathspec` package, which requires `XYLATEX`, or copy `mathspec.sty`’s Greek-letter definitions to your document’s preamble:

```

\DeclareMathSymbol{\Alpha}{\mathalpha}{operators}{"41}
\DeclareMathSymbol{\Beta}{\mathalpha}{operators}{"42}
\DeclareMathSymbol{\Epsilon}{\mathalpha}{operators}{"45}
\DeclareMathSymbol{\Zeta}{\mathalpha}{operators}{"5A}
\DeclareMathSymbol{\Eta}{\mathalpha}{operators}{"48}
\DeclareMathSymbol{\Iota}{\mathalpha}{operators}{"49}
\DeclareMathSymbol{\Kappa}{\mathalpha}{operators}{"4B}
\DeclareMathSymbol{\Mu}{\mathalpha}{operators}{"4D}
\DeclareMathSymbol{\Nu}{\mathalpha}{operators}{"4E}
\DeclareMathSymbol{\Omicron}{\mathalpha}{operators}{"4F}
\DeclareMathSymbol{\Rho}{\mathalpha}{operators}{"50}
\DeclareMathSymbol{\Tau}{\mathalpha}{operators}{"54}
\DeclareMathSymbol{\Chi}{\mathalpha}{operators}{"58}
\DeclareMathSymbol{\omicron}{\mathord}{letters}{"6F}

```

See Section 11.5 for examples of how to produce bold Greek letters.

The symbols in this table are intended to be used in mathematical typesetting. Greek body text can be typeset using the `babel` package’s `greek` (or `polutoniko-greek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 189:  $\mathcal{AMS}$  Greek Letters

$F$	<code>\digamma</code>	$\varkappa$	<code>\varkappa</code>
-----	-----------------------	-------------	------------------------

TABLE 190: txfonts/pxfonts Upright Greek Letters

$\alpha$	<code>\alphaup</code>	$\theta$	<code>\thetaaup</code>	$\pi$	<code>\piup</code>	$\phi$	<code>\phiiup</code>
$\beta$	<code>\betaaup</code>	$\vartheta$	<code>\varthetaaup</code>	$\varpi$	<code>\varpiup</code>	$\varphi$	<code>\varphiiup</code>
$\gamma$	<code>\gammaaup</code>	$\iota$	<code>\iotaaup</code>	$\rho$	<code>\rhoup</code>	$\chi$	<code>\chiup</code>
$\delta$	<code>\deltaaup</code>	$\kappa$	<code>\kappaaup</code>	$\varrho$	<code>\varrhoup</code>	$\psi$	<code>\psiup</code>
$\epsilon$	<code>\epsilonup</code>	$\lambda$	<code>\lambdaaup</code>	$\sigma$	<code>\sigmaup</code>	$\omega$	<code>\omegaup</code>
$\varepsilon$	<code>\varepsilonup</code>	$\mu$	<code>\muup</code>	$\varsigma$	<code>\varsigmaup</code>		
$\zeta$	<code>\zetaup</code>	$\nu$	<code>\nuup</code>	$\tau$	<code>\tauup</code>		
$\eta$	<code>\etaup</code>	$\xi$	<code>\xiup</code>	$\upsilon$	<code>\upsilonup</code>		

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 191: upgreek Upright Greek Letters

$\alpha$	<code>\upalpha</code>	$\theta$	<code>\uptheta</code>	$\pi$	<code>\uppi</code>	$\phi$	<code>\upphi</code>
$\beta$	<code>\upbeta</code>	$\vartheta$	<code>\upvartheta</code>	$\varpi$	<code>\upvarpi</code>	$\varphi$	<code>\upvarphi</code>
$\gamma$	<code>\upgamma</code>	$\iota$	<code>\upiota</code>	$\rho$	<code>\uprho</code>	$\chi$	<code>\upchi</code>
$\delta$	<code>\updelta</code>	$\kappa$	<code>\upkappa</code>	$\varrho$	<code>\upvarrho</code>	$\psi$	<code>\uppsi</code>
$\epsilon$	<code>\upepsilon</code>	$\lambda$	<code>\uplambda</code>	$\sigma$	<code>\upsigma</code>	$\omega$	<code>\upomega</code>
$\varepsilon$	<code>\upvarepsilon</code>	$\mu$	<code>\upmu</code>	$\varsigma$	<code>\upvarsigma</code>		
$\zeta$	<code>\upzeta</code>	$\nu$	<code>\upnu</code>	$\tau$	<code>\uptau</code>		
$\eta$	<code>\upeta</code>	$\xi$	<code>\upxi</code>	$\upsilon$	<code>\upupsilon</code>		
$\Gamma$	<code>\Upgamma</code>	$\Lambda$	<code>\Uplambda</code>	$\Sigma$	<code>\Upsilonigma</code>	$\Psi$	<code>\Uppsi</code>
$\Delta$	<code>\Updelta</code>	$\Xi$	<code>\Upxi</code>	$\Upsilon$	<code>\Upupsilon</code>	$\Omega$	<code>\Upomega</code>
$\Theta$	<code>\Uptheta</code>	$\Pi$	<code>\Uppi</code>	$\Phi$	<code>\Upphi</code>		

`upgreek` utilizes upright Greek characters from either Euler Roman (depicted above) or the PostScript Symbol font. As a result, the glyphs may appear slightly different from the above. Contrast, for example, “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Euler) with “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Symbol). Also note that the `\var... forms do not always produce a distinct glyph.`

Unlike `textgreek` (Table 6 on page 17), `upgreek` works in math mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 192: fourier Variant Greek Letters

$\pi$	<code>\pi</code>	$\rho$	<code>\rho</code>
$\varpi$	<code>\varpi</code>	$\varrho$	<code>\varrho</code>
$\varpi$	<code>\varvarpi</code>	$\varrho$	<code>\varvarrho</code>

TABLE 193: txfonts/pxfonts Variant Latin Letters

$g$  `\varg`     $v$  `\varv`     $w$  `\varw`     $y$  `\vary`

Pass the `varg` option to `txfonts/pxfonts` to replace  $g$ ,  $v$ ,  $w$ , and  $y$  with  $g$ ,  $v$ ,  $w$ , and  $y$  in every mathematical expression in your document.

TABLE 194: boisik Variant Greek Letters

$\beta$  `\varbeta`     $\kappa$  `\varkappa`     $\varpi$  `\varpi`     $\varsigma$  `\varsigma`  
 $\varepsilon$  `\varepsilon`     $\varphi$  `\varphi`     $\varrho$  `\varrho`     $\vartheta$  `\vartheta`

TABLE 195: boisik Variant Latin Letters

$g$  `\varg`

TABLE 196: stix Variant Greek Letters

$\varepsilon$  `\varepsilon`     $\varphi$  `\varphi`     $\varrho$  `\varrho`     $\vartheta$  `\vartheta`  
 $\kappa$  `\kappa`     $\varpi$  `\varpi`     $\varsigma$  `\varsigma`

TABLE 197: stix Transformed Greek Letters

$\varepsilon$  `\backepsilon`     $\iota$  `\turnediota`  
 $\varnothing$  `\mho`     $\varepsilon$  `\upbackepsilon`

TABLE 198:  $\mathcal{AMS}$  Hebrew Letters

$\beth$  `\beth`     $\gimel$  `\gimel`     $\daleth$  `\daleth`

$\aleph$  ( $\aleph$ ) appears in Table 302 on page 130.

TABLE 199: MnSymbol Hebrew Letters

$\aleph$  `\aleph`     $\beth$  `\beth`     $\gimel$  `\gimel`     $\daleth$  `\daleth`

TABLE 200: fdsymbol Hebrew Letters

$\aleph$  `\aleph`     $\beth$  `\beth`     $\gimel$  `\gimel`     $\daleth$  `\daleth`

TABLE 201: boisk Hebrew Letters

$\beth$	$\gimel$	$\daleth$
---------	----------	-----------

TABLE 202: stix Hebrew Letters

$\aleph$	$\beth$	$\gimel$	$\daleth$
----------	---------	----------	-----------

TABLE 203: Letter-like Symbols

$\perp$	$\forall$	$\imath$	$\ni$	$\top$
$\ell$	$\hbar$	$\in$	$\partial$	$\wp$
$\exists$	$\Im$	$j$	$\Re$	

TABLE 204:  $\mathcal{AMS}$  Letter-like Symbols

$\mathbb{k}$	$\mathbb{C}$	$\hbar$
$\textcircled{R}$	$\textcircled{I}$	$\textcircled{N}$
$\textcircled{S}$	$\textcircled{G}$	$\textcircled{X}$

TABLE 205: txfonts/pxfonts Letter-like Symbols

$\mathfrak{c}$	$\mathfrak{f}$	$\mathfrak{e}$	$\mathfrak{n}$
----------------	----------------	----------------	----------------

\* It's generally preferable to use the corresponding symbol from Table 3 on page 16 because the symbols in that table work properly in both text mode and math mode.

TABLE 206: mathabx Letter-like Symbols

$\bar{\in}$	$\in$	$\not\top$	$\notin$
$\complement$	$\nexists$	$\owns$	$\varnothing$
$\exists$	$\not\bot$	$\ownsbar$	
$\Finv$	$\notin$	$\partial$	
$\Game$	$\notowner$	$\partialslash$	

TABLE 207: MnSymbol Letter-like Symbols

$\perp$	$\in$	$\owns$	$\top$
$\exists$	$\nexists$	$\owns$	$\wp$
$\forall$	$\notin$	$\powerset$	

MnSymbol provides synonyms  $\notin$  for  $\notin$ ,  $\ni$  for  $\owns$ , and  $\intercal$  for  $\top$ .



TABLE 208: fdsymbol Letter-like Symbols

$\perp$	<code>\bot</code>	$\forall$	<code>\forall</code>	$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\complement$	<code>\complement</code>	$\Game$	<code>\Game</code>	$\nexists$	<code>\nexists</code>	$\top$	<code>\top</code>
$\exists$	<code>\exists</code>	$\hbar$	<code>\hbar</code>	$\notin$	<code>\notin</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		

`fdsymbol` provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\nni` for `\nowns`.

TABLE 209: boisik Letter-like Symbols

$\Bbbk$	<code>\Bbbk</code>	$\Game$	<code>\Game</code>	$\imath$	<code>\imath</code>	$\nexists$	<code>\nexists</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\intercal$	<code>\intercal</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\jmath$	<code>\jmath</code>		

TABLE 210: stix Letter-like Symbols

$\text{\AA}$	<code>\Angstrom</code>	$\mathcal{E}$	<code>\Eulerconst</code>	$\imath$	<code>\imath</code>	$\top$	<code>\top</code>
$\mathbb{k}$	<code>\Bbbk</code>	$\exists$	<code>\exists</code>	$\intercal$	<code>\intercal</code>	$\topbot$	<code>\topbot</code>
$\perp$	<code>\bot</code>	$\Finv$	<code>\Finv</code>	$\jmath$	<code>\jmath</code>	$\wp$	<code>\wp</code>
$\text{\textcircled{R}}$	<code>\circledR</code>	$\forall$	<code>\forall</code>	$\mathit{\$}$	<code>\mathdollar</code>	$\Upsilon$	<code>\Yup</code>
$\text{\textcircled{S}}$	<code>\circledS</code>	$\Game$	<code>\Game</code>	$\mathit{\P}$	<code>\mathparagraph</code>	$\mathit{Z}$	<code>\Zbar</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\mathit{\pounds}$	<code>\mathsterling</code>		
$\digamma$	<code>\digamma</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		
$\ell$	<code>\ell</code>	$\Im$	<code>\Im</code>	$\Re$	<code>\Re</code>		

TABLE 211: trfsigns Letter-like Symbols

$e$	<code>\e</code>	$j$	<code>\im</code>
-----	-----------------	-----	------------------

TABLE 212: mathdesign Letter-like Symbols

$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\notin$	<code>\notin</code>	$\in$	<code>\smallin</code>
$\notin$	<code>\notsmallin</code>	$\ni$	<code>\smallowns</code>
$\notin$	<code>\notsmallowns</code>		

The `mathdesign` package additionally provides versions of each of the letter-like symbols shown in Table 204 on the previous page.

TABLE 213: fge Letter-like Symbols

$\forall$	<code>\fgeA</code>	$\text{g}$	<code>\fgeeszett</code>	$\text{B}$	<code>\fgeleftB</code>	$\text{U}$	<code>\fgeU</code>
$\dot{\text{b}}$	<code>\fgeC</code>	$\text{F}$	<code>\fgeF</code>	$\text{C}$	<code>\fgeleftC</code>		
$\text{p}$	<code>\fged</code>	$\text{f}$	<code>\fgef</code>	$\text{B}$	<code>\fgerightB</code>		
$\dot{\text{b}}$	<code>\fgee</code>	$\text{b}$	<code>\fgeIb*</code>	$\text{f}$	<code>\fges</code>		

\* The `fge` package defines `\fgeeta`, `\fgeN`, and `\fgeoverU` as synonyms for `\fgeIb`.

TABLE 214: fourier Letter-like Symbols

$\partial$	<code>\partial</code>	$\partial$	<code>\varpartialdiff</code>
------------	-----------------------	------------	------------------------------

TABLE 215: cml Letter-like Symbols

$\perp$	<code>\Bot</code>	$\text{sim}$	<code>\simbot</code>
---------	-------------------	--------------	----------------------

TABLE 216:  $\mathcal{AMS}$  Delimiters

$\lrcorner$	<code>\ulcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 217: stmaryrd Delimiters

$\{$	<code>\Lbag</code>	$\}$	<code>\Rbag</code>	$\{$	<code>\lbag</code>	$\}$	<code>\rbag</code>
$\lceil$	<code>\llceil</code>	$\rceil$	<code>\rrceil</code>	$\lfloor$	<code>\llfloor</code>	$\rfloor$	<code>\rrfloor</code>
$($	<code>\llparenthesis</code>	$)$	<code>\rrparenthesis</code>				

TABLE 218: mathabx Delimiters

$\lrcorner$	<code>\lrcorner</code>	$\urcorner$	<code>\rcorner</code>
$\lrcorner$	<code>\ulcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 219: boisik Delimiters

$\lrcorner$	<code>\ulcorner</code>	$\urcorner$	<code>\urcorner</code>
$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>

TABLE 220: stix Delimiters

$\langle$	<code>\langedot</code>	$\rangle$	<code>\rangedot</code>	$\llcorner$	<code>\llangle</code>	$\lrcorner$	<code>\rrangle</code>
$\int$	<code>\lbag</code>	$\int$	<code>\rbag</code>	$\llcorner$	<code>\llcorner</code>	$\lrcorner$	<code>\lrcorner</code>
$\lbrack$	<code>\lblkbrbrak</code>	$\rbrack$	<code>\rblkbrbrak</code>	$\llcorner$	<code>\llparenthesis</code>	$\lrcorner$	<code>\rrparenthesis</code>
$\lbrack$	<code>\lbracklltick</code>	$\rbrack$	<code>\rbrackurtick</code>	$\llcorner$	<code>\lparenltr</code>	$\lrcorner$	<code>\Rparenless</code>
$\lbrack$	<code>\lbrackubar</code>	$\rbrack$	<code>\rbrackubar</code>	$\llcorner$	<code>\lparenless</code>	$\lrcorner$	<code>\rparenltr</code>
$\lbrack$	<code>\lbrackultick</code>	$\rbrack$	<code>\rbracklrtick</code>	$\llcorner$	<code>\lvzigzag</code>	$\lrcorner$	<code>\rvzigzag</code>
$\lbrack$	<code>\Lbrbrak</code>	$\rbrack$	<code>\Rbrbrak</code>	$\llcorner$	<code>\Lvzigzag</code>	$\lrcorner$	<code>\Rvzigzag</code>
$\langle$	<code>\lcurvyangle</code>	$\rangle$	<code>\rcurvyangle</code>	$\llcorner$	<code>\ulcorner</code>	$\lrcorner$	<code>\urcorner</code>

TABLE 221: nath Delimiters

$\llcorner$	<code>\niv</code>	$\lrcorner$	<code>\vin</code>
-------------	-------------------	-------------	-------------------

TABLE 222: Variable-sized Delimiters

$\downarrow$	$\Downarrow$	<code>\downarrow</code>	<code>\Downarrow</code>	$[$	$[$	$[$	$]$	$]$	$]$
$\langle$	$\rangle$	<code>\langle</code>	<code>\rangle</code>	$ $	$ $	$ $	$\ $	$\ $	<code>\ </code>
$\lceil$	$\rceil$	<code>\lceil</code>	<code>\rceil</code>	$\uparrow$	$\uparrow$	<code>\uparrow</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$\lfloor$	$\rfloor$	<code>\lfloor</code>	<code>\rfloor</code>	$\updownarrow$	$\updownarrow$	<code>\updownarrow</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$($	$)$	<code>(</code>	<code>)</code>	$\{$	$\{$	<code>\{</code>	$\}$	$\}$	<code>\}</code>
$/$	$\backslash$	<code>/</code>	<code>\</code>	<code>\backslash</code>					

When used with `\left` and `\right`, these symbols expand to the height of the enclosed math expression. Note that `\vert` is a synonym for `|`, and `\Vert` is a synonym for `\|`.

$\varepsilon$ -TeX provides a `\middle` analogue to `\left` and `\right`. `\middle` can be used, for example, to make an internal “`|`” expand to the height of the surrounding `\left` and `\right` symbols. (This capability is commonly needed when typesetting adjacent bras and kets in Dirac notation: “ $\langle\phi|\psi\rangle$ ”). A similar effect can be achieved in conventional L<sup>A</sup>T<sub>E</sub>X using the `braket` package.

TABLE 223: Large, Variable-sized Delimiters

$\int$	$\int$	<code>\lmoustache</code>	$\int$	$\int$	<code>\rmoustache</code>	$\int$	$\int$	<code>\lgroup</code>	$\int$	$\int$	<code>\rgroup</code>
$ $	$ $	<code>\arrowvert</code>	$\parallel$	$\parallel$	<code>\Arrowvert</code>	$ $	$ $	<code>\bracevert</code>			

These symbols *must* be used with `\left` and `\right`. The `mathabx` package, however, redefines `\lgroup` and `\rgroup` so that those symbols can work without `\left` and `\right`.

TABLE 224:  $\mathcal{AMS}$  Variable-sized Delimiters

$ $	$ $	<code>\lvert</code>	$ $	$ $	<code>\rvert</code>
$\parallel$	$\parallel$	<code>\lVert</code>	$\parallel$	$\parallel$	<code>\rVert</code>

According to the `amsmath` documentation [AMS99], the preceding symbols are intended to be used as delimiters (e.g., as in “ $|z|$ ”) while the `\vert` and `\Vert` symbols (Table 222 on the previous page) are intended to be used as operators (e.g., as in “ $p|q$ ”).

TABLE 225: `stmaryrd` Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\llbracket</code>	$\rrbracket$	$\rrbracket$	<code>\rrbracket</code>
--------------	--------------	-------------------------	--------------	--------------	-------------------------

TABLE 226: `mathabx` Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\ldbrack</code>	$\rrbracket$	$\rrbracket$	<code>\rdbrack</code>
$\lrcorner$	$\lrcorner$	<code>\lfilet</code>	$\lrcorner$	$\lrcorner$	<code>\rfilet</code>
$ $	$ $	<code>\thickvert</code>	$\parallel$	$\parallel$	<code>\vvvert</code>

TABLE 227: MnSymbol Variable-sized Delimiters

$\parallel$	$\parallel$	<code>\Arrowvert</code>	{	{	<code>\lbrace</code>		]	<code>\rceil</code>
		<code>\arrowvert</code>	[	[	<code>\lceil</code>	]	]	<code>\rfloor</code>
\	\	<code>\backslash</code>	[	[	<code>\lfloor</code>	)	)	<code>\rgroup</code>
		<code>\bracevert</code>	(	(	<code>\lgroup</code>	\	)	<code>\rmoustache</code>
[	[	[	«	«	<code>\llangle</code>	»	»	<code>\rrangle</code>
]	]	]	⌞	⌞	<code>\llcorner</code>	⌠	⌠	<code>\rsem</code>
(	(	(	)	)	<code>\lmoustache</code>	}}}	}}}	<code>\rWavy</code>
)	)	)	⌞	⌞	<code>\lrcorner</code>	}	}	<code>\rwavy</code>
/	/	/	⌠	⌠	<code>\lsem</code>	⌞	⌞	<code>\ulcorner</code>
<	<	<	}	}	<code>\lwavey</code>	⌞	⌞	<code>\ullcorner</code>
>	>	>	}}}	}}}	<code>\lWavy</code>	⌞	⌞	<code>\ulrcorner</code>
			}	}	<code>\rangle</code>	⌞	⌞	<code>\urcorner</code>
<	<	<code>\langle</code>	}	}	<code>\ranglebar</code>			<code>\ </code>
<	<	<code>\langlebar</code>	}	}	<code>\rbrace</code>			

`\vert` is a synonym for `|`. `\Vert` is a synonym for `\|`. `\mid` and `\mvert` produce the same symbol as `\vert` but designated as math relations instead of ordinals. `\divides` produces the same symbol as `\vert` but designated as a binary operator instead of an ordinal. `\parallel` and `\mVert` produce the same symbol as `\Vert` but designated as math relations instead of ordinals.

TABLE 228: fdsymbol Variable-sized Delimiters

$\backslash$	$\backslash$	<code>\backslashslash</code>	$\lrcorner$	$\lrcorner$	<code>\lrcorner</code>	$\lrcorner$	$\lrcorner$	<code>\rparen</code>
$\downarrow$	$\downarrow$	<code>\downarrowarrow</code>	$\lvert$	$\lvert$	<code>\lvert</code>	$\lvert$	$\lvert$	<code>\rvert</code>
$\Downarrow$	$\Downarrow$	<code>\Downarrowarrow</code>	$\lVert$	$\lVert$	<code>\lVert</code>	$\lVert$	$\lVert$	<code>\rVert</code>
$\langle\langle$	$\langle\langle$	<code>\lAngle</code>	$\lll$	$\lll$	<code>\lVvert</code>	$\lll$	$\lll$	<code>\rVvert</code>
$\langle$	$\langle$	<code>\langle</code>	$/$	$/$	<code>\mathslash</code>	$\ulcorner$	$\ulcorner$	<code>\ulcorner</code>
$\langle\cdot$	$\langle\cdot$	<code>\langedot</code>	$\rangle$	$\rangle$	<code>\rangle</code>	$\llcorner$	$\llcorner$	<code>\llcorner</code>
$\{$	$\{$	<code>\lbrace</code>	$\rangle\rangle$	$\rangle\rangle$	<code>\rAngle</code>	$\llcorner$	$\llcorner$	<code>\ulcorner</code>
$[$	$[$	<code>\lbrack</code>	$\rangle\cdot$	$\rangle\cdot$	<code>\ranglelangedot</code>	$\uparrow$	$\uparrow$	<code>\uparrowarrow</code>
$\llbracket$	$\llbracket$	<code>\lBrack</code>	$\}$	$\}$	<code>\rbrace</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$\lceil$	$\lceil$	<code>\lceil</code>	$\lceil$	$\lceil$	<code>\rBrack</code>	$\updownarrow$	$\updownarrow$	<code>\updownarrowarrow</code>
$\lfloor$	$\lfloor$	<code>\lfloor</code>	$\lfloor$	$\lfloor$	<code>\rbrack</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrowarrow</code>
$\lgroup$	$\lgroup$	<code>\lgroup</code>	$\lceil$	$\lceil$	<code>\rceil</code>	$\urcorner$	$\urcorner$	<code>\urcorner</code>
$\llcorner$	$\llcorner$	<code>\llcorner</code>	$\lfloor$	$\lfloor$	<code>\rfloor</code>	$\lvert$	$\lvert$	<code>\vert</code>
$\lsmile$	$\lsmile$	<code>\loustache</code>	$\lceil$	$\lceil$	<code>\rgroup</code>	$\lVert$	$\lVert$	<code>\Vert</code>

(continued on next page)

(continued from previous page)

( ( \lparen ) \rparen { } \lrmoustache ||| ||| \Vvert

fdsymbol defines “(” as a synonym for \lparen, “)” as a synonym for \rparen, “[” as a synonym for \lbrack, “]” as a synonym for \rbrack, “{” as a synonym for \lbrace, “}” as a synonym for \rbrace, “/” as a synonym for \mathslash, “|” as a synonym for \vert, “\|” as a synonym for \Vert, \lsem as a synonym for \lBrack, and \rsem as a synonym for \rBrack.

TABLE 229: stix Variable-sized Delimiters

"		\Arrowvert	«	⟨⟨	\lAngle	] ]	\rceil
,		\arrowvert	{	{	\lbrace	] ]	\rfloor
\	\	\backslash	{	{	\lBrace	) (	\rgroup
⇓	⇓	\Ddownarrow			\lBrack	\ \	\rmoustache
⇓	⇓	\DDownarrow	(	(	\lbrbrak	) )	\rParen
↓	↓	\downarrow	[	[	\lceil	↑ ↑	\uparrow
⇓	⇓	\Downarrow	[	[	\lfloor	↑↑	\Uparrow
[	[	[	(	)	\lgroup	⇕	\Updownarrow
]	]	]	∫	∫	\lmoustache	⇕	\updownarrow





TABLE 231: `nath` Variable-sized Delimiters (Double)

$\langle\langle$	<code>\lAngle</code>	$\rangle\rangle$	<code>\rAngle</code>
$\llbracket$	<code>\lBrack</code>	$\rrbracket$	<code>\rBrack</code>
$\lceil$	<code>\lCeil</code>	$\rceil$	<code>\rCeil</code>
$\lfloor$	<code>\lFloor</code>	$\rfloor$	<code>\rFloor</code>
$\lVert$	<code>\lVert*</code>	$\rVert$	<code>\rVert*</code>

\* `nath` redefines all of the above to include implicit `\left` and `\right` commands. Hence, separate `\lVert` and `\rVert` commands are needed to disambiguate whether “|” is a left or right delimiter.

All of the symbols in Table 231 can also be expressed using the `\double` macro. See the `nath` documentation for examples and additional information.

TABLE 232: `nath` Variable-sized Delimiters (Triple)

$\langle\langle\langle$	<code>\triple&lt;</code>	$\rangle\rangle\rangle$	<code>\triple&gt;</code>
$\lllbracket$	<code>\triple[</code>	$\rrrbracket$	<code>\triple]</code>
$\lllVert$	<code>\triple *</code>	$\rrrVert$	<code>\triple *</code>

\* Similar to `\lVert` and `\rVert` in Table 231, `\ltriple` and `\rtriple` must be used instead of `\triple` to disambiguate whether “|” is a left or right delimiter.

Note that `\triple`—and the corresponding `\double`—is actually a macro that takes a delimiter as an argument.

TABLE 233: `fourier` Variable-sized Delimiters

$\lllbracket$	<code>\llbracket</code>	$\rrrbracket$	<code>\rrbracket</code>
$\lllVert$	<code>\VERT</code>		

TABLE 234: textcomp Text-mode Delimiters

$\langle$	<code>\textlangle</code>	$\rangle$	<code>\textrangle</code>
$\llbracket$	<code>\textlbrackdbl</code>	$\rrbracket$	<code>\textrbrackdbl</code>
$\{$	<code>\textlquill</code>	$\}$	<code>\textrquill</code>

TABLE 235: metre Text-mode Delimiters

$\}$	<code>\alad</code>	$\}$	<code>\Alad</code>	$\dagger$	<code>\crux</code>	$\dagger$	<code>\Crux</code>
$\{$	<code>\alas</code>	$\{$	<code>\Alas</code>	$\]$	<code>\quadrat</code>	$\]$	<code>\Quadrat</code>
$\rangle$	<code>\angud</code>	$\rangle$	<code>\Angud</code>	$\llbracket$	<code>\quadras</code>	$\llbracket$	<code>\Quadras</code>
$\langle$	<code>\angus</code>	$\langle$	<code>\Angus</code>				

TABLE 236: Math-mode Accents

$\acute{a}$	<code>\acute{a}</code>	$\check{a}$	<code>\check{a}</code>	$\grave{a}$	<code>\grave{a}</code>	$\tilde{a}$	<code>\tilde{a}</code>
$\bar{a}$	<code>\bar{a}</code> *	$\ddot{a}$	<code>\ddot{a}</code>	$\hat{a}$	<code>\hat{a}</code>	$\vec{a}$	<code>\vec{a}</code>
$\breve{a}$	<code>\breve{a}</code>	$\dot{a}$	<code>\dot{a}</code>	$\mathring{a}$	<code>\mathring{a}</code>		

Note also the existence of `\imath` and `\jmath`, which produce dotless versions of “*i*” and “*j*”. (See Table 302 on page 130.) These are useful when the accent is supposed to replace the dot. For example, “`\hat{\imath}`” produces a correct “ $\hat{i}$ ”, while “`\hat{i}`” would yield the rather odd-looking “ $\hat{\dot{i}}$ ”.

\* The `\overline` command (Table 246 on page 117) produces a wider accent than `\bar`: “ $\overline{A}$ ” vs. “ $\bar{A}$ ”. However, unlike adjacent `\bars`, adjacent `\overlines` run together, which is often not desired: “ $\overline{AB}$ ” vs. “ $\overline{\bar{A}\bar{B}}$ ”. If wider bars than `\bar` are needed, the following code from Enrico Gregorio can be used to add the requisite inter-symbol spacing [Gre09]:

```
\newcommand{\closure}[2][3]{%
  \mkern#1mu\overline{\mkern-#1mu#2}}
```

With that definition, “`\closure{A}\closure{B}`” produces “ $\overline{\bar{A}\bar{B}}$ ”, with a visible gap between the two accents. The optional argument can be used to fine-tune the spacing.

TABLE 237:  $\mathcal{AMS}$  Math-mode Accents

$\ddot{a}$	<code>\dddot{a}</code>	$\ddot{a}$	<code>\ddddot{a}</code>
------------	------------------------	------------	-------------------------

These accents are also provided by the `mathabx` and `accents` packages and are redefined by the `mathdots` package if the `amsmath` and `amssymb` packages have previously been loaded. All of the variations except for the original  $\mathcal{AMS}$  ones tighten the space between the dots (from  $\ddot{a}$  to  $\ddot{a}$ ). The `mathabx` and `mathdots` versions also function properly within subscripts and superscripts ( $x^{\ddot{a}}$  instead of  $x^{\ddot{a}}$ ).

TABLE 238: MnSymbol Math-mode Accents

 $\vec{a}$  `\vec{a}`

TABLE 239: fdsymbol Math-mode Accents

$\overline{a}$	<code>\middlebar{a}</code>	$\cancel{a}$	<code>\strokethrough{a}</code>
$\overline{\! }a$	<code>\middleslash{a}</code>	$\vec{a}$	<code>\vec{a}</code>

`\middlebar` and `\middleslash` are applied here to “a” for consistency with the rest of the document, but they generally look better when applied to taller lowercase characters.

TABLE 240: boisik Math-mode Accents

 $\vec{a}$  `\vec{a}`

TABLE 241: stix Math-mode Accents

$\acute{a}$	<code>\acute{a}</code>	$\hat{a}$	<code>\hat{a}</code>
$\overline{a}$	<code>\annuity{a}</code>	$\overleftarrow{a}$	<code>\leftarrowaccent{a}</code>
$\ast a$	<code>\asteraccent{a}</code>	$\overleftarrow{\! }a$	<code>\leftharpoonaccent{a}</code>
$\bar{a}$	<code>\bar{a}</code>	$\overleftrightarrow{a}$	<code>\leftrightarrowaccent{a}</code>
$\breve{a}$	<code>\breve{a}</code>	$\mathring{a}$	<code>\mathring{a}</code>
$\candra{a}$	<code>\candra{a}</code>	$\comatopright{a}$	<code>\ocommatopright{a}</code>
$\check{a}$	<code>\check{a}</code>	$\oturnedcomma{a}$	<code>\oturnedcomma{a}</code>
$\dddot{a}$	<code>\ddddot{a}</code>	$\overset{\circ}{a}$	<code>\ovhook{a}</code>
$\ddot{a}$	<code>\dddot{a}</code>	$\overrightarrow{a}$	<code>\rightharpoonaccent{a}</code>
$\ddot{a}$	<code>\ddot{a}</code>	$\tilde{a}$	<code>\tilde{a}</code>
$\dot{a}$	<code>\dot{a}</code>	$\vec{a}$	<code>\vec{a}</code>
$\droang{a}$	<code>\droang{a}</code>	$\overwidebridgeabove{a}$	<code>\widebridgeabove{a}</code>
$\grave{a}$	<code>\grave{a}</code>		

TABLE 242: fge Math-mode Accents

 $\mathring{A}$  `\spirituslenis{A}`  
 $\mathring{a}$  `\spirituslenis{a}`\*

\* When `fge` is passed the `crescent` option, `\spirituslenis` instead uses a crescent accent as in “ $\mathring{a}$ ”.

TABLE 243: yhmath Math-mode Accents

$\overset{\circ}{a}$  `\ring{a}`

This symbol is largely obsolete, as standard L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> has supported `\mathring` (Table 236 on page 114) since June 1998 [L<sup>A</sup>T98].

TABLE 244: halloweenmath Halloween-Themed Math-mode Accents















	<code>\overbat{a}</code>		<code>\underbat{a}</code>
	<code>\overbat*{a}</code>		<code>\underbat*{a}</code>

TABLE 245: realhats Math-mode Hat Accents

	<code>\hat[ash]{a}</code>		<code>\hat[fez]{a}</code>
	<code>\hat[beret]{a}</code>		<code>\hat[santa]{a}</code>
	<code>\hat[cowboy]{a}</code>		<code>\hat[sombbrero]{a}</code>
	<code>\hat[crown]{a}</code>		<code>\hat[tophat]{a}</code>
	<code>\hat[dunce]{a}</code>		<code>\hat[witch]{a}</code>

These hats are drawn by scaling a graphic image and placing it at an appropriate location.

If `\hat` is used with no argument, it selects a hat at random. Alternatively, a hat type can be passed as an option to `realhats` to specify the default hat. See the `realhats` documentation for more information.

TABLE 246: Extensible Accents

$\widetilde{abc}$	<code>\widetilde{abc}</code> *	$\widehat{abc}$	<code>\widehat{abc}</code> *
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code> †	$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code> †
$\overline{abc}$	<code>\overline{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code> ‡		

As demonstrated in a 1997 TUGboat article about typesetting long-division problems [Gib97], an extensible long-division sign (“ $\overline{abc}$ ”) can be faked by putting a “`\big`” in a `tabular` environment with an `\hline` or `\cline` in the preceding row. The article also presents a piece of code (uploaded to CTAN as `longdiv.tex`) that automatically solves and typesets—by putting an `\overline` atop “`\big`” and the desired text—long-division problems. More recently, the STIX fonts include a true long-division sign. See `\longdivision` in Table 252 for a sample of this symbol. See also the `polynom` package, which automatically solves and typesets polynomial-division problems in a similar manner.

\* These symbols are made more extensible by the `MnSymbol` package (Table 250 on the following page). and even more extensible by the `yhmath` package (Table 248).

† If you’re looking for an extensible *diagonal* line or arrow to be used for canceling or reducing mathematical subexpressions (e.g., “ $x + \overleftarrow{x}$ ” or “ $3 + 2 \overrightarrow{5}$ ”) then consider using the `cancel` package.

‡ With an optional argument, `\sqrt` typesets *n*th roots. For example, “`\sqrt[3]{abc}`” produces “ $\sqrt[3]{abc}$ ” and “`\sqrt[n]{abc}`” produces “ $\sqrt[n]{abc}$ ”.

TABLE 247: overrightarrow Extensible Accents

$\overrightarrow{abc}$	<code>\Overrightarrow{abc}</code>
------------------------	-----------------------------------

TABLE 248: yhmath Extensible Accents

$\widehat{abc}$	<code>\widehat{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\wideparen{abc}$	<code>\wideparen{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\widecirc{abc}$	<code>\widecirc{abc}</code>		

TABLE 249:  $\mathcal{AMS}$  Extensible Accents

$\overleftrightarrow{abc}$	<code>\overleftrightharpoon{abc}</code>	$\overleftarrow{abc}$	<code>\underleftrightharpoon{abc}</code>
$\overleftarrow{abc}$	<code>\underleftarrow{abc}</code>	$\overrightarrow{abc}$	<code>\underrightharpoon{abc}</code>

TABLE 250: MnSymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overleftharpoon{abc}$	<code>\overleftharpoon{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overlinesegment{abc}$	<code>\overlinesegment{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightharpoon{abc}$	<code>\overrightharpoon{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 251: fdsymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overleftharpoon{abc}$	<code>\overleftharpoon{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overlinesegment{abc}$	<code>\overlinesegment{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightharpoon{abc}$	<code>\overrightharpoon{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 252: stix Extensible Accents

$\overline{abc}$	<code>\longdivision{abc}</code>	$\underline{abc}$	<code>\underbracket{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underline{abc}$	<code>\underleftarrow{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code>	$\underline{abc}$	<code>\underleftharpoonup{abc}</code>
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code>	$\underline{abc}$	<code>\underleftrightharpoonup{abc}</code>
$\overleftharpoonup{abc}$	<code>\overleftharpoonup{abc}</code>	$\underparen{abc}$	<code>\underparen{abc}</code>
$\overleftrightharpoonup{abc}$	<code>\overleftrightharpoonup{abc}</code>	$\underline{abc}$	<code>\underrightarrow{abc}</code>
$\overparen{abc}$	<code>\overparen{abc}</code>	$\underline{abc}$	<code>\underrightharpoonup{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\overrightharpoonup{abc}$	<code>\overrightharpoonup{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 253: mathtools Extensible Accents

$\widehat{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code> *	$\underbracket{abc}$	<code>\underbracket{abc}</code> *

\* `\overbracket` and `\underbracket` accept optional arguments that specify the bracket height and thickness. See the `mathtools` documentation for more information.

TABLE 254: mathabx Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\overline{abc}$	<code>\widebar{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>	$\widehat{abc}$	<code>\wideparen{abc}</code>
$\undergroup{abc}$	<code>\undergroup{abc}</code>	$\widehat{abc}$	<code>\widering{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>		

The braces shown for `\overbrace` and `\underbrace` appear in their minimum size. They can expand arbitrarily wide, however.

TABLE 255: fourier Extensible Accents

$\widehat{abc}$	<code>\widearc{abc}</code>	$\widehat{abc}$	<code>\wideparen{abc}</code>
$\widehat{\rightarrow}abc$	<code>\wide0arc{abc}</code>	$\widehat{\circ}abc$	<code>\widering{abc}</code>

TABLE 256: esvect Extensible Accents

$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option a
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option b
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option c
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option d
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option e
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option f
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option g
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option h

`esvect` also defines a `\vv*` macro which is used to typeset arrows over vector variables with subscripts. See the `esvect` documentation for more information.

TABLE 257: abrases Extensible Accents

$\overbrace{abc}$	<code>\aoverbrace{abc}</code>	$\underbrace{abc}$	<code>\aunderbrace{abc}</code>
-------------------	-------------------------------	--------------------	--------------------------------

`\aoverbrace` and `\aunderbrace` accept optional arguments that provide a great deal of control over the braces' appearance. For example, these commands can produce braces with asymmetric endpoints, braces that span lines, dashed braces, and multicolored braces. See the `abrases` documentation for more information.

TABLE 258: undertilde Extensible Accents

$\underset{\sim}{abc}$	<code>\utilde{abc}</code>
------------------------	---------------------------

Because `\utilde` is based on `\widetilde` it is also made more extensible by the `yhmath` package (Table 248 on page 117).



TABLE 259: ushort Extensible Accents

$$\underline{\underline{abc}} \quad \backslash\text{ushortdw}\{abc\} \quad \underline{abc} \quad \backslash\text{ushortw}\{abc\}$$

`\ushortw` and `\ushortdw` are intended to be used with multi-character arguments (“words”) while `\ushortand` and `\ushortd` are intended to be used with single-character arguments.

The underlines produced by the `ushort` commands are shorter than those produced by the `\underline` command. Consider the output from the expression “`\ushort{x}\ushort{y}\underline{x}\underline{y}`”, which looks like “ $\underline{\underline{xyxy}}$ ”.

TABLE 260: mdwmath Extensible Accents

$$\sqrt{abc} \quad \backslash\text{sqrt*}\{abc\}$$

TABLE 261: actuarialangle Extensible Accents

$$\overline{abc} \quad \backslash\text{actuarialangle}\{abc\}$$

The `actuarialangle` package additionally defines `\angl` as `\actuarialangle` with a small amount of extra space to the right of the accented expression under the  $\overline{\quad}$ , `\angln` as `\angl{n}`, and `\anglr` as `\angl{r}`.

TABLE 262:  $\mathcal{AMS}$  Extensible Arrows
$$\overleftarrow{abc} \quad \backslash\text{xleftarrow}\{abc\} \quad \overrightarrow{abc} \quad \backslash\text{xrightarrow}\{abc\}$$

TABLE 263: mathtools Extensible Arrows

$$\begin{array}{ll} \overleftarrow{abc} & \backslash\text{xhookleftarrow}\{abc\} & \overleftrightarrow{abc} & \backslash\text{xleftrightharpoons}\{abc\} \\ \overrightarrow{abc} & \backslash\text{xhookrightarrow}\{abc\} & \overmapsto{abc} & \backslash\text{xmapsto}\{abc\} \\ \overleftarrow{\overleftarrow{abc}} & \backslash\text{xLeftarrow}\{abc\} & \overrightarrow{\overrightarrow{abc}} & \backslash\text{xRrightarrow}\{abc\} \\ \overleftarrow{\overrightarrow{abc}} & \backslash\text{xleftharpoondown}\{abc\} & \overrightarrow{\overleftarrow{abc}} & \backslash\text{xrightharpoondown}\{abc\} \\ \overrightarrow{\overleftarrow{abc}} & \backslash\text{xleftharpoonup}\{abc\} & \overleftarrow{\overrightarrow{abc}} & \backslash\text{xrightharpoonup}\{abc\} \\ \overleftarrow{\overrightarrow{\overleftarrow{abc}}} & \backslash\text{xleftrightharpoonup}\{abc\} & \overrightarrow{\overleftarrow{\overrightarrow{abc}}} & \backslash\text{xrightleftharpoons}\{abc\} \\ \overleftrightarrow{\overleftrightarrow{abc}} & \backslash\text{xLeftrightarrow}\{abc\} & & \end{array}$$

TABLE 264: chemarr Extensible Arrows

$$\overleftarrow{\overleftarrow{abc}} \quad \backslash\text{xrightleftharpoons}\{abc\}$$

TABLE 265: chemarrow Extensible Arrows

$\xleftarrow{abc}$ def	<code>\autoleftarrow{abc}{def}</code>	$\xrightarrow{abc}$ def	<code>\autorightarrow{abc}{def}</code>
$\xleftrightarrow{abc}$ def	<code>\autoleftrightharpoons{abc}{def}</code>	$\xrightleftharpoons{abc}$ def	<code>\autorightleftharpoons{abc}{def}</code>

In addition to the symbols shown above, chemarrow also provides `\larrowfill`, `\rarrowfill`, `\leftrightharpoonsfill`, and `\rightleftharpoonsfill` macros. Each of these takes a length argument and produces an arrow of the specified length.

TABLE 266: extarrows Extensible Arrows

$\xleftrightarrow{abc}$	<code>\xLeftrightarrow{abc}</code>	$\xrightleftharpoons{abc}$	<code>\xLongleftarrow{abc}</code>
$\xleftrightarrow{abc}$	<code>\xletrightarrow{abc}</code>	$\xrightleftharpoons{abc}$	<code>\xlongleftarrow{abc}</code>
$\xlongequal{abc}$	<code>\xlongequal{abc}</code>	$\xrightarrow{abc}$	<code>\xLongrightarrow{abc}</code>
$\xlongleftarrow{abc}$	<code>\xLongleftarrow{abc}</code>	$\xrightarrow{abc}$	<code>\xlongrightarrow{abc}</code>
$\xlongleftarrow{abc}$	<code>\xlongleftarrow{abc}</code>		

TABLE 267: extpfeil Extensible Arrows

$\xlongequal{abc}$	<code>\xlongequal{abc}</code>	$\xleftarrow{abc}$	<code>\xtwoheadleftarrow{abc}</code>
$\xmapsto{abc}$	<code>\xmapsto{abc}</code>	$\xrightarrow{abc}$	<code>\xtwoheadrightarrow{abc}</code>
$\xleftrightarrow{abc}$	<code>\xtofrom{abc}</code>		

The extpfeil package also provides a `\newextarrow` command to help you define your own extensible arrow symbols. See the extpfeil documentation for more information.

TABLE 268: DotArrow Extensible Arrows

$\xrightarrow{a}$	<code>\dotarrow{a}</code>
-------------------	---------------------------

The DotArrow package provides mechanisms for lengthening the arrow, adjusting the distance between the arrow and its symbol, and altering the arrowhead. See the DotArrow documentation for more information.

TABLE 269: halloweenmath Extensible Arrows

$\overleftarrow{abc}$	<code>\overscriptleftarrow{abc}</code>	$\underline{abc}$	<code>\underscriptleftarrow{abc}</code>
$\overleftrightarrow{abc}$	<code>\overscriptleftrightarrow{abc}</code>	$\underline{abc}$	<code>\underscriptleftrightarrow{abc}</code>
$\overrightarrow{abc}$	<code>\overscriptrightarrow{abc}</code>	$\underline{abc}$	<code>\underscriptrightarrow{abc}</code>

These commands always typeset the arrow in script (small) style, hence the “script” in their names. Contrast the size of the arrowheads in the following examples:

$$\overrightarrow{abc} \quad \text{vs.} \quad \overscript\rightarrow{abc}$$

`\overrightarrow{abc}`                      `\overscript\rightarrow{abc}`

TABLE 270: trfsigns Extensible Transform Symbols

$$\overleftarrow{abc} \quad \text{\code{\dft{abc}}} \quad \overleftarrow{abc} \quad \text{\code{\DFT{abc}}}$$

TABLE 271: esrelation Extensible Relations

$\overleftarrow{abc}$	<code>\relationleftproject{abc}</code>	$\overrightarrow{abc}$	<code>\relationrightproject{abc}</code>
$\overline{abc}$	<code>\relationlifting{abc}</code>		

TABLE 272: halloweenmath Extensible Brooms and Pitchforks

$\overleftarrow{abc}$	<code>\overleftbroom{abc}</code>	$\underline{abc}$	<code>\underrightbroom{abc}</code>
$\overleftarrow{abc}$	<code>\overleftpitchfork{abc}</code>	$\underline{abc}$	<code>\underrightpitchfork{abc}</code>
$\overrightarrow{abc}$	<code>\overrightbroom{abc}</code>	$\overleftarrow{abc}$	<code>\xleftbroom{abc}</code>
$\overrightarrow{abc}$	<code>\overrightpitchfork{abc}</code>	$\overleftarrow{abc}$	<code>\xleftpitchfork{abc}</code>
$\underline{abc}$	<code>\underleftbroom{abc}</code>	$\overrightarrow{abc}$	<code>\xrightbroom{abc}</code>
$\underline{abc}$	<code>\underleftpitchfork{abc}</code>	$\overrightarrow{abc}$	<code>\xrightpitchfork{abc}</code>

TABLE 273: halloweenmath Extensible Witches

 $abc$	<code>\overleftwitchonbroom{abc}</code>	$abc$	<code>\underrightwitchonbroom{abc}</code>
 $abc$	<code>\overleftwitchonbroom*{abc}</code>	$abc$	<code>\underrightwitchonbroom*{abc}</code>
 $abc$	<code>\overleftwitchonpitchfork*{abc}</code>	$abc$	<code>\underrightwitchonpitchfork*{abc}</code>
 $abc$	<code>\overleftwitchonpitchfork{abc}</code>	$abc$	<code>\underrightwitchonpitchfork{abc}</code>
 $abc$	<code>\overrightwitchonbroom*{abc}</code>	$abc$	<code>\xleftwitchonbroom*{abc}</code>
 $abc$	<code>\overrightwitchonbroom{abc}</code>	$abc$	<code>\xleftwitchonbroom{abc}</code>
 $abc$	<code>\overrightwitchonpitchfork*{abc}</code>	$abc$	<code>\xleftwitchonpitchfork*{abc}</code>
 $abc$	<code>\overrightwitchonpitchfork{abc}</code>	$abc$	<code>\xleftwitchonpitchfork{abc}</code>
$abc$	<code>\underleftwitchonbroom{abc}</code>	$abc$	<code>\xrightwitchonbroom{abc}</code>
$abc$	<code>\underleftwitchonbroom*{abc}</code>	$abc$	<code>\xrightwitchonbroom*{abc}</code>
$abc$	<code>\underleftwitchonpitchfork*{abc}</code>	$abc$	<code>\xrightwitchonpitchfork{abc}</code>
$abc$	<code>\underleftwitchonpitchfork{abc}</code>	$abc$	<code>\xrightwitchonpitchfork*{abc}</code>

TABLE 274: halloweenmath Extensible Ghosts





 $abc$	<code>\overleftswishingghost{abc}</code>	 $abc$	<code>\overrightswishingghost{abc}</code>
$abc$	<code>\underleftswishingghost{abc}</code>	$abc$	<code>\underrightswishingghost{abc}</code>
 $abc$	<code>\xleftswishingghost{abc}</code>	 $abc$	<code>\xrightswishingghost{abc}</code>

TABLE 275: halloweenmath Extensible Bats





 $abc$	<code>\overleftflutteringbat{abc}</code>	 $abc$	<code>\overrightflutteringbat{abc}</code>
$abc$	<code>\underleftflutteringbat{abc}</code>	$abc$	<code>\underrightflutteringbat{abc}</code>
 $abc$	<code>\xleftflutteringbat{abc}</code>	 $abc$	<code>\xrightflutteringbat{abc}</code>

TABLE 276: holtpolt Non-commutative Division Symbols

$\left. \frac{abc}{def} \right $	<code>\holter{abc}{def}</code>	$\left  \frac{abc}{def} \right.$	<code>\polter{abc}{def}</code>
----------------------------------	--------------------------------	----------------------------------	--------------------------------

TABLE 277: Dots

<code>\cdot</code>	<code>\cdot</code>	<code>\cdot</code>	<code>\cdot</code>	<code>\cdot</code>	<code>\cdot</code>
<code>\cdotp</code>	<code>:</code>	<code>\colon*</code>	<code>\ldotp</code>	<code>\vdots†</code>	
<code>\cdots</code>	<code>\ddots†</code>	<code>\ldots</code>			

\* While “:” is valid in math mode, `\colon` uses different surrounding spacing. See Section 11.4 and the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for more information on math-mode spacing.

† The `mathdots` package redefines `\ddots` and `\vdots` (Table 283) to make them scale properly with font size. (They normally scale horizontally but not vertically.) `\fixedddots` and `\fixedvdots` provide the original, fixed-height functionality of L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s `\ddots` and `\vdots` macros.

TABLE 278: *AMS* Dots

<code>\because*</code>	<code>\dotsi</code>	<code>\therefore*</code>
<code>\dotsb</code>	<code>\dotsm</code>	
<code>\dotsc</code>	<code>\dotso</code>	

\* `\because` and `\therefore` are defined as binary relations and therefore also appear in Table 90 on page 55.

The *AMS* `\dots_` symbols are named according to their intended usage: `\dotsb` between pairs of binary operators/relations, `\dotsc` between pairs of commas, `\dotsi` between pairs of integrals, `\dotsm` between pairs of multiplication signs, and `\dotso` between other symbol pairs.

TABLE 279: wasysym Dots

<code>\wasytherefore</code>
-----------------------------

TABLE 280: MnSymbol Dots

$\cdot$	<code>\cdot</code>	$\cdots$	<code>\hdotdot</code>	$\therefore$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\dots$	<code>\hdots</code>	$\uptherefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\leftthreetimes$	<code>\leftthreetimes</code>	$\vdotdot$	<code>\vdotdot</code>
$\diamond\ddots$	<code>\diamonddots</code>	$\rightthreetimes$	<code>\rightthreetimes</code>	$\vdots$	<code>\vdots</code>
$\downthreetimes$	<code>\downthreetimes</code>	$\squaredots$	<code>\squaredots</code>		
$\fivedots$	<code>\fivedots</code>	$\udotdot$	<code>\udotdot</code>		

MnSymbol defines `\therefore` as `\uptherefore` and `\because` as `\downthreetimes`. Furthermore, `\cdotp` and `\coloneqq` produce the same glyphs as `\cdot` and `\vdotdot` respectively but serve as T<sub>E</sub>X math punctuation (class 6 symbols) instead of T<sub>E</sub>X binary operators (class 2).

All of the above except `\hdots` and `\vdots` are defined as binary operators and therefore also appear in Table 56 on page 34.

TABLE 281: fdsymbol Dots

$\cdot$	<code>\cdot</code>	$\dots$	<code>\hdots</code>	$\therefore$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\leftthreetimes$	<code>\leftthreetimes</code>	$\uptherefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\rightthreetimes$	<code>\rightthreetimes</code>	$\vdotdot$	<code>\vdotdot</code>
$\downthreetimes$	<code>\downthreetimes</code>	$\squaredots$	<code>\squaredots</code>		
$\hdotdot$	<code>\hdotdot</code>	$\udotdot$	<code>\udotdot</code>		

fdsymbol defines `\adots` as a synonym for `\udots`; `\because` as a synonym for `\downthreetimes`; `\cdotp` as a synonym for `\cdot`; `\cdots` as a synonym for `\hdots`; `\Colon` as a synonym for `\squaredots`; `\colon`, `\mathcolon`, and `\mathratio` as synonyms for `\vdotdot`; and `\therefore` as a synonym for `\uptherefore`. (Some of these serve different mathematical roles, such as relations versus binary operators.)

TABLE 282: stix Dots

$\therefore$	<code>\adots</code>	$\dots$	<code>\cdots</code>	$\vdots$	<code>\fourvdots</code>
$\because$	<code>\because</code>	$\Colon$	<code>\Colon</code>	$\ldotp$	<code>\ldotp</code>
$\cdot$	<code>\cdot</code>	$\ddots$	<code>\ddots</code>	$\mathellipsis$	<code>\mathellipsis</code>
$\cdot$	<code>\cdotp</code>	$\enleadertwodots$	<code>\enleadertwodots</code>	$\therefore$	<code>\therefore</code>

stix defines `\centerdot` as a synonym for `\cdotp` and `\dotsb` and `\dotsm` as synonyms for `\cdots`.

TABLE 283: mathdots Dots

$\ddots$	<code>\ddots</code>	$\iddots$	<code>\iddots</code>	$\vdots$	<code>\vdots</code>
----------	---------------------	-----------	----------------------	----------	---------------------

Unlike the default definitions of the above (Table 277), `mathdots`'s commands are designed to scale properly with the surrounding font size.

TABLE 284: yhmath Dots

$\ddots$  `\adots`

TABLE 285: teubner Dots

$\text{⋮}$  `\:`  $\text{⋮}$  `\;`  $\text{⋮}$  `\?`  $\text{⋮}$  `\antilabe`

TABLE 286: begriff Begriffsschrift Symbols

$\vdash$  `\BGassert`  $\dashv$  `\BGcontent`  $\top$  `\BGnot`  
 $\left[ \begin{array}{l} b \\ a \end{array} \right.$  `\BGconditional{a}{b}`  $\underbrace{\quad}_a$  `\BGquant{a}`

The `begriff` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `begriff` documentation for more information.

TABLE 287: frege Begriffsschrift Symbols

$\vdash$	<code>\Facontent</code>	$\vdash$	<code>\Fanncontent</code>	$\vdash$	<code>\Fncontent</code>
$\vdash$	<code>\Fancontent</code>	$\vdash$	<code>\Fcontent</code>	$\vdash$	<code>\Fnncontent</code>
$\vdash$	<code>\Fannquant{a}</code>	$\vdash$	<code>\Faquant{a}</code>	$\vdash$	<code>\Fnquant{a}</code>
$\vdash$	<code>\Fannquantn{a}</code>	$\vdash$	<code>\Faquantn{a}</code>	$\vdash$	<code>\Fnquantn{a}</code>
$\vdash$	<code>\Fannquantnn{a}</code>	$\vdash$	<code>\Faquantnn{a}</code>	$\vdash$	<code>\Fnquantnn{a}</code>
$\vdash$	<code>\Fanquant{a}</code>	$\vdash$	<code>\Fnnquant{a}</code>	$\vdash$	<code>\Fquantn{a}</code>
$\vdash$	<code>\Fanquantn{a}</code>	$\vdash$	<code>\Fnnquantn{a}</code>	$\vdash$	<code>\Fquantnn{a}</code>
$\vdash$	<code>\Fanquantnn{a}</code>	$\vdash$	<code>\Fnnquantnn{a}</code>		

The `frege` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `frege` documentation for more information.

TABLE 288: mathcomp Math Symbols

$^{\circ}\text{C}$  `\tccentigrade`  $\Omega$  `\tcohm`  $\text{‰}$  `\tcperthousand`  
 $\mu$  `\tcmu`  $\text{‰‰}$  `\tcpertenthousand`

TABLE 289: marvosym Math Symbols

$\angle$	<code>\AngleSign</code>	$\geq$	<code>\LargerOrEqual</code>	$\times$	<code>\MVMultiplication</code>
$\Rightarrow$	<code>\Conclusion</code>	$\leq$	<code>\LessOrEqual</code>	$\cdot$	<code>\MVPeriod</code>
$\equiv$	<code>\Congruent</code>	$\cdot$	<code>\MultiplicationDot</code>	$+$	<code>\MVPlus</code>
$\cong$	<code>\Corresponds</code>	$,$	<code>\MVComma</code>	$\rightarrow$	<code>\MVRightArrow</code>
$\div$	<code>\Divides</code>	$/$	<code>\MVDivision</code>	$)$	<code>\MVRightBracket</code>
$\nmid$	<code>\DividesNot</code>	$($	<code>\MVLeftBracket</code>	$\neq$	<code>\NotCongruent</code>
$\Leftrightarrow$	<code>\Equivalence</code>	$-$	<code>\MVMinus</code>		

TABLE 290: marvosym Digits

0	<code>\MVZero</code>	2	<code>\MVTwo</code>	4	<code>\MVFour</code>	6	<code>\MVSix</code>	8	<code>\MVEight</code>
1	<code>\MVOne</code>	3	<code>\MVThree</code>	5	<code>\MVFive</code>	7	<code>\MVSeven</code>	9	<code>\MVNine</code>

TABLE 291: fge Digits

0	<code>\fgestruckzero</code>	1	<code>\fgestruckone</code>
---	-----------------------------	---	----------------------------

TABLE 292: dozenal Base-12 Digits

$\zeta$	<code>\x</code>	$\xi$	<code>\e</code>
---------	-----------------	-------	-----------------

TABLE 293: mathabx Mayan Digits

$\textcircled{0}$	<code>\maya{0}</code>	:	<code>\maya{2}</code>	:	<code>\maya{4}</code>
$\cdot$	<code>\maya{1}</code>	:	<code>\maya{3}</code>	:	<code>\maya{5}</code>

TABLE 294: stix Infinities

$\textcircled{\infty}$	<code>\acidfree</code>	$\infty$	<code>\infty</code>	$\textcircled{\infty}$	<code>\tieinfty</code>
$\infty$	<code>\iinfin</code>	$\phi$	<code>\nvinfty</code>		

TABLE 295: stix Primes

$'$	<code>\prime</code>	$\backslash$	<code>\backprime</code>
$''$	<code>\dprime</code>	$\backslash\backslash$	<code>\backdprime</code>
$'''$	<code>\trprime</code>	$\backslash\backslash\backslash$	<code>\backtrprime</code>
$''''$	<code>\qprime</code>		



TABLE 296: stix Empty Sets

$\emptyset$	<code>\emptysetset</code>	$\bar{\emptyset}$	<code>\emptysetsetobar</code>	$\emptyset$	<code>\varnothing</code>
$\emptyset$	<code>\emptysetsetoarr</code>	$\emptyset$	<code>\emptysetsetocirc</code>		
$\emptyset$	<code>\emptysetsetoarrl</code>	$\emptyset$	<code>\revemptysetset</code>		

TABLE 297:  $\mathcal{AMS}$  Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 298: MnSymbol Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
-------------------	---------------------	-------------------	-----------------------------	-------------------	------------------------------

TABLE 299: fdsymbol Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\revangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\revmeasuredangle</code>	$\sphericalangle$	<code>\sphericalangledown</code>
$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\rightangle</code>	$\sphericalangle$	<code>\sphericalangleleft</code>
$\sphericalangle$	<code>\measuredrightangledot</code>	$\sphericalangle$	<code>\rightanglesquare</code>	$\sphericalangle$	<code>\sphericalangleup</code>

fdsymbol defines `\measuredangleleft` as a synonym for `\revmeasuredangle`; `\revsphericalangle` and `\gtlpar` as synonyms for `\sphericalangleleft`; `\rightanglesqr` as a synonym for `\rightanglesquare`; and `\rightangledot` as a synonym for `\measuredrightangledot`.

TABLE 300: boisik Angles

$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\rightangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\rightangledot</code>		
$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\rightanglesqr</code>		

TABLE 301: stix Angles

$\sphericalangle$	<code>\angdnr</code>	$\sphericalangle$	<code>\measanglerutone</code>	$\sphericalangle$	<code>\rightangledot</code>
$\sphericalangle$	<code>\angle</code>	$\sphericalangle$	<code>\measangleultonw</code>	$\sphericalangle$	<code>\rightanglesqr</code>
$\sphericalangle$	<code>\angles</code>	$\sphericalangle$	<code>\measangleurtone</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\angleubar</code>	$\sphericalangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangleup</code>
$\sphericalangle$	<code>\gtlpar</code>	$\sphericalangle$	<code>\measuredangleleft</code>	$\sphericalangle$	<code>\threeangle</code>
$\sphericalangle$	<code>\measangledtose</code>	$\sphericalangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\turnangle</code>
$\sphericalangle$	<code>\measangledrtose</code>	$\sphericalangle$	<code>\rangledownzigzagarrow</code>	$\sphericalangle$	<code>\wideangledown</code>
$\sphericalangle$	<code>\measangleldtose</code>	$\sphericalangle$	<code>\revangle</code>	$\sphericalangle$	<code>\wideangleup</code>
$\sphericalangle$	<code>\measanglelutow</code>	$\sphericalangle$	<code>\revangleubar</code>		
$\sphericalangle$	<code>\measanglerdtose</code>	$\sphericalangle$	<code>\rightangle</code>		

TABLE 302: Miscellaneous L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Math Symbols

$\aleph$	<code>\aleph</code>	$\square$	<code>\Box*</code> <sup>†</sup>	$\nabla$	<code>\nabla</code>	$\triangle$	<code>\triangle</code>
$\emptyset$	<code>\emptyset</code> <sup>‡</sup>	$\diamond$	<code>\Diamond*</code>	$\neg$	<code>\neg</code>		
$\angle$	<code>\angle</code>	$\infty$	<code>\infty</code>	$\prime$	<code>\prime</code>		
$\backslash$	<code>\backslash</code>	$\mho$	<code>\mho*</code>	$\surd$	<code>\surd</code>		

\* Not predefined in L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>. Use one of the packages `latexsym`, `amsmath`, `amssymb`, `txfonts`, `pxfonts`, or `wasysym`. Note, however, that `amsmath` and `amssymb` define `\Diamond` to produce the same glyph as `\lozenge` (“ $\diamond$ ”); the other packages produce a squarer `\Diamond` as depicted above.

† To use `\Box`—or any other symbol—as an end-of-proof (Q.E.D.) marker, consider using the `ntheorem` package, which properly juxtaposes a symbol with the end of the proof text.

‡ Many people prefer the look of  $\mathcal{A}\mathcal{M}\mathcal{S}$ ’s `\varnothing` (“ $\emptyset$ ”, Table 303) to that of L<sup>A</sup>T<sub>E</sub>X’s `\emptyset`.

TABLE 303: Miscellaneous  $\mathcal{A}\mathcal{M}\mathcal{S}$  Math Symbols

$\backprime$	<code>\backprime</code>	$\blacktriangledown$	<code>\blacktriangledown</code>	$\mho$	<code>\mho</code>
$\bigstar$	<code>\bigstar</code>	$\diagdown$	<code>\diagdown</code>	$\square$	<code>\square</code>
$\blacklozenge$	<code>\blacklozenge</code>	$\diagup$	<code>\diagup</code>	$\blacktriangledown$	<code>\blacktriangledown</code>
$\blacksquare$	<code>\blacksquare</code>	$\eth$	<code>\eth</code>	$\varnothing$	<code>\varnothing</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\lozenge$	<code>\lozenge</code>	$\vartriangle$	<code>\vartriangle</code>

TABLE 304: Miscellaneous `wasysym` Math Symbols

$\square$	<code>\Box</code>	$\diamond$	<code>\Diamond</code>	$\mho$	<code>\mho*</code>	$\varangle$	<code>\varangle</code>
-----------	-------------------	------------	-----------------------	--------	--------------------	-------------	------------------------

\* `wasysym` also defines an `\agem0` symbol, which is the same glyph as `\mho` but is intended for use in text mode.

TABLE 305: Miscellaneous `txfonts`/`pxfonts` Math Symbols

$\blacklozenge$	<code>\Diamondblack</code>	$\lambda$	<code>\lambdabar</code>
$\diamond$	<code>\Diamonddot</code>	$\lambda$	<code>\lambdaslash</code>

TABLE 306: Miscellaneous `mathabx` Math Symbols

$\circ$	<code>\degree</code>	$\mathcal{H}$	<code>\fourth</code>	$\sphericalangle$	<code>\measuredangle</code>	$\mathcal{H}$	<code>\second</code>
$\diagdown$	<code>\diagdown</code>	$\#$	<code>\hash</code>	$\pitchfork$	<code>\pitchfork</code>	$\varangle$	<code>\sphericalangle</code>
$\diagup$	<code>\diagup</code>	$\infty$	<code>\infty</code>	$\propto$	<code>\propto</code>	$\mathcal{H}$	<code>\third</code>
$\oslash$	<code>\diameter</code>	$\times$	<code>\leftthreetimes</code>	$\times$	<code>\rightthreetimes</code>	$\#$	<code>\varhash</code>

TABLE 307: Miscellaneous MnSymbol Math Symbols

$\neg$	<code>\backneg</code>	$\emptyset$	<code>\diameter</code>	$\neg$	<code>\invneg</code>	$\neg$	<code>\neg</code>
$\backslash$	<code>\backprime</code>	$\infty$	<code>\infty</code>	$\text{✱}$	<code>\maltese</code>	$\prime$	<code>\prime</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invbackneg</code>	$\nabla$	<code>\nabla</code>	$\int$	<code>\smallint</code>

MnSymbol defines `\emptyset` and `\varnothing` as synonyms for `\diameter`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\minushookup` as a synonym for `\invneg`; `\hookdownminus` as a synonym for `\backneg`; and, `\hookupminus` as a synonym for `\invbackneg`.

TABLE 308: Miscellaneous Internal MnSymbol Math Symbols

$\dots$	<code>\partialvardint</code>	$\dots$	<code>\partialvartint</code>
$\smile$	<code>\partialvardlanddownint</code>	$\smile$	<code>\partialvartlanddownint</code>
$\frown$	<code>\partialvardlandupint</code>	$\frown$	<code>\partialvartlandupint</code>
$\odot$	<code>\partialvardlcircleleftint</code>	$\odot$	<code>\partialvartlcircleleftint</code>
$\otimes$	<code>\partialvardlcirclerightint</code>	$\otimes$	<code>\partialvartlcirclerightint</code>
$\bigcirc$	<code>\partialvardoint</code>	$\bigcirc$	<code>\partialvartoint</code>
$\circ$	<code>\partialvardoint</code>	$\circ$	<code>\partialvartoint</code>
$\oslash$	<code>\partialvardrcircleleftint</code>	$\oslash$	<code>\partialvartrcircleleftint</code>
$\otimes$	<code>\partialvardrcirclerightint</code>	$\otimes$	<code>\partialvartrcirclerightint</code>
$\text{—}$	<code>\partialvardstrokedint</code>	$\text{—}$	<code>\partialvartstrokedint</code>
$\Sigma$	<code>\partialvardsumint</code>	$\Sigma$	<code>\partialvartsumint</code>

These symbols are intended to be used internally by MnSymbol to construct the integrals appearing in Table 80 on page 47 but can nevertheless be used in isolation.

TABLE 309: Miscellaneous fdsymbol Math Symbols

$\neg$	<code>\backneg</code>	$\int$	<code>\intprod</code>	$\prime$	<code>\prime</code>
$\backslash$	<code>\backprime</code>	$\int$	<code>\intprodr</code>	$\emptyset$	<code>\reemptyset</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invneg</code>	$\nabla$	<code>\sector</code>
$\emptyset$	<code>\emptyset</code>	$\text{✱}$	<code>\maltese</code>	$\int$	<code>\smallint</code>
$\infty$	<code>\infty</code>	$\neg$	<code>\neg</code>		

fdsymbol defines `\hookdownminus`, `\invneg`, and `\invnot` as synonyms for `\backneg`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\hookupminus` and `\turnedbackneg` as synonyms for `\intprodr`; `\minushookup`, `\turnedneg`, and `\turnednot` as synonyms for `\intprod`; and `\diameter` and `\varnothing` as synonyms for `\emptyset`.

TABLE 310: Miscellaneous boisik Math Symbols


$\epsilon$	<code>\backepsilon</code>	$\dagger$	<code>\hermitmatrix</code>	$\not\perp$	<code>\notbot</code>
$\backprime$	<code>\backprime</code>	$\infty$	<code>\iinfin</code>	$\not\top$	<code>\nottop</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invnot</code>	$\riota$	<code>\riota</code>
$\square$	<code>\dalambert</code>	$\lambda$	<code>\lambdabar</code>	$\sim$	<code>\sinewave</code>
$\diagdown$	<code>\diagdown</code>	$\lambda$	<code>\lambdaslash</code>	$\emptyset$	<code>\varnothing</code>
$\diagup$	<code>\diagup</code>	$\text{✱}$	<code>\maltese</code>		

TABLE 311: Miscellaneous stix Math Symbols

$\wp$	<code>\accurrent</code>	$\dagger$	<code>\hermitmatrix</code>	$\text{⦶}$	<code>\PropertyLine</code>
$\backslash$	<code>\backslash</code>	$\cdot$	<code>\hyphenbullet</code>	$\blacksquare$	<code>\QED</code>
$\text{⦶}$	<code>\bbrktbrk</code>	$\sim$	<code>\hzigzag</code>	$\text{??}$	<code>\Question</code>
$\text{⦶}$	<code>\bigbot</code>	$\Delta$	<code>\increment</code>	$\times$	<code>\rdiagovfdiag</code>
$\text{⦶}$	<code>\biginterleave</code>	$\blacksquare$	<code>\inversebullet</code>	$\text{⦶}$	<code>\rightouterjoin</code>
$\text{⦶}$	<code>\bigtop</code>	$\neg$	<code>\invnot</code>	$\text{⦶}$	<code>\sansLmirrored</code>
$\text{☺}$	<code>\blacksmiley</code>	$\text{⦶}$	<code>\Join</code>	$\text{⦶}$	<code>\sansLturned</code>
$\text{⦶}$	<code>\bracevert</code>	$\square$	<code>\laplac</code>	$\sim$	<code>\sinewave</code>
$\text{^}$	<code>\caretinsert</code>	$\text{⦶}$	<code>\leftouterjoin</code>	$\text{—}$	<code>\strns</code>
$\checkmark$	<code>\checkmark</code>	$\text{⦶}$	<code>\llarc</code>	$\text{⦶}$	<code>\thermod</code>
$\text{⦶}$	<code>\conictaper</code>	$\text{⦶}$	<code>\lrarc</code>	$\text{⦶}$	<code>\topcir</code>
$\text{⦶}$	<code>\danger</code>	$\text{✱}$	<code>\maltese</code>	$\text{⦶}$	<code>\turnednot</code>
$\diagdown$	<code>\diagdown</code>	$\text{§}$	<code>\mathsection</code>	$\text{⦶}$	<code>\ubrbrak</code>
$\diagup$	<code>\diagup</code>	$\text{⦶}$	<code>\mathvisiblespace</code>	$\text{⦶}$	<code>\ularc</code>
$\emptyset$	<code>\diameter</code>	$\nabla$	<code>\nabla</code>	$\text{⦶}$	<code>\urarc</code>
$\text{✱}$	<code>\dingasterisk</code>	$\neg$	<code>\neg*</code>	$\text{⦶}$	<code>\viewdata</code>
$\text{✱}$	<code>\elinters</code>	$\text{⦶}$	<code>\obrbrak</code>	$\text{⦶}$	<code>\vzigzag</code>
$\text{ø}$	<code>\eth</code>	$\text{⦶}$	<code>\perps</code>	$\text{⦶}$	<code>\yen</code>
$\text{!!}$	<code>\Exclam</code>	$\text{⦶}$	<code>\postalmark</code>	$\text{⦶}$	<code>\zcmp</code>
$\times$	<code>\fdiagovrdiag</code>	$\text{⦶}$	<code>\profline</code>	$\text{⦶}$	<code>\zpipe</code>
$\text{⦶}$	<code>\fullouterjoin</code>	$\text{⦶}$	<code>\profsurf</code>	$\text{⦶}$	<code>\zproject</code>

\* stix defines `\lnot` as a synonym for `\neg`.

TABLE 312: endofproofwd End-of-Proof Symbols

 `\wasserdicht`

`\wasserdicht` is implemented as an external PDF graphic. The command in fact typesets the symbol flush right on the page to signify the end of proof. To use the command in inline text, simply load the underlying graphic file directly:

```
\includegraphics[width=10pt]{endofproofwd.pdf}
```

TABLE 313: Miscellaneous `textcomp` Text-mode Math Symbols

$^\circ$	<code>\textdegree*</code>	$\frac{1}{2}$	<code>\textonehalf<sup>†</sup></code>	$\frac{3}{4}$	<code>\textthreequarters<sup>†</sup></code>
$\div$	<code>\textdiv</code>	$\frac{1}{4}$	<code>\textonequarter<sup>†</sup></code>	$^3$	<code>\textthreesuperior</code>
$/$	<code>\textfractionsolidus</code>	$^1$	<code>\textonesuperior</code>	$\times$	<code>\texttimes</code>
$\neg$	<code>\textlnot</code>	$\pm$	<code>\textpm</code>	$^2$	<code>\texttwosuperior</code>
$-$	<code>\textminus</code>	$\sqrt{\quad}$	<code>\textsurd</code>		

\* If you prefer a larger degree symbol you might consider defining one as “`\ensuremath{\textcircled{0}}`” (“ $\circ$ ”).

<sup>†</sup> `nicefrac` (part of the `units` package) or the newer `xfrac` package can be used to construct vulgar fractions like “ $\frac{1}{2}$ ”, “ $\frac{1}{4}$ ”, “ $\frac{3}{4}$ ”, and even “ $\frac{c}{o}$ ”.

TABLE 314: Miscellaneous `fge` Math Symbols

$\backslash$	<code>\fgebackslash</code>	$\frown$	<code>\fgecap</code>	$\smile$	<code>\fgecupacute</code>	$\sphericalangle$	<code>\fgelangle</code>
$\perp$	<code>\fgebaracute</code>	$\cap$	<code>\fgecapbar</code>	$\cong$	<code>\fgecupbar</code>	$\lrcorner$	<code>\fgeupbracket</code>
$\approx$	<code>\fgebarcap</code>	$\cup$	<code>\fgecup</code>	$\infty$	<code>\fgeinfty</code>		

TABLE 315: Miscellaneous `mathdesign` Math Symbols

$\llcorner$  `\rightangle`

TABLE 316: Math Alphabets

Font sample	Generating command	TeX font	Required package
ABCdef123	<code>\mathrm{ABCdef123}</code>	cmr10	<i>none</i>
<i>ABCdef123</i>	<code>\mathit{ABCdef123}</code>	cmmi10	<i>none</i>
<i>ABCdef123</i>	<code>\mathnormal{ABCdef123}</code>	cmmi10	<i>none</i>
<i>ABC</i>	<code>\mathcal{ABC}</code>	cmsy10	<i>none</i>
<i>ABC</i>	<code>\mathscr{ABC}</code>	rsfs10	mathrsfs
<i>ABC</i>	<i>or</i> <code>\mathcal{ABC}</code>	rsfs10	calrsfs
<i>ABC</i>	<code>\mathcal{ABC}</code>	eusm10	euscript with the <code>mathcal</code> option
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	eusm10	euscript with the <code>mathscr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	rsfso10	rsfso
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	rsfso10	rsfso with the <code>scr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	urwchancal	urwchancal*
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	urwchancal	urwchancal* with the <code>mathscr</code> option
ABC	<code>\mathbb{ABC}</code>	msbm10	amsfonts, <sup>§</sup> amssymb, txfonts, or pxfonts
ABC	<code>\varmathbb{ABC}</code>	txmia	txfonts or pxfonts
ABCdef123	<code>\mathbb{ABCdef123}</code>	bbold10	bbold or mathbbol <sup>†</sup>
ABCdef123	<code>\mathbb{ABCdef123}</code>	mbb10	mbboard <sup>†</sup>
ABCdef12	<code>\mathbbm{ABCdef12}</code>	bbm10	bbm
ABCdef12	<code>\mathbbmss{ABCdef12}</code>	bbmss10	bbm
ABCdef12	<code>\mathbbmtt{ABCdef12}</code>	bbmtt10	bbm
ABC1	<code>\mathds{ABC1}</code>	dsrom10	dsfont
ABC1	<code>\mathds{ABC1}</code>	dsss10	dsfont with the <code>sans</code> option
ABCdef123	<code>\mathbb{ABCdef123}</code>	DSSerif	ds serif
<b>ABCdef123</b>	<code>\mathbbb{ABCdef123}</code>	DSSerif-Bold	ds serif
ABC	<code>\symA\symB\symC</code>	china10	china2e <sup>‡</sup>
$\frac{ABCdef123}{123}$	<code>\mathfrak{ABCdef123}</code>	eufm10	eufrak
$\frac{ABCdef123}{123}$	<code>\textfrac{ABCdef123}</code>	yfrac	yfonts <sup>¶</sup>
$\frac{ABCdef123}{123}$	<code>\textswab{ABCdef123}</code>	yswab	yfonts <sup>¶</sup>
$\frac{ABCdef123}{123}$	<code>\textgoth{ABCdef123}</code>	ygoth	yfonts <sup>¶</sup>

The “TeX font” column lists the underlying TeX font (or, more accurately, the .tfm file) that provides the math alphabet. See the corresponding table in the associated Raw Font Tables document for the math alphabet’s complete character set.

\* `urwchancal` redefines `\mathcal` or `\mathscr` to use Zapf Chancery as the calligraphic or script font. However, like all `\mathcal` and `\mathscr` commands shown in Table 316, these support only uppercase letters. An alternative is to put “`\DeclareMathAlphabet{\mathpzc}{OT1}{pzc}{m}{it}`” in your document’s preamble to make `\mathpzc` typeset a wider set of characters in Zapf Chancery. Unfortunately, with this technique accents, superscripts, and subscripts don’t align as well as they do with `urwchancal`.

As a similar trick, you can typeset the Calligra font’s script “z” (or other calligraphic symbols) in math mode by loading the `calligra` package and putting “`\DeclareMathAlphabet{\mathcalligra}{T1}{calligra}{m}{n}`” in your document’s preamble to make `\mathcalligra` typeset its argument in the Calligra font. You may also want to specify “`\DeclareFontShape{T1}{calligra}{m}{n}{<->s*[2.2]callig15}{}`” to set Calligra at 2.2 times its design size for a better blend with typical body fonts.

† The `mathbbol` package defines some additional blackboard bold characters: parentheses, square brackets, angle brackets, and—if the `bbgreek` option is passed to `mathbbol`—Greek letters. For instance, “ $\langle[\alpha\beta\gamma]\rangle$ ” is produced by “`\mathbb{\langle\lbracket\lparen\bbalpha\bbbeta\bbgamma\rparen\rbracket\rangle}`”.

`mboard` extends the blackboard bold symbol set significantly further. It supports not only the Greek alphabet—including “Greek-like” symbols such as `\bbnabla` (“ $\nabla$ ”)—but also *all* punctuation marks, various currency symbols such as `\bbdollar` (“\$”) and `\bbeuro` (“€”), and the Hebrew alphabet (e.g., “`\bbfinalnun\bbiyod\bbqof\bbpe`” → “פיון”).

‡ The `\sym...` commands provided by the `GPA2e` package are actually text-mode commands. They are included in Table 316 because they resemble the blackboard-bold symbols that appear in the rest of the table. In addition to the 26 letters of the English alphabet, `GPA2e` provides three unlauded blackboard-bold letters: `\symAE` (“ $\text{\AA}$ ”), `\symOE` (“ $\text{\O}$ ”), and `\symUE` (“ $\text{\U}$ ”). Note that `GPA2e` does provide math-mode commands for the most common number-set symbols. These are presented in Table 187 on page 100.

¶ As their `\text...` names imply, the fonts provided by the `yfonts` package are actually text fonts. They are included in Table 316 because they are frequently used in a mathematical context.

§ An older (i.e., prior to 1991) version of the `AMS`’s fonts rendered  $\mathbb{C}$ ,  $\mathbb{N}$ ,  $\mathbb{R}$ ,  $\mathbb{S}$ , and  $\mathbb{Z}$  as  $\mathbb{C}$ ,  $\mathbb{N}$ ,  $\mathbb{R}$ ,  $\mathbb{S}$ , and  $\mathbb{Z}$ . As some people prefer the older glyphs—much to the `AMS`’s surprise—and because those glyphs fail to build under modern versions of METAFONT, Berthold Horn uploaded PostScript fonts for the older blackboard-bold glyphs to CTAN, to the `fonts/msym10` directory. As of this writing, however, there are no  $\text{\LaTeX} 2_{\epsilon}$  packages for utilizing the now-obsolete glyphs.

## 4 Science and technology symbols

This section lists symbols that are employed in various branches of science and engineering.

TABLE 317: gensymb Symbols Defined to Work in Both Math and Text Mode

°C	<code>\celsius</code>	μ	<code>\micro</code>	%	<code>\perthousand</code>
°	<code>\degree</code>	Ω	<code>\ohm</code>		

TABLE 318: wasysym Electrical and Physical Symbols



~	<code>\AC</code>	≈	<code>\VHF</code>	~~~~~	<code>\photon</code>	≈	<code>\HF</code>	⊗	<code>\gluon</code>
---	------------------	---	-------------------	-------	----------------------	---	------------------	---	---------------------

TABLE 319: ifsym Pulse Diagram Symbols

⌋	<code>\FallingEdge</code>	⌋⌋	<code>\LongPulseLow</code>	⌋⌋	<code>\PulseLow</code>	⌋⌋	<code>\ShortPulseHigh</code>
⌋⌋	<code>\LongPulseHigh</code>	⌋⌋	<code>\PulseHigh</code>	⌋	<code>\RaisingEdge</code>	⌋	<code>\ShortPulseLow</code>

In addition, within `\textifsym{...}`, the following codes are valid:

<code>_ l</code>	<code>- m</code>	<code>- h</code>	<code>- d</code>	<code>&lt; &lt;</code>	<code>&gt; &gt;</code>
<code>_ L</code>	<code>- M</code>	<code>- H</code>	<code>- D</code>	<code>&lt; &lt;&lt;</code>	<code>&gt; &gt;&gt;</code>

This enables one to write `"\textifsym{mm<DDD>mm}"` to get  or `"\textifsym{L|H|L|H|L}"` to get . See also the `timing` package, which provides a wide variety of pulse-diagram symbols within an environment designed specifically for typesetting pulse diagrams.

Finally, `\textifsym` supports the display of segmented digits, as would appear on an LCD: `"\textifsym{-123.456}"` produces `"- 123.456"`. `"\textifsym{b}"` outputs a blank with the same width as an `"8"`.

TABLE 320: ar Aspect Ratio Symbol

$\mathcal{R}$	<code>\AR</code>
---------------	------------------

TABLE 321: plimsoll Plimsoll Symbol

⊖	<code>\plimsoll</code>
---	------------------------

TABLE 322: textcomp Text-mode Science and Engineering Symbols

°C	<code>\textcelsius</code>	∅	<code>\textmho</code>	μ	<code>\textmu</code>	Ω	<code>\textohm</code>
----	---------------------------	---	-----------------------	---	----------------------	---	-----------------------



TABLE 323: steinmetz Extensible Phasor Symbol

$\langle abc \rangle$  `\phase{abc}`

The `\phase` command uses the `pict2e` package to draw a horizontally and vertically scalable Steinmetz phasor symbol. Consequently, `\phase` works only with those  $\TeX$  backends supported by `pict2e`. See the `pict2e` documentation for more information.

TABLE 324: emf Electromotive Force Symbols

$\mathcal{E}$  `\emf` with package option `boondox` (default)  
 $\mathcal{E}$  `\emf` with package option `cal`\*  
 $\mathcal{E}$  `\emf` with package option `calligra`  
 $\mathcal{E}$  `\emf` with package option `chorus`  
 $\mathcal{E}$  `\emf` with package option `cmr`  
 $\mathcal{E}$  `\emf` with package option `fourier`  
 $\mathcal{E}$  `\emf` with package option `frursive`  
 $\mathcal{E}$  `\emf` with package option `miami`  
 $\mathcal{E}$  `\emf` with package option `rsfs`

\* With the `cal` package option, `\emf` uses `\mathcalcal`. Hence, the depiction of “E” depends on the currently loaded math font.

TABLE 325: wasysym Astronomical Symbols

$\text{\textcircled{\small{♁}}}$	<code>\mercury</code>	$\text{\textcircled{\small{♁}}}$	<code>\earth</code>	$\text{\textcircled{\small{♃}}}$	<code>\jupiter</code>	$\text{\textcircled{\small{♅}}}$	<code>\uranus</code>	$\text{\textcircled{\small{♇}}}$	<code>\pluto</code>
$\text{\textcircled{\small{♀}}}$	<code>\venus</code>	$\text{\textcircled{\small{♂}}}$	<code>\mars</code>	$\text{\textcircled{\small{♄}}}$	<code>\saturn</code>	$\text{\textcircled{\small{♆}}}$	<code>\neptune</code>		
$\text{\textcircled{\small{☉}}}$	<code>\astrosun</code>	$\text{\textcircled{\small{☾}}}$	<code>\fullmoon</code>	$\text{\textcircled{\small{☾}}}$	<code>\leftmoon</code>	$\text{\textcircled{\small{☾}}}$	<code>\newmoon</code>	$\text{\textcircled{\small{☾}}}$	<code>\rightmoon</code>
$\text{\textcircled{\small{♈}}}$	<code>\aries</code>	$\text{\textcircled{\small{♋}}}$	<code>\cancer</code>	$\text{\textcircled{\small{♌}}}$	<code>\libra</code>	$\text{\textcircled{\small{♍}}}$	<code>\aquarius</code>		
$\text{\textcircled{\small{♉}}}$	<code>\taurus</code>	$\text{\textcircled{\small{♌}}}$	<code>\leo</code>	$\text{\textcircled{\small{♍}}}$	<code>\scorpio</code>	$\text{\textcircled{\small{♎}}}$	<code>\capricornus</code>		
$\text{\textcircled{\small{♊}}}$	<code>\gemini</code>	$\text{\textcircled{\small{♍}}}$	<code>\virgo</code>	$\text{\textcircled{\small{♎}}}$	<code>\sagittarius</code>	$\text{\textcircled{\small{♏}}}$	<code>\pisces</code>		
$\text{\textcircled{\small{♁}}}$	<code>\ascnode</code>	$\text{\textcircled{\small{♁}}}$	<code>\descnode</code>	$\text{\textcircled{\small{♁}}}$	<code>\conjunction</code>	$\text{\textcircled{\small{♁}}}$	<code>\opposition</code>	$\text{\textcircled{\small{♁}}}$	<code>\vernal</code>

TABLE 326: marvosym Astronomical Symbols

☿	<code>\Mercury</code>	♁	<code>\Earth</code>	♃	<code>\Jupiter</code>	♅	<code>\Uranus</code>	♇	<code>\Pluto</code>
♀	<code>\Venus</code>	♂	<code>\Mars</code>	♄	<code>\Saturn</code>	♆	<code>\Neptune</code>		
☾	<code>\Moon</code>	☼	<code>\Sun</code>						
♈	<code>\Aries</code>	♋	<code>\Cancer</code>	♎	<code>\Libra</code>	♏	<code>\Capricorn</code>		
♉	<code>\Taurus</code>	♌	<code>\Leo</code>	♏	<code>\Scorpio</code>	♐	<code>\Aquarius</code>		
♊	<code>\Gemini</code>	♍	<code>\Virgo</code>	♐	<code>\Sagittarius</code>	♑	<code>\Pisces</code>		

Note that `\Aries... \Pisces` can also be specified with `\Zodiac{1}... \Zodiac{12}`.

TABLE 327: fontawesome Astronomical Symbols

♂	<code>\faMars</code>	☾	<code>\faMoon0</code>	♀	<code>\faVenus</code>
☿	<code>\faMercury</code>	☼	<code>\faSun0</code>		

TABLE 328: mathabx Astronomical Symbols

☿	<code>\Mercury</code>	♁	<code>\Earth</code>	♃	<code>\Jupiter</code>	♅	<code>\Uranus</code>	♇	<code>\Pluto</code>
♀	<code>\Venus</code>	♂	<code>\Mars</code>	♄	<code>\Saturn</code>	♆	<code>\Neptune</code>	♁	<code>\varEarth</code>
☾	<code>\fullmoon</code>	☾	<code>\leftmoon</code>	☾	<code>\newmoon</code>	☾	<code>\rightmoon</code>	☼	<code>\Sun</code>
♈	<code>\Aries</code>	♉	<code>\Taurus</code>	♊	<code>\Gemini</code>				

`mathabx` also defines `\girl` as an alias for `\Venus`, `\boy` as an alias for `\Mars`, and `\Moon` as an alias for `\leftmoon`.

TABLE 329: stix Astronomical Symbols

☼	<code>\astrosun</code>	☾	<code>\leftmoon</code>	☾	<code>\rightmoon</code>	☼	<code>\sun</code>
---	------------------------	---	------------------------	---	-------------------------	---	-------------------

TABLE 330: utfsym Astronomical Symbols

☉	<code>\usym{2609}</code>	♃	<code>\usym{2643}</code>	♆	<code>\usym{264F}</code>	●	<code>\usym{1F318}</code>
♁	<code>\usym{260A}</code>	♄	<code>\usym{2644}</code>	♁	<code>\usym{2650}</code>	☾	<code>\usym{1F319}</code>
♂	<code>\usym{260B}</code>	♅	<code>\usym{2645}</code>	♂	<code>\usym{2651}</code>	●	<code>\usym{1F31A}</code>
♂	<code>\usym{260C}</code>	♆	<code>\usym{2646}</code>	♁	<code>\usym{2652}</code>	♃	<code>\usym{1F31B}</code>
♂	<code>\usym{260D}</code>	♇	<code>\usym{2647}</code>	♁	<code>\usym{2653}</code>	♃	<code>\usym{1F31C}</code>
♁	<code>\usym{263C}</code>	♁	<code>\usym{2648}</code>	●	<code>\usym{1F311}</code>	♃	<code>\usym{1F31D}</code>
♃	<code>\usym{263D}</code>	♂	<code>\usym{2649}</code>	●	<code>\usym{1F312}</code>	♃	<code>\usym{1F31E}</code>
♃	<code>\usym{263E}</code>	♁	<code>\usym{264A}</code>	●	<code>\usym{1F313}</code>	♃	<code>\usym{1F31F}</code>
♃	<code>\usym{263F}</code>	♃	<code>\usym{264B}</code>	●	<code>\usym{1F314}</code>	♃	<code>\usym{1F320}</code>
♀	<code>\usym{2640}</code>	♃	<code>\usym{264C}</code>	○	<code>\usym{1F315}</code>		
♃	<code>\usym{2641}</code>	♃	<code>\usym{264D}</code>	○	<code>\usym{1F316}</code>		
♃	<code>\usym{2642}</code>	♃	<code>\usym{264E}</code>	○	<code>\usym{1F317}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 331: starfont Astronomical Symbols

☿	\Mercury	♂	\Mars	♅	\Uranus	♁	\varTerra
♀	\Venus	♃	\Jupiter	♆	\Neptune	♁	\varUranus
♁	\Terra	♄	\Saturn	♇	\Pluto	♇	\varPluto
☉	\Sun	☾	\Moon	☾	\varMoon		
♄	\Cupido	♁	\Zeus	♃	\Apollon	♁	\Vulkanus
♇	\Hades	♁	\Kronos	♁	\Admetos	♁	\Poseidon
♁	\Lilith	♁	\NorthNode	♁	\SouthNode		
♁	\Amor	♁	\Eros	♁	\Juno	♁	\Sappho
♁	\Ceres	♁	\Hidalgo	♁	\Pallas	♁	\Vesta
♁	\Chiron	♁	\Hygiea	♁	\Psyche		
♁	\Fortune						
♈	\Aries	♌	\Leo	♐	\Sagittarius	♏	\varCapricorn
♉	\Taurus	♍	\Virgo	♑	\Capricorn		
♊	\Gemini	♎	\Libra	♒	\Aquarius		
♋	\Cancer	♏	\Scorpio	♓	\Pisces		
♋	\Conjunction	♋	\Square	♋	\Semisextile		
♋	\Opposition	♋	\Sextile	♋	\Semisquare		
♋	\Trine	♋	\Quincunx	♋	\Sesquiquadrate		
♋ <sup>asc</sup>	\ASC	♋ <sup>ep</sup>	\EastPoint	♋ <sup>mc</sup>	\MC		
♋ <sup>dsc</sup>	\DSC	♋ <sup>ic</sup>	\IC	♋ <sup>vz</sup>	\Vertex		
♋ <sup>d</sup>	\Direct	♋ <sup>r</sup>	\Retrograde	♋ <sup>s</sup>	\Station		
♋	\Air	♋	\Earth	♋	\Fire	♋	\Water
♋ <sup>n</sup>	\Natal	♋	\Pentagram	♋ <sup>rad</sup>	\Radix		

TABLE 332: wasysym APL Symbols

☐	\APLbox	☐	\APLin	*	\APLstar
☐	\APLcomment	☐	\APLleftarrowbox	△	\APLup
▽	\APLdown	⊗	\APLlog	⏏	\APLuparrowbox
⏏	\APLdownarrowbox	-	\APLminus	↖	\notbackslash
☐	\APLinput	☐	\APLrightarrowbox	≠	\notslash
∘	\APLcirc{a}	⊘	\APLnot{a}	⊥	\APLvert{a}

TABLE 333: stix APL Symbols



	<code>\APLboxquestion</code>	$\nabla$	<code>\APLnotbackslash</code>
	<code>\APLboxupcaret</code>	$\neq$	<code>\APLnotslash</code>

TABLE 334: apl APL Symbols

	<code>\AB</code>	∞	<code>\DD</code>	∇	<code>\GD</code>	⊢	<code>\LK</code>	∇	<code>\PD</code>	↑	<code>\UA</code>	$\underline{G}$	<code>\ZG</code>	$Q$	<code>\ZQ</code>
α	<code>\AM</code>	⊥	<code>\DE</code>	≥	<code>\GE</code>	○	<code>\LO</code>	⊠	<code>\QQ</code>	—	<code>\US</code>	$\underline{H}$	<code>\ZH</code>	$\underline{B}$	<code>\ZR</code>
\	<code>\BL</code>	∇	<code>\DL</code>	→	<code>\GO</code>	⊃	<code>\LU</code>	}	<code>\RB</code>	U	<code>\UU</code>	$\underline{I}$	<code>\ZI</code>	$\underline{S}$	<code>\ZS</code>
□	<code>\BX</code>	◇	<code>\DM</code>	△	<code>\GU</code>	≠	<code>\NE</code>	⊢	<code>\RK</code>	⊥	<code>\XQ</code>	$\underline{J}$	<code>\ZJ</code>	$\underline{T}$	<code>\ZT</code>
\	<code>\CB</code>	⊠	<code>\DQ</code>	⊥	<code>\IB</code>	—	<code>\NG</code>	ρ	<code>\RO</code>	$\underline{A}$	<code>\ZA</code>	$\underline{K}$	<code>\ZK</code>	$\underline{U}$	<code>\ZU</code>
⌈	<code>\CE</code>	∩	<code>\DU</code>	~	<code>\IO</code>	★	<code>\NN</code>	⊂	<code>\RU</code>	$\underline{B}$	<code>\ZB</code>	$\underline{L}$	<code>\ZL</code>	$\underline{V}$	<code>\ZV</code>
⊇	<code>\CO</code>	⊢	<code>\EN</code>	{	<code>\LB</code>	∇	<code>\NR</code>	φ	<code>\RV</code>	$\underline{C}$	<code>\ZC</code>	$\underline{M}$	<code>\ZM</code>	$\underline{W}$	<code>\ZW</code>
○	<code>\CR</code>	∈	<code>\EP</code>	△	<code>\LD</code>	~	<code>\NT</code>	◦	<code>\SO</code>	$\underline{D}$	<code>\ZD</code>	$\underline{N}$	<code>\ZN</code>	$\underline{X}$	<code>\ZX</code>
/	<code>\CS</code>	⊥	<code>\FL</code>	≤	<code>\LE</code>	ω	<code>\OM</code>	SS	<code>\SS</code>	$\underline{E}$	<code>\ZE</code>	$\underline{O}$	<code>\ZO</code>	$\underline{Y}$	<code>\ZY</code>
↓	<code>\DA</code>	∇	<code>\FM</code>	⊕	<code>\LG</code>	v	<code>\OR</code>	⊘	<code>\TR</code>	$\underline{F}$	<code>\ZF</code>	$\underline{P}$	<code>\ZP</code>	$\underline{Z}$	<code>\ZZ</code>

TABLE 335: marvosym Computer Hardware Symbols

































	<code>\ComputerMouse</code>		<code>\ParallelPort</code>		<code>\SerialInterface</code>
	<code>\Keyboard</code>		<code>\Printer</code>		<code>\SerialPort</code>

TABLE 336: keystroke Computer Keys

	<code>\Alt</code>		<code>\Enter*</code>		<code>\PrtSc*</code>
	<code>\AltGr</code>		<code>\Esc*</code>		<code>\RArrow</code>
	<code>\Break*</code>		<code>\Home*</code>		<code>\Return</code>
	<code>\BSpace<sup>†</sup></code>		<code>\Ins*</code>		<code>\Scroll*</code>
	<code>\Ctrl*</code>		<code>\LArrow</code>		<code>\Shift*</code>
	<code>\DArrow</code>		<code>\NumLock</code>		<code>\Spacebar</code>
	<code>\Del*</code>		<code>\PgDown*</code>		<code>\Tab<sup>†</sup></code>
	<code>\End*</code>		<code>\PgUp*</code>		<code>\UArrow</code>

\* Changes based on the language option passed to the `keystroke` package. For example, the `german` option makes `\Del` produce “” instead of “”.

<sup>†</sup> These symbols utilize the `rotating` package and therefore display improperly in most DVI viewers.



























The `\keystroke` command draws a key with an arbitrary label. For example, “`\keystroke{F7}`” produces “”.

TABLE 337: ascii Control Characters (CP437)

☉	\SOH	■	\BS	*	\SI	—	\SYN	↔	\GS
●	\STX	○	\HT	▶	\DLE	‡	\ETB	▲	\RS
♥	\ETX	◼	\LF	◀	\DCa	↑	\CAN	—	\US
◆	\EOT	♂	\VT	‡	\DCb	↓	\EM		
♣	\ENQ	♀	\FF	!!	\DCc	→	\SUB		
♠	\ACK	⊙	\CR	‡	\DCd	←	\ESC		
•	\BEL	◦	\SO	§	\NAK	L	\FS		
△	\DEL	⋈	\NBSP	⋈	\NUL	‡	\splitvert		

Code Page 437 (CP437), which was first utilized by the original IBM PC, uses the symbols \SOH through \US to depict ASCII characters 1–31 and \DEL to depict ASCII character 127. The \NUL symbol, not part of CP437, represents ASCII character 0. \NBSP, also not part of CP437, represents a nonbreaking space. \splitvert is merely the “|” character drawn as it was on the IBM PC.

TABLE 338: logic Logic Gates

	\ANDd		\BUFu		\NANDl		\ORd
	\ANDl		\Buswidth		\NANDr		\ORl
	\ANDr		\INVd		\NANDu		\ORr
	\ANDu		\INVl		\NORd		\ORu
	\BUFd		\INVr		\NORl		
	\BUF1		\INVu		\NORr		
	\BUFr		\NANDd		\NORu		

The `logic` package implements the digital logic-gate symbols specified by the U.S. Department of Defense’s MIL-STD-806 standard. Note that on CTAN, the package is *called* `logic`, but the package is *loaded* using `\usepackage{milstd}`. (There was already a—completely unrelated—`milstd` package on CTAN at the time of `logic`’s release.) Consequently, package details are listed under `milstd` in Table 586 and Table 587 on page 298.

TABLE 339: marvosym Communication Symbols

	<code>\Email</code>		<code>\fax</code>		<code>\Faxmachine</code>		<code>\Lightning</code>		<code>\Pickup</code>
	<code>\EmailCT</code>		<code>\FAX</code>		<code>\Letter</code>		<code>\Mobilefone</code>		<code>\Telefon</code>

TABLE 340: marvosym Engineering Symbols

	<code>\Beam</code>		<code>\Force</code>		<code>\Octosteel</code>		<code>\RoundedTTsteel</code>
	<code>\Bearing</code>		<code>\Hexasteel</code>		<code>\Rectpipe</code>		<code>\Squarepipe</code>
	<code>\Circpipe</code>		<code>\Lefttorque</code>		<code>\Rectsteel</code>		<code>\Squaresteel</code>
	<code>\Circsteel</code>		<code>\Lineload</code>		<code>\Righttorque</code>		<code>\Tsteel</code>
	<code>\Fixedbearing</code>		<code>\Loosebearing</code>		<code>\RoundedLsteel*</code>		<code>\TTsteel</code>
	<code>\Flatsteel</code>		<code>\Lsteel</code>		<code>\RoundedTsteel*</code>		

\* `\RoundedLsteel` and `\RoundedTsteel` seem to be swapped, at least in the 2000/05/01 version of marvosym.

TABLE 341: wasysym Biological Symbols

	<code>\female</code>		<code>\male</code>
--	----------------------	--	--------------------

TABLE 342: stix Biological Symbols

	<code>\female</code>		<code>\male</code>
	<code>\Hermaphrodite</code>		<code>\neuter</code>

TABLE 343: marvosym Biological Symbols

	<code>\FEMALE</code>		<code>\FemaleMale</code>		<code>\Male</code>		<code>\Neutral</code>
	<code>\Female</code>		<code>\Hermaphrodite</code>		<code>\MALE</code>		
	<code>\FemaleFemale</code>		<code>\HERMAPHRODITE</code>		<code>\MaleMale</code>		

TABLE 344: utfsym Biological Symbols

	<code>\usym{26A2}</code>		<code>\usym{26A4}</code>		<code>\usym{26A6}</code>		<code>\usym{26A8}</code>
	<code>\usym{26A3}</code>		<code>\usym{26A5}</code>		<code>\usym{26A7}</code>		<code>\usym{26A9}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 345: fontawesome Biological Symbols

○	<code>\faGenderless</code>	♂	<code>\faMarsStrokeH</code>	♿	<code>\faTransgenderAlt</code>
♂	<code>\faMars</code>	♁	<code>\faMarsStrokeV</code>	♀	<code>\faVenus</code>
♂♂	<code>\faMarsDouble</code>	♁	<code>\faNeuter</code>	♀♀	<code>\faVenusDouble</code>
♂	<code>\faMarsStroke</code>	♿	<code>\faTransgender</code>	♿♀	<code>\faVenusMars</code>

fontawesome defines `\faIntersex` as a synonym for `\faTransgender`

TABLE 346: marvosym Safety-related Symbols

☣	<code>\Biohazard</code>	⚠	<code>\CEsign</code>	☢	<code>\Explosionsafe</code>	☸	<code>\Radioactivity</code>
☞	<code>\BSEfree</code>	⚡	<code>\Estatically</code>	☞	<code>\Laserbeam</code>	⊞	<code>\Stopsign</code>

TABLE 347: feyn Feynman Diagram Symbols

	<code>\bigbosonloop</code>	○	<code>\hfermion</code>		<code>\smallbosonloopV</code>		
	<code>\bigbosonloopA</code>	⤿	<code>\shfermion</code>	↘	<code>\wfermion</code>		
	<code>\bigbosonloopV</code>		<code>\smallbosonloop</code>	⊃	<code>\whfermion</code>		
	<code>\gvcropped</code>		<code>\smallbosonloopA</code>				
▶	<code>\feyn{a}</code>	/	<code>\feyn{fu}</code>		<code>\feyn{glS}</code>	⋯	<code>\feyn{hs}</code>
○	<code>\feyn{c}</code>		<code>\feyn{fv}</code>		<code>\feyn{glu}</code>	/	<code>\feyn{hu}</code>
—	<code>\feyn{f}</code>	~	<code>\feyn{g}</code>		<code>\feyn{gu}</code>	=	<code>\feyn{m}</code>
↘	<code>\feyn{fd}</code>		<code>\feyn{g1}</code>	⋈	<code>\feyn{gv}</code>	=	<code>\feyn{ms}</code>
⤿	<code>\feyn{fl}</code>	~	<code>\feyn{gd}</code>		<code>\feyn{gvs}</code>	⊗	<code>\feyn{p}</code>
⤿	<code>\feyn{flS}</code>		<code>\feyn{gl}</code>	⋯	<code>\feyn{h}</code>	●	<code>\feyn{P}</code>
—	<code>\feyn{fs}</code>		<code>\feyn{glB}</code>	↘	<code>\feyn{hd}</code>	×	<code>\feyn{x}</code>

All other arguments to the `\feyn` command produce a “☞” symbol.

The `feyn` package provides various commands for composing the preceding symbols into complete Feynman diagrams. See the `feyn` documentation for examples and additional information.



TABLE 348: svrsymbols Physics Ideograms

$\Delta$	<code>\adsorbate</code>	$\mathbb{X}$	<code>\experimentalsym</code>	$\mathbb{P}$	<code>\protein</code>
$\mathbb{C}$	<code>\adsorbent</code>	$\blacksquare$	<code>\externalsym</code>	$p^+$	<code>\proton</code>
$\mu^+$	<code>\antimuon</code>	$\mathcal{F}$	<code>\fermiDistrib</code>	$\mathbb{Q}$	<code>\quadrupole</code>
$\bar{\nu}$	<code>\antineutrino</code>	$\mathcal{F}$	<code>\fermion</code>	$q$	<code>\quark</code>
$\bar{n}$	<code>\antineutron</code>	$g$	<code>\Gluon</code>	$b$	<code>\quarkb</code>
$p^-$	<code>\antiproton</code>	$\mathbb{G}$	<code>\graphene</code>	$c$	<code>\quarkc</code>
$\bar{q}$	<code>\antiquark</code>	$g$	<code>\graviton</code>	$d$	<code>\quarkd</code>
$\bar{b}$	<code>\antiquarkb</code>	$\mathbb{H}$	<code>\hbond</code>	$s$	<code>\quarks</code>
$\bar{c}$	<code>\antiquarkc</code>	$\mathbb{H}$	<code>\Higgsboson</code>	$t$	<code>\quarkt</code>
$\bar{d}$	<code>\antiquarkd</code>	$h^+$	<code>\hole</code>	$u$	<code>\quarku</code>
$\bar{s}$	<code>\antiquarks</code>	$\mathbb{I}$	<code>\interaction</code>	$R$	<code>\reference</code>
$\bar{t}$	<code>\antiquarkt</code>	$\mathbb{I}$	<code>\internalsym</code>	$\ll$	<code>\resistivity</code>
$\bar{u}$	<code>\antiquarku</code>	$\textcircled{1}$	<code>\ion</code>	$q^-$	<code>\rhomesonminus</code>
$\mathcal{A}$	<code>\anyon</code>	$\oplus$	<code>\ionicbond</code>	$q^0$	<code>\rhomesonnull</code>
$\star$	<code>\assumption</code>	$\mathcal{Y}$	<code>\Jpsimeson</code>	$q^+$	<code>\rhomesonplus</code>
$\otimes$	<code>\atom</code>	$K^-$	<code>\Kaonminus</code>	$\mathbb{H}$	<code>\solid</code>
$\star$	<code>\bigassumption</code>	$K^0$	<code>\Kaonnull</code>	$\otimes$	<code>\spin</code>
$\star$	<code>\Bigassumption</code>	$K^+$	<code>\Kaonplus</code>	$\downarrow$	<code>\spindown</code>
$\star$	<code>\biggassumption</code>	$\rightarrow$	<code>\magnon</code>	$\uparrow$	<code>\spinup</code>
$B^-$	<code>\Bmesonminus</code>	$\mathcal{M}$	<code>\maxwellDistrib</code>	$\Phi$	<code>\surface</code>
$B^0$	<code>\Bmesonnull</code>	$\mathbb{A}$	<code>\metalbond</code>	$\mathbb{W}$	<code>\svrexample</code>
$B^+$	<code>\Bmesonplus</code>	$\mathbb{M}$	<code>\method</code>	$f$	<code>\svrphoton</code>
$\text{—}$	<code>\bond</code>	$\mu^-$	<code>\muon</code>	$t$	<code>\tachyon</code>
$\mathcal{B}$	<code>\boseDistrib</code>	$\nu$	<code>\neutrino</code>	$\tau^-$	<code>\tauleptonminus</code>
$\mathcal{B}$	<code>\boson</code>	$n^0$	<code>\neutron</code>	$\tau^+$	<code>\tauleptonplus</code>
$\otimes$	<code>\conductivity</code>	$\mathbb{N}$	<code>\nucleus</code>	$T^-$	<code>\Tmesonminus</code>
$\oplus$	<code>\covbond</code>	$\mathbb{O}$	<code>\orbit</code>	$T^0$	<code>\Tmesonnull</code>
$p$	<code>\dipole</code>	$\phi$	<code>\phimeson</code>	$T^+$	<code>\Tmesonplus</code>
$D^-$	<code>\Dmesonminus</code>	$\phi^0$	<code>\phimesonnull</code>	$\mathbb{C}$	<code>\triplecovbond</code>
$D^0$	<code>\Dmesonnull</code>	$\mathcal{F}$	<code>\phonon</code>	$Y$	<code>\Upsilonmeson</code>
$D^+$	<code>\Dmesonplus</code>	$\pi^-$	<code>\pionminus</code>	$\mathbb{F}$	<code>\varphoton</code>
$\mathbb{C}$	<code>\doublecovbond</code>	$\pi^0$	<code>\pionnull</code>	$\mathbb{W}$	<code>\water</code>
$e^-$	<code>\electron</code>	$\pi^+$	<code>\pionplus</code>	$W$	<code>\Wboson</code>
$\mathbb{E}$	<code>\errorsym</code>	$\sim e^-$	<code>\plasmon</code>	$W^-$	<code>\Wbosonminus</code>
$\eta$	<code>\etameson</code>	$\mathcal{P}$	<code>\polariton</code>	$W^+$	<code>\Wbosonplus</code>
$\eta'$	<code>\etamesonprime</code>	$\mathcal{P}$	<code>\polaron</code>	$Z$	<code>\Zboson</code>
$\sim h^+$	<code>\exciton</code>	$e^+$	<code>\positron</code>		

## 5 Dingbats

Dingbats are symbols such as stars, arrows, and geometric shapes. They are commonly used as bullets in itemized lists or, more generally, as a means to draw attention to the text that follows.

The `pifont` dingbat package warrants special mention. Among other capabilities, `pifont` provides a  $\text{\LaTeX}$  interface to the Zapf Dingbats font (one of the standard 35 PostScript fonts). However, rather than name each of the dingbats individually, `pifont` merely provides a single `\ding` command, which outputs the character that lies at a given position in the font. The consequence is that the `pifont` symbols can't be listed by name in this document's index, so be mindful of that fact when searching for a particular symbol.

TABLE 349: `bbding` Arrows






	<code>\ArrowBoldDownRight</code>		<code>\ArrowBoldRightShort</code>		<code>\ArrowBoldUpRight</code>
	<code>\ArrowBoldRightCircled</code>		<code>\ArrowBoldRightStrobe</code>		

TABLE 350: `pifont` Arrows











































	<code>\ding{212}</code>		<code>\ding{221}</code>		<code>\ding{230}</code>		<code>\ding{239}</code>		<code>\ding{249}</code>
	<code>\ding{213}</code>		<code>\ding{222}</code>		<code>\ding{231}</code>		<code>\ding{241}</code>		<code>\ding{250}</code>
	<code>\ding{214}</code>		<code>\ding{223}</code>		<code>\ding{232}</code>		<code>\ding{242}</code>		<code>\ding{251}</code>
	<code>\ding{215}</code>		<code>\ding{224}</code>		<code>\ding{233}</code>		<code>\ding{243}</code>		<code>\ding{252}</code>
	<code>\ding{216}</code>		<code>\ding{225}</code>		<code>\ding{234}</code>		<code>\ding{244}</code>		<code>\ding{253}</code>
	<code>\ding{217}</code>		<code>\ding{226}</code>		<code>\ding{235}</code>		<code>\ding{245}</code>		<code>\ding{254}</code>
	<code>\ding{218}</code>		<code>\ding{227}</code>		<code>\ding{236}</code>		<code>\ding{246}</code>		
	<code>\ding{219}</code>		<code>\ding{228}</code>		<code>\ding{237}</code>		<code>\ding{247}</code>		
	<code>\ding{220}</code>		<code>\ding{229}</code>		<code>\ding{238}</code>		<code>\ding{248}</code>		

TABLE 351: adfsymbols Arrows

$\Rightarrow$	<code>\adfarrowe1</code>	$\nearrow$	<code>\adfarrowne1</code>	$\Downarrow$	<code>\adfarrows1</code>	$\searrow$	<code>\adfarrowsw1</code>
$\rightarrow$	<code>\adfarrowe2</code>	$\nearrow$	<code>\adfarrowne2</code>	$\downarrow$	<code>\adfarrows2</code>	$\swarrow$	<code>\adfarrowsw2</code>
$\blacktriangleright$	<code>\adfarrowe3</code>	$\nearrow$	<code>\adfarrowne3</code>	$\Downarrow$	<code>\adfarrows3</code>	$\searrow$	<code>\adfarrowsw3</code>
$\rightrightarrows$	<code>\adfarrowe4</code>	$\nearrow$	<code>\adfarrowne4</code>	$\Downarrow$	<code>\adfarrows4</code>	$\searrow$	<code>\adfarrowsw4</code>
$\rightarrowtail$	<code>\adfarrowe5</code>	$\nearrow$	<code>\adfarrowne5</code>	$\downarrow$	<code>\adfarrows5</code>	$\swarrow$	<code>\adfarrowsw5</code>
$\rightrightarrows$	<code>\adfarrowe6</code>	$\nearrow$	<code>\adfarrowne6</code>	$\Downarrow$	<code>\adfarrows6</code>	$\searrow$	<code>\adfarrowsw6</code>
$\Uparrow$	<code>\adfarrown1</code>	$\nwarrow$	<code>\adfarrownw1</code>	$\swarrow$	<code>\adfarrowse1</code>	$\leftarrow$	<code>\adfarrownw1</code>
$\uparrow$	<code>\adfarrown2</code>	$\nwarrow$	<code>\adfarrownw2</code>	$\swarrow$	<code>\adfarrowse2</code>	$\leftarrow$	<code>\adfarrownw2</code>
$\Updownarrow$	<code>\adfarrown3</code>	$\nwarrow$	<code>\adfarrownw3</code>	$\swarrow$	<code>\adfarrowse3</code>	$\leftarrow$	<code>\adfarrownw3</code>
$\updownarrow$	<code>\adfarrown4</code>	$\nwarrow$	<code>\adfarrownw4</code>	$\swarrow$	<code>\adfarrowse4</code>	$\leftarrow$	<code>\adfarrownw4</code>
$\uparrow$	<code>\adfarrown5</code>	$\nwarrow$	<code>\adfarrownw5</code>	$\swarrow$	<code>\adfarrowse5</code>	$\leftarrow$	<code>\adfarrownw5</code>
$\dagger$	<code>\adfarrown6</code>	$\nwarrow$	<code>\adfarrownw6</code>	$\swarrow$	<code>\adfarrowse6</code>	$\leftarrow$	<code>\adfarrownw6</code>
	$\rightharpoonleft$		<code>\adfhalfarrowleft</code>		$\rightharpoonright$		<code>\adfhalfarrowright</code>
	$\blackrightharpoonleft$		<code>\adfhalfarrowleftsolid</code>		$\blackrightharpoonright$		<code>\adfhalfarrowrightsolid</code>

Technically, the digit at the end of each `\adfarrow<dir><digit>` command is a macro argument, not part of the command name.

The preceding symbols can also be produced by passing a number or a style/direction pair to the `\adfarrow` command. For example, both `\adfarrow{19}` and `\adfarrow[comic]{east}` produce “ $\blacktriangleright$ ”. See the `adfsymbols` documentation for more information.

TABLE 352: adorn Arrows

$\leftarrow$	<code>\adfhalfleftarrow</code>	$\triangleright$	<code>\adhalfrightarrowhead</code>
$\blackleftarrow$	<code>\adfhalfleftarrowhead</code>	$\blackleftarrow$	<code>\adleftarrowhead</code>
$\rightarrow$	<code>\adhalfrightarrow</code>	$\blacktriangleright$	<code>\adrightarrowhead</code>

TABLE 353: arev Arrows

$\triangleright$	<code>\arrowbullet</code>
------------------	---------------------------

TABLE 354: utfsym Arrows

	<code>\usym{2794}</code>		<code>\usym{27A1}</code>		<code>\usym{27AB}</code>		<code>\usym{27B6}</code>
	<code>\usym{2798}</code>		<code>\usym{27A2}</code>		<code>\usym{27AC}</code>		<code>\usym{27B7}</code>
	<code>\usym{2799}</code>		<code>\usym{27A3}</code>		<code>\usym{27AD}</code>		<code>\usym{27B8}</code>
	<code>\usym{279A}</code>		<code>\usym{27A4}</code>		<code>\usym{27AE}</code>		<code>\usym{27B9}</code>
	<code>\usym{279B}</code>		<code>\usym{27A5}</code>		<code>\usym{27AF}</code>		<code>\usym{27BA}</code>
	<code>\usym{279C}</code>		<code>\usym{27A6}</code>		<code>\usym{27B1}</code>		<code>\usym{27BB}</code>
	<code>\usym{279D}</code>		<code>\usym{27A7}</code>		<code>\usym{27B2}</code>		<code>\usym{27BC}</code>
	<code>\usym{279E}</code>		<code>\usym{27A8}</code>		<code>\usym{27B3}</code>		<code>\usym{27BD}</code>
	<code>\usym{279F}</code>		<code>\usym{27A9}</code>		<code>\usym{27B4}</code>		<code>\usym{27BE}</code>
	<code>\usym{27A0}</code>		<code>\usym{27AA}</code>		<code>\usym{27B5}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 355: fontawesome Arrows

	<code>\faArrowCircleDown</code>		<code>\faArrowDown</code>		<code>\faLongArrowDown</code>
	<code>\faArrowCircleLeft</code>		<code>\faArrowLeft</code>		<code>\faLongArrowLeft</code>
	<code>\faArrowCircleODown</code>		<code>\faArrowRight</code>		<code>\faLongArrowRight</code>
	<code>\faArrowCircleOLeft</code>		<code>\faArrows</code>		<code>\faLongArrowUp</code>
	<code>\faArrowCircleORight</code>		<code>\faArrowsAlt</code>		<code>\faRepeat</code>
	<code>\faArrowCircleOUp</code>		<code>\faArrowsH</code>		<code>\faUndo</code>
	<code>\faArrowCircleRight</code>		<code>\faArrowsV</code>		
	<code>\faArrowCircleUp</code>		<code>\faArrowUp</code>		

fontawesome defines `\faRotateLeft` as a synonym for `\faUndo` and `\faRotateRight` as a synonym for `\faRepeat`.

TABLE 356: fontawesome Chevrons

	<code>\faChevronCircleDown</code>		<code>\faChevronCircleUp</code>		<code>\faChevronRight</code>
	<code>\faChevronCircleLeft</code>		<code>\faChevronDown</code>		<code>\faChevronUp</code>
	<code>\faChevronCircleRight</code>		<code>\faChevronLeft</code>		

TABLE 357: marvosym Scissors

	<code>\CutLeft</code>		<code>\CuttingLine</code>		<code>\RightScissors</code>
	<code>\CutRight</code>		<code>\LeftScissors</code>		

TABLE 358: bbding Scissors














	<code>\ScissorHollowLeft</code>		<code>\ScissorLeftBrokenTop</code>
	<code>\ScissorHollowRight</code>		<code>\ScissorRight</code>
	<code>\ScissorLeft</code>		<code>\ScissorRightBrokenBottom</code>
	<code>\ScissorLeftBrokenBottom</code>		<code>\ScissorRightBrokenTop</code>

TABLE 359: pifont Scissors

	<code>\ding{33}</code>		<code>\ding{34}</code>		<code>\ding{35}</code>		<code>\ding{36}</code>
---	------------------------	---	------------------------	---	------------------------	---	------------------------

TABLE 360: utfsym Scissors

	<code>\usym{2700}</code>		<code>\usym{2702}</code>		<code>\usym{2704}</code>
	<code>\usym{2701}</code>		<code>\usym{2703}</code>		

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 361: dingbat Pencils



	<code>\largepencil</code>		<code>\smallpencil</code>
---	---------------------------	---	---------------------------

TABLE 362: arev Pencils

	<code>\pencil</code>
---	----------------------

TABLE 363: fontawesome Pencils




	<code>\faPencil</code>		<code>\faPencilSquare</code>		<code>\faPencilSquareO</code>
---	------------------------	---	------------------------------	---	-------------------------------

TABLE 364: bbding Pencils and Nibs











	<code>\NibLeft</code>		<code>\PencilLeft</code>		<code>\PencilRightDown</code>
	<code>\NibRight</code>		<code>\PencilLeftDown</code>		<code>\PencilRightUp</code>
	<code>\NibSolidLeft</code>		<code>\PencilLeftUp</code>		
	<code>\NibSolidRight</code>		<code>\PencilRight</code>		

TABLE 365: pifont Pencils and Nibs
















 `\ding{46}`  `\ding{47}`  `\ding{48}`  `\ding{49}`  `\ding{50}`

TABLE 366: utfsym Pencils, Pens, and Nibs

 `\usym{270E}`  `\usym{2711}`  `\usym{1F58A}`  `\usym{1F58D}`  
 `\usym{270F}`  `\usym{2712}`  `\usym{1F58B}`  
 `\usym{2710}`  `\usym{1F589}`  `\usym{1F58C}`

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 367: dingbat Fists








 `\leftpointright`  `\rightpointleft`  `\rightpointright`  
 `\leftthumbsdown`  `\rightthumbsdown`  
 `\leftthumbsup`  `\rightthumbsup`

TABLE 368: bbding Fists










 `\HandCuffLeft`  `\HandCuffRightUp`  `\HandPencilLeft`  
 `\HandCuffLeftUp`  `\HandLeft`  `\HandRight`  
 `\HandCuffRight`  `\HandLeftUp`  `\HandRightUp`

TABLE 369: pifont Fists

 `\ding{42}`  `\ding{43}`  `\ding{44}`  `\ding{45}`

TABLE 370: fourier Fists

 `\lefthand`  `\righthand`

TABLE 371: arev Fists


 `\pointright`

TABLE 372: utfsym Fists

	<code>\usym{261A}</code>		<code>\usym{1F447}</code>		<code>\usym{1F58F}</code>		<code>\usym{1F59A}</code>
	<code>\usym{261B}</code>		<code>\usym{1F448}</code>		<code>\usym{1F590}</code>		<code>\usym{1F59B}</code>
	<code>\usym{261C}</code>		<code>\usym{1F449}</code>		<code>\usym{1F591}</code>		<code>\usym{1F59C}</code>
	<code>\usym{261D}</code>		<code>\usym{1F44A}</code>		<code>\usym{1F592}</code>		<code>\usym{1F59D}</code>
	<code>\usym{261E}</code>		<code>\usym{1F44B}</code>		<code>\usym{1F593}</code>		<code>\usym{1F59E}</code>
	<code>\usym{261F}</code>		<code>\usym{1F44C}</code>		<code>\usym{1F594}</code>		<code>\usym{1F59F}</code>
	<code>\usym{270A}</code>		<code>\usym{1F44D}</code>		<code>\usym{1F595}</code>		<code>\usym{1F5A0}</code>
	<code>\usym{270B}</code>		<code>\usym{1F44E}</code>		<code>\usym{1F596}</code>		<code>\usym{1F5A1}</code>
	<code>\usym{270C}</code>		<code>\usym{1F44F}</code>		<code>\usym{1F597}</code>		<code>\usym{1F5A2}</code>
	<code>\usym{270D}</code>		<code>\usym{1F450}</code>		<code>\usym{1F598}</code>		<code>\usym{1F5A3}</code>
	<code>\usym{1F446}</code>		<code>\usym{1F58E}</code>		<code>\usym{1F599}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 373: fontawesome Fists

	<code>\faHandLizard0</code>		<code>\faHandPaper0</code>		<code>\faHandSpock0</code>
	<code>\faHand0Down</code>		<code>\faHandPeace0</code>		<code>\faThumbsDown</code>
	<code>\faHand0Left</code>		<code>\faHandPointer0</code>		<code>\faThumbs0Down</code>
	<code>\faHand0Right</code>		<code>\faHandRock0</code>		<code>\faThumbs0Up</code>
	<code>\faHand0Up</code>		<code>\faHandScissors0</code>		<code>\faThumbsUp</code>

fontawesome defines `\faHandGrab0` as a synonym for `\faHandRock0` and `\faHandStop0` as a synonym for `\faHandPaper0`.

TABLE 374: bbding Crosses and Pluses

	<code>\Cross</code>		<code>\CrossOpenShadow</code>		<code>\PlusOutline</code>
	<code>\CrossBoldOutline</code>		<code>\CrossOutline</code>		<code>\PlusThinCenterOpen</code>
	<code>\CrossCloverTips</code>		<code>\Plus</code>		
	<code>\CrossMaltese</code>		<code>\PlusCenterOpen</code>		

TABLE 375: pifont Crosses and Pluses

	<code>\ding{57}</code>		<code>\ding{59}</code>		<code>\ding{61}</code>		<code>\ding{63}</code>
	<code>\ding{58}</code>		<code>\ding{60}</code>		<code>\ding{62}</code>		<code>\ding{64}</code>

TABLE 376: adfsymbols Crosses and Pluses

	<code>\adfbullet{4}</code>		<code>\adfbullet{6}</code>		<code>\adfbullet{8}</code>		<code>\adfbullet{10}</code>
	<code>\adfbullet{5}</code>		<code>\adfbullet{7}</code>		<code>\adfbullet{9}</code>		

TABLE 377: utfsym Crosses and Pluses

✚	<code>\usym{2719}</code>	†	<code>\usym{271D}</code>	✚	<code>\usym{2722}</code>	‡	<code>\usym{1F546}</code>
✚	<code>\usym{271A}</code>	‡	<code>\usym{271E}</code>	✚	<code>\usym{2723}</code>	†	<code>\usym{1F547}</code>
+	<code>\usym{271B}</code>	†	<code>\usym{271F}</code>	✚	<code>\usym{2724}</code>	‡	<code>\usym{1F548}</code>
✚	<code>\usym{271C}</code>	✚	<code>\usym{2720}</code>	✚	<code>\usym{2725}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 378: arev Crosses

‡	<code>\eastcross</code>	‡	<code>\westcross</code>
---	-------------------------	---	-------------------------

TABLE 379: bbding Xs and Check Marks

✓	<code>\Checkmark</code>	✕	<code>\XSolid</code>	✕	<code>\XSolidBrush</code>
✓	<code>\CheckmarkBold</code>	✕	<code>\XSolidBold</code>		

TABLE 380: pifont Xs and Check Marks

✓	<code>\ding{51}</code>	✕	<code>\ding{53}</code>	✕	<code>\ding{55}</code>
✓	<code>\ding{52}</code>	✕	<code>\ding{54}</code>	✕	<code>\ding{56}</code>

TABLE 381: wasysym Xs and Check Marks

☑	<code>\CheckedBox</code>	□	<code>\Square</code>	☒	<code>\XBox</code>
---	--------------------------	---	----------------------	---	--------------------

TABLE 382: marvosym Xs and Check Marks

☑	<code>\Checkedbox</code>	☒	<code>\CrossedBox*</code>	□	<code>\HollowBox</code>
---	--------------------------	---	---------------------------	---	-------------------------

\* marvosym defines `\Crossedbox` as a synonym for `\CrossedBox`.

TABLE 383: arev Xs and Check Marks

✓	<code>\ballotcheck</code>	✕	<code>\ballotx</code>
---	---------------------------	---	-----------------------



TABLE 384: utfsym Xs and Check Marks

<input type="checkbox"/>	<code>\usym{2610}</code>	✓	<code>\usym{2713}</code>	✗	<code>\usym{2718}</code>	✓	<code>\usym{1F5F8}</code>
<input checked="" type="checkbox"/>	<code>\usym{2611}</code>	✓	<code>\usym{2714}</code>	✗	<code>\usym{1F5F4}</code>	<input checked="" type="checkbox"/>	<code>\usym{1F5F9}</code>
<input checked="" type="checkbox"/>	<code>\usym{2612}</code>	✗	<code>\usym{2715}</code>	<input checked="" type="checkbox"/>	<code>\usym{1F5F5}</code>		
✗	<code>\usym{2613}</code>	✗	<code>\usym{2716}</code>	✗	<code>\usym{1F5F6}</code>		
✓	<code>\usym{2705}</code>	✗	<code>\usym{2717}</code>	<input checked="" type="checkbox"/>	<code>\usym{1F5F7}</code>		

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 385: fontawesome Xs and Check Marks

✓	<code>\faCheck</code>	<input checked="" type="checkbox"/>	<code>\faCheckSquare</code>	✗	<code>\faTimesCircle</code>
<input checked="" type="checkbox"/>	<code>\faCheckCircle</code>	<input checked="" type="checkbox"/>	<code>\faCheckSquareO</code>	<input checked="" type="checkbox"/>	<code>\faTimesCircleO</code>
<input checked="" type="checkbox"/>	<code>\faCheckCircleO</code>	✗	<code>\faTimes*</code>		

\* `fontawesome` defines both `\faClose` and `\faRemove` as synonyms for `\faTimes`.

TABLE 386: pifont Circled Numerals

①	<code>\ding{172}</code>	①	<code>\ding{182}</code>	①	<code>\ding{192}</code>	①	<code>\ding{202}</code>
②	<code>\ding{173}</code>	②	<code>\ding{183}</code>	②	<code>\ding{193}</code>	②	<code>\ding{203}</code>
③	<code>\ding{174}</code>	③	<code>\ding{184}</code>	③	<code>\ding{194}</code>	③	<code>\ding{204}</code>
④	<code>\ding{175}</code>	④	<code>\ding{185}</code>	④	<code>\ding{195}</code>	④	<code>\ding{205}</code>
⑤	<code>\ding{176}</code>	⑤	<code>\ding{186}</code>	⑤	<code>\ding{196}</code>	⑤	<code>\ding{206}</code>
⑥	<code>\ding{177}</code>	⑥	<code>\ding{187}</code>	⑥	<code>\ding{197}</code>	⑥	<code>\ding{207}</code>
⑦	<code>\ding{178}</code>	⑦	<code>\ding{188}</code>	⑦	<code>\ding{198}</code>	⑦	<code>\ding{208}</code>
⑧	<code>\ding{179}</code>	⑧	<code>\ding{189}</code>	⑧	<code>\ding{199}</code>	⑧	<code>\ding{209}</code>
⑨	<code>\ding{180}</code>	⑨	<code>\ding{190}</code>	⑨	<code>\ding{200}</code>	⑨	<code>\ding{210}</code>
⑩	<code>\ding{181}</code>	⑩	<code>\ding{191}</code>	⑩	<code>\ding{201}</code>	⑩	<code>\ding{211}</code>

`pifont` (part of the `psnfss` package) provides a `dingautolist` environment which resembles `enumerate` but uses circled numbers as bullets.<sup>4</sup> See the `psnfss` documentation for more information.

<sup>4</sup>In fact, `dingautolist` can use any set of consecutive Zapf Dingbats symbols.

TABLE 387: utfsym Circled Numerals

①	<code>\usym{2776}</code>	⓪	<code>\usym{277E}</code>	⑦	<code>\usym{2786}</code>	⑤	<code>\usym{278E}</code>
②	<code>\usym{2777}</code>	⓫	<code>\usym{277F}</code>	⑧	<code>\usym{2787}</code>	⑥	<code>\usym{278F}</code>
③	<code>\usym{2778}</code>	④	<code>\usym{2780}</code>	⑨	<code>\usym{2788}</code>	⑦	<code>\usym{2790}</code>
④	<code>\usym{2779}</code>	②	<code>\usym{2781}</code>	⑩	<code>\usym{2789}</code>	⑧	<code>\usym{2791}</code>
⑤	<code>\usym{277A}</code>	③	<code>\usym{2782}</code>	①	<code>\usym{278A}</code>	⑨	<code>\usym{2792}</code>
⑥	<code>\usym{277B}</code>	④	<code>\usym{2783}</code>	②	<code>\usym{278B}</code>	⑩	<code>\usym{2793}</code>
⑦	<code>\usym{277C}</code>	⑤	<code>\usym{2784}</code>	③	<code>\usym{278C}</code>		
⑧	<code>\usym{277D}</code>	⑥	<code>\usym{2785}</code>	④	<code>\usym{278D}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 388: wasysym Stars

⊠	<code>\davidstar</code>	✱	<code>\hexstar</code>	✳	<code>\varhexstar</code>
---	-------------------------	---	-----------------------	---	--------------------------

TABLE 389: bbding Stars, Flowers, and Similar Shapes

✱	<code>\Asterisk</code>	🌸	<code>\FiveFlowerPetal</code>	✦	<code>\JackStar</code>
✱	<code>\AsteriskBold</code>	★	<code>\FiveStar</code>	♣	<code>\JackStarBold</code>
✱	<code>\AsteriskCenterOpen</code>	☆	<code>\FiveStarCenterOpen</code>	✱	<code>\SixFlowerAlternate</code>
🌸	<code>\AsteriskRoundedEnds</code>	★	<code>\FiveStarConvex</code>	✱	<code>\SixFlowerAltPetal</code>
✱	<code>\AsteriskThin</code>	☆	<code>\FiveStarLines</code>	✱	<code>\SixFlowerOpenCenter</code>
✱	<code>\AsteriskThinCenterOpen</code>	☆	<code>\FiveStarOpen</code>	⊠	<code>\SixFlowerPetalDotted</code>
⊠	<code>\DavidStar</code>	⊠	<code>\FiveStarOpenCircled</code>	✱	<code>\SixFlowerPetalRemoved</code>
★	<code>\DavidStarSolid</code>	★	<code>\FiveStarOpenDotted</code>	✱	<code>\SixFlowerRemovedOpenPetal</code>
✱	<code>\EightAsterisk</code>	★	<code>\FiveStarOutline</code>	★	<code>\SixStar</code>
🌸	<code>\EightFlowerPetal</code>	★	<code>\FiveStarOutlineHeavy</code>	✱	<code>\SixteenStarLight</code>
✱	<code>\EightFlowerPetalRemoved</code>	☆	<code>\FiveStarShadow</code>	✱	<code>\Snowflake</code>
✱	<code>\EightStar</code>	✦	<code>\FourAsterisk</code>	✱	<code>\SnowflakeChevron</code>
★	<code>\EightStarBold</code>	⊠	<code>\FourCloverOpen</code>	✱	<code>\SnowflakeChevronBold</code>
✱	<code>\EightStarConvex</code>	♣	<code>\FourCloverSolid</code>	✱	<code>\Sparkle</code>
✱	<code>\EightStarTaper</code>	◆	<code>\FourStar</code>	✱	<code>\SparkleBold</code>
🌸	<code>\FiveFlowerOpen</code>	☆	<code>\FourStarOpen</code>	✱	<code>\TwelveStar</code>

TABLE 390: pifont Stars, Flowers, and Similar Shapes

☆	<code>\ding{65}</code>	⊕	<code>\ding{74}</code>	*	<code>\ding{83}</code>	*	<code>\ding{92}</code>	*	<code>\ding{101}</code>
✦	<code>\ding{66}</code>	★	<code>\ding{75}</code>	*	<code>\ding{84}</code>	*	<code>\ding{93}</code>	✳	<code>\ding{102}</code>
✧	<code>\ding{67}</code>	★	<code>\ding{76}</code>	*	<code>\ding{85}</code>	✳	<code>\ding{94}</code>	*	<code>\ding{103}</code>
♣	<code>\ding{68}</code>	★	<code>\ding{77}</code>	*	<code>\ding{86}</code>	♣	<code>\ding{95}</code>	*	<code>\ding{104}</code>
♠	<code>\ding{69}</code>	★	<code>\ding{78}</code>	*	<code>\ding{87}</code>	♠	<code>\ding{96}</code>	*	<code>\ding{105}</code>
♣	<code>\ding{70}</code>	★	<code>\ding{79}</code>	✳	<code>\ding{88}</code>	♠	<code>\ding{97}</code>	*	<code>\ding{106}</code>
♠	<code>\ding{71}</code>	☆	<code>\ding{80}</code>	✳	<code>\ding{89}</code>	♠	<code>\ding{98}</code>	*	<code>\ding{107}</code>
★	<code>\ding{72}</code>	✳	<code>\ding{81}</code>	✳	<code>\ding{90}</code>	*	<code>\ding{99}</code>		
☆	<code>\ding{73}</code>	*	<code>\ding{82}</code>	*	<code>\ding{91}</code>	*	<code>\ding{100}</code>		

TABLE 391: adfsymbols Stars, Flowers, and Similar Shapes

◇	<code>\adfbullet{1}</code>	✳	<code>\adfbullet{13}</code>	⊕	<code>\adfbullet{18}</code>	◇	<code>\adfbullet{23}</code>
⊕	<code>\adfbullet{2}</code>	✳	<code>\adfbullet{14}</code>	⊕	<code>\adfbullet{19}</code>	◇	<code>\adfbullet{24}</code>
✳	<code>\adfbullet{3}</code>	⊕	<code>\adfbullet{15}</code>	○	<code>\adfbullet{20}</code>	•	<code>\adfbullet{25}</code>
*	<code>\adfbullet{11}</code>	⊕	<code>\adfbullet{16}</code>	*	<code>\adfbullet{21}</code>	⊕	<code>\adfbullet{26}</code>
*	<code>\adfbullet{12}</code>	⊕	<code>\adfbullet{17}</code>	⊕	<code>\adfbullet{22}</code>		

TABLE 392: utfsym Stars, Flowers, and Similar Shapes

★	<code>\usym{2605}</code>	★	<code>\usym{272B}</code>	✳	<code>\usym{2737}</code>	✳	<code>\usym{2743}</code>
★	<code>\usym{2606}</code>	★	<code>\usym{272C}</code>	✳	<code>\usym{2738}</code>	✳	<code>\usym{2744}</code>
★	<code>\usym{26E4}</code>	★	<code>\usym{272D}</code>	✳	<code>\usym{2739}</code>	✳	<code>\usym{2745}</code>
★	<code>\usym{26E5}</code>	★	<code>\usym{272E}</code>	✳	<code>\usym{273A}</code>	✳	<code>\usym{2746}</code>
★	<code>\usym{26E6}</code>	★	<code>\usym{272F}</code>	*	<code>\usym{273B}</code>	✳	<code>\usym{2747}</code>
★	<code>\usym{26E7}</code>	☆	<code>\usym{2730}</code>	*	<code>\usym{273C}</code>	✳	<code>\usym{2748}</code>
☆	<code>\usym{2721}</code>	✳	<code>\usym{2731}</code>	*	<code>\usym{273D}</code>	✳	<code>\usym{2749}</code>
◆	<code>\usym{2726}</code>	✳	<code>\usym{2732}</code>	✳	<code>\usym{273E}</code>	✳	<code>\usym{274A}</code>
◇	<code>\usym{2727}</code>	*	<code>\usym{2733}</code>	♣	<code>\usym{273F}</code>	✳	<code>\usym{274B}</code>
♣	<code>\usym{2728}</code>	*	<code>\usym{2734}</code>	♠	<code>\usym{2740}</code>	♠	<code>\usym{1F52F}</code>
☆	<code>\usym{2729}</code>	✳	<code>\usym{2735}</code>	♠	<code>\usym{2741}</code>		
⊕	<code>\usym{272A}</code>	*	<code>\usym{2736}</code>	⊕	<code>\usym{2742}</code>		

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 393: adorn Stars

*	<code>\adfast{1}</code>	*	<code>\adfast{3}</code>	*	<code>\adfast{5}</code>	*	<code>\adfast{7}</code>	*	<code>\adfast{9}</code>
*	<code>\adfast{2}</code>	*	<code>\adfast{4}</code>	*	<code>\adfast{6}</code>	*	<code>\adfast{8}</code>	*	<code>\adfast{10}</code>

TABLE 394: fontawesome Stars

★ `\faStar` ☆ `\faStarHalf` ☆ `\faStarHalf0` ☆ `\faStar0`

fontawesome defines both `\faStarHalfEmpty` and `\faStarHalfFull` as synonyms for `\faStarHalf0`.

TABLE 395: fourier Fleurons and Flowers


















	<code>\aldine</code>		<code>\decoone</code>		<code>\floweroneright</code>
	<code>\aldineleft</code>		<code>\decosix</code>		<code>\leafleft</code>
	<code>\aldineright</code>		<code>\decothreeleft</code>		<code>\leafNE</code>
	<code>\aldinesmall</code>		<code>\decothreeright</code>		<code>\leafright</code>
	<code>\decofourleft</code>		<code>\decotwo</code>		<code>\starredbullet</code>
	<code>\decofourright</code>		<code>\floweroneleft</code>		

TABLE 396: adorn Fleurons and Flowers

































	<code>\adfdownhalfleafleft</code>		<code>\adfdownhalfleafright</code>
	<code>\adfdownleafleft</code>		<code>\adfdownleafright</code>
	<code>\adfflatdownhalfleafleft</code>		<code>\adfflatdownhalfleafright</code>
	<code>\adfflatdownoutlineleafleft</code>		<code>\adfflatdownoutlineleafright</code>
	<code>\adfflatleafleft</code>		<code>\adfflatleafright</code>
	<code>\adfflatleafoutlineleft</code>		<code>\adfflatleafoutlineright</code>
	<code>\adfflatleafsolidleft</code>		<code>\adfflatleafsolidright</code>
	<code>\adfflowerleft</code>		<code>\adfflowerright</code>
	<code>\adfhalfleafleft</code>		<code>\adfhalfleafright</code>
	<code>\adfhangingflatleafleft</code>		<code>\adfhangingflatleafright</code>
	<code>\adfhangingleafleft</code>		<code>\adfhangingleafright</code>
	<code>\adfleafleft</code>		<code>\adfleafright</code>
	<code>\adfoutlineleafleft</code>		<code>\adfoutlineleafright</code>
	<code>\adfsmallhangingleafleft</code>		<code>\adfsmallhangingleafright</code>
	<code>\adfsmallleafleft</code>		<code>\adfsmallleafright</code>
	<code>\adfsolidleafleft</code>		<code>\adfsolidleafright</code>

TABLE 397: wasysym Geometric Shapes

○ <code>\Circle</code>	◐ <code>\LEFTcircle</code>	◯ <code>\octagon</code>	◑ <code>\RIGHTcircle</code>
● <code>\CIRCLE</code>	◓ <code>\LEFTCIRCLE</code>	◕ <code>\pentagon</code>	◒ <code>\RIGHTCIRCLE</code>
◊ <code>\hexagon</code>	◔ <code>\Leftcircle</code>	◖ <code>\Rightcircle</code>	◗ <code>\varhexagon</code>

TABLE 398: MnSymbol Geometric Shapes

★	<code>\filledlargestar</code>	◇	<code>\largelozenge</code>	◇	<code>\medlozenge</code>
◆	<code>\filledlozenge</code>	☆	<code>\largepentagram</code>	☆	<code>\medstarofdavid</code>
◆	<code>\filledmedlozenge</code>	□	<code>\largesquare</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	☆	<code>\largestar</code>		
◇	<code>\largediamond</code>	☆	<code>\largestarofdavid</code>		

MnSymbol defines `\bigcirc` as a synonym for `\largecircle`; `\bigstar` as a synonym for `\filledlargestar`; `\lozenge` as a synonym for `\medlozenge`; and, `\blacklozenge` as a synonym for `\filledmedlozenge`.

TABLE 399: fdsymbol Geometric Shapes

●	<code>\largeblackcircle</code>	▽	<code>\largetriangledown</code>	◇	<code>\medlozenge</code>
■	<code>\largeblacksquare</code>	△	<code>\largetriangleup</code>	◆	<code>\smallblacklozenge</code>
★	<code>\largeblackstar</code>	☆	<code>\largewhitestar</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	◇	<code>\lozengeminus</code>	☆	<code>\starofdavid</code>
□	<code>\largesquare</code>	◆	<code>\medblacklozenge</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

○	<code>\bigcirc</code>	■	<code>\lgblksquare</code>	◇	<code>\mdlgwhtlozenge</code>
★	<code>\bigstar</code>	○	<code>\lgwhtcircle</code>	◇	<code>\mdwhtlozenge</code>
▽	<code>\bigtriangledown</code>	□	<code>\lgwhtsquare</code>	◆	<code>\smbklozenge</code>
△	<code>\bigtriangleup</code>	◇	<code>\lozenge</code>	◇	<code>\smwhtlozenge</code>
◆	<code>\blacklozenge</code>	◆	<code>\mdblklozenge</code>		
●	<code>\lgblkcircle</code>	◆	<code>\mdlgbklozenge</code>		

TABLE 400: boisik Geometric Shapes

★	<code>\bigstar</code>	◇	<code>\diamond</code>	▽	<code>\triangledown</code>
◆	<code>\blacklozenge</code>	◇	<code>\lozenge</code>	◁	<code>\triangleleft</code>
■	<code>\blacksquare</code>	◇	<code>\lozengedot</code>	▷	<code>\triangleright</code>
▲	<code>\blacktriangle</code>	□	<code>\square</code>	◁	<code>\varlrtrtriangle</code>
▼	<code>\blacktriangledown</code>	*	<code>\star</code>		

TABLE 401: stix Geometric Shapes

	<code>\acwopencirclearrow</code>		<code>\enclosecircle</code>		<code>\smbldiamond</code>
	<code>\barovernorthwestarrow</code>		<code>\enclosediamond</code>		<code>\smbblklozenge</code>
	<code>\benzenr</code>		<code>\enclosesquare</code>		<code>\smbblksquare</code>
	<code>\bigblacktriangledown</code>		<code>\enclosetriangle</code>		<code>\smwhitestar</code>
	<code>\bigblacktriangleup</code>		<code>\errbarblackcircle</code>		<code>\smwhtcircle</code>
	<code>\bigstar</code>		<code>\errbarblackdiamond</code>		<code>\smwhtdiamond</code>
	<code>\bigtriangledown</code>		<code>\errbarblacksquare</code>		<code>\smwhtlozenge</code>
	<code>\bigtriangleleft</code>		<code>\errbarcircle</code>		<code>\smwhtsquare</code>
	<code>\bigtriangleup</code>		<code>\errbardiamond</code>		<code>\sqlozenge</code>
	<code>\bigwhitestar</code>		<code>\errbarsquare</code>		<code>\squarebotblack</code>
	<code>\blackcircledownarrow</code>		<code>\fisheye</code>		<code>\squarecrossfill</code>
	<code>\blackcircledrightdot</code>		<code>\fltns</code>		<code>\squarehfill</code>
	<code>\blackcircledtwodots</code>		<code>\hexagon</code>		<code>\squarehvfill</code>
	<code>\blackcircleulquadwhite</code>		<code>\hexagonblack</code>		<code>\squareleftblack</code>
	<code>\blackdiamonddownarrow</code>		<code>\house</code>		<code>\squarellblack</code>
	<code>\blackinwhitediamond</code>		<code>\hrectangle</code>		<code>\squarellquad</code>
	<code>\blackinwhitesquare</code>		<code>\hrectangleblack</code>		<code>\squarelrblack</code>
	<code>\blacklefthalfcircle</code>		<code>\inversewhitecircle</code>		<code>\squarelrquad</code>
	<code>\blackpointerleft</code>		<code>\invwhitelowerhalfcircle</code>		<code>\squareneswfill</code>
	<code>\blackpointerright</code>		<code>\invwhiteupperhalfcircle</code>		<code>\squarenwsefill</code>
	<code>\blackrighthalfcircle</code>		<code>\lgblkcircle</code>		<code>\squarerightblack</code>
	<code>\blacktriangle</code>		<code>\lgblksquare</code>		<code>\squaretopblack</code>
	<code>\blacktriangledown</code>		<code>\lgwhtcircle</code>		<code>\squareulblack</code>
	<code>\blacktriangleleft</code>		<code>\lgwhtsquare</code>		<code>\squareulquad</code>
	<code>\blacktriangleright</code>		<code>\llblacktriangle</code>		<code>\squareurblack</code>
	<code>\blkhorzoval</code>		<code>\lltriangle</code>		<code>\squareurquad</code>
	<code>\blkvertoval</code>		<code>\lrblacktriangle</code>		<code>\squarevfill</code>
	<code>\botsemicircle</code>		<code>\lrtriangle</code>		<code>\squoval</code>
	<code>\boxonbox</code>		<code>\mdblkcicle</code>		<code>\topsemicircle</code>
	<code>\bullseye</code>		<code>\mdblkdiamond</code>		<code>\trapezium</code>
	<code>\circ</code>		<code>\mdblkllozenge</code>		<code>\trianglecdot</code>
	<code>\circlebottomhalfblack</code>		<code>\mdblksquare</code>		<code>\triangledown</code>
	<code>\circledbullet</code>		<code>\mdlglblkcircle</code>		<code>\triangleleftblack</code>
	<code>\circledownarrow</code>		<code>\mdlglblkdiamond</code>		<code>\triangleodot</code>
	<code>\circledrightdot</code>		<code>\mdlglblklozenge</code>		<code>\trianglerightblack</code>
	<code>\circledstar</code>		<code>\mdlglblksquare</code>		<code>\triangles</code>
	<code>\circledtwodots</code>		<code>\mdlglgwhtdiamond</code>		<code>\triangleubar</code>
	<code>\circledwhitebullet</code>		<code>\mdlglgwhtlozenge</code>		<code>\ulblacktriangle</code>
	<code>\circlelefthalfblack</code>		<code>\mdlglgwhtsquare</code>		<code>\ultriangle</code>
	<code>\circlellquad</code>		<code>\mdsmbblkcircle</code>		<code>\uparrowoncircle</code>
	<code>\circlelrquad</code>		<code>\mdsmbblksquare</code>		<code>\urblacktriangle</code>
	<code>\circlelighthalfblack</code>		<code>\mdsmwhtcircle</code>		<code>\urtriangle</code>
	<code>\circletophalfblack</code>		<code>\mdsmwhtsquare</code>		<code>\varhexagon</code>
	<code>\circleulquad</code>		<code>\mdwhtcircle</code>		<code>\varhexagonblack</code>
	<code>\circleurquad</code>		<code>\mdwhtdiamond</code>		<code>\varhexagonlrbonds</code>
	<code>\circleurquadblack</code>		<code>\mdwhtlozenge</code>		<code>\varlrltriangle</code>
	<code>\circlevertfill</code>		<code>\mdwhtsquare</code>		<code>\varstar</code>

(continued on next page)

(continued from previous page)

	<code>\cirE</code>		<code>\medblackstar</code>		<code>\vartriangleleft</code>
	<code>\circ</code>		<code>\medwhitestar</code>		<code>\vartriangleright</code>
	<code>\cwopencirclearrow</code>		<code>\parallelogram</code>		<code>\rectangle</code>
	<code>\diamondbotblack</code>		<code>\parallelogramblack</code>		<code>\rectangleblack</code>
	<code>\diamondcdot</code>		<code>\pentagon</code>		<code>\vysmblksquare</code>
	<code>\diamondleftblack</code>		<code>\pentagonblack</code>		<code>\vysmwhtsquare</code>
	<code>\diamondrightblack</code>		<code>\rightpentagon</code>		<code>\whiteinwhitetriangle</code>
	<code>\diamondtopblack</code>		<code>\rightpentagonblack</code>		<code>\whitepointerleft</code>
	<code>\dottedcircle</code>		<code>\smallblacktriangleleft</code>		<code>\whitepointerright</code>
	<code>\dottedsquare</code>		<code>\smallblacktriangleright</code>		<code>\whthorzoval</code>
	<code>\downtriangleleftblack</code>		<code>\smalltriangleleft</code>		<code>\whtvertoval</code>
	<code>\downtrianglerightblack</code>		<code>\smalltriangleright</code>		

stix defines `\diamond` as a synonym for `\smwhtdiamond`, `\blacksquare` as a synonym for `\mdlgblksquare`, `\square` and `\Box` as synonyms for `\mdlgwhtsquare`, `\triangle` and `\varbigtriangleup` as synonyms for `\bigtriangleup`, `\rhd` as a synonym for `\vartriangleright`, `\varbigtriangledown` as a synonym for `\bigtriangledown`, `\lhd` as a synonym for `\vartriangleleft`, `\Diamond` and `\lozenge` as synonyms for `\mdlgwhtlozenge`, `\bigcirc` as a synonym for `\mdlgwhtcircle`, `\circ` as a synonym for `\smwhtcircle`. and `\blacklozenge` as a synonym for `\mdlgblklozenge`.

TABLE 402: ifsym Geometric Shapes

	<code>\BigCircle</code>		<code>\FilledBigTriangleRight</code>		<code>\SmallCircle</code>
	<code>\BigCross</code>		<code>\FilledBigTriangleUp</code>		<code>\SmallCross</code>
	<code>\BigDiamondshape</code>		<code>\FilledCircle</code>		<code>\SmallDiamondshape</code>
	<code>\BigHBar</code>		<code>\FilledDiamondShadowA</code>		<code>\SmallHBar</code>
	<code>\BigLowerDiamond</code>		<code>\FilledDiamondShadowC</code>		<code>\SmallLowerDiamond</code>
	<code>\BigRightDiamond</code>		<code>\FilledDiamondshape</code>		<code>\SmallRightDiamond</code>
	<code>\BigSquare</code>		<code>\FilledSmallCircle</code>		<code>\SmallSquare</code>
	<code>\BigTriangleDown</code>		<code>\FilledSmallDiamondshape</code>		<code>\SmallTriangleDown</code>
	<code>\BigTriangleLeft</code>		<code>\FilledSmallSquare</code>		<code>\SmallTriangleLeft</code>
	<code>\BigTriangleRight</code>		<code>\FilledSmallTriangleDown</code>		<code>\SmallTriangleRight</code>
	<code>\BigTriangleUp</code>		<code>\FilledSmallTriangleLeft</code>		<code>\SmallTriangleUp</code>
	<code>\BigVBar</code>		<code>\FilledSmallTriangleRight</code>		<code>\SmallVBar</code>
	<code>\Circle</code>		<code>\FilledSmallTriangleUp</code>		<code>\SpinDown</code>
	<code>\Cross</code>		<code>\FilledSquare</code>		<code>\SpinUp</code>
	<code>\DiamondShadowA</code>		<code>\FilledSquareShadowA</code>		<code>\Square</code>
	<code>\DiamondShadowB</code>		<code>\FilledSquareShadowC</code>		<code>\SquareShadowA</code>
	<code>\DiamondShadowC</code>		<code>\FilledTriangleDown</code>		<code>\SquareShadowB</code>
	<code>\Diamondshape</code>		<code>\FilledTriangleLeft</code>		<code>\SquareShadowC</code>

(continued on next page)

(continued from previous page)

●	<code>\FilledBigCircle</code>	▶	<code>\FilledTriangleRight</code>	▽	<code>\TriangleDown</code>
◆	<code>\FilledBigDiamondshape</code>	▲	<code>\FilledTriangleUp</code>	◁	<code>\TriangleLeft</code>
■	<code>\FilledBigSquare</code>	—	<code>\HBar</code>	▷	<code>\TriangleRight</code>
▼	<code>\FilledBigTriangleDown</code>	◊	<code>\LowerDiamond</code>	△	<code>\TriangleUp</code>
◀	<code>\FilledBigTriangleLeft</code>	◊	<code>\RightDiamond</code>		<code>\VBar</code>

The ifsym documentation points out that one can use `\rlap` to combine some of the above into useful, new symbols. For example, `\BigCircle` and `\FilledSmallCircle` combine to give “●”. Likewise, `\Square` and `\Cross` combine to give “⊠”. See Section 11.3 for more information about constructing new symbols out of existing symbols.

TABLE 403: bbding Geometric Shapes

○	<code>\CircleShadow</code>	▭	<code>\Rectangle</code>	◻	<code>\SquareShadowTopLeft</code>
●	<code>\CircleSolid</code>	▭	<code>\RectangleBold</code>	◻	<code>\SquareShadowTopRight</code>
◆	<code>\DiamondSolid</code>	▭	<code>\RectangleThin</code>	■	<code>\SquareSolid</code>
○	<code>\Ellipse</code>	◻	<code>\Square</code>	▼	<code>\TriangleDown</code>
◌	<code>\EllipseShadow</code>	◻	<code>\SquareCastShadowBottomRight</code>	▲	<code>\TriangleUp</code>
●	<code>\EllipseSolid</code>	◻	<code>\SquareCastShadowTopLeft</code>		
◐	<code>\HalfCircleLeft</code>	◻	<code>\SquareCastShadowTopRight</code>		
◑	<code>\HalfCircleRight</code>	◻	<code>\SquareShadowBottomRight</code>		

TABLE 404: pifont Geometric Shapes

●	<code>\ding{108}</code>	◻	<code>\ding{111}</code>	◻	<code>\ding{114}</code>	◆	<code>\ding{117}</code>	▭	<code>\ding{121}</code>
○	<code>\ding{109}</code>	◻	<code>\ding{112}</code>	▲	<code>\ding{115}</code>	◐	<code>\ding{119}</code>	▭	<code>\ding{122}</code>
■	<code>\ding{110}</code>	◻	<code>\ding{113}</code>	▼	<code>\ding{116}</code>		<code>\ding{120}</code>		

TABLE 405: universa Geometric Shapes

●	<code>\baucircle</code>	■	<code>\bausquare</code>	▲	<code>\bautriangle</code>
---	-------------------------	---	-------------------------	---	---------------------------

TABLE 406: adfsymbols Geometric Shapes

•	<code>\adfbullet{27}</code>	▶	<code>\adfbullet{32}</code>	•	<code>\adfbullet{43}</code>	•	<code>\adfbullet{48}</code>
•	<code>\adfbullet{28}</code>	▲	<code>\adfbullet{33}</code>	•	<code>\adfbullet{44}</code>	•	<code>\adfbullet{49}</code>
▪	<code>\adfbullet{29}</code>	▼	<code>\adfbullet{34}</code>	•	<code>\adfbullet{45}</code>	◆	<code>\adfbullet{50}</code>
◆	<code>\adfbullet{30}</code>	•	<code>\adfbullet{41}</code>	▪	<code>\adfbullet{46}</code>	◊	<code>\adfbullet{51}</code>
◀	<code>\adfbullet{31}</code>	•	<code>\adfbullet{42}</code>	▪	<code>\adfbullet{47}</code>	•	<code>\adfbullet{52}</code>



TABLE 407: utfsym Geometric Shapes

● <code>\usym{1F534}</code>	◆ <code>\usym{1F537}</code>	▲ <code>\usym{1F53A}</code>	▼ <code>\usym{1F53D}</code>
● <code>\usym{1F535}</code>	◆ <code>\usym{1F538}</code>	▼ <code>\usym{1F53B}</code>	
◆ <code>\usym{1F536}</code>	◆ <code>\usym{1F539}</code>	▲ <code>\usym{1F53C}</code>	

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 408: fontawesome Geometric Shapes

































● <code>\faCircle</code>	○ <code>\faCircleO</code>	◉ <code>\faDotCircleO</code>	□ <code>\faSquareO</code>
○ <code>\faCircle0</code>	○ <code>\faCircleThin</code>	■ <code>\faSquare</code>	

TABLE 409: oplotsymb Geometric Shapes

○ <code>\circlet</code>	◆ <code>\rhombusfillha</code>	△ <code>\trianglepalineh</code>
⊗ <code>\circletcross</code>	◆ <code>\rhombusfillhb</code>	△ <code>\trianglepalinev</code>
⊙ <code>\circletdot</code>	◆ <code>\rhombusfillhl</code>	△ <code>\trianglepalinevh</code>
● <code>\circletfill</code>	◆ <code>\rhombusfillhr</code>	▽ <code>\trianglepb</code>
● <code>\circletfillha</code>	◇ <code>\rhombuslineh</code>	⊗ <code>\trianglepbcross</code>
● <code>\circletfillhb</code>	◇ <code>\rhombuslinev</code>	▽ <code>\trianglepbdot</code>
● <code>\circletfillhl</code>	◇ <code>\rhombuslinevh</code>	▼ <code>\trianglepbfll</code>
● <code>\circletfillhr</code>	□ <code>\squad</code>	▽ <code>\trianglepbfllha</code>
⊖ <code>\circletlineh</code>	⊗ <code>\squadcross</code>	▼ <code>\trianglepbfllhb</code>
⊖ <code>\circletlinev</code>	◻ <code>\squaddot</code>	▽ <code>\trianglepbfllhl</code>
⊕ <code>\circletlinevh</code>	■ <code>\squadfill</code>	▼ <code>\trianglepbfllhr</code>
⬡ <code>\hexago</code>	■ <code>\squadfillha</code>	▽ <code>\trianglepblineh</code>
⊗ <code>\hexagocross</code>	■ <code>\squadfillhb</code>	▽ <code>\trianglepblinev</code>
⊙ <code>\hexagodot</code>	■ <code>\squadfillhl</code>	▽ <code>\trianglepblinevh</code>
● <code>\hexagofill</code>	■ <code>\squadfillhr</code>	◁ <code>\trianglepl</code>
● <code>\hexagofillha</code>	▢ <code>\squadlineh</code>	⊗ <code>\triangleplcross</code>
● <code>\hexagofillhb</code>	▢ <code>\squadlinev</code>	◁ <code>\trianglepldot</code>
● <code>\hexagofillhl</code>	▢ <code>\squadlinevh</code>	◄ <code>\triangleplfill</code>
● <code>\hexagofillhr</code>	☆ <code>\starlet</code>	◄ <code>\triangleplfillha</code>
⊖ <code>\hexagolineh</code>	✳ <code>\starletcross</code>	◄ <code>\triangleplfillhb</code>
⊖ <code>\hexagolinev</code>	☆ <code>\starletdot</code>	◄ <code>\triangleplfillhl</code>
⊕ <code>\hexagolinevh</code>	★ <code>\starletfill</code>	◄ <code>\triangleplfillhr</code>
⬡ <code>\pentago</code>	★ <code>\starletfillha</code>	◁ <code>\trianglepllineh</code>
⊗ <code>\pentagocross</code>	★ <code>\starletfillhb</code>	◁ <code>\trianglepllinev</code>
⊙ <code>\pentagodot</code>	★ <code>\starletfillhl</code>	◁ <code>\trianglepllinevh</code>
● <code>\pentagofill</code>	★ <code>\starletfillhr</code>	▷ <code>\trianglepr</code>

(continued on next page)

(continued from previous page)

	<code>\pentagofillha</code>		<code>\starletlineh</code>		<code>\triangleprcross</code>
	<code>\pentagofillhb</code>		<code>\starletlinev</code>		<code>\triangleprdot</code>
	<code>\pentagofillhl</code>		<code>\starletlinevh</code>		<code>\triangleprfill</code>
	<code>\pentagofillhr</code>		<code>\trianglepa</code>		<code>\triangleprfillha</code>
	<code>\pentagolineh</code>		<code>\trianglepacross</code>		<code>\triangleprfillhb</code>
	<code>\pentagolinev</code>		<code>\trianglepadot</code>		<code>\triangleprfillhl</code>
	<code>\pentagolinevh</code>		<code>\trianglepafill</code>		<code>\triangleprfillhr</code>
	<code>\rhombus</code>		<code>\trianglepafillha</code>		<code>\triangleprlineh</code>
	<code>\rhombuscross</code>		<code>\trianglepafillhb</code>		<code>\triangleprlinev</code>
	<code>\rhombusdot</code>		<code>\trianglepafillhl</code>		<code>\triangleprlinevh</code>
	<code>\rhombusfill</code>		<code>\trianglepafillhr</code>		

“fillha”, “fillhb”, “fillhl”, and “fillhr”, imply, respectively, “half-filled above”, “half-filled below”, “half-filled left”, and “half-filled right”. In the `\triangle...` symbols, “pa”, “pb”, “pr”, and “pl” refer respectively to “peak above”, “peak below”, “peak left”, and “peak right”.

All `oplotsymb1` symbols are implemented with `TikZ` graphics, not with a font.

TABLE 410: adorn Flourishes























	<code>\adfclosedflourishleft</code>		<code>\adfclosedflourishright</code>
	<code>\adfdoubleflourishleft</code>		<code>\adfdoubleflourishright</code>
	<code>\adfdoublesharpflourishleft</code>		<code>\adfdoublesharpflourishright</code>
	<code>\adfflourishleft</code>		<code>\adfflourishright</code>
	<code>\adfflourishlefthdouble</code>		<code>\adfflourishrightdouble</code>
	<code>\adfopenflourishleft</code>		<code>\adfopenflourishright</code>
	<code>\adfsharpflourishleft</code>		<code>\adfsharpflourishright</code>
	<code>\adfsickleflourishleft</code>		<code>\adfsickleflourishright</code>
	<code>\adfsingleflourishleft</code>		<code>\adfsingleflourishright</code>
	<code>\adftripleflourishleft</code>		<code>\adftripleflourishright</code>
	<code>\adfwavesleft</code>		<code>\adfwavesright</code>

TABLE 411: Miscellaneous `oplotsymb1` Symbols

`_` `\lineh` `|` `\linev` `+` `\linevh` `×` `\scross` `*` `\scrossvh`

All `oplotsymb1` symbols are implemented with `TikZ` graphics, not with a font.

TABLE 412: Miscellaneous dingbat Dingbats










	<code>\anchor</code>		<code>\eye</code>		<code>\Sborder</code>
	<code>\carriagereturn</code>		<code>\filledsquarewithdots</code>		<code>\squarewithdots</code>
	<code>\checkmark</code>		<code>\satellitedish</code>		<code>\Zborder</code>

TABLE 413: Miscellaneous bbding Dingbats

✉	<code>\Envelope</code>	☺	<code>\Peace</code>	☎	<code>\PhoneHandset</code>	☀	<code>\SunshineOpenCircled</code>
◆	<code>\OrnamentDiamondSolid</code>	☎	<code>\Phone</code>	✈	<code>\Plane</code>	📼	<code>\Tape</code>

TABLE 414: Miscellaneous pifont Dingbats

☐	<code>\ding{37}</code>	✈	<code>\ding{40}</code>	♥	<code>\ding{164}</code>	♣	<code>\ding{167}</code>	♠	<code>\ding{171}</code>
⓪	<code>\ding{38}</code>	✉	<code>\ding{41}</code>	♣	<code>\ding{165}</code>	♣	<code>\ding{168}</code>	◆	<code>\ding{169}</code>
Ⓢ	<code>\ding{39}</code>	❖	<code>\ding{118}</code>	☺	<code>\ding{166}</code>	♥	<code>\ding{170}</code>		

TABLE 415: Miscellaneous adorn Dingbats

•	<code>\adfbullet</code>	◊	<code>\adfdiamond</code>	ƒ	<code>\adfgee</code>	§	<code>\adfS</code>	◻	<code>\adfsquare</code>
---	-------------------------	---	--------------------------	---	----------------------	---	--------------------	---	-------------------------

TABLE 416: Miscellaneous utfsym Dingbats

⓪	<code>\usym{2706}</code>	‡	<code>\usym{2755}</code>	‡	<code>\usym{2762}</code>	➤	<code>\usym{276F}</code>
Ⓢ	<code>\usym{2707}</code>	❖	<code>\usym{2756}</code>	‡	<code>\usym{2763}</code>	⚡	<code>\usym{2770}</code>
✈	<code>\usym{2708}</code>	!	<code>\usym{2757}</code>	♥	<code>\usym{2764}</code>	⌋	<code>\usym{2771}</code>
✉	<code>\usym{2709}</code>		<code>\usym{2758}</code>	♣	<code>\usym{2765}</code>	(	<code>\usym{2772}</code>
✕	<code>\usym{274C}</code>	!	<code>\usym{2759}</code>	☺	<code>\usym{2766}</code>	)	<code>\usym{2773}</code>
○	<code>\usym{274D}</code>	!	<code>\usym{275A}</code>	☺	<code>\usym{2767}</code>	⚡	<code>\usym{2774}</code>
✉	<code>\usym{274E}</code>	♣	<code>\usym{275B}</code>	(	<code>\usym{2768}</code>	⌋	<code>\usym{2775}</code>
◻	<code>\usym{274F}</code>	9	<code>\usym{275C}</code>	)	<code>\usym{2769}</code>	+	<code>\usym{2795}</code>
◻	<code>\usym{2750}</code>	“	<code>\usym{275D}</code>	(	<code>\usym{276A}</code>	—	<code>\usym{2796}</code>
◻	<code>\usym{2751}</code>	”	<code>\usym{275E}</code>	)	<code>\usym{276B}</code>	÷	<code>\usym{2797}</code>
◻	<code>\usym{2752}</code>	9	<code>\usym{275F}</code>	(	<code>\usym{276C}</code>	⓪	<code>\usym{27B0}</code>
?	<code>\usym{2753}</code>	”	<code>\usym{2760}</code>	)	<code>\usym{276D}</code>	⓪	<code>\usym{27BF}</code>
?	<code>\usym{2754}</code>	ƒ	<code>\usym{2761}</code>	⚡	<code>\usym{276E}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

## 6 Ancient languages

This section presents letters and ideograms from various ancient scripts. Some of these symbols may also be useful in other typesetting contexts because of their pictorial nature.

TABLE 417: phaistos Symbols from the Phaistos Disk



















































































	<code>\PHarrow</code>		<code>\PHeagle</code>		<code>\PHplumedHead</code>
	<code>\PHbee</code>		<code>\PHflute</code>		<code>\PHram</code>
	<code>\PHbeehive</code>		<code>\PHgauntlet</code>		<code>\PHrosette</code>
	<code>\PHboomerang</code>		<code>\PHgrater</code>		<code>\PHsaw</code>
	<code>\PHbow</code>		<code>\PHhelmet</code>		<code>\PHshield</code>
	<code>\PHbullLeg</code>		<code>\PHhide</code>		<code>\PHship</code>
	<code>\PHcaptive</code>		<code>\PHhorn</code>		<code>\PHsling</code>
	<code>\PHcarpentryPlane</code>		<code>\PHlid</code>		<code>\PHsmallAxe</code>
	<code>\PHcat</code>		<code>\PHlily</code>		<code>\PHstrainer</code>
	<code>\PHchild</code>		<code>\PHmanacles</code>		<code>\PHtattooedHead</code>
	<code>\PHclub</code>		<code>\PHmattock</code>		<code>\PHtiara</code>
	<code>\PHcolumn</code>		<code>\PHoxBack</code>		<code>\PHtunny</code>
	<code>\PHcomb</code>		<code>\PHpapyrus</code>		<code>\PHvine</code>
	<code>\PHdolium</code>		<code>\PHpedestrian</code>		<code>\PHwavyBand</code>
	<code>\PHdove</code>		<code>\PHplaneTree</code>		<code>\PHwoman</code>

TABLE 418: protosem Proto-Semitic Characters

	<code>\Aaleph</code>		<code>\AAhe</code>		<code>\Akaph</code>		<code>\Asamekh</code>		<code>\Aresh</code>
	<code>\AAaleph</code>		<code>\Azayin</code>		<code>\AAkaph</code>		<code>\Ape</code>		<code>\Ashin</code>
	<code>\Abeth</code>		<code>\Avav</code>		<code>\Alamed</code>		<code>\AApe</code>		<code>\Ahelmet</code>
	<code>\AAbeth</code>		<code>\Aheth</code>		<code>\AAlamed</code>		<code>\Asade</code>		<code>\AAhelmet</code>
	<code>\Agimel</code>		<code>\AAheth</code>		<code>\Amem</code>		<code>\AAsade</code>		<code>\Atav</code>
	<code>\Adaleth</code>		<code>\Ateth</code>		<code>\Anun</code>		<code>\Aqoph</code>		
	<code>\AAdaleth</code>		<code>\Ayod</code>		<code>\Aayin</code>		<code>\AAqoph</code>		
	<code>\Ahe</code>		<code>\AAyod</code>		<code>\AAayin</code>		<code>\Aresh</code>		

The `protosem` package defines abbreviated control sequences for each of the above. In addition, single-letter shortcuts can be used within the argument to the `\textproto` command (e.g., “`\textproto{Pakyn}`” produces “`𐤀𐤁𐤂𐤃𐤄𐤅`”). See the `protosem` documentation for more information.

TABLE 419: hieroglf Hieroglyphics

	<code>\HA</code>		<code>\HI</code>		<code>\Hn</code>		<code>\HT</code>
	<code>\Ha</code>		<code>\Hi</code>		<code>\HO</code>		<code>\Ht</code>
	<code>\HB</code>		<code>\Hibl</code>		<code>\Ho</code>		<code>\Htongue</code>
	<code>\Hb</code>		<code>\Hibp</code>		<code>\Hp</code>		<code>\HU</code>
	<code>\Hc</code>		<code>\Hibs</code>		<code>\HP</code>		<code>\Hu</code>
	<code>\HC</code>		<code>\Hibw</code>		<code>\Hplural</code>		<code>\HV</code>
	<code>\HD</code>		<code>\HJ</code>		<code>\Hplus</code>		<code>\Hv</code>
	<code>\Hd</code>		<code>\Hj</code>		<code>\HQ</code>		<code>\Hvbar</code>
	<code>\Hdual</code>		<code>\Hk</code>		<code>\Hq</code>		<code>\Hw</code>
	<code>\He</code>		<code>\HK</code>		<code>\Hquery</code>		<code>\HW</code>
	<code>\HE</code>		<code>\HL</code>		<code>\HR</code>		<code>\HX</code>
	<code>\Hf</code>		<code>\HL</code>		<code>\Hr</code>		<code>\Hx</code>
	<code>\HF</code>		<code>\Hm</code>		<code>\Hs</code>		<code>\HY</code>
	<code>\HG</code>		<code>\HM</code>		<code>\HS</code>		<code>\Hy</code>
	<code>\Hg</code>		<code>\Hman</code>		<code>\Hscribe</code>		<code>\Hz</code>
	<code>\Hh</code>		<code>\Hms</code>		<code>\Hslash</code>		<code>\HZ</code>
	<code>\HH</code>		<code>\HN</code>		<code>\Hsv</code>		
	<code>\Hone</code>		<code>\Hhundred</code>		<code>\HXthousand</code>		<code>\Hmillion</code>
	<code>\Hten</code>		<code>\Hthousand</code>		<code>\HCthousand</code>		

The hieroglf package defines alternate control sequences and single-letter shortcuts for each of the above which can be used within the argument to the `\textpmhg` command (e.g., “`\textpmhg{Pakin}`” produces “”). See the hieroglf documentation for more information.

TABLE 420: linearA Linear A Script

	<code>\LinearAI</code>		<code>\LinearAXCIIX</code>		<code>\LinearACXCVII</code>		<code>\LinearACCXCV</code>
	<code>\LinearAII</code>		<code>\LinearAC</code>		<code>\LinearACXCVIII</code>		<code>\LinearACCXCVI</code>
	<code>\LinearAIII</code>		<code>\LinearACI</code>		<code>\LinearACXCIX</code>		<code>\LinearACCXCVII</code>
	<code>\LinearAIV</code>		<code>\LinearACII</code>		<code>\LinearACC</code>		<code>\LinearACCXCVIII</code>
	<code>\LinearAV</code>		<code>\LinearACIII</code>		<code>\LinearACCI</code>		<code>\LinearACCXCIX</code>
	<code>\LinearAVI</code>		<code>\LinearACIV</code>		<code>\LinearACCII</code>		<code>\LinearACCC</code>
	<code>\LinearAVII</code>		<code>\LinearACV</code>		<code>\LinearACCIII</code>		<code>\LinearACCCI</code>
	<code>\LinearAVIII</code>		<code>\LinearACVI</code>		<code>\LinearACCIV</code>		<code>\LinearACCCII</code>
	<code>\LinearAIX</code>		<code>\LinearACVII</code>		<code>\LinearACCV</code>		<code>\LinearACCCIII</code>

(continued on next page)

(continued from previous page)

H	\LinearAX	𠄎	\LinearACVIII	𠄎	\LinearACCVI	𠄎	\LinearACCCIV
⊕	\LinearAXI	𠄎	\LinearACIX	𠄎	\LinearACCVII	𠄎	\LinearACCCV
𠄎	\LinearAXII	𠄎	\LinearACX	𠄎	\LinearACCVIII	𠄎	\LinearACCCVI
𠄎	\LinearAXIII	𠄎	\LinearACXI	𠄎	\LinearACCIX	𠄎	\LinearACCCVII
𠄎	\LinearAXIV	𠄎	\LinearACXII	𠄎	\LinearACCX	𠄎	\LinearACCCVIII
∧	\LinearAXV	𠄎	\LinearACXIII	𠄎	\LinearACCXI	𠄎	\LinearACCCIX
𠄎	\LinearAXVI	𠄎	\LinearACXIV	𠄎	\LinearACCXII	𠄎	\LinearACCCX
⊙	\LinearAXVII	⊙	\LinearACXV	𠄎	\LinearACCXIII	𠄎	\LinearACCCXI
𠄎	\LinearAXVIII	𠄎	\LinearACXVI	𠄎	\LinearACCXIV	𠄎	\LinearACCCXII
𠄎	\LinearAXIX	𠄎	\LinearACXVII	𠄎	\LinearACCXV	𠄎	\LinearACCCXIII
𠄎	\LinearAXX	𠄎	\LinearACXVIII	𠄎	\LinearACCXVI	𠄎	\LinearACCCXIV
𠄎	\LinearAXXI	𠄎	\LinearACXIX	𠄎	\LinearACCXVII	𠄎	\LinearACCCXV
目	\LinearAXXII	𠄎	\LinearACXX	𠄎	\LinearACCXVIII	𠄎	\LinearACCCXVI
𠄎	\LinearAXXIII	𠄎	\LinearACXXI	𠄎	\LinearACCXIX	𠄎	\LinearACCCXVII
𠄎	\LinearAXXIV	𠄎	\LinearACXXII	𠄎	\LinearACCXX	𠄎	\LinearACCCXVIII
𠄎	\LinearAXXV	𠄎	\LinearACXXIII	𠄎	\LinearACCXXI	𠄎	\LinearACCCXIX
𠄎	\LinearAXXVI	𠄎	\LinearACXXIV	𠄎	\LinearACCXXII	𠄎	\LinearACCCXX
𠄎	\LinearAXXVII	𠄎	\LinearACXXV	𠄎	\LinearACCXXIII	𠄎	\LinearACCCXXI
𠄎	\LinearAXXVIII	𠄎	\LinearACXXVI	𠄎	\LinearACCXXIV	𠄎	\LinearACCCXXII
𠄎	\LinearAXXIX	𠄎	\LinearACXXVII	𠄎	\LinearACCXXV	𠄎	\LinearACCCXXIII
𠄎	\LinearAXXX	𠄎	\LinearACXXVIII	𠄎	\LinearACCXXVI	𠄎	\LinearACCCXXIV
𠄎	\LinearAXXXI	𠄎	\LinearACXXIX	𠄎	\LinearACCXXVII	𠄎	\LinearACCCXXV
𠄎	\LinearAXXXII	𠄎	\LinearACXXX	𠄎	\LinearACCXXVIII	𠄎	\LinearACCCXXVI
𠄎	\LinearAXXXIII	𠄎	\LinearACXXXI	𠄎	\LinearACCXXIX	𠄎	\LinearACCCXXVII
𠄎	\LinearAXXXIV	𠄎	\LinearACXXXII	𠄎	\LinearACCXXX	𠄎	\LinearACCCXXVIII
𠄎	\LinearAXXXV	𠄎	\LinearACXXXIII	𠄎	\LinearACCXXXI	𠄎	\LinearACCCXXIX
𠄎	\LinearAXXXVI	𠄎	\LinearACXXXIV	𠄎	\LinearACCXXXII	𠄎	\LinearACCCXXX
𠄎	\LinearAXXXVII	𠄎	\LinearACXXXV	𠄎	\LinearACCXXXIII	𠄎	\LinearACCCXXXI
𠄎	\LinearAXXXVIII	𠄎	\LinearACXXXVI	𠄎	\LinearACCXXXIV	𠄎	\LinearACCCXXXII
𠄎	\LinearAXXXIX	𠄎	\LinearACXXXVII	𠄎	\LinearACCXXXV	𠄎	\LinearACCCXXXIII
𠄎	\LinearAXL	𠄎	\LinearACXXXVIII	𠄎	\LinearACCXXXVI	𠄎	\LinearACCCXXXIV
𠄎	\LinearAXLI	𠄎	\LinearACXXXIX	𠄎	\LinearACCXXXVII	𠄎	\LinearACCCXXXV
𠄎	\LinearAXLII	𠄎	\LinearACXL	𠄎	\LinearACCXXXVIII	𠄎	\LinearACCCXXXVI
𠄎	\LinearAXLIII	𠄎	\LinearACXLI	𠄎	\LinearACCXXXIX	𠄎	\LinearACCCXXXVII
𠄎	\LinearAXLIV	𠄎	\LinearACXLII	𠄎	\LinearACCXL	𠄎	\LinearACCCXXXVIII
𠄎	\LinearAXLV	𠄎	\LinearACXLIII	𠄎	\LinearACCXLI	𠄎	\LinearACCCXXXIX
𠄎	\LinearAXLVI	𠄎	\LinearACXLIV	𠄎	\LinearACCXLII	𠄎	\LinearACCCXL
𠄎	\LinearAXLVII	→	\LinearACXLV	𠄎	\LinearACCXLIII	𠄎	\LinearACCCXLI
𠄎	\LinearAXLVIII	𠄎	\LinearACXLVI	𠄎	\LinearACCXLIV	𠄎	\LinearACCCXLII
𠄎	\LinearAXLIX	𠄎	\LinearACXLVII	𠄎	\LinearACCXLV	𠄎	\LinearACCCXLIII
𠄎	\LinearAL	𠄎	\LinearACXLVIII	𠄎	\LinearACCXLVI	𠄎	\LinearACCCXLIV
𠄎	\LinearALI	𠄎	\LinearACXLIX	𠄎	\LinearACCXLVII	𠄎	\LinearACCCXLV
𠄎	\LinearALII	𠄎	\LinearACL	𠄎	\LinearACCXLVIII	𠄎	\LinearACCCXLVI
𠄎	\LinearALIII	𠄎	\LinearACLI	𠄎	\LinearACCXLIX	𠄎	\LinearACCCXLVII
𠄎	\LinearALIV	𠄎	\LinearACLII	𠄎	\LinearACCL	𠄎	\LinearACCCXLVIII
𠄎	\LinearALV	𠄎	\LinearACLIII	𠄎	\LinearACCLI	𠄎	\LinearACCCXLIX
𠄎	\LinearALVI	𠄎	\LinearACLIV	𠄎	\LinearACCLII	𠄎	\LinearACCCXL
𠄎	\LinearALVII	𠄎	\LinearACLV	𠄎	\LinearACCLIII	𠄎	\LinearACCCCLI
𠄎	\LinearALVIII	𠄎	\LinearACLVI	𠄎	\LinearACCLIV	𠄎	\LinearACCCCLII

(continued on next page)

(continued from previous page)

𐌱	\LinearALIX	𐌲	\LinearACLVII	𐌳	\LinearACCLV	𐌴	\LinearACCLIII
𐌲	\LinearALX	𐌳	\LinearACLVIII	𐌴	\LinearACCLVI	𐌵	\LinearACCLIV
𐌳	\LinearALXI	𐌴	\LinearACLIX	𐌵	\LinearACCLVII	𐌶	\LinearACCLV
𐌴	\LinearALXII	𐌵	\LinearACLX	𐌶	\LinearACCLVIII	𐌷	\LinearACCLVI
𐌵	\LinearALXIII	𐌶	\LinearACLXI	𐌷	\LinearACCLIX	𐌸	\LinearACCLVII
𐌶	\LinearALXIV	𐌷	\LinearACLXII	𐌸	\LinearACCLX	𐌹	\LinearACCLVIII
𐌷	\LinearALXV	𐌸	\LinearACLXIII	𐌹	\LinearACCLXI	𐌺	\LinearACCLIX
𐌸	\LinearALXVI	𐌹	\LinearACLXIV	𐌻	\LinearACCLXII	𐌻	\LinearACCLX
𐌹	\LinearALXVII	𐌺	\LinearACLXV	𐌼	\LinearACCLXIII	𐌽	\LinearACCLXI
𐌺	\LinearALXVIII	𐌻	\LinearACLXVI	𐌽	\LinearACCLXIV	𐌾	\LinearACCLXII
𐌻	\LinearALXIX	𐌼	\LinearACLXVII	𐌾	\LinearACCLXV	𐌿	\LinearACCLXIII
𐌼	\LinearALXX	𐌽	\LinearACLXVIII	𐌿	\LinearACCLXVI	𐍀	\LinearACCLXIV
𐌽	\LinearALXXI	𐌾	\LinearACLXIX	𐍀	\LinearACCLXVII	𐍁	\LinearACCLXV
𐌾	\LinearALXXII	𐌿	\LinearACLXX	𐍁	\LinearACCLXVIII	𐍂	\LinearACCLXVI
𐌿	\LinearALXXIII	𐍀	\LinearACLXXI	𐍂	\LinearACCLXIX	𐍃	\LinearACCLXVII
𐍀	\LinearALXXIV	𐍁	\LinearACLXXII	𐍃	\LinearACCLXX	𐍄	\LinearACCLXVIII
𐍁	\LinearALXXV	𐍂	\LinearACLXXIII	𐍄	\LinearACCLXXI	𐍅	\LinearACCLXIX
𐍂	\LinearALXXVI	𐍃	\LinearACLXXIV	𐍅	\LinearACCLXXII	𐍆	\LinearACCLXX
𐍃	\LinearALXXVII	𐍄	\LinearACLXXV	𐍆	\LinearACCLXXIII	𐍇	\LinearACCLXXI
𐍄	\LinearALXXVIII	𐍅	\LinearACLXXVI	𐍇	\LinearACCLXXIV	𐍈	\LinearACCLXXII
𐍅	\LinearALXXIX	𐍆	\LinearACLXXVII	𐍈	\LinearACCLXXV	𐍉	\LinearACCLXXIII
𐍆	\LinearALXXX	𐍇	\LinearACLXXVIII	𐍉	\LinearACCLXXVI	𐍊	\LinearACCLXXIV
𐍇	\LinearALXXXI	𐍈	\LinearACLXXIX	𐍊	\LinearACCLXXVII	𐍋	\LinearACCLXXV
𐍈	\LinearALXXXII	𐍉	\LinearACLXXX	𐍋	\LinearACCLXXVIII	𐍌	\LinearACCLXXVI
𐍉	\LinearALXXXIII	𐍊	\LinearACLXXXI	𐍌	\LinearACCLXXIX	𐍍	\LinearACCLXXVII
𐍊	\LinearALXXXIV	𐍋	\LinearACLXXXII	𐍍	\LinearACCLXXX	𐍎	\LinearACCLXXVIII
𐍋	\LinearALXXXV	𐍌	\LinearACLXXXIII	𐍎	\LinearACCLXXXI	𐍏	\LinearACCLXXIX
𐍌	\LinearALXXXVI	𐍍	\LinearACLXXXIV	𐍏	\LinearACCLXXXII	𐍐	\LinearACCLXXX
𐍍	\LinearALXXXVII	𐍎	\LinearACLXXXV	𐍐	\LinearACCLXXXIII	𐍑	\LinearACCLXXXI
𐍎	\LinearALXXXVIII	𐍇	\LinearACLXXXVI	𐍑	\LinearACCLXXXIV	𐍒	\LinearACCLXXXII
𐍇	\LinearALXXXIX	𐍈	\LinearACLXXXVII	𐍒	\LinearACCLXXXV	𐍓	\LinearACCLXXXIII
𐍈	\LinearALXXXX	𐍉	\LinearACLXXXVIII	𐍓	\LinearACCLXXXVI	𐍔	\LinearACCLXXXIV
𐍉	\LinearAXCI	𐍊	\LinearACLXXXIX	𐍔	\LinearACCLXXXVII	𐍕	\LinearACCLXXXV
𐍊	\LinearAXCII	𐍋	\LinearACLXXXX	𐍕	\LinearACCLXXXVIII	𐍖	\LinearACCLXXXVI
𐍋	\LinearAXCIII	𐍌	\LinearACXCI	𐍖	\LinearACCLXXXIX	𐍗	\LinearACCLXXXVII
𐍌	\LinearAXCIV	𐍍	\LinearACXCII	𐍗	\LinearACCLXXXX	𐍘	\LinearACCLXXXVIII
𐍍	\LinearAXCV	𐍎	\LinearACXCIII	𐍘	\LinearACXCII	𐍙	\LinearACCLXXXIX
𐍎	\LinearAXCVI	𐍇	\LinearACXCIV	𐍙	\LinearACXCIII		
𐍇	\LinearAXCVII	𐍈	\LinearACXCV	𐍚	\LinearACXCIV		
𐍈	\LinearAXCVIII	𐍉	\LinearACXCVI	𐍛	\LinearACXCIV		

TABLE 421: linearb Linear B Basic and Optional Letters

	<code>\Ba</code>		<code>\Bja</code>		<code>\Bmu</code>		<code>\Bpte</code>		<code>\Broii</code>		<code>\Bto</code>
	<code>\Baii</code>		<code>\Bje</code>		<code>\Bna</code>		<code>\Bpu</code>		<code>\Bru</code>		<code>\Btu</code>
	<code>\Baiii</code>		<code>\Bjo</code>		<code>\Bne</code>		<code>\Bpuii</code>		<code>\Bsa</code>		<code>\Btwo</code>
	<code>\Bau</code>		<code>\Bju</code>		<code>\Bni</code>		<code>\Bqa</code>		<code>\Bse</code>		<code>\Bu</code>
	<code>\Bda</code>		<code>\Bka</code>		<code>\Bno</code>		<code>\Bqe</code>		<code>\Bsi</code>		<code>\Bwa</code>
	<code>\Bde</code>		<code>\Bke</code>		<code>\Bnu</code>		<code>\Bqi</code>		<code>\Bso</code>		<code>\Bwe</code>
	<code>\Bdi</code>		<code>\Bki</code>		<code>\Bnwa</code>		<code>\Bqo</code>		<code>\Bsu</code>		<code>\Bwi</code>
	<code>\Bdo</code>		<code>\Bko</code>		<code>\Bo</code>		<code>\Bra</code>		<code>\Bswa</code>		<code>\Bwo</code>
	<code>\Bdu</code>		<code>\Bku</code>		<code>\Bpa</code>		<code>\Braii</code>		<code>\Bswi</code>		<code>\Bza</code>
	<code>\Bdwe</code>		<code>\Bma</code>		<code>\Bpaiii</code>		<code>\Braiii</code>		<code>\Bta</code>		<code>\Bze</code>
	<code>\Bdwo</code>		<code>\Bme</code>		<code>\Bpe</code>		<code>\Bre</code>		<code>\Btaii</code>		<code>\Bzo</code>
	<code>\Be</code>		<code>\Bmi</code>		<code>\Bpi</code>		<code>\Bri</code>		<code>\Bte</code>		
	<code>\Bi</code>		<code>\Bmo</code>		<code>\Bpo</code>		<code>\Bro</code>		<code>\Bti</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textlinb{\Bpa\Bki\Bna}`” and “`\textlinb{pcn}`” produce “ $\text{𐀓} \text{𐀛} \text{𐀙}$ ”, for example. See the linearb documentation for more information.

TABLE 422: linearb Linear B Numerals

<code>\BNi</code>		<code>\BNvii</code>		<code>\BNxl</code>		<code>\BNc</code>		<code>\BNdcc</code>	
<code>\BNii</code>		<code>\BNviii</code>		<code>\BNl</code>		<code>\BNcc</code>		<code>\BNdccc</code>	
<code>\BNiii</code>		<code>\BNix</code>		<code>\BNlx</code>		<code>\BNccc</code>		<code>\BNcm</code>	
<code>\BNiv</code>		<code>\BNx</code>		<code>\BNlxx</code>		<code>\BNcd</code>		<code>\BNm</code>	
<code>\BNv</code>		<code>\BNxx</code>		<code>\BNlxxx</code>		<code>\BNd</code>			
<code>\BNvi</code>		<code>\BNxxx</code>		<code>\BNxc</code>		<code>\BNdc</code>			

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.







































TABLE 423: linearb Linear B Weights and Measures

	<code>\BPtalent</code>		<code>\BPvolb</code>		<code>\BPvolcf</code>		<code>\BPwtb</code>		<code>\BPwtd</code>
	<code>\BPvola</code>		<code>\BPvolcd</code>		<code>\BPwta</code>		<code>\BPwtc</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.
















TABLE 424: linearb Linear B Ideograms

	<code>\BPamphora</code>		<code>\BPchassis</code>		<code>\BPman</code>		<code>\BPwheat</code>
	<code>\BParrow</code>		<code>\BPcloth</code>		<code>\BPnanny</code>		<code>\BPwheel</code>
	<code>\BPbarley</code>		<code>\BPcow</code>		<code>\BPolive</code>		<code>\BPwine</code>
	<code>\BPbilly</code>		<code>\BPcup</code>		<code>\BPox</code>		<code>\BPwineeiih</code>
	<code>\BPboar</code>		<code>\BPewe</code>		<code>\BPpig</code>		<code>\BPwineeiiih</code>
	<code>\BPbronze</code>		<code>\BPfoal</code>		<code>\BPram</code>		<code>\BPwineeivh</code>
	<code>\BPbull</code>		<code>\BPgoat</code>		<code>\BPsheep</code>		<code>\BPwoman</code>
	<code>\BPcauldroni</code>		<code>\BPgoblet</code>		<code>\BPsow</code>		<code>\BPwool</code>
	<code>\BPcauldronii</code>		<code>\BPgold</code>		<code>\BPspear</code>		
	<code>\BPchariot</code>		<code>\BPhorse</code>		<code>\BPsword</code>		



























































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 425: linearb Unidentified Linear B Symbols

	<code>\BUi</code>		<code>\BUiv</code>		<code>\BUvii</code>		<code>\BUx</code>		<code>\Btwe</code>
	<code>\BUii</code>		<code>\BUv</code>		<code>\BUviii</code>		<code>\BUxi</code>		
	<code>\BUiii</code>		<code>\BUvi</code>		<code>\BUix</code>		<code>\BUxii</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 426: cyriot Cypriot Letters

	<code>\Ca</code>		<code>\Cku</code>		<code>\Cmu</code>		<code>\Cpo</code>		<code>\Cso</code>		<code>\Cwi</code>
	<code>\Ce</code>		<code>\Cla</code>		<code>\Cna</code>		<code>\Cpu</code>		<code>\Csu</code>		<code>\Cwo</code>
	<code>\Cga</code>		<code>\Cle</code>		<code>\Cne</code>		<code>\Cra</code>		<code>\Cta</code>		<code>\Cxa</code>
	<code>\Ci</code>		<code>\Cli</code>		<code>\Cni</code>		<code>\Cre</code>		<code>\Cte</code>		<code>\Cxe</code>
	<code>\Cja</code>		<code>\Clo</code>		<code>\Cno</code>		<code>\Cri</code>		<code>\Cti</code>		<code>\Cya</code>
	<code>\Cjo</code>		<code>\Clu</code>		<code>\Cnu</code>		<code>\Cro</code>		<code>\Cto</code>		<code>\Cyo</code>
	<code>\Cka</code>		<code>\Cma</code>		<code>\Co</code>		<code>\Cru</code>		<code>\Ctu</code>		<code>\Cza</code>
	<code>\Cke</code>		<code>\Cme</code>		<code>\Cpa</code>		<code>\Csa</code>		<code>\Cu</code>		<code>\Czo</code>
	<code>\Cki</code>		<code>\Cmi</code>		<code>\Cpe</code>		<code>\Cse</code>		<code>\Cwa</code>		
	<code>\Cko</code>		<code>\Cmo</code>		<code>\Cpi</code>		<code>\Csi</code>		<code>\Cwe</code>		

These symbols must appear either within the argument to `\textcypr` or following the `\cyprfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textcypr{\Cpa\Cki\Cna}`” and “`\textcypr{pcn}`” produce “ $\overset{\curvearrowright}{\text{†}}\overset{\curvearrowright}{\text{I}}\overset{\curvearrowright}{\text{T}}$ ”, for example. See the cyriot documentation for more information.

TABLE 427: sarabian South Arabian Letters

◦	<code>\SAa</code>	𐩇	<code>\SAz</code>	𐩈	<code>\SAm</code>	𐩉	<code>\SAsd</code>	𐩊	<code>\SAdb</code>
𐩋	<code>\SAb</code>	𐩌	<code>\SAhd</code>	𐩍	<code>\SAn</code>	𐩎	<code>\SAq</code>	𐩏	<code>\SAtb</code>
𐩐	<code>\SAg</code>	𐩑	<code>\SATd</code>	𐩒	<code>\SAs</code>	𐩓	<code>\SAr</code>	𐩔	<code>\SAga</code>
𐩕	<code>\SAd</code>	𐩖	<code>\SAy</code>	𐩗	<code>\SAf</code>	𐩘	<code>\SAsv</code>	𐩙	<code>\SAzd</code>
𐩚	<code>\SAh</code>	𐩛	<code>\SAk</code>	𐩜	<code>\SAlq</code>	𐩝	<code>\SAt</code>	𐩞	<code>\SAsa</code>
𐩟	<code>\SAw</code>	𐩠	<code>\SAl</code>	𐩡	<code>\SAo</code>	𐩢	<code>\SAhu</code>	𐩣	<code>\SAdd</code>

These symbols must appear either within the argument to `\textsarab` or following the `\sarabfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textsarab{\SAb\Sak\SAn}`” and “`\textsarab{bkn}`” produce “𐩋𐩌𐩍”, for example. See the `sarabian` documentation for more information.

TABLE 428: teubner Archaic Greek Letters and Greek Numerals

Ϟ	<code>\Coppa†</code>	Ϛ	<code>\Digamma*</code>	ϛ	<code>\sampi*</code>	Ϝ	<code>\varstigma</code>
ϙ	<code>\coppa†</code>	ϛ	<code>\koppa*</code>	Ϟ	<code>\Stigma</code>		
Ϛ	<code>\digamma*,‡</code>	ϛ	<code>\Sampi</code>	Ϝ	<code>\stigma*</code>		

\* Technically, these symbols do not require `teubner`; it is sufficient to load the `babel` package with the `greek` option (upon which `teubner` depends)—but use `\qoppa` for `\koppa` and `\ddigamma` for `\digamma`.

† For compatibility with other naming conventions `teubner` defines `\Koppa` as a synonym for `\Coppa` and `\varcoppa` as a synonym for `\coppa`.

‡ If both `teubner` and `amssymb` are loaded, `teubner`’s `\digamma` replaces `amssymb`’s `\digamma`, regardless of package-loading order.

TABLE 429: boisik Archaic Greek Letters and Greek Numerals

Ϛ	<code>\Digamma</code>	ϙ	<code>\qoppa</code>	ϛ	<code>\stigma</code>	Ϟ	<code>\varsampi</code>
ϙ	<code>\digamma</code>	Ϟ	<code>\Qoppa</code>	Ϛ	<code>\Stigma</code>		
ϛ	<code>\heta</code>	ϛ	<code>\Sampi</code>	Ϛ	<code>\vardigamma</code>		
Ϟ	<code>\Heta</code>	ϛ	<code>\sampi</code>	Ϟ	<code>\Varsampi</code>		

TABLE 430: epiolmec Epi-Olmec Script

	\EOafter		\EOMiddle		\EOStarWarrior
	\EOandThen		\EOmonster		\EOstep
	\EOAppear		\EOMountain		\EOSu
	\EOBeardMask		\EOMuu		\EOsu
	\EOBedeck		\EOna		\EOSun
	\EOBlood		\EOne		\EOSuu
	\EObrace		\EOni		\EOSuu
	\EObuilding		\EOnow		\Eota
	\EOBundle		\EOnu		\Eote
	\EOChop		\EOnuu		\EOthrone
	\EOChronI		\EOofficerI		\Eoti
	\EOCloth		\EOofficerII		\EOtime
	\EODealWith		\EOofficerIII		\EOTime
	\EODeer		\EOofficerIV		\EOTitle
	\EOeat		\EOpa		\EOTitleII
	\EOflint		\EOpak		\EOTitleIV
	\EOflower		\EOPatron		\Eoto
	\EOFold		\EOPatronII		\Eotu
	\EOGod		\EOpe		\Eotuki
	\EOGoUp		\EOpenis		\EOTukpa
	\EOgovernor		\EOpi		\EOTurtle
	\EOGuise		\EOPierce		\Eotuu
	\EOHallow		\EOPlant		\Eotza
	\EOja		\EOPlay		\Eotze
	\EOjaguar		\EOpo		\Eotzetze
	\EOje		\EOpriest		\Eotzi
	\EOji		\EOPrince		\Eotzu
	\EOJI		\EOpu		\Eotzuu

(continued on next page)

(continued from previous page)

	\EOjo		\EOpuu		\EOundef
	\EOju		\EOpuuk		\EOvarBeardMask
	\EOkak		\EORain		\EOvarja
	\EOke		\EOSa		\EOvarji
	\EOki		\EOSa		\EOvarki
	\EOkij		\EOSacrifice		\EOvarkuu
	\EOKing		\EOSaw		\EOvarni
	\EOknottedCloth		\EOScorpius		\EOvarpa
	\EOknottedClothStraps		\EOset		\EOvarSi
	\EOko		\EOSi		\EOvarsi
	\EOku		\EOSi		\EOvartza
	\EOkuu		\EOSing		\EOvarwuu
	\EOLetBlood		\EOSini		\EOvarYear
	\EOLoinCloth		\EOSkin		\EOwa
	\EOLongLipII		\EOSky		\EOwe
	\EOLord		\EOSkyAnimal		\EOwi
	\EOLose		\EOSkyPillar		\EOwo
	\EOma		\EOSnake		\EOwuu
	\EOMacaw		\EOSo		\EOya
	\EOMacawI		\EOSpan		\EOyaj
	\EOme		\EOSprinkle		\EOye
	\EOMexNew		\EOstar		\EOYear
	\EOMi		\EOstarWarrior		\EOyuu

TABLE 431: epiolmec Epi-Olmec Numerals

	\EOzero		\EOvi		\EOxii		\EOxviii
	\EOi		\EOvii		\EOxiii		\EOxix
	\EOii		\EOviii		\EOxiv		\EOxx
	\EOiii		\EOix		\EOxv		
	\EOiv		\EOx		\EOxvi		
	\EOv		\EOxi		\EOxvii		

TABLE 432: allrunes Runes

þ	\a	Ɔ	E	ϕ	\ING	Ɔ	m	Υ	R	⋈	\sthree
*	\A	Ɔ	F	ϕ	\ing	†	n	⋈	\RR	†	T
Ɔ	a	Ɔ	f	ϕ	\Ing	□	\NG	Ɔ	\s	↑	t
Ɔ	A	X	g	ϕ	\j	◊	\ng	⋈	s	Ɔ	\textsection
Ɔ	b	Ɔ	\h	ϕ	j	⋈	o	⋈	S	†	\th
Ɔ	B	N	H	Ɔ	J	⋈	\p	⋈	\seight	Λ	U
Ɔ	\d	H	h	ϕ	\k	⋈	p	⋈	\sfive	∩	u
□	D	⋈	\i	ϕ	\K	⋈	P	⋈	\sfour	Ɔ	w
Ɔ	d		i	<	k	†	\R	⋈	\sseven		
Ɔ	e	†	I	†	l	R	r	⋈	\ssix		

The symbols in this table should appear within the argument to `\textarc` (for common Germanic runes), `\textara` (for Anglo-Frisian runes), `\textarn` (for normal runes), `\textart` (for short-twig runes), `\textarl` (for staveless runes), `\textarm` (for medieval runes), or within a scope that sets, respectively, `\arcfamily`, `\arafamily`, `\arnfamily`, `\artfamily`, `\arlfamily`, or `\armfamily`. Each family presents slightly different glyphs and/or slightly different subsets of the available runes. (The table presents the common Germanic runes.) See the `allrunes` documentation for more information.

TABLE 433: allrunes Rune Separators

	\bar	:	\doubleeye	+	\plus	:	\tripleddot
*	\cross	‡	\doubleplus	⋮	\quaddot	⋮	\tripleeye
·	\dot	⋈	\doublestar	◊	\quadeye	‡	\tripleplus
†	\doublebar	·	\eye	*	\star		
⋈	\doublecross	⋮	\pentdot	†	\triplebar		
:	\doubledot	*	\penteye	⋈	\triplecross		

See the usage comment under Table 432.

## 7 Musical symbols

The following symbols are used to typeset musical notation. The *lily<sup>g</sup>ly<sup>p</sup>bs* package provides a large subset of the symbols in this section. Note, however, that *lily<sup>g</sup>ly<sup>p</sup>bs* depends upon the *fontspec* package, OpenType (*.otf*) fonts, and some PDF graphics and therefore works only with Lua<sup>L</sup>TeX or Xe<sup>L</sup>TeX.

A simple way to typeset time signatures, due to Daniel Hirst, is to attach a superscript and a subscript to an empty math object. For example,  $\{\}^3_4$  renders as “ $\frac{3}{4}$ ”. Because superscripts and subscripts are left-justified, some extra padding may need to be added if the beats per measure and beat unit contain different numbers of digits. A 5mu space (“\;”) vertically centers the “8” relative to the “12” in  $\{\}^12_{\;8}$  (“ $\frac{12}{8}$ ”). For boldface time signatures (e.g., “ $\frac{4}{4}$ ”), consider the boldface-math options presented in Section 11.5. See also Table 447.

TABLE 434: L<sup>A</sup>T<sub>ε</sub>X Musical Symbols

$\flat$  \flat  $\natural$  \natural  $\sharp$  \sharp

TABLE 435: textcomp Musical Symbols

$\text{musicalnote}$  \textmusicalnote

TABLE 436: wasysym Musical Symbols

$\eighthnote$  \eighthnote  $\halfnote$  \halfnote  $\twonotes$  \twonotes  $\fullnote$  \fullnote  $\quarternote$  \quarternote

TABLE 437: MnSymbol Musical Symbols

$\flat$  \flat  $\natural$  \natural  $\sharp$  \sharp

TABLE 438: fdsymbol Musical Symbols

$\flat$  \flat  $\natural$  \natural  $\sharp$  \sharp

TABLE 439: boisik Musical Symbols

$\flat$  \flat  $\natural$  \natural  $\sharp$  \sharp

TABLE 440: stix Musical Symbols

$\eighthnote$  \eighthnote  $\natural$  \natural  $\sharp$  \sharp  
 $\flat$  \flat  $\quarternote$  \quarternote  $\twonotes$  \twonotes

TABLE 441: arev Musical Symbols


















































 `\quarternote`     `\eighthnote`     `\sixteenthnote`

TABLE 442: utfsym Musical Symbols


















 `\usym{2669}`     `\usym{266C}`     `\usym{266F}`     `\usym{1F3BC}`  
 `\usym{266A}`     `\usym{266D}`     `\usym{1F3B5}`  
 `\usym{266B}`     `\usym{266E}`     `\usym{1F3B6}`

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 443: MusiX<sub>T</sub>E<sub>X</sub> Musical Symbols





	<code>\allabreve</code>		<code>\lsf</code>		<code>\shake</code>
	<code>\altoclef</code>		<code>\lsfz</code>		<code>\Shake</code>
	<code>\backturn</code>		<code>\maxima</code>		<code>\Shakel</code>
	<code>\bassclef</code>		<code>\meterplus</code>		<code>\Shakene</code>
	<code>\caesura</code>		<code>\mordent</code>		<code>\Shakenw</code>
	<code>\coda</code>		<code>\Mordent</code>		<code>\Shakesw</code>
	<code>\Coda</code>		<code>\PAUSE</code>		<code>\smallaltoclef</code>
	<code>\Dep</code>		<code>\PAUSE</code>		<code>\smallbassclef</code>
	<code>\doublethumb</code>		<code>\pause</code>		<code>\smalltrebleclef</code>
	<code>\downbow</code>		<code>\Ped</code>		<code>\sPed</code>
	<code>\ds</code>		<code>\qp</code>		<code>\trebleclef</code>
	<code>\duevolte</code>		<code>\qqs</code>		<code>\trill</code>

(continued from previous page)

	<code>\fermatadown</code>		<code>\qs</code>		<code>\turn</code>
	<code>\fermataup</code>		<code>\reverseallbreve</code>		<code>\upbow</code>
	<code>\flageolett</code>		<code>\reverseC</code>		<code>\usf</code>
	<code>\hpause</code>		<code>\sDep</code>		<code>\usfz</code>
	<code>\hs</code>		<code>\Segno</code>		<code>\wq</code>
	<code>\longa</code>	<code>\segno</code>			<code>\wqq</code>




























All of these symbols are intended to be used in the context of typesetting musical scores. See the MusiX<sub>TEX</sub> documentation for more information.

TABLE 444: MusiX<sub>TEX</sub> Alternative Clefs

	<code>\drumclef</code>		<code>\gregorianFclef</code>
	<code>\gregorianCclef</code>		<code>\oldGclef</code>

In addition to MusiX<sub>TEX</sub>, `\drumclef` requires the `musixper` package; `\oldGclef` requires the `musixlit` package; and both `\gregorianCclef` and `\gregorianFclef` require the `musixgre` package. Together with MusiX<sub>TEX</sub>, these packages provide a complete system for typesetting percussion notation (`musixper`), liturgical music (`musixlit`), and Gregorian chants (`musixgre`, including the staves and all of the necessary neumes. See the MusiX<sub>TEX</sub> documentation for more information.

TABLE 445: harmony Musical Symbols

	<code>\AAcht</code>		<code>\DDohne</code>		<code>\Halb</code>		<code>\SechBR</code>		<code>\VM</code>
	<code>\Acht</code>		<code>\Dohne</code>		<code>\HaPa</code>		<code>\SechBr</code>		<code>\Zwdr</code>
	<code>\AchtBL</code>		<code>\Ds</code>		<code>\Pu</code>		<code>\SePa</code>		<code>\ZwPa</code>
	<code>\AchtBR</code>		<code>\DS</code>		<code>\Sech</code>		<code>\UB</code>		
	<code>\AcPa</code>		<code>\Ganz</code>		<code>\SechBL</code>		<code>\Vier</code>		
	<code>\DD</code>		<code>\GaPa</code>		<code>\SechBl</code>		<code>\ViPa</code>		

The MusiX<sub>TEX</sub> package must be installed to use `harmony`.



TABLE 446: musicography Musical Symbols

$\flat\flat$	<code>\musDoubleFlat</code>	$\natural$	<code>\musNatural</code>	$\text{musSixtyFourth}$	<code>\musSixtyFourth</code>
$\sharp\sharp$	<code>\musDoubleSharp</code>	$\text{musQuarter}$	<code>\musQuarter</code>	$\text{musSixtyFourthDotted}$	<code>\musSixtyFourthDotted</code>
$\text{musEighth}$	<code>\musEighth</code>	$\text{musQuarterDotted}$	<code>\musQuarterDotted</code>	$\text{musThirtySecond}$	<code>\musThirtySecond</code>
$\text{musEighthDotted}$	<code>\musEighthDotted</code>	$\text{musSegno}$	<code>\musSegno</code>	$\text{musThirtySecondDotted}$	<code>\musThirtySecondDotted</code>
$\flat$	<code>\musFlat</code>	$\sharp$	<code>\musSharp</code>	$\text{musWhole}$	<code>\musWhole</code>
$\text{musHalf}$	<code>\musHalf</code>	$\text{musSixteenth}$	<code>\musSixteenth</code>	$\text{musWholeDotted}$	<code>\musWholeDotted</code>
$\text{musHalfDotted}$	<code>\musHalfDotted</code>	$\text{musSixteenthDotted}$	<code>\musSixteenthDotted</code>		

musicography defines `\fl`, `\sh`, and `\na` as shorthands for `\musFlat`, `\musSharp`, and `\musNatural`, respectively. It also defines `\musCorchea` as an alias for `\musEighth`, `\musCorcheaDotted` as an alias for `\musEighthDotted`, `\musFusa` as an alias for `\musEighth`, `\musFusaDotted` as an alias for `\musEighthDotted`, `\musMinim` as an alias for `\musHalf`, `\musMinimDotted` as an alias for `\musHalfDotted`, `\musSemibreve` as an alias for `\musWhole`, `\musSemibreveDotted` as an alias for `\musWholeDotted`, `\musSemiminim` as an alias for `\musQuarter`, and `\musSeminiminimDotted` as an alias for `\musQuarterDotted`.

The MusiX<sub>TEX</sub> package must be installed to use musicography.

TABLE 447: musicography Time Signatures

$\mathbf{C}$	<code>\meterC</code>	$\mathbf{C}_2^3$	<code>\meterCThreeTwo</code>	$\mathbf{CZ}$	<code>\meterCZ</code>
$\mathbf{C3}$	<code>\meterCThree</code>	$\mathbf{C}$	<code>\meterCutC</code>	$\bigcirc$	<code>\meter0</code>

Other time signatures can be specified with `\musMeter`, as in

$$\text{\musMeter\{2\}\{4\}} \rightarrow \frac{2}{4}$$

The MusiX<sub>TEX</sub> package must be installed to use musicography.

TABLE 448: harmony Musical Accents

































$\widehat{A}a$	<code>\Ferli{A}\Ferli{a}</code> *	$\overset{\frown}{A}a$	<code>\Ohne{A}\Ohne{a}</code> *
$\widehat{\widehat{A}}a$	<code>\Fermi{A}\Fermi{a}</code>	$\widetilde{A} a$	<code>\Umd{A}\Umd{a}</code> *
$\textcircled{A}\textcircled{a}$	<code>\Kr{A}\Kr{a}</code>		

\* These symbols take an optional argument which shifts the accent either horizontally or vertically (depending on the command) by the given distance.

In addition to the accents shown above, `\HH` is a special accent command that accepts five period-separated characters and typesets them such that “`\HH.X.a.b.c.d.`” produces “ $X_a^b$ ”. All arguments except the first can be omitted: “`\HH.X....`” produces “ $X$ ”. `\Takt` takes two arguments and composes them into a musical time signature. For example, “`\Takt{12}{8}`” produces “ $\frac{12}{8}$ ”. As two special cases, “`\Takt{c}{0}`” produces “ $\mathbf{c}$ ” and “`\Takt{c}{1}`” produces “ $\mathbf{c}$ ”.

The MusiX<sub>TEX</sub> package must be installed to use harmony.

TABLE 449: *lilypond* Single Notes

	<code>\eighthNote</code>		<code>\quarterNoteDottedDown</code>
	<code>\eighthNoteDotted</code>		<code>\quarterNoteDown</code>
	<code>\eighthNoteDottedDouble</code>		<code>\sixteenthNote</code>
	<code>\eighthNoteDottedDoubleDown</code>		<code>\sixteenthNoteDotted</code>
	<code>\eighthNoteDottedDown</code>		<code>\sixteenthNoteDottedDouble</code>
	<code>\eighthNoteDown</code>		<code>\sixteenthNoteDottedDoubleDown</code>
	<code>\halfNote</code>		<code>\sixteenthNoteDottedDown</code>
	<code>\halfNoteDotted</code>		<code>\sixteenthNoteDown</code>
	<code>\halfNoteDottedDouble</code>		<code>\thirtysecondNote</code>
	<code>\halfNoteDottedDoubleDown</code>		<code>\thirtysecondNoteDotted</code>
	<code>\halfNoteDottedDown</code>		<code>\thirtysecondNoteDottedDouble</code>
	<code>\halfNoteDown</code>		<code>\thirtysecondNoteDottedDoubleDown</code>
	<code>\quarterNote</code>		<code>\thirtysecondNoteDottedDown</code>
	<code>\quarterNoteDotted</code>		<code>\thirtysecondNoteDown</code>
	<code>\quarterNoteDottedDouble</code>		<code>\wholeNote</code>
	<code>\quarterNoteDottedDoubleDown</code>		<code>\wholeNoteDotted</code>

*lilypond* defines synonyms for all of the preceding symbols:

	<code>\crotchet</code>		<code>\minimDottedDown</code>
	<code>\crotchetDotted</code>		<code>\minimDown</code>
	<code>\crotchetDottedDouble</code>		<code>\quaver</code>

(continued on next page)

(continued from previous page)






























	<code>\crotchetDottedDoubleDown</code>		<code>\quaverDotted</code>
	<code>\crotchetDottedDown</code>		<code>\quaverDottedDouble</code>
	<code>\crotchetDown</code>		<code>\quaverDottedDoubleDown</code>
	<code>\demisemiquaver</code>		<code>\quaverDottedDown</code>
	<code>\demisemiquaverDotted</code>		<code>\quaverDown</code>
	<code>\demisemiquaverDottedDouble</code>		<code>\semibreve</code>
	<code>\demisemiquaverDottedDoubleDown</code>		<code>\semibreveDotted</code>
	<code>\demisemiquaverDottedDown</code>		<code>\semiquaver</code>
	<code>\demisemiquaverDown</code>		<code>\semiquaverDotted</code>
	<code>\minim</code>		<code>\semiquaverDottedDouble</code>
	<code>\minimDotted</code>		<code>\semiquaverDottedDoubleDown</code>
	<code>\minimDottedDouble</code>		<code>\semiquaverDottedDown</code>
	<code>\minimDottedDoubleDown</code>		<code>\semiquaverDown</code>

TABLE 450: *lily&lypbs* Beamed Notes

	<code>\twoBeamedQuavers</code>		<code>\threeBeamedQuaversII</code>
	<code>\threeBeamedQuavers</code>		<code>\threeBeamedQuaversIII</code>
	<code>\threeBeamedQuaversI</code>		

TABLE 451: *lily&lypbs* Clefs

	<code>\clefC</code>		<code>\clefF</code>		<code>\clefG</code>
---	---------------------	---	---------------------	---	---------------------

Each of these symbols provides a smaller, “inline” form (`\clefCInline`, `\clefFInline`, and `\clefGInline`, respectively) intended for use within a paragraph. See the *lily&lypbs* documentation for more information.

TABLE 452: *lily&lypbs* Time Signatures

	<code>\lilyTimeC</code>		<code>\lilyTimeCHalf</code>
---	-------------------------	---	-----------------------------

*lily&lypbs* also provides a `\lilyTimeSignature` command that lets a user typeset single and compound time signatures by specifying a numerator and a denominator. See the *lily&lypbs* documentation for more information.

TABLE 453: *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* Accidentals












<b>×</b>	<code>\doublesharp</code>		<code>\sharpArrowdown</code>
<b>b</b>	<code>\flat</code>		<code>\sharpArrowup</code>
<b>bb</b>	<code>\flatflat</code>		<code>\sharpSlashslashslashStem</code>
<b>♮</b>	<code>\natural</code>		<code>\sharpSlashslashslashStemstem</code>
<b>#</b>	<code>\sharp</code>		<code>\sharpSlashslashStem</code>
	<code>\sharpArrowboth</code>		<code>\sharpSlashslashStemstemstem</code>

TABLE 454: *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* Rests

	<code>\crotchetRest</code>	<b>7.</b>	<code>\quaverRestDotted</code>
	<code>\crotchetRestDotted</code>	<b>7̣</b>	<code>\semiquaverRest</code>
	<code>\halfNoteRest</code>	<b>7̣.</b>	<code>\semiquaverRestDotted</code>
	<code>\halfNoteRestDotted</code>	<b>—</b>	<code>\wholeNoteRest</code>
<b>7</b>	<code>\quaverRest</code>	<b>—.</b>	<code>\wholeNoteRestDotted</code>

Multiply dotted rests can be produced with the `\lilyPrintMoreDots` command. See the *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* documentation for more information.

TABLE 455: *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* Dynamics Letters

<b><i>f</i></b>	<code>\lilyDynamics{f}</code>	<b><i>r</i></b>	<code>\lilyDynamics{r}</code>
<b><i>p</i></b>	<code>\lilyDynamics{p}</code>	<b><i>s</i></b>	<code>\lilyDynamics{s}</code>
<b><i>m</i></b>	<code>\lilyDynamics{m}</code>	<b><i>z</i></b>	<code>\lilyDynamics{z}</code>
<b><i>rf</i></b>	<code>\lilyRF</code>	<b><i>rfz</i></b>	<code>\lilyRFZ</code>

These letters and the digits 0–9 are the only alphanumerics defined by *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>*'s underlying Emmentaler fonts.

TABLE 456: *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* Dynamics Symbols

<b>&lt;</b>	<code>\crescHairpin</code>	<b>&gt;</b>	<code>\decrecHairpin</code>
-------------	----------------------------	-------------	-----------------------------

TABLE 457: *lily<sup>♩</sup>ly<sup>♩</sup>pb<sup>s</sup>* Articulations

<b>&gt;</b>	<code>\lilyAccent</code>	<b>^</b>	<code>\marcato</code>	<b>!</b>	<code>\staccatissimo</code>
<b>&lt;&gt;</b>	<code>\lilyEspressivo</code>	<b>v</b>	<code>\marcatoDown</code>	<b>_</b>	<code>\tenuto</code>
<b>.</b>	<code>\lilyStaccato</code>	<b>˘</b>	<code>\portato</code>		
<b>o</b>	<code>\lilyThumb</code>	<b>˘</b>	<code>\portatoDown</code>		

TABLE 458: *lilyglyphs* Scripts


	<code>\fermata</code>
---	-----------------------

TABLE 459: *lilyglyphs* Accordion Notation




















































	<code>\accordionBayanBass</code>		<code>\accordionOldEE</code>		<code>\accordionStdBass</code>
	<code>\accordionDiscant</code>		<code>\accordionPull</code>		
	<code>\accordionFreeBass</code>		<code>\accordionPush</code>		

TABLE 460: *lilyglyphs* Named Time Signatures

	<code>\lilyGlyph{timesig.C22}</code>		<code>\lilyGlyph{timesig.mensural98}</code>
	<code>\lilyGlyph{timesig.C44}</code>		<code>\lilyGlyph{timesig.neomensural22}</code>
	<code>\lilyGlyph{timesig.mensural22}</code>		<code>\lilyGlyph{timesig.neomensural24}</code>
	<code>\lilyGlyph{timesig.mensural24}</code>		<code>\lilyGlyph{timesig.neomensural32}</code>
	<code>\lilyGlyph{timesig.mensural32}</code>		<code>\lilyGlyph{timesig.neomensural34}</code>
	<code>\lilyGlyph{timesig.mensural34}</code>		<code>\lilyGlyph{timesig.neomensural44}</code>
	<code>\lilyGlyph{timesig.mensural44}</code>		<code>\lilyGlyph{timesig.neomensural48}</code>
	<code>\lilyGlyph{timesig.mensural48}</code>		<code>\lilyGlyph{timesig.neomensural64}</code>
	<code>\lilyGlyph{timesig.mensural64}</code>		<code>\lilyGlyph{timesig.neomensural68}</code>
	<code>\lilyGlyph{timesig.mensural68}</code>		<code>\lilyGlyph{timesig.neomensural68alt}</code>
	<code>\lilyGlyph{timesig.mensural68alt}</code>		<code>\lilyGlyph{timesig.neomensural94}</code>
	<code>\lilyGlyph{timesig.mensural94}</code>		<code>\lilyGlyph{timesig.neomensural98}</code>

*lilyglyphs* defines shorter names for a few of these symbols. See Table 452.

TABLE 461: *lilyglyphs* Named Scripts

	<code>\lilyGlyph{scripts.arpeggio}</code>		<code>\lilyGlyph{scripts.prallmordent}</code>
	<code>\lilyGlyph{scripts.arpeggio.arrow.1}</code>		<code>\lilyGlyph{scripts.prallprall}</code>
	<code>\lilyGlyph{scripts.arpeggio.arrow.M1}</code>		<code>\lilyGlyph{scripts.prallup}</code>
	<code>\lilyGlyph{scripts.augmentum}</code>		<code>\lilyGlyph{scripts.rcomma}</code>
	<code>\lilyGlyph{scripts.barline.kievian}</code>		<code>\lilyGlyph{scripts.reverseturn}</code>
	<code>\lilyGlyph{scripts.caesura.curved}</code>		<code>\lilyGlyph{scripts.rvarcomma}</code>
	<code>\lilyGlyph{scripts.caesura.straight}</code>		<code>\lilyGlyph{scripts.segno}</code>
	<code>\lilyGlyph{scripts.circulus}</code>		<code>\lilyGlyph{scripts.sforzato}</code>
	<code>\lilyGlyph{scripts.coda}</code>		<code>\lilyGlyph{scripts.snappizzicato}</code>
	<code>\lilyGlyph{scripts.daccentus}</code>		<code>\lilyGlyph{scripts.staccato}</code>

(continued on next page)

(continued from previous page)

☺	<code>\lilyGlyph{scripts.dfermata}</code>	+	<code>\lilyGlyph{scripts.stopped}</code>
⏏	<code>\lilyGlyph{scripts.dlongfermata}</code>	-	<code>\lilyGlyph{scripts.tenuto}</code>
v	<code>\lilyGlyph{scripts.dmarcato}</code>	◊	<code>\lilyGlyph{scripts.thumb}</code>
⏏	<code>\lilyGlyph{scripts.downbow}</code>	✓	<code>\lilyGlyph{scripts.tickmark}</code>
⏏	<code>\lilyGlyph{scripts.downmordent}</code>	♣	<code>\lilyGlyph{scripts.trilelement}</code>
⏏	<code>\lilyGlyph{scripts.downprall}</code>	♯	<code>\lilyGlyph{scripts.trill}</code>
n	<code>\lilyGlyph{scripts.dpedalheel}</code>	~	<code>\lilyGlyph{scripts.trill_element}</code>
^	<code>\lilyGlyph{scripts.dpedaltoe}</code>	∞	<code>\lilyGlyph{scripts.turn}</code>
˘	<code>\lilyGlyph{scripts.dportato}</code>	.	<code>\lilyGlyph{scripts.uaccentus}</code>
.	<code>\lilyGlyph{scripts.dsemicirculus}</code>	☺	<code>\lilyGlyph{scripts.ufermata}</code> *
V	<code>\lilyGlyph{scripts.dshortfermata}</code>	⏏	<code>\lilyGlyph{scripts.ulongfermata}</code>
§	<code>\lilyGlyph{scripts.dsignumcongruentiae}</code>	^	<code>\lilyGlyph{scripts.umarcato}</code>
˙	<code>\lilyGlyph{scripts.dstaccatissimo}</code>	V	<code>\lilyGlyph{scripts.upbow}</code>
⏏	<code>\lilyGlyph{scripts.dverylongfermata}</code>	u	<code>\lilyGlyph{scripts.upedalheel}</code>
↔	<code>\lilyGlyph{scripts.espr}</code>	v	<code>\lilyGlyph{scripts.upedaltoe}</code>
o	<code>\lilyGlyph{scripts.flageolet}</code>	⏏	<code>\lilyGlyph{scripts.upmordent}</code>
∂	<code>\lilyGlyph{scripts.halfopen}</code>	˘	<code>\lilyGlyph{scripts.uportato}</code>
ϕ	<code>\lilyGlyph{scripts.halfopenvertical}</code>	⏏	<code>\lilyGlyph{scripts.uprall}</code>
.	<code>\lilyGlyph{scripts.ictus}</code>	.	<code>\lilyGlyph{scripts.usemicirculus}</code>
,	<code>\lilyGlyph{scripts.lcomma}</code>	^	<code>\lilyGlyph{scripts.ushortfermata}</code>
⏏	<code>\lilyGlyph{scripts.lineprall}</code>	§	<code>\lilyGlyph{scripts.usignumcongruentiae}</code>
/	<code>\lilyGlyph{scripts.lvarcomma}</code>	˙	<code>\lilyGlyph{scripts.ustaccatissimo}</code>
⏏	<code>\lilyGlyph{scripts.mordent}</code>	⏏	<code>\lilyGlyph{scripts.uverylongfermata}</code>
o	<code>\lilyGlyph{scripts.open}</code>	♯	<code>\lilyGlyph{scripts.varcoda}</code>
		♯	
⏏	<code>\lilyGlyph{scripts.prall}</code>	♯	
⏏	<code>\lilyGlyph{scripts.pralldown}</code>		<code>\lilyGlyph{scripts.varsegno}</code>

\* `lilyglyphs` defines `\fermata` as a shorter name for “☺” than `\lilyGlyph{scripts.ufermata}`. See Table 458.

TABLE 462: *lilyglyphs* Named Rests

—	<code>\lilyGlyph{rests.0}</code>	⸘	<code>\lilyGlyph{rests.4mensural}</code>
.	<code>\lilyGlyph{rests.0mensural}</code>	⸙	<code>\lilyGlyph{rests.4neomensural}</code>
.	<code>\lilyGlyph{rests.0neomensural}</code>	⸚	<code>\lilyGlyph{rests.5}</code>
—	<code>\lilyGlyph{rests.0o}</code> *	⸛	<code>\lilyGlyph{rests.6}</code>
—	<code>\lilyGlyph{rests.1}</code>	⸜	<code>\lilyGlyph{rests.7}</code>
.	<code>\lilyGlyph{rests.1mensural}</code>	■	<code>\lilyGlyph{rests.M1}</code>
.	<code>\lilyGlyph{rests.1neomensural}</code>	⸝	<code>\lilyGlyph{rests.M1mensural}</code>
—	<code>\lilyGlyph{rests.1o}</code> *	⸞	<code>\lilyGlyph{rests.M1neomensural}</code>
⸟	<code>\lilyGlyph{rests.2}</code> *	⸟	<code>\lilyGlyph{rests.M1o}</code>
⸠	<code>\lilyGlyph{rests.2classical}</code>	■	<code>\lilyGlyph{rests.M2}</code>
⸡	<code>\lilyGlyph{rests.2mensural}</code>		<code>\lilyGlyph{rests.M2mensural}</code>
⸢	<code>\lilyGlyph{rests.2neomensural}</code>		<code>\lilyGlyph{rests.M2neomensural}</code>
⸣	<code>\lilyGlyph{rests.3}</code> *		<code>\lilyGlyph{rests.M3}</code>
⸤	<code>\lilyGlyph{rests.3mensural}</code>		<code>\lilyGlyph{rests.M3mensural}</code>
⸥	<code>\lilyGlyph{rests.3neomensural}</code>		<code>\lilyGlyph{rests.M3neomensural}</code>
⸦	<code>\lilyGlyph{rests.4}</code> *		

\* *lilyglyphs* defines shorter names for these symbols. See Table 454.

TABLE 463: *lilyglyphs* Named Pedals

*	<code>\lilyGlyph{pedal.*}</code>	-	<code>\lilyGlyph{pedal.M}</code>
.	<code>\lilyGlyph{pedal..}</code>	⸘	<code>\lilyGlyph{pedal.P}</code>
⸙	<code>\lilyGlyph{pedal.d}</code>	⸘	<code>\lilyGlyph{pedal.Ped}</code>
e	<code>\lilyGlyph{pedal.e}</code>		

TABLE 464: *lilyglyphs* Named Flags



















































⌋	<code>\lilyGlyph{flags.d3}</code>	⌋	<code>\lilyGlyph{flags.mensuralu03}</code>
⌋	<code>\lilyGlyph{flags.d4}</code>	⌋	<code>\lilyGlyph{flags.mensuralu04}</code>
⌋	<code>\lilyGlyph{flags.d5}</code>	⌋	<code>\lilyGlyph{flags.mensuralu05}</code>
⌋	<code>\lilyGlyph{flags.d6}</code>	⌋	<code>\lilyGlyph{flags.mensuralu06}</code>
⌋	<code>\lilyGlyph{flags.d7}</code>	⌋	<code>\lilyGlyph{flags.mensuralu13}</code>
⌋	<code>\lilyGlyph{flags.dgrace}</code>	⌋	<code>\lilyGlyph{flags.mensuralu14}</code>
⌋	<code>\lilyGlyph{flags.mensurald03}</code>	⌋	<code>\lilyGlyph{flags.mensuralu15}</code>
⌋	<code>\lilyGlyph{flags.mensurald04}</code>	⌋	<code>\lilyGlyph{flags.mensuralu16}</code>
⌋	<code>\lilyGlyph{flags.mensurald05}</code>	⌋	<code>\lilyGlyph{flags.mensuralu23}</code>
⌋	<code>\lilyGlyph{flags.mensurald06}</code>	⌋	<code>\lilyGlyph{flags.mensuralu24}</code>
⌋	<code>\lilyGlyph{flags.mensurald13}</code>	⌋	<code>\lilyGlyph{flags.mensuralu25}</code>
⌋	<code>\lilyGlyph{flags.mensurald14}</code>	⌋	<code>\lilyGlyph{flags.mensuralu26}</code>
⌋	<code>\lilyGlyph{flags.mensurald15}</code>	⌋	<code>\lilyGlyph{flags.u3}</code>
⌋	<code>\lilyGlyph{flags.mensurald16}</code>	⌋	<code>\lilyGlyph{flags.u4}</code>
⌋	<code>\lilyGlyph{flags.mensurald23}</code>	⌋	<code>\lilyGlyph{flags.u5}</code>
⌋	<code>\lilyGlyph{flags.mensurald24}</code>	⌋	<code>\lilyGlyph{flags.u6}</code>
⌋	<code>\lilyGlyph{flags.mensurald25}</code>	⌋	<code>\lilyGlyph{flags.u7}</code>
⌋	<code>\lilyGlyph{flags.mensurald26}</code>	⌋	<code>\lilyGlyph{flags.ugrace}</code>

TABLE 465: *lilyglyphs* Named Custodes

⌋	<code>\lilyGlyph{custodes.hufnagel.d0}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d0}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d1}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d1}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d2}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d2}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u0}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u0}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u1}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u1}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.u2}</code>	⌋	<code>\lilyGlyph{custodes.mensural.u2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u2}</code>



TABLE 466: *lilyponds* Named Clefs

	<code>\lilyGlyph{clefs.blackmensural.c}</code>		<code>\lilyGlyph{clefs.mensural.g_change}</code>
	<code>\lilyGlyph{clefs.blackmensural.c_change}</code>		<code>\lilyGlyph{clefs.neomensural.c}</code>
	<code>\lilyGlyph{clefs.C}*</code>		<code>\lilyGlyph{clefs.neomensural.c_change}</code>
	<code>\lilyGlyph{clefs.C_change}*</code>		<code>\lilyGlyph{clefs.percussion}</code>
	<code>\lilyGlyph{clefs.F}*</code>		<code>\lilyGlyph{clefs.percussion_change}</code>
	<code>\lilyGlyph{clefs.F_change}*</code>		<code>\lilyGlyph{clefs.petrucci.c1}</code>
	<code>\lilyGlyph{clefs.G}*</code>		<code>\lilyGlyph{clefs.petrucci.c1_change}</code>
	<code>\lilyGlyph{clefs.G_change}*</code>		<code>\lilyGlyph{clefs.petrucci.c2}</code>
	<code>\lilyGlyph{clefs.hufnagel.do}</code>		<code>\lilyGlyph{clefs.petrucci.c2_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c3}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c3_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.c4}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c4_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c5}</code>
	<code>\lilyGlyph{clefs.kievan.do}</code>		<code>\lilyGlyph{clefs.petrucci.c5_change}</code>
	<code>\lilyGlyph{clefs.kievan.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.f}</code>
	<code>\lilyGlyph{clefs.medicaea.do}</code>		<code>\lilyGlyph{clefs.petrucci.f_change}</code>
	<code>\lilyGlyph{clefs.medicaea.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.g}</code>
	<code>\lilyGlyph{clefs.medicaea.fa}</code>		<code>\lilyGlyph{clefs.petrucci.g_change}</code>
	<code>\lilyGlyph{clefs.medicaea.fa_change}</code>		<code>\lilyGlyph{clefs.tab}</code>
	<code>\lilyGlyph{clefs.mensural.c}</code>		<code>\lilyGlyph{clefs.tab_change}</code>
	<code>\lilyGlyph{clefs.mensural.c_change}</code>		<code>\lilyGlyph{clefs.vaticana.do}</code>
	<code>\lilyGlyph{clefs.mensural.f}</code>		<code>\lilyGlyph{clefs.vaticana.do_change}</code>
	<code>\lilyGlyph{clefs.mensural.f_change}</code>		<code>\lilyGlyph{clefs.vaticana.fa}</code>
	<code>\lilyGlyph{clefs.mensural.g}</code>		<code>\lilyGlyph{clefs.vaticana.fa_change}</code>

\* *lilyponds* defines shorter names for these symbols. See Table 451.

TABLE 467: *lilyglyphs* Named Noteheads

◦	<code>\lilyGlyph{noteheads.d0doFunk}</code>
◡	<code>\lilyGlyph{noteheads.d0fa}</code>
◢	<code>\lilyGlyph{noteheads.d0faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d0faThin}</code>
◊	<code>\lilyGlyph{noteheads.d0miFunk}</code>
◀	<code>\lilyGlyph{noteheads.d0reFunk}</code>
◁	<code>\lilyGlyph{noteheads.d0tiFunk}</code>
▲	<code>\lilyGlyph{noteheads.d1do}</code>
◦	<code>\lilyGlyph{noteheads.d1doFunk}</code>
◢	<code>\lilyGlyph{noteheads.d1doThin}</code>
◣	<code>\lilyGlyph{noteheads.d1doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d1fa}</code>
◢	<code>\lilyGlyph{noteheads.d1faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1faThin}</code>
◢	<code>\lilyGlyph{noteheads.d1faWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1miFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1re}</code>
◀	<code>\lilyGlyph{noteheads.d1reFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1reThin}</code>
◣	<code>\lilyGlyph{noteheads.d1reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1ti}</code>
◁	<code>\lilyGlyph{noteheads.d1tiFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d1tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d1triangle}</code>
▲	<code>\lilyGlyph{noteheads.d2do}</code>
●	<code>\lilyGlyph{noteheads.d2doFunk}</code>
▲	<code>\lilyGlyph{noteheads.d2doThin}</code>
■	<code>\lilyGlyph{noteheads.d2doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d2fa}</code>
◢	<code>\lilyGlyph{noteheads.d2faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d2faThin}</code>
◢	<code>\lilyGlyph{noteheads.d2faWalker}</code>
⌈	<code>\lilyGlyph{noteheads.d2kievan}</code>
●	<code>\lilyGlyph{noteheads.d2re}</code>
◀	<code>\lilyGlyph{noteheads.d2reFunk}</code>
●	<code>\lilyGlyph{noteheads.d2reThin}</code>
◀	<code>\lilyGlyph{noteheads.d2reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d2ti}</code>
◀	<code>\lilyGlyph{noteheads.d2tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d2tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d2tiWalker}</code>
◢	<code>\lilyGlyph{noteheads.d2triangle}</code>
⌈	<code>\lilyGlyph{noteheads.d3kievan}</code>
⌈	<code>\lilyGlyph{noteheads.dM2}</code>
⌈	<code>\lilyGlyph{noteheads.dM2blackmensural}</code>

(continued on next page)

(continued from previous page)

♩ \lilyGlyph{noteheads.dM2mensural}  
♩ \lilyGlyph{noteheads.dM2neomensural}  
♩ \lilyGlyph{noteheads.dM2semimensural}  
♩ \lilyGlyph{noteheads.dM3blackmensural}  
♩ \lilyGlyph{noteheads.dM3mensural}  
♩ \lilyGlyph{noteheads.dM3neomensural}  
♩ \lilyGlyph{noteheads.dM3semimensural}  
♩ \lilyGlyph{noteheads.drM2mensural}  
♩ \lilyGlyph{noteheads.drM2neomensural}  
♩ \lilyGlyph{noteheads.drM2semimensural}  
♩ \lilyGlyph{noteheads.drM3mensural}  
♩ \lilyGlyph{noteheads.drM3neomensural}  
♩ \lilyGlyph{noteheads.drM3semimensural}  
○ \lilyGlyph{noteheads.s0}  
◊ \lilyGlyph{noteheads.s0blackmensural}  
◊ \lilyGlyph{noteheads.s0blackpetrucci}  
⊗ \lilyGlyph{noteheads.s0cross}  
◊ \lilyGlyph{noteheads.s0diamond}  
▲ \lilyGlyph{noteheads.s0do}  
▲ \lilyGlyph{noteheads.s0doThin}  
▴ \lilyGlyph{noteheads.s0doWalker}  
▾ \lilyGlyph{noteheads.s0faWalker}  
◊ \lilyGlyph{noteheads.s0harmonic}  
⬠ \lilyGlyph{noteheads.s0kievan}  
◻ \lilyGlyph{noteheads.s0la}  
◻ \lilyGlyph{noteheads.s0laFunk}  
◻ \lilyGlyph{noteheads.s0laThin}  
◻ \lilyGlyph{noteheads.s0laWalker}  
◊ \lilyGlyph{noteheads.s0mensural}  
◊ \lilyGlyph{noteheads.s0mi}  
◊ \lilyGlyph{noteheads.s0miMirror}  
◊ \lilyGlyph{noteheads.s0miThin}  
◊ \lilyGlyph{noteheads.s0miWalker}  
◊ \lilyGlyph{noteheads.s0neomensural}  
◊ \lilyGlyph{noteheads.s0petrucci}  
◊ \lilyGlyph{noteheads.s0re}  
◊ \lilyGlyph{noteheads.s0reThin}  
◊ \lilyGlyph{noteheads.s0reWalker}  
∕ \lilyGlyph{noteheads.s0slash}  
◊ \lilyGlyph{noteheads.s0sol}  
◊ \lilyGlyph{noteheads.s0solFunk}  
◊ \lilyGlyph{noteheads.s0ti}  
◊ \lilyGlyph{noteheads.s0tiThin}  
◊ \lilyGlyph{noteheads.s0tiWalker}  
▴ \lilyGlyph{noteheads.s0triangle}  
◊ \lilyGlyph{noteheads.s1}  
◊ \lilyGlyph{noteheads.s1blackpetrucci}  
⊗ \lilyGlyph{noteheads.s1cross}

(continued on next page)

(continued from previous page)

♠ \lilyGlyph{noteheads.s1diamond}  
† \lilyGlyph{noteheads.s1kievan}  
□ \lilyGlyph{noteheads.s1la}  
◻ \lilyGlyph{noteheads.s1laFunk}  
◻ \lilyGlyph{noteheads.s1laThin}  
◻ \lilyGlyph{noteheads.s1laWalker}  
◊ \lilyGlyph{noteheads.s1mensural}  
◊ \lilyGlyph{noteheads.s1mi}  
◊ \lilyGlyph{noteheads.s1miMirror}  
◊ \lilyGlyph{noteheads.s1miThin}  
◊ \lilyGlyph{noteheads.s1miWalker}  
◊ \lilyGlyph{noteheads.s1neomensural}  
◊ \lilyGlyph{noteheads.s1petrucci}  
// \lilyGlyph{noteheads.s1slash}  
♭ \lilyGlyph{noteheads.s1sol}  
♭ \lilyGlyph{noteheads.s1solFunk}  
• \lilyGlyph{noteheads.s2}  
◆ \lilyGlyph{noteheads.s2blackpetrucci}  
× \lilyGlyph{noteheads.s2cross}  
♠ \lilyGlyph{noteheads.s2diamond}  
◆ \lilyGlyph{noteheads.s2harmonic}  
■ \lilyGlyph{noteheads.s2la}  
■ \lilyGlyph{noteheads.s2laFunk}  
■ \lilyGlyph{noteheads.s2laThin}  
■ \lilyGlyph{noteheads.s2laWalker}  
• \lilyGlyph{noteheads.s2mensural}  
◊ \lilyGlyph{noteheads.s2mi}  
• \lilyGlyph{noteheads.s2miFunk}  
◊ \lilyGlyph{noteheads.s2miMirror}  
◊ \lilyGlyph{noteheads.s2miThin}  
• \lilyGlyph{noteheads.s2miWalker}  
◊ \lilyGlyph{noteheads.s2neomensural}  
◊ \lilyGlyph{noteheads.s2petrucci}  
/ \lilyGlyph{noteheads.s2slash}  
• \lilyGlyph{noteheads.s2sol}  
• \lilyGlyph{noteheads.s2solFunk}  
⊗ \lilyGlyph{noteheads.s2xcircle}  
♯ \lilyGlyph{noteheads.shufnagel.lpes}  
♯ \lilyGlyph{noteheads.shufnagel.punctum}  
† \lilyGlyph{noteheads.shufnagel.virga}  
♯ \lilyGlyph{noteheads.sM1}  
■ \lilyGlyph{noteheads.sM1blackmensural}  
♯ \lilyGlyph{noteheads.sM1double}  
≡ \lilyGlyph{noteheads.sM1kievan}  
♯ \lilyGlyph{noteheads.sM1mensural}  
♯ \lilyGlyph{noteheads.sM1neomensural}  
♯ \lilyGlyph{noteheads.sM1semimensural}  
♯ \lilyGlyph{noteheads.sM2blackligmensural}  
♯ \lilyGlyph{noteheads.sM2kievan}

(continued on next page)

(continued from previous page)

⌌ \lilyGlyph{noteheads.sm2ligmensural}  
⌌ \lilyGlyph{noteheads.sm2semiligmensural}  
⌌ \lilyGlyph{noteheads.sm3blackligmensural}  
⌌ \lilyGlyph{noteheads.sm3ligmensural}  
⌌ \lilyGlyph{noteheads.sm3semiligmensural}  
◊ \lilyGlyph{noteheads.smedicaea.inclinatum}  
▪ \lilyGlyph{noteheads.smedicaea.punctum}  
┌ \lilyGlyph{noteheads.smedicaea.rvirga}  
└ \lilyGlyph{noteheads.smedicaea.virga}  
└ \lilyGlyph{noteheads.sr1kievan}  
⌌ \lilyGlyph{noteheads.srM1mensural}  
⌌ \lilyGlyph{noteheads.srM1neomensural}  
⌌ \lilyGlyph{noteheads.srM1semimensural}  
⌌ \lilyGlyph{noteheads.srM2ligmensural}  
⌌ \lilyGlyph{noteheads.srM2semiligmensural}  
⌌ \lilyGlyph{noteheads.srM3ligmensural}  
⌌ \lilyGlyph{noteheads.srM3semiligmensural}  
· \lilyGlyph{noteheads.ssolesmes.auct.asc}  
· \lilyGlyph{noteheads.ssolesmes.auct.desc}  
· \lilyGlyph{noteheads.ssolesmes.incl.auctum}  
· \lilyGlyph{noteheads.ssolesmes.incl.parvum}  
· \lilyGlyph{noteheads.ssolesmes.oriscus}  
· \lilyGlyph{noteheads.ssolesmes.stropha}  
· \lilyGlyph{noteheads.ssolesmes.stropha.aucta}  
└ \lilyGlyph{noteheads.svaticana.cephalicus}  
· \lilyGlyph{noteheads.svaticana.epiphonus}  
· \lilyGlyph{noteheads.svaticana.inclinatum}  
▪ \lilyGlyph{noteheads.svaticana.inner.cephalicus}  
▪ \lilyGlyph{noteheads.svaticana.linea.punctum}  
◻ \lilyGlyph{noteheads.svaticana.linea.punctum.cavum}  
▪ \lilyGlyph{noteheads.svaticana.lpes}  
· \lilyGlyph{noteheads.svaticana.plica}  
▪ \lilyGlyph{noteheads.svaticana.punctum}  
◻ \lilyGlyph{noteheads.svaticana.punctum.cavum}  
· \lilyGlyph{noteheads.svaticana.quilisma}  
· \lilyGlyph{noteheads.svaticana.reverse.plica}  
· \lilyGlyph{noteheads.svaticana.reverse.vplica}  
▪ \lilyGlyph{noteheads.svaticana.upes}  
· \lilyGlyph{noteheads.svaticana.vepiphonus}  
▪ \lilyGlyph{noteheads.svaticana.vlpes}  
· \lilyGlyph{noteheads.svaticana.vplica}  
▪ \lilyGlyph{noteheads.svaticana.vupes}  
◊ \lilyGlyph{noteheads.u0doFunk}  
◊ \lilyGlyph{noteheads.u0fa}  
◊ \lilyGlyph{noteheads.u0faFunk}  
◊ \lilyGlyph{noteheads.u0faThin}  
◊ \lilyGlyph{noteheads.u0miFunk}  
◊ \lilyGlyph{noteheads.u0reFunk}  
◊ \lilyGlyph{noteheads.u0tiFunk}

(continued on next page)

(continued from previous page)

▲ \lilyGlyph{noteheads.u1do}  
▷ \lilyGlyph{noteheads.u1doFunk}  
△ \lilyGlyph{noteheads.u1doThin}  
◻ \lilyGlyph{noteheads.u1doWalker}  
▽ \lilyGlyph{noteheads.u1fa}  
▽ \lilyGlyph{noteheads.u1faFunk}  
▽ \lilyGlyph{noteheads.u1faThin}  
▽ \lilyGlyph{noteheads.u1faWalker}  
◇ \lilyGlyph{noteheads.u1miFunk}  
◊ \lilyGlyph{noteheads.u1re}  
▽ \lilyGlyph{noteheads.u1reFunk}  
◊ \lilyGlyph{noteheads.u1reThin}  
▷ \lilyGlyph{noteheads.u1reWalker}  
◇ \lilyGlyph{noteheads.u1ti}  
◇ \lilyGlyph{noteheads.u1tiFunk}  
◇ \lilyGlyph{noteheads.u1tiThin}  
▽ \lilyGlyph{noteheads.u1tiWalker}  
▽ \lilyGlyph{noteheads.u1triangle}  
▲ \lilyGlyph{noteheads.u2do}  
▷ \lilyGlyph{noteheads.u2doFunk}  
▲ \lilyGlyph{noteheads.u2doThin}  
▷ \lilyGlyph{noteheads.u2doWalker}  
▽ \lilyGlyph{noteheads.u2fa}  
▽ \lilyGlyph{noteheads.u2faFunk}  
▽ \lilyGlyph{noteheads.u2faThin}  
▽ \lilyGlyph{noteheads.u2faWalker}  
┌ \lilyGlyph{noteheads.u2kievan}  
● \lilyGlyph{noteheads.u2re}  
▷ \lilyGlyph{noteheads.u2reFunk}  
● \lilyGlyph{noteheads.u2reThin}  
▷ \lilyGlyph{noteheads.u2reWalker}  
◇ \lilyGlyph{noteheads.u2ti}  
▷ \lilyGlyph{noteheads.u2tiFunk}  
◇ \lilyGlyph{noteheads.u2tiThin}  
▷ \lilyGlyph{noteheads.u2tiWalker}  
▷ \lilyGlyph{noteheads.u2triangle}  
└ \lilyGlyph{noteheads.u3kievan}  
┌ \lilyGlyph{noteheads.uM2}  
┌ \lilyGlyph{noteheads.uM2blackmensural}  
┌ \lilyGlyph{noteheads.uM2mensural}  
┌ \lilyGlyph{noteheads.uM2neomensural}  
┌ \lilyGlyph{noteheads.uM2semimensural}  
┌ \lilyGlyph{noteheads.uM3blackmensural}  
┌ \lilyGlyph{noteheads.uM3mensural}  
┌ \lilyGlyph{noteheads.uM3neomensural}  
┌ \lilyGlyph{noteheads.uM3semimensural}  
┌ \lilyGlyph{noteheads.urM2mensural}

(continued on next page)

(continued from previous page)

	<code>\lilyGlyph{noteheads.urM2neomensural}</code>
	<code>\lilyGlyph{noteheads.urM2semimensural}</code>
	<code>\lilyGlyph{noteheads.urM3mensural}</code>
	<code>\lilyGlyph{noteheads.urM3neomensural}</code>
	<code>\lilyGlyph{noteheads.urM3semimensural}</code>

TABLE 468: *lilyglyphs* Named Accordion Symbols

	<code>\lilyGlyph{accordion.bayanbass}</code>		<code>\lilyGlyph{accordion.oldEE}</code>
	<code>\lilyGlyph{accordion.discant}</code>		<code>\lilyGlyph{accordion.pull}</code>
	<code>\lilyGlyph{accordion.dot}</code>		<code>\lilyGlyph{accordion.push}</code>
	<code>\lilyGlyph{accordion.freebass}</code>		<code>\lilyGlyph{accordion.stdbass}</code>

*lilyglyphs* defines shorter names for all of these symbols except `\lilyGlyph{accordion.dot}`. See Table 459.

TABLE 469: *lilyglyphs* Named Accidentals

	<code>\lilyGlyph{accidentals.doublsharp}*</code>
	<code>\lilyGlyph{accidentals.flat}*</code>
	<code>\lilyGlyph{accidentals.flat.arrowboth}</code>
	<code>\lilyGlyph{accidentals.flat.arrowdown}</code>
	<code>\lilyGlyph{accidentals.flat.arrowup}</code>
	<code>\lilyGlyph{accidentals.flat.slash}</code>
	<code>\lilyGlyph{accidentals.flat.slashslash}</code>
	<code>\lilyGlyph{accidentals.flatflat}*</code>
	<code>\lilyGlyph{accidentals.flatflat.slash}</code>
	<code>\lilyGlyph{accidentals.hufnagelM1}</code>
	<code>\lilyGlyph{accidentals.kievan1}</code>
	<code>\lilyGlyph{accidentals.kievanM1}</code>
	<code>\lilyGlyph{accidentals.leftparen}</code>
	<code>\lilyGlyph{accidentals.medicaeaM1}</code>
	<code>\lilyGlyph{accidentals.mensural1}</code>
	<code>\lilyGlyph{accidentals.mensuralM1}</code>
	<code>\lilyGlyph{accidentals.mirroredflat}</code>
	<code>\lilyGlyph{accidentals.mirroredflat.backslash}</code>

(continued on next page)

(continued from previous page)

```

ϕ \lilyGlyph{accidentals.mirroredflat.flat}
⋈ \lilyGlyph{accidentals.natural}*
↕ \lilyGlyph{accidentals.natural.arrowboth}
↘ \lilyGlyph{accidentals.natural.arrowdown}
↗ \lilyGlyph{accidentals.natural.arrowup}
) \lilyGlyph{accidentals.rightparen}
# \lilyGlyph{accidentals.sharp}*
#↕ \lilyGlyph{accidentals.sharp.arrowboth}*
#↘ \lilyGlyph{accidentals.sharp.arrowdown}*
#↗ \lilyGlyph{accidentals.sharp.arrowup}*
# \lilyGlyph{accidentals.sharp.slashslash.stem}*
## \lilyGlyph{accidentals.sharp.slashslash.stemstem}*
### \lilyGlyph{accidentals.sharp.slashslasheslash.stem}*
#### \lilyGlyph{accidentals.sharp.slashslasheslash.stemstem}*
⋈ \lilyGlyph{accidentals.vaticana0}
⋈ \lilyGlyph{accidentals.vaticanaM1}

```

\* `lily $\text{\textcircled{p}}$ bs` defines shorter names for these symbols. See Table 453.

TABLE 470: `lily $\text{\textcircled{p}}$ bs` Named Arrowheads

```

▶ \lilyGlyph{arrowheads.close.01}    > \lilyGlyph{arrowheads.open.01}
◀ \lilyGlyph{arrowheads.close.0M1}  < \lilyGlyph{arrowheads.open.0M1}
▲ \lilyGlyph{arrowheads.close.11}    ^ \lilyGlyph{arrowheads.open.11}
▼ \lilyGlyph{arrowheads.close.1M1}  v \lilyGlyph{arrowheads.open.1M1}

```

TABLE 471: `lily $\text{\textcircled{p}}$ bs` Named Alphanumerics and Punctuation

<b>0</b>	<code>\lilyGlyph{zero}</code>	<b>4</b>	<code>\lilyGlyph{four}</code>	<b>8</b>	<code>\lilyGlyph{eight}</code>
<b>1</b>	<code>\lilyGlyph{one}</code>	<b>5</b>	<code>\lilyGlyph{five}</code>	<b>9</b>	<code>\lilyGlyph{nine}</code>
<b>2</b>	<code>\lilyGlyph{two}</code>	<b>6</b>	<code>\lilyGlyph{six}</code>		
<b>3</b>	<code>\lilyGlyph{three}</code>	<b>7</b>	<code>\lilyGlyph{seven}</code>		
<b><i>f</i></b>	<code>\lilyGlyph{f}</code>	<b><i>p</i></b>	<code>\lilyGlyph{p}</code>	<b><i>s</i></b>	<code>\lilyGlyph{s}</code>
<b><i>m</i></b>	<code>\lilyGlyph{m}</code>	<b><i>r</i></b>	<code>\lilyGlyph{r}</code>	<b><i>z</i></b>	<code>\lilyGlyph{z}</code>
<b>,</b>	<code>\lilyGlyph{comma}</code>	<b>.</b>	<code>\lilyGlyph{period}</code>		
<b>-</b>	<code>\lilyGlyph{hyphen}</code>	<b>+</b>	<code>\lilyGlyph{plus}</code>		

See Table 455 for an alternative way to typeset dynamics letters. `lily $\text{\textcircled{p}}$ bs` additionally provides a `\lilyText` command that can be useful for typesetting groups of the preceding symbols. See the `lily $\text{\textcircled{p}}$ bs` documentation for more information.



TABLE 472: Miscellaneous *lilyglyphs* Named Musical Symbols

$\backslash$	<code>\lilyGlyph{brackettips.down}</code>	.	<code>\lilyGlyph{dots.dotvaticana}</code>
$\swarrow$	<code>\lilyGlyph{brackettips.up}</code>	$\smile$	<code>\lilyGlyph{ties.lyric.default}</code>
.	<code>\lilyGlyph{dots.dot}</code>	$\smile$	<code>\lilyGlyph{ties.lyric.short}</code>
•	<code>\lilyGlyph{dots.dotkievan}</code>		

## 8 Gaming symbols

This section presents symbols related to games and gaming: playing-card suits, dice, and symbols used to represent pieces and moves in various games. Additional gaming symbols appear in Section 10, but those symbols are delivered by packages that provide minimal L<sup>A</sup>T<sub>E</sub>X support.

TABLE 473: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 474: txfonts/pxfonts Playing-Card Suits

♣ `\varclubsuit`    ♦ `\vardiamondsuit`    ♥ `\varheartsuit`    ♠ `\varspadesuit`

TABLE 475: MnSymbol Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 476: fdsymbol Playing-Card Suits

♣ `\clubsuit`    ♥ `\heartsuit`    ♦ `\vardiamondsuit`  
♦ `\diamondsuit`    ♠ `\spadesuit`    ♥ `\varheartsuit`

TABLE 477: boisik Playing-Card Suits

♣ `\clubsuit`    ♦ `\diamondsuit`    ♥ `\heartsuit`    ♠ `\spadesuit`

TABLE 478: stix Playing-Card Suits

♣ `\clubsuit`    ♥ `\heartsuit`    ♣ `\varclubsuit`    ♥ `\varheartsuit`  
♦ `\diamondsuit`    ♠ `\spadesuit`    ♦ `\vardiamondsuit`    ♠ `\varspadesuit`

TABLE 479: arev Playing-Card Suits

♣ `\varclub`    ♦ `\vardiamond`    ♥ `\varheart`    ♠ `\varspade`

TABLE 480: twemojis Playing-Card Suits

♣ `\twemoji{club suit}`      ♥ `\twemoji{heart suit}`  
 ♦ `\twemoji{diamond suit}`    ♠ `\twemoji{spade suit}`

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.



















































































All twemojis symbols are implemented as PDF graphics, not with a font.

TABLE 481: utfsym Playing-Card Suits

♠ `\usym{2660}`    ♦ `\usym{2662}`    ♠ `\usym{2664}`    ♦ `\usym{2666}`  
 ♥ `\usym{2661}`    ♣ `\usym{2663}`    ♥ `\usym{2665}`    ♣ `\usym{2667}`

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 482: utfsym Playing Cards

	<code>\usym{1FOA0}</code>		<code>\usym{1FOB7}</code>		<code>\usym{1FOCD}</code>		<code>\usym{1FOE3}</code>
	<code>\usym{1FOA1}</code>		<code>\usym{1FOB8}</code>		<code>\usym{1FOCE}</code>		<code>\usym{1FOE4}</code>
	<code>\usym{1FOA2}</code>		<code>\usym{1FOB9}</code>		<code>\usym{1FOCF}</code>		<code>\usym{1FOE5}</code>
	<code>\usym{1FOA3}</code>		<code>\usym{1FOBA}</code>		<code>\usym{1FOD1}</code>		<code>\usym{1FOE6}</code>
	<code>\usym{1FOA4}</code>		<code>\usym{1FOBB}</code>		<code>\usym{1FOD2}</code>		<code>\usym{1FOE7}</code>
	<code>\usym{1FOA5}</code>		<code>\usym{1FOBC}</code>		<code>\usym{1FOD3}</code>		<code>\usym{1FOE8}</code>
	<code>\usym{1FOA6}</code>		<code>\usym{1FOBD}</code>		<code>\usym{1FOD4}</code>		<code>\usym{1FOE9}</code>
	<code>\usym{1FOA7}</code>		<code>\usym{1FOBE}</code>		<code>\usym{1FOD5}</code>		<code>\usym{1FOEA}</code>
	<code>\usym{1FOA8}</code>		<code>\usym{1FOBF}</code>		<code>\usym{1FOD6}</code>		<code>\usym{1FOEB}</code>
	<code>\usym{1FOA9}</code>		<code>\usym{1FOC1}</code>		<code>\usym{1FOD7}</code>		<code>\usym{1FOEC}</code>
	<code>\usym{1FOAA}</code>		<code>\usym{1FOC2}</code>		<code>\usym{1FOD8}</code>		<code>\usym{1FOED}</code>
	<code>\usym{1FOAB}</code>		<code>\usym{1FOC3}</code>		<code>\usym{1FOD9}</code>		<code>\usym{1FOEE}</code>
	<code>\usym{1FOAC}</code>		<code>\usym{1FOC4}</code>		<code>\usym{1FODA}</code>		<code>\usym{1FOEF}</code>
	<code>\usym{1FOAD}</code>		<code>\usym{1FOC5}</code>		<code>\usym{1FODB}</code>		<code>\usym{1FOF0}</code>
	<code>\usym{1FOAE}</code>		<code>\usym{1FOC6}</code>		<code>\usym{1FODC}</code>		<code>\usym{1FOF1}</code>
	<code>\usym{1FOB1}</code>		<code>\usym{1FOC7}</code>		<code>\usym{1FODD}</code>		<code>\usym{1FOF2}</code>
	<code>\usym{1FOB2}</code>		<code>\usym{1FOC8}</code>		<code>\usym{1FODE}</code>		<code>\usym{1FOF3}</code>
	<code>\usym{1FOB3}</code>		<code>\usym{1FOC9}</code>		<code>\usym{1FODF}</code>		<code>\usym{1FOF4}</code>
	<code>\usym{1FOB4}</code>		<code>\usym{1FOCA}</code>		<code>\usym{1FOE0}</code>		<code>\usym{1FOF5}</code>
	<code>\usym{1FOB5}</code>		<code>\usym{1FOCB}</code>		<code>\usym{1FOE1}</code>		
	<code>\usym{1FOB6}</code>		<code>\usym{1FOCC}</code>		<code>\usym{1FOE2}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. For example, “`\usymH{1FOBE}{36pt}`” produces



See the utfsym documentation for more information.

TABLE 483: epsdice Dice













	<code>\epsdice{1}</code>		<code>\epsdice{3}</code>		<code>\epsdice{5}</code>
	<code>\epsdice{2}</code>		<code>\epsdice{4}</code>		<code>\epsdice{6}</code>

TABLE 484: hhcount Dice

	<code>\fcdice{1}</code>		<code>\fcdice{3}</code>		<code>\fcdice{5}</code>
	<code>\fcdice{2}</code>		<code>\fcdice{4}</code>		<code>\fcdice{6}</code>


The `\fcdice` command accepts values larger than 6. For example, “`\fcdice{47}`” produces “”.

TABLE 485: stix Dice







	<code>\dicei</code>		<code>\diceiii</code>		<code>\dicev</code>
	<code>\diceii</code>		<code>\diceiv</code>		<code>\dicevi</code>

TABLE 486: ifsym Dice





























































































	<code>\Cube{1}</code>		<code>\Cube{3}</code>		<code>\Cube{5}</code>
	<code>\Cube{2}</code>		<code>\Cube{4}</code>		<code>\Cube{6}</code>

TABLE 487: utfsym Dice

	<code>\usym{2680}</code>		<code>\usym{2682}</code>		<code>\usym{2684}</code>
	<code>\usym{2681}</code>		<code>\usym{2683}</code>		<code>\usym{2685}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.

TABLE 488: utfsym Domino Tiles


	<code>\usym{1F030}</code>		<code>\usym{1F049}</code>		<code>\usym{1F062}</code>		<code>\usym{1F07B}</code>
	<code>\usym{1F031}</code>		<code>\usym{1F04A}</code>		<code>\usym{1F063}</code>		<code>\usym{1F07C}</code>
	<code>\usym{1F032}</code>		<code>\usym{1F04B}</code>		<code>\usym{1F064}</code>		<code>\usym{1F07D}</code>
	<code>\usym{1F033}</code>		<code>\usym{1F04C}</code>		<code>\usym{1F065}</code>		<code>\usym{1F07E}</code>
	<code>\usym{1F034}</code>		<code>\usym{1F04D}</code>		<code>\usym{1F066}</code>		<code>\usym{1F07F}</code>
	<code>\usym{1F035}</code>		<code>\usym{1F04E}</code>		<code>\usym{1F067}</code>		<code>\usym{1F080}</code>
	<code>\usym{1F036}</code>		<code>\usym{1F04F}</code>		<code>\usym{1F068}</code>		<code>\usym{1F081}</code>
	<code>\usym{1F037}</code>		<code>\usym{1F050}</code>		<code>\usym{1F069}</code>		<code>\usym{1F082}</code>
	<code>\usym{1F038}</code>		<code>\usym{1F051}</code>		<code>\usym{1F06A}</code>		<code>\usym{1F083}</code>
	<code>\usym{1F039}</code>		<code>\usym{1F052}</code>		<code>\usym{1F06B}</code>		<code>\usym{1F084}</code>
	<code>\usym{1F03A}</code>		<code>\usym{1F053}</code>		<code>\usym{1F06C}</code>		<code>\usym{1F085}</code>
	<code>\usym{1F03B}</code>		<code>\usym{1F054}</code>		<code>\usym{1F06D}</code>		<code>\usym{1F086}</code>
	<code>\usym{1F03C}</code>		<code>\usym{1F055}</code>		<code>\usym{1F06E}</code>		<code>\usym{1F087}</code>
	<code>\usym{1F03D}</code>		<code>\usym{1F056}</code>		<code>\usym{1F06F}</code>		<code>\usym{1F088}</code>
	<code>\usym{1F03E}</code>		<code>\usym{1F057}</code>		<code>\usym{1F070}</code>		<code>\usym{1F089}</code>
	<code>\usym{1F03F}</code>		<code>\usym{1F058}</code>		<code>\usym{1F071}</code>		<code>\usym{1F08A}</code>
	<code>\usym{1F040}</code>		<code>\usym{1F059}</code>		<code>\usym{1F072}</code>		<code>\usym{1F08B}</code>
	<code>\usym{1F041}</code>		<code>\usym{1F05A}</code>		<code>\usym{1F073}</code>		<code>\usym{1F08C}</code>
	<code>\usym{1F042}</code>		<code>\usym{1F05B}</code>		<code>\usym{1F074}</code>		<code>\usym{1F08D}</code>
	<code>\usym{1F043}</code>		<code>\usym{1F05C}</code>		<code>\usym{1F075}</code>		<code>\usym{1F08E}</code>

(continued on next page)

(continued from previous page)

	<code>\usym{1F044}</code>		<code>\usym{1F05D}</code>		<code>\usym{1F076}</code>		<code>\usym{1F08F}</code>
	<code>\usym{1F045}</code>		<code>\usym{1F05E}</code>		<code>\usym{1F077}</code>		<code>\usym{1F090}</code>
	<code>\usym{1F046}</code>		<code>\usym{1F05F}</code>		<code>\usym{1F078}</code>		<code>\usym{1F091}</code>
	<code>\usym{1F047}</code>		<code>\usym{1F060}</code>		<code>\usym{1F079}</code>		<code>\usym{1F092}</code>
	<code>\usym{1F048}</code>		<code>\usym{1F061}</code>		<code>\usym{1F07A}</code>		<code>\usym{1F093}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. For example, “`\usymH{1F089}{36pt}`” produces




See the `utfsym` documentation for more information.

TABLE 489: `utfsym` Mahjong Tiles













	<code>\usym{1F000}</code>		<code>\usym{1F00B}</code>		<code>\usym{1F016}</code>		<code>\usym{1F021}</code>
	<code>\usym{1F001}</code>		<code>\usym{1F00C}</code>		<code>\usym{1F017}</code>		<code>\usym{1F022}</code>
	<code>\usym{1F002}</code>		<code>\usym{1F00D}</code>		<code>\usym{1F018}</code>		<code>\usym{1F023}</code>
	<code>\usym{1F003}</code>		<code>\usym{1F00E}</code>		<code>\usym{1F019}</code>		<code>\usym{1F024}</code>
	<code>\usym{1F004}</code>		<code>\usym{1F00F}</code>		<code>\usym{1F01A}</code>		<code>\usym{1F025}</code>
	<code>\usym{1F005}</code>		<code>\usym{1F010}</code>		<code>\usym{1F01B}</code>		<code>\usym{1F026}</code>
	<code>\usym{1F006}</code>		<code>\usym{1F011}</code>		<code>\usym{1F01C}</code>		<code>\usym{1F027}</code>
	<code>\usym{1F007}</code>		<code>\usym{1F012}</code>		<code>\usym{1F01D}</code>		<code>\usym{1F028}</code>
	<code>\usym{1F008}</code>		<code>\usym{1F013}</code>		<code>\usym{1F01E}</code>		<code>\usym{1F029}</code>
	<code>\usym{1F009}</code>		<code>\usym{1F014}</code>		<code>\usym{1F01F}</code>		<code>\usym{1F02A}</code>
	<code>\usym{1F00A}</code>		<code>\usym{1F015}</code>		<code>\usym{1F020}</code>		<code>\usym{1F02B}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. For example, “`\usymH{1F00B}{36pt}`” produces



See the `utfsym` documentation for more information.

TABLE 490: utfsym Chess Pieces
































	<code>\usym{2654}</code>		<code>\usym{2657}</code>		<code>\usym{265A}</code>		<code>\usym{265D}</code>
	<code>\usym{2655}</code>		<code>\usym{2658}</code>		<code>\usym{265B}</code>		<code>\usym{265E}</code>
	<code>\usym{2656}</code>		<code>\usym{2659}</code>		<code>\usym{265C}</code>		<code>\usym{265F}</code>

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 491: skak Chess Informator Symbols











$\mp$	<code>\bbetter</code>	$\circ$	<code>\doublepawns</code>	$\circ\circ$	<code>\seppawns</code>
$\mp+$	<code>\bdecisive</code>	$\perp$	<code>\ending</code>	$O-O$	<code>\shortcastling</code>
$\supset$	<code>\betteris</code>	$=$	<code>\equal</code>	$\oplus$	<code>\timelimit</code>
$\boxplus$	<code>\bishoppair</code>	$\leftrightarrow$	<code>\file</code>	$\infty$	<code>\unclear</code>
$\mp$	<code>\bupperhand</code>	$\gg$	<code>\kside</code>	$\infty$	<code>\unitedpawns</code>
$\times$	<code>\capturesymbol</code>	$O-O-O$	<code>\longcastling</code>	$R$	<code>\various</code>
$O$	<code>\castlingchar</code>	$\times$	<code>\markera</code>	$\pm$	<code>\wbetter</code>
$-$	<code>\castlinghyphen</code>	$O$	<code>\markerb</code>	$\mp$	<code>\wdecisive</code>
$\boxplus$	<code>\centre</code>	$\#$	<code>\mate</code>	$\times$	<code>\weakpt</code>
$+$	<code>\checksymbol</code>	$>$	<code>\morepawns</code>	$\perp$	<code>\with</code>
$RR$	<code>\chesscomment</code>	$O$	<code>\moreroom</code>	$\rightarrow$	<code>\withattack</code>
$\parallel$	<code>\chessetc</code>	$N$	<code>\novelty</code>	$\triangle$	<code>\withidea</code>
$-$	<code>\chesssee</code>	$\square$	<code>\onlymove</code>	$\uparrow$	<code>\withinitt</code>
$\overline{\infty}$	<code>\compensation</code>	$\boxplus$	<code>\opposbishops</code>	$\perp$	<code>\without</code>
$\mp$	<code>\counterplay</code>	$\circ$	<code>\passedpawn</code>	$\pm$	<code>\wupperhand</code>
$\subsetneq$	<code>\devadvantage</code>	$\ll$	<code>\qside</code>	$\odot$	<code>\zugzwang</code>
$\nearrow$	<code>\diagonal</code>	$\boxplus$	<code>\samebishops</code>		

TABLE 492: skak Chess Pieces and Chessboard Squares

	<code>\BlackBishopOnBlack</code>		<code>\BlackRookOnBlack</code>		<code>\WhiteKingOnBlack</code>
	<code>\BlackBishopOnWhite</code>		<code>\BlackRookOnWhite</code>		<code>\WhiteKingOnWhite</code>
	<code>\BlackEmptySquare</code>		<code>\symbishop</code>		<code>\WhiteKnightOnBlack</code>
	<code>\BlackKingOnBlack</code>		<code>\symking</code>		<code>\WhiteKnightOnWhite</code>
	<code>\BlackKingOnWhite</code>		<code>\symknight</code>		<code>\WhitePawnOnBlack</code>
	<code>\BlackKnightOnBlack</code>		<code>\sympawn</code>		<code>\WhitePawnOnWhite</code>
	<code>\BlackKnightOnWhite</code>		<code>\symqueen</code>		<code>\WhiteQueenOnBlack</code>
	<code>\BlackPawnOnBlack</code>		<code>\symrook</code>		<code>\WhiteQueenOnWhite</code>
	<code>\BlackPawnOnWhite</code>		<code>\WhiteBishopOnBlack</code>		<code>\WhiteRookOnBlack</code>
	<code>\BlackQueenOnBlack</code>		<code>\WhiteBishopOnWhite</code>		<code>\WhiteRookOnWhite</code>
	<code>\BlackQueenOnWhite</code>		<code>\WhiteEmptySquare</code>		

The skak package also provides commands for drawing complete chessboards. See the skak documentation for more information.

TABLE 493: igo Go Symbols













	<code>\blackstone[\igocircle]</code>		<code>\whitestone[\igocircle]</code>
	<code>\blackstone[\igocross]</code>		<code>\whitestone[\igocross]</code>
	<code>\blackstone[\igonone]</code>		<code>\whitestone[\igonone]</code>
	<code>\blackstone[\igosquare]</code>		<code>\whitestone[\igosquare]</code>
	<code>\blackstone[\igotriangle]</code>		<code>\whitestone[\igotriangle]</code>













In addition to the symbols shown above, igo's `\blackstone` and `\whitestone` commands accept numbers from 1 to 99 and display them circled as **①**, **②**, **③**, ..., **⑨⑨** and **①**, **②**, **③**, ..., **⑨⑨**, respectively.

The igo package is intended to typeset complete Go boards (goban). See the igo documentation for more information.



TABLE 494: go Go Symbols

	<code>\botborder</code>		<code>\lftbotcorner</code>		<code>\rttopcorner</code>
	<code>\empty</code>		<code>\lfttopcorner</code>		<code>\square</code>
	<code>\hoshi</code>		<code>\rtborder</code>		<code>\topborder</code>
	<code>\lftborder</code>		<code>\rtbotcorner</code>		<code>\triangle</code>

In addition to the board fragments and stones shown above, `go`'s `\black` and `\white` commands accept numbers from 1 to 253 and display them circled as , , , ...,  and , , , ..., , respectively. `\black` and `\white` additionally accept `\square` and `\triangle` as arguments, producing  and  for `\black` and  and  for `\white`.

The `go` package is intended to typeset complete Go boards (goban). See the `go` documentation for more information.

## 9 Other symbols

The following are all the symbols that didn't fit neatly or unambiguously into any of the previous sections. (Do weather symbols belong under "Science and technology"? Should tally markers be considered "mathematics"?) While some of the tables contain clearly related groups of symbols (e.g., symbols related to cooking), others represent motley assortments of whatever the font designer felt like drawing.

TABLE 495: textcomp Genealogical Symbols

*	<code>\textborn</code>	∅	<code>\textdivorced</code>	∞	<code>\textmarried</code>
+	<code>\textdied</code>	🍃	<code>\textleaf</code>		

TABLE 496: wasysym General Symbols

☒	<code>\ataribox</code>	∅	<code>\diameter</code>	⚡	<code>\lightning</code>	☀	<code>\sun</code>
🔔	<code>\bell</code>	▼	<code>\DOWNarrow</code>	☎	<code>\phone</code>	▲	<code>\UParrow</code>
☹	<code>\blacksmiley</code>	☹	<code>\frownie</code>	☞	<code>\pointer</code>	⌘	<code>\wasycmd*</code>
☒	<code>\Bowtie</code>	∅	<code>\invdiameter</code>	📻	<code>\recorder</code>	◻	<code>\wasylozenge</code>
⋮	<code>\brokenvert</code>	✝	<code>\kreuz</code>	▶	<code>\RIGHTarrow</code>		
✓	<code>\checked</code>	◀	<code>\LEFTarrow</code>	↻	<code>\rightturn</code>		
⌚	<code>\clock</code>	↻	<code>\leftturn</code>	☺	<code>\smiley</code>		





































\* wasysym defines `\applecmd` as a synonym for `\wasycmd`.

TABLE 497: utfsym Transportation Symbols

🚗	<code>\usym{1F3CD}</code>	🚗	<code>\usym{1F698}</code>	🚗	<code>\usym{1F6B2}</code>	🚗	<code>\usym{1F6CC}</code>
🚗	<code>\usym{1F3CE}</code>	🚗	<code>\usym{1F699}</code>	🚗	<code>\usym{1F6B3}</code>	🚗	<code>\usym{1F6CD}</code>
🚗	<code>\usym{1F680}</code>	🚗	<code>\usym{1F69A}</code>	🚗	<code>\usym{1F6B4}</code>	🚗	<code>\usym{1F6CE}</code>
🚗	<code>\usym{1F681}</code>	🚗	<code>\usym{1F69B}</code>	🚗	<code>\usym{1F6B5}</code>	🚗	<code>\usym{1F6CF}</code>
🚗	<code>\usym{1F682}</code>	🚗	<code>\usym{1F69C}</code>	🚗	<code>\usym{1F6B6}</code>	🚗	<code>\usym{1F6D0}</code>
🚗	<code>\usym{1F683}</code>	🚗	<code>\usym{1F69D}</code>	🚗	<code>\usym{1F6B7}</code>	🚗	<code>\usym{1F6D1}</code>
🚗	<code>\usym{1F684}</code>	🚗	<code>\usym{1F69E}</code>	🚗	<code>\usym{1F6B8}</code>	🚗	<code>\usym{1F6D2}</code>
🚗	<code>\usym{1F685}</code>	🚗	<code>\usym{1F69F}</code>	🚗	<code>\usym{1F6B9}</code>	🚗	<code>\usym{1F6E0}</code>
🚗	<code>\usym{1F686}</code>	🚗	<code>\usym{1F6A0}</code>	🚗	<code>\usym{1F6BA}</code>	🚗	<code>\usym{1F6E1}</code>
🚗	<code>\usym{1F687}</code>	🚗	<code>\usym{1F6A1}</code>	🚗	<code>\usym{1F6BB}</code>	🚗	<code>\usym{1F6E2}</code>
🚗	<code>\usym{1F688}</code>	🚗	<code>\usym{1F6A2}</code>	🚗	<code>\usym{1F6BC}</code>	🚗	<code>\usym{1F6E3}</code>
🚗	<code>\usym{1F689}</code>	🚗	<code>\usym{1F6A3}</code>	🚗	<code>\usym{1F6BD}</code>	🚗	<code>\usym{1F6E4}</code>
🚗	<code>\usym{1F68A}</code>	🚗	<code>\usym{1F6A4}</code>	🚗	<code>\usym{1F6BE}</code>	🚗	<code>\usym{1F6E5}</code>
🚗	<code>\usym{1F68B}</code>	🚗	<code>\usym{1F6A5}</code>	🚗	<code>\usym{1F6BF}</code>	🚗	<code>\usym{1F6E6}</code>
🚗	<code>\usym{1F68C}</code>	🚗	<code>\usym{1F6A6}</code>	🚗	<code>\usym{1F6C0}</code>	🚗	<code>\usym{1F6E7}</code>
🚗	<code>\usym{1F68D}</code>	🚗	<code>\usym{1F6A7}</code>	🚗	<code>\usym{1F6C1}</code>	🚗	<code>\usym{1F6E8}</code>
🚗	<code>\usym{1F68E}</code>	🚗	<code>\usym{1F6A8}</code>	🚗	<code>\usym{1F6C2}</code>	🚗	<code>\usym{1F6E9}</code>

(continued on next page)

(continued from previous page)







































	<code>\usym{1F68F}</code>		<code>\usym{1F6A9}</code>		<code>\usym{1F6C3}</code>		<code>\usym{1F6EA}</code>
	<code>\usym{1F690}</code>		<code>\usym{1F6AA}</code>		<code>\usym{1F6C4}</code>		<code>\usym{1F6EB}</code>
	<code>\usym{1F691}</code>		<code>\usym{1F6AB}</code>		<code>\usym{1F6C5}</code>		<code>\usym{1F6EC}</code>
	<code>\usym{1F692}</code>		<code>\usym{1F6AC}</code>		<code>\usym{1F6C6}</code>		<code>\usym{1F6F1}</code>
	<code>\usym{1F693}</code>		<code>\usym{1F6AD}</code>		<code>\usym{1F6C7}</code>		<code>\usym{1F6F2}</code>
	<code>\usym{1F694}</code>		<code>\usym{1F6AE}</code>		<code>\usym{1F6C8}</code>		<code>\usym{1F6F3}</code>
	<code>\usym{1F695}</code>		<code>\usym{1F6AF}</code>		<code>\usym{1F6C9}</code>		<code>\usym{1F6F4}</code>
	<code>\usym{1F696}</code>		<code>\usym{1F6B0}</code>		<code>\usym{1F6CA}</code>		<code>\usym{1F6F5}</code>
	<code>\usym{1F697}</code>		<code>\usym{1F6B1}</code>		<code>\usym{1F6CB}</code>		<code>\usym{1F6F6}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. For example, “`\usymH{1F6F3}{36pt}`” produces








































See the `utfsym` documentation for more information.

TABLE 498: twemojis Transportation Emoji

	<code>\twemoji{1f6f0}</code>		<code>\twemoji{mountain railway}</code>
	<code>\twemoji{aerial tramway}</code>		<code>\twemoji{no bicycles}</code>
	<code>\twemoji{airplane}</code>		<code>\twemoji{oncoming automobile}</code>
	<code>\twemoji{airplane arrival}</code>		<code>\twemoji{oncoming bus}</code>
	<code>\twemoji{airplane departure}</code>		<code>\twemoji{oncoming police car}</code>
	<code>\twemoji{ambulance}</code>		<code>\twemoji{oncoming taxi}</code>
	<code>\twemoji{articulated lorry}</code>		<code>\twemoji{passenger ship}</code>
	<code>\twemoji{auto rickshaw}</code>		<code>\twemoji{passport control}</code>
	<code>\twemoji{automobile}</code>		<code>\twemoji{person biking}</code> *
	<code>\twemoji{baggage claim}</code>		<code>\twemoji{person mountain biking}</code> *
	<code>\twemoji{bicycle}</code>		<code>\twemoji{person rowing boat}</code> *
	<code>\twemoji{bullet train}</code>		<code>\twemoji{pickup truck}</code>
	<code>\twemoji{bus}</code>		<code>\twemoji{police car}</code>
	<code>\twemoji{bus stop}</code>		<code>\twemoji{police car light}</code>
	<code>\twemoji{canoe}</code>		<code>\twemoji{racing car}</code>
	<code>\twemoji{construction}</code>		<code>\twemoji{railway car}</code>
	<code>\twemoji{customs}</code>		<code>\twemoji{railway track}</code>
	<code>\twemoji{delivery truck}</code>		<code>\twemoji{rocket}</code>
	<code>\twemoji{fire engine}</code>		<code>\twemoji{roller skate}</code>

(continued on next page)

(continued from previous page)




	<code>\twemoji{flying saucer}</code>		<code>\twemoji{ship}</code>
	<code>\twemoji{helicopter}</code>		<code>\twemoji{skateboard}</code>
	<code>\twemoji{high-speed train}</code>		<code>\twemoji{sled}</code>
	<code>\twemoji{horizontal traffic light}</code>		<code>\twemoji{small airplane}</code>
	<code>\twemoji{kick scooter}</code>		<code>\twemoji{speedboat}</code>
	<code>\twemoji{left luggage}</code>		<code>\twemoji{sport utility vehicle}</code>
	<code>\twemoji{light rail}</code>		<code>\twemoji{station}</code>
	<code>\twemoji{locomotive}</code>		<code>\twemoji{suspension railway}</code>
	<code>\twemoji{man biking}*</code>		<code>\twemoji{taxi}</code>
	<code>\twemoji{man mountain biking}*</code>		<code>\twemoji{tractor}</code>
	<code>\twemoji{man rowing boat}*</code>		<code>\twemoji{train2}</code>
	<code>\twemoji{metro}</code>		<code>\twemoji{tram}</code>
	<code>\twemoji{minibus}</code>		<code>\twemoji{tram car}</code>
	<code>\twemoji{monorail}</code>		<code>\twemoji{trolleybus}</code>
	<code>\twemoji{motor boat}</code>		<code>\twemoji{vertical traffic light}</code>
	<code>\twemoji{motor scooter}</code>		<code>\twemoji{woman biking}*</code>
	<code>\twemoji{motorcycle}</code>		<code>\twemoji{woman mountain biking}*</code>
	<code>\twemoji{motorway}</code>		<code>\twemoji{woman rowing boat}*</code>
	<code>\twemoji{mountain cableway}</code>		

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.

\* Variants of this symbol portraying different colors and styles are not shown. An example is presented after Table 554 on page 232. See the twemojis documentation for more information.

TABLE 499: manfnt Dangerous Bend Symbols

	<code>\dbend</code>		<code>\lhdbend</code>		<code>\reversedvideobend</code>
---	---------------------	---	-----------------------	---	---------------------------------

Note that these symbols descend far beneath the baseline. `manfnt` also defines non-descending versions, which it calls, correspondingly, `\textdbend`, `\textlhdbend`, and `\textreversedvideobend`.

TABLE 500: Miscellaneous manfnt Symbols























	<code>\manboldkidney</code>		<code>\manpenkidney</code>
	<code>\manconcentriccircles</code>		<code>\manquadrifolium</code>
	<code>\manconcentricdiamond</code>		<code>\manquartercircle</code>
	<code>\mancone</code>		<code>\manrotatedquadrifolium</code>
	<code>\mancube</code>		<code>\manrotatedquartercircle</code>
	<code>\manerrarrow</code>		<code>\manstar</code>
	<code>\manfilledquartercircle</code>		<code>\mantilt pennib</code>
	<code>\manhpennib</code>		<code>\mantriangledown</code>
	<code>\manimpossiblecube</code>		<code>\mantriangleright</code>
	<code>\mankidney</code>		<code>\mantriangleup</code>
	<code>\manlhpenkidney</code>		<code>\manvpennib</code>

TABLE 501: marvosym Media Control Symbols

▶	\Forward	▼	\MoveDown	◀◀	\RewindToIndex	▲	\ToTop
▶▶	\ForwardToEnd	▲	\MoveUp	◀	\RewindToStart		
▶▶▶	\ForwardToIndex	◀	\Rewind	▼	\ToBottom		

TABLE 502: marvosym Laundry Symbols

	\AtForty		\Handwash		\ShortNinetyFive
	\AtNinetyFive		\IroningI		\ShortSixty
	\AtSixty		\IroningII		\ShortThirty
△	\Bleech		\IroningIII		\SpecialForty
Ⓐ	\CleaningA	⊗	\NoBleech	◻	\Tumbler
Ⓕ	\CleaningF	⊗	\NoChemicalCleaning		\WashCotton
Ⓖ	\CleaningFF		\NoIroning		\WashSynthetics
Ⓖ	\CleaningP		\NoTumbler		\WashWool
Ⓖ	\CleaningPP		\ShortFifty		
	\Dontwash		\ShortForty		

TABLE 503: marvosym Information Symbols

	\Bicycle		\Gentsroom		\PointingHand
	\ClockLogo		\Industry		\Wheelchair
	\Coffeecup		\Info		\WritingHand
	\Football		\Ladiesroom		

TABLE 504: Other marvosym Symbols

†	\Ankh		\Bouquet	♥	\Heart		\PeaceDove
	\Bat		\Celtcross		\ManFace	☺	\Smiley
	\BOLogo	⊗	\CircledA		\MineSign		\WomanFace
	\BOLogoL	†	\Cross		\Mundus	☯	\Yinyang
	\BOLogoP	☹	\Frowny	@	\MVAt		

TABLE 505: Miscellaneous universa Symbols













	\bauforms		\bauhead
--	-----------	--	----------

TABLE 506: Miscellaneous fourier Symbols

	\bomb		\noway		\textxsdown*		\warning
	\grimace		\texttthing*		\textxsup*		















\* fourier defines math-mode synonyms for a few of the preceding symbols: \thething (“†”), \xswdsup (“×”), and \xswdsdown (“×”).

TABLE 507: utfsym Weather Symbols

	<code>\usym{1F321}</code>		<code>\usym{1F324}</code>		<code>\usym{1F327}</code>		<code>\usym{1F32A}</code>
	<code>\usym{1F322}</code>		<code>\usym{1F325}</code>		<code>\usym{1F328}</code>		<code>\usym{1F32B}</code>
	<code>\usym{1F323}</code>		<code>\usym{1F326}</code>		<code>\usym{1F329}</code>		<code>\usym{1F32C}</code>

All `utfsym` symbols are implemented with `TikZ` graphics, not with a font. In addition to `\usym`, the `utfsym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `utfsym` documentation for more information.






















TABLE 508: twemojis Weather Symbols


	<code>\twemoji{cloud}</code>		<code>\twemoji{sun behind cloud}</code>
	<code>\twemoji{cloud with lightning}</code>		<code>\twemoji{sun behind large cloud}</code>
	<code>\twemoji{cloud with lightning and rain}</code>		<code>\twemoji{sun behind rain cloud}</code>
	<code>\twemoji{cloud with rain}</code>		<code>\twemoji{sun behind small cloud}</code>
	<code>\twemoji{cloud with snow}</code>		<code>\twemoji{thermometer}</code>
	<code>\twemoji{fog}</code>		<code>\twemoji{tornado}</code>
	<code>\twemoji{sun}</code>		<code>\twemoji{wind face}</code>

Most `twemojis` symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All `twemojis` symbols are implemented as PDF graphics, not with a font.

TABLE 509: ifsym Weather Symbols

	<code>\Cloud</code>		<code>\Hail</code>		<code>\Sleet</code>		<code>\WeakRain</code>
	<code>\FilledCloud</code>		<code>\HalfSun</code>		<code>\Snow</code>		<code>\WeakRainCloud</code>
	<code>\FilledRainCloud</code>		<code>\Lightning</code>		<code>\SnowCloud</code>		<code>\FilledSnowCloud</code>
	<code>\FilledSunCloud</code>		<code>\NoSun</code>		<code>\Sun</code>		
	<code>\FilledWeakRainCloud</code>		<code>\Rain</code>		<code>\SunCloud</code>		
	<code>\Fog</code>		<code>\RainCloud</code>		<code>\ThinFog</code>		

In addition, `\Thermo{0}...``\Thermo{6}` produce thermometers that are between 0/6 and 6/6 full of mercury: 




Similarly, `\wind{<sun>}{<angle>}{<strength>}` will draw wind symbols with a given amount of sun (0–4), a given angle (in degrees), and a given strength in km/h (0–100). For example, `\wind{0}{0}{0}` produces “”, `\wind{2}{0}{0}` produces “”, and `\wind{4}{0}{100}` produces “”.

TABLE 510: ifsym Alpine Symbols

























	<code>\SummitSign</code>		<code>\Summit</code>		<code>\SurveySign</code>		<code>\HalfFilledHut</code>
	<code>\StoneMan</code>		<code>\Mountain</code>		<code>\Joch</code>		<code>\VarSummit</code>
	<code>\Hut</code>		<code>\IceMountain</code>		<code>\Flag</code>		
	<code>\FilledHut</code>		<code>\VarMountain</code>		<code>\VarFlag</code>		
	<code>\Village</code>		<code>\VarIceMountain</code>		<code>\Tent</code>		

TABLE 511: ifsym Clocks

	<code>\Interval</code>		<code>\StopWatchStart</code>		<code>\VarClock</code>		<code>\Wecker</code>
	<code>\StopWatchEnd</code>		<code>\Taschenuhr</code>		<code>\VarTaschenuhr</code>		


ifsym also exports a `\showclock` macro. `\showclock{<hours>}{<minutes>}` outputs a clock displaying the corresponding time. For instance, “`\showclock{5}{40}`” produces “”. `<hours>` must be an integer from 0 to 11, and `<minutes>` must be an integer multiple of 5 from 0 to 55.

TABLE 512: utfsym Clocks

	<code>\usym{1F550}</code>		<code>\usym{1F557}</code>		<code>\usym{1F55E}</code>		<code>\usym{1F565}</code>
	<code>\usym{1F551}</code>		<code>\usym{1F558}</code>		<code>\usym{1F55F}</code>		<code>\usym{1F566}</code>
	<code>\usym{1F552}</code>		<code>\usym{1F559}</code>		<code>\usym{1F560}</code>		<code>\usym{1F567}</code>
	<code>\usym{1F553}</code>		<code>\usym{1F55A}</code>		<code>\usym{1F561}</code>		<code>\usym{1F570}</code>
	<code>\usym{1F554}</code>		<code>\usym{1F55B}</code>		<code>\usym{1F562}</code>		
	<code>\usym{1F555}</code>		<code>\usym{1F55C}</code>		<code>\usym{1F563}</code>		
	<code>\usym{1F556}</code>		<code>\usym{1F55D}</code>		<code>\usym{1F564}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 513: clock Clocks

<code>\ClockStyle</code>	<code>\ClockFramefalse</code>	<code>\ClockFrametrue</code>
0		
1		
2		
3		

The clock package provides a `\clock` command to typeset an arbitrary time on an analog clock (and `\clocktime` to typeset the document's build time). For example, the clocks in the above table were produced with `\clock{15}{41}`. Clock symbols are composed from a font of clock-face fragments using one of four values for `\ClockStyle` and either `\ClockFrametrue` or `\ClockFramefalse` as illustrated above. See the clock documentation for more information.

TABLE 514: twemojis Clocks





























































































<code>\twemoji{one o'clock}</code>	<code>\twemoji{eight-thirty}</code>
<code>\twemoji{one-thirty}</code>	<code>\twemoji{nine o'clock}</code>
<code>\twemoji{two o'clock}</code>	<code>\twemoji{nine-thirty}</code>
<code>\twemoji{two-thirty}</code>	<code>\twemoji{ten o'clock}</code>
<code>\twemoji{three o'clock}</code>	<code>\twemoji{ten-thirty}</code>
<code>\twemoji{three-thirty}</code>	<code>\twemoji{eleven o'clock}</code>
<code>\twemoji{four o'clock}</code>	<code>\twemoji{eleven-thirty}</code>
<code>\twemoji{four-thirty}</code>	<code>\twemoji{twelve o'clock}</code>
<code>\twemoji{five o'clock}</code>	<code>\twemoji{twelve-thirty}</code>
<code>\twemoji{five-thirty}</code>	<code>\twemoji{alarm clock}</code>
<code>\twemoji{six o'clock}</code>	<code>\twemoji{hourglass done}</code>
<code>\twemoji{six-thirty}</code>	<code>\twemoji{hourglass not done}</code>
<code>\twemoji{seven o'clock}</code>	<code>\twemoji{mantelpiece clock}</code>
<code>\twemoji{seven-thirty}</code>	<code>\twemoji{stopwatch}</code>
<code>\twemoji{eight o'clock}</code>	<code>\twemoji{timer clock}</code>

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.










TABLE 515: twemojis Animals

	<code>\twemoji{ant}</code>		<code>\twemoji{microbe}</code>
	<code>\twemoji{baby chick}</code>		<code>\twemoji{monkey}</code>
	<code>\twemoji{badger}</code>		<code>\twemoji{monkey face}</code>
	<code>\twemoji{bat}</code>		<code>\twemoji{mosquito}</code>
	<code>\twemoji{bear}</code>		<code>\twemoji{mouse face}</code>
	<code>\twemoji{beaver}</code>		<code>\twemoji{mouse2}</code>
	<code>\twemoji{beetle}</code>		<code>\twemoji{octopus}</code>
	<code>\twemoji{bird}</code>		<code>\twemoji{orangutan}</code>
	<code>\twemoji{black cat}</code>		<code>\twemoji{otter}</code>
	<code>\twemoji{blowfish}</code>		<code>\twemoji{owl}</code>
	<code>\twemoji{boar}</code>		<code>\twemoji{ox}</code>
	<code>\twemoji{bug}</code>		<code>\twemoji{oyster}</code>
	<code>\twemoji{butterfly}</code>		<code>\twemoji{panda}</code>
	<code>\twemoji{cat face}</code>		<code>\twemoji{parrot}</code>
	<code>\twemoji{cat2}</code>		<code>\twemoji{paw prints}</code>
	<code>\twemoji{chicken}</code>		<code>\twemoji{peacock}</code>
	<code>\twemoji{chipmunk}</code>		<code>\twemoji{penguin}</code>
	<code>\twemoji{cockroach}</code>		<code>\twemoji{pig face}</code>
	<code>\twemoji{cow face}</code>		<code>\twemoji{pig nose}</code>
	<code>\twemoji{cow2}</code>		<code>\twemoji{pig2}</code>
	<code>\twemoji{crab}</code>		<code>\twemoji{polar bear}</code>
	<code>\twemoji{cricket}</code>		<code>\twemoji{poodle}</code>
	<code>\twemoji{crocodile}</code>		<code>\twemoji{rabbit face}</code>
	<code>\twemoji{deer}</code>		<code>\twemoji{rabbit2}</code>
	<code>\twemoji{dodo}</code>		<code>\twemoji{raccoon}</code>
	<code>\twemoji{dog face}</code>		<code>\twemoji{racehorse}</code>
	<code>\twemoji{dog2}</code>		<code>\twemoji{ram}</code>
	<code>\twemoji{dolphin}</code>		<code>\twemoji{rat}</code>
	<code>\twemoji{dragon}</code>		<code>\twemoji{rhinoceros}</code>
	<code>\twemoji{dragon face}</code>		<code>\twemoji{rooster}</code>
	<code>\twemoji{dromedary\_camel}</code>		<code>\twemoji{sauropod}</code>
	<code>\twemoji{duck}</code>		<code>\twemoji{scorpion}</code>
	<code>\twemoji{eagle}</code>		<code>\twemoji{seal}</code>
	<code>\twemoji{elephant}</code>		<code>\twemoji{service dog}</code>
	<code>\twemoji{fish}</code>		<code>\twemoji{shark}</code>
	<code>\twemoji{flamingo}</code>		<code>\twemoji{sheep}</code>
	<code>\twemoji{fly}</code>		<code>\twemoji{shrimp}</code>
	<code>\twemoji{fox}</code>		<code>\twemoji{skunk}</code>
	<code>\twemoji{frog}</code>		<code>\twemoji{sloth}</code>
	<code>\twemoji{front-facing baby chick}</code>		<code>\twemoji{snail}</code>
	<code>\twemoji{giraffe}</code>		<code>\twemoji{snake}</code>
	<code>\twemoji{goat}</code>		<code>\twemoji{spiral shell}</code>
	<code>\twemoji{gorilla}</code>		<code>\twemoji{spouting whale}</code>
	<code>\twemoji{guide dog}</code>		<code>\twemoji{squid}</code>
	<code>\twemoji{hamster}</code>		<code>\twemoji{swan}</code>
	<code>\twemoji{hatching chick}</code>		<code>\twemoji{T-Rex}</code>
	<code>\twemoji{hedgehog}</code>		<code>\twemoji{tiger face}</code>

(continued on next page)










(continued from previous page)

	<code>\twemoji{hippopotamus}</code>		<code>\twemoji{tiger2}</code>
	<code>\twemoji{honeybee}</code>		<code>\twemoji{tropical fish}</code>
	<code>\twemoji{horse face}</code>		<code>\twemoji{turkey}</code>
	<code>\twemoji{kangaroo}</code>		<code>\twemoji{turtle}</code>
	<code>\twemoji{koala}</code>		<code>\twemoji{two-hump camel}</code>
	<code>\twemoji{lady beetle}</code>		<code>\twemoji{unicorn}</code>
	<code>\twemoji{leopard}</code>		<code>\twemoji{water buffalo}</code>
	<code>\twemoji{lion}</code>		<code>\twemoji{whale2}</code>
	<code>\twemoji{lizard}</code>		<code>\twemoji{wolf}</code>
	<code>\twemoji{llama}</code>		<code>\twemoji{worm}</code>
	<code>\twemoji{lobster}</code>		<code>\twemoji{zebra}</code>
	<code>\twemoji{mammoth}</code>		

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.

TABLE 516: twemojis Food Emoji

	<code>\twemoji{avocado}</code>		<code>\twemoji{hot beverage}</code>
	<code>\twemoji{bacon}</code>		<code>\twemoji{hot dog}</code>
	<code>\twemoji{bagel}</code>		<code>\twemoji{hot pepper}</code>
	<code>\twemoji{baguette bread}</code>		<code>\twemoji{ice}</code>
	<code>\twemoji{banana}</code>		<code>\twemoji{ice cream}</code>
	<code>\twemoji{beer mug}</code>		<code>\twemoji{kiwi fruit}</code>
	<code>\twemoji{bell pepper}</code>		<code>\twemoji{leafy green}</code>
	<code>\twemoji{bento box}</code>		<code>\twemoji{lemon}</code>
	<code>\twemoji{beverage box}</code>		<code>\twemoji{lollipop}</code>
	<code>\twemoji{blueberries}</code>		<code>\twemoji{mango}</code>
	<code>\twemoji{bottle with popping cork}</code>		<code>\twemoji{mate}</code>
	<code>\twemoji{bowl with spoon}</code>		<code>\twemoji{meat on bone}</code>
	<code>\twemoji{bread}</code>		<code>\twemoji{melon}</code>
	<code>\twemoji{broccoli}</code>		<code>\twemoji{moon cake}</code>
	<code>\twemoji{bubble tea}</code>		<code>\twemoji{mushroom}</code>
	<code>\twemoji{burrito}</code>		<code>\twemoji{oden}</code>
	<code>\twemoji{butter}</code>		<code>\twemoji{olive}</code>
	<code>\twemoji{candy}</code>		<code>\twemoji{onion}</code>
	<code>\twemoji{canned food}</code>		<code>\twemoji{pancakes}</code>
	<code>\twemoji{carrot}</code>		<code>\twemoji{peach}</code>
	<code>\twemoji{cheese wedge}</code>		<code>\twemoji{peanuts}</code>
	<code>\twemoji{cherries}</code>		<code>\twemoji{pear}</code>
	<code>\twemoji{chocolate bar}</code>		<code>\twemoji{pie}</code>
	<code>\twemoji{chopsticks}</code>		<code>\twemoji{pineapple}</code>

(continued on next page)



TABLE 518: ifsym Tally Markers

	<code>\StrokeOne</code>		<code>\StrokeThree</code>		<code>\StrokeFive</code>
	<code>\StrokeTwo</code>		<code>\StrokeFour</code>		

TABLE 519: bullcntr Tally Markers

•	<code>\bullcntr{&lt;1&gt;}</code>	••	<code>\bullcntr{&lt;4&gt;}</code>	•••	<code>\bullcntr{&lt;7&gt;}</code>
••	<code>\bullcntr{&lt;2&gt;}</code>	•••	<code>\bullcntr{&lt;5&gt;}</code>	••••	<code>\bullcntr{&lt;8&gt;}</code>
•••	<code>\bullcntr{&lt;3&gt;}</code>	••••	<code>\bullcntr{&lt;6&gt;}</code>	•••••	<code>\bullcntr{&lt;9&gt;}</code>

The notation for `\bullcntr` used in the above bears explanation. `\bullcntr` does not take a number as its argument but rather a L<sup>A</sup>T<sub>E</sub>X counter, whose value it uses to typeset a tally marker. “`\bullcntr{<3>}`”, for example, means to invoke `\bullcntr` with a counter whose value is 3. (`\bullcntr` usage is therefore akin to that of L<sup>A</sup>T<sub>E</sub>X’s `\fnsymbol`.) The intention is to use `\bullcntr` indirectly via the `bullenum` package’s `bullenum` environment, which is a variation on the `enumerate` environment that uses `\bullcntr` to typeset the labels.

To typeset individual tally markers, one can define a helper command:

```

\newcounter{bull}
\newcommand{\showbullcntr}[1]{%
  \setcounter{bull}{#1}%
  \bullcntr{bull}%
}

```

`bullcntr`’s package options `smallctrbull`, `largectrbull`, and `heartctrbull` and corresponding commands `\smallctrbull`, `\largectrbull`, and `\heartctrbull` control the formatting of each tally marker:

	small	large	heart
<code>\bullcntr{&lt;5&gt;}</code>	•••	•••	♡♡♡

The default is `smartctrbull` (`\smartctrbull`), which maps counter values 1–5 to large pips and 6–9 to small pips. It is also possible to use arbitrary symbols for `\bullcntr`’s pips. See the `bullcntr` documentation for more information.

TABLE 520: dozenal Tally Markers

	<code>\tally{1}</code>	⊐	<code>\tally{3}</code>	⊠	<code>\tally{5}</code>
⊐	<code>\tally{2}</code>	⊑	<code>\tally{4}</code>	⊡	<code>\tally{6}</code>

TABLE 521: skull Symbols


 \skull

TABLE 522: Non-Mathematical mathabx Symbols

† \rip

TABLE 523: Other ifsym Symbols























	\FilledSectioningDiamond		\Letter		\Radiation
	\Fire		\PaperLandscape		\SectioningDiamond
	\Irritant		\PaperPortrait		\Telephone

TABLE 524: metre Metrical Symbols

x	\a		\bMm		\cc		\Mbb	⋮	\Pppp	⊗	\t
∩	\B		\bbm		\Ccc		\mbbx	⋮	\pppp	┌	\tsbm
∪	\b		\Bm	—	\m	oo	\oo	⋮	\Ppppp	┌	\tsmb
∩	\Bb		\bbmb	∟	\M	.	\p	⋮	\ppppp	┌	\tsmm
∩	\BB		\bbmx	⊗	\ma	±	\pm	┌	\ps	⋮	\vppm
∩	\bb		\bm	∩	\Mb	:	\pp	:	\pxp	⋮	\vpppm
∩	\bB		\Bm	∩	\mb	:	\Pp	:	\Pxp	::	\x
∩	\bba		\c		\mBb	⋮	\ppm	~	\R		
∩	\bbb		\C		\mbB	⋮	\ppp	~	\r		
	\BBm		\Cc		\mbb	⋮	\Ppp	⊗	\T		

The preceding symbols are valid only within the argument to the `metre` command.

TABLE 525: metre Small and Large Metrical Symbols

÷	\anaclasis	÷	\Anaclasis
<	\antidiple	<	\Antidiple
<	\antidiple*	<	\Antidiple*
∩	\antisigma	∩	\Antisigma
✱	\asteriscus	✱	\Asteriscus
^	\catalexis	^	\Catalexis
>	\diple	>	\Diple
>	\diple*	>	\Diple*
—	\obelus	—	\Obelus
÷	\obelus*	÷	\Obelus*
~	\respondens	~	\Respondens
⊗	\terminus	⊗	\Terminus
⊕	\terminus*	⊕	\Terminus*

TABLE 526: teubner Metrical Symbols








∞	<code>\aeolicbii</code>	∩	<code>\barbrevis</code>	+	<code>\ipercatal</code>
∞∞	<code>\aeolicbiii</code>	∪	<code>\bbrevis</code>	—	<code>\longa</code>
∞∞∞	<code>\aeolicbiv</code>	∩	<code>\brevis</code>	∩	<code>\ubarbbrevis</code>
×	<code>\anceps</code>	^	<code>\catal</code>	∩	<code>\ubarbrevis</code>
⌘	<code>\ancepsdbrevis</code>	∩	<code>\corona</code>	∩	<code>\ubarsbrevis</code>
⌘	<code>\banceps</code>	∩	<code>\coronainv</code>	∩	<code>\ubrevislonga</code>
∩	<code>\barbbrevis</code>	H	<code>\hiatus</code>		

The `teubner` package provides a `\newmetrics` command that helps users combine the preceding symbols as well as other `teubner` symbols. For example, the predefined `\pentam` symbol uses `\newmetrics` to juxtapose six `\longas`, two `\barbbrevises`, four `\brevises`, and a `\dBar` into “`—∩—∩—||—∩—∩—`”. See the `teubner` documentation for more information.

TABLE 527: dictsym Dictionary Symbols

✈	<code>\dsaeronautical</code>	†	<code>\dscommercial</code>	⚕	<code>\dsmedical</code>
🌾	<code>\dsagricultural</code>	🏰	<code>\ds heraldical</code>	✈	<code>\dsmilitary</code>
🏠	<code>\dsarchitectural</code>	⚖	<code>\dsjuridical</code>	🚂	<code>\dsrailways</code>
🌿	<code>\dsbiological</code>	📖	<code>\dsliterary</code>	⊕	<code>\dstechnical</code>
🧪	<code>\dschemical</code>	ℝ	<code>\ds mathematical</code>		

TABLE 528: simpsons Characters from *The Simpsons*

	<code>\Bart</code>		<code>\Homer</code>		<code>\Maggie</code>		<code>\SNPP</code>
	<code>\Burns</code>		<code>\Lisa</code>		<code>\Marge</code>		

The location of the characters’ pupils can be controlled with the `\Goofy` command. See *A METAFONT of ‘Simpsons’ characters* [Che98] for more information. Also, each of the above can be prefixed with `\Left` to make the character face left instead of right:







































TABLE 529: pmboxdraw Box-Drawing Symbols

	<code>\textblock</code>	$\text{F}$	<code>\textSFli</code>	$\text{F}$	<code>\textSFxli</code>	$\text{F}$	<code>\textSFxxiii</code>
	<code>\textdkshade</code>	$\text{F}$	<code>\textSFlii</code>	$\text{F}$	<code>\textSFxlii</code>	$\text{F}$	<code>\textSFxxiv</code>
	<code>\textdnblock</code>	$\text{F}$	<code>\textSFliii</code>	$\text{F}$	<code>\textSFxliii</code>	$\text{F}$	<code>\textSFxxv</code>
	<code>\textlfblock</code>	$\text{F}$	<code>\textSFliv</code>	$\text{F}$	<code>\textSFxliv</code>	$\text{F}$	<code>\textSFxxvi</code>
	<code>\textltshade</code>	$\text{F}$	<code>\textSFv</code>	$\text{F}$	<code>\textSFxlv</code>	$\text{F}$	<code>\textSFxxvii</code>
	<code>\textrtblock</code>	$\text{F}$	<code>\textSFvi</code>	$\text{F}$	<code>\textSFxlv</code>	$\text{F}$	<code>\textSFxxviii</code>
$\text{L}$	<code>\textSFi</code>	$\text{L}$	<code>\textSFvii</code>	$\text{L}$	<code>\textSFxlvii</code>	$\text{L}$	<code>\textSFxxxix</code>
$\text{L}$	<code>\textSFii</code>	$\text{L}$	<code>\textSFviii</code>	$\text{L}$	<code>\textSFxlvi</code>	$\text{L}$	<code>\textSFxxxvi</code>
$\text{L}$	<code>\textSFiii</code>	$\text{L}$	<code>\textSFix</code>	$\text{L}$	<code>\textSFxlviii</code>	$\text{L}$	<code>\textSFxxxvii</code>
$\text{L}$	<code>\textSFiv</code>	$\text{L}$	<code>\textSFxi</code>	$\text{L}$	<code>\textSFxx</code>	$\text{L}$	<code>\textSFxxxviii</code>
$\text{L}$	<code>\textSFix</code>	$\text{L}$	<code>\textSFxix</code>	$\text{L}$	<code>\textSFxxi</code>		<code>\textshade</code>
$\text{L}$	<code>\textSF1</code>	$\text{L}$	<code>\textSFxl</code>	$\text{L}$	<code>\textSFxxii</code>		<code>\textupblock</code>

Code Page 437 (CP437), which was first utilized by the original IBM PC, contains the set of box-drawing symbols (sides, corners, and intersections of single- and double-ruled boxes) shown above in character positions 176–223. These symbols also appear in the Unicode Box Drawing and Block Element tables.










































The `pmboxdraw` package draws the CP437 box-drawing symbols using  $\text{T}_{\text{E}}\text{X}$  rules (specifically, `\vrule`) instead of with a font and thereby provides the ability to alter both rule width and the separation between rules. See the `pmboxdraw` documentation for more information.

TABLE 530: staves Magical Staves

	<code>\staveI</code>		<code>\staveXXIV</code>		<code>\staveXLVII</code>
	<code>\staveII</code>		<code>\staveXXV</code>		<code>\staveXLVIII</code>
	<code>\staveIII</code>		<code>\staveXXVI</code>		<code>\staveXLIX</code>
	<code>\staveIV</code>		<code>\staveXXVII</code>		<code>\staveL</code>
	<code>\staveV</code>		<code>\staveXXVIII</code>		<code>\staveLI</code>
	<code>\staveVI</code>		<code>\staveXXIX</code>		<code>\staveLII</code>
	<code>\staveVII</code>		<code>\staveXXX</code>		<code>\staveLIII</code>
	<code>\staveVIII</code>		<code>\staveXXXI</code>		<code>\staveLIV</code>
	<code>\staveIX</code>		<code>\staveXXXII</code>		<code>\staveLV</code>

(continued on next page)

(continued from previous page)

	<code>\staveX</code>		<code>\staveXXXIII</code>		<code>\staveLVI</code>
	<code>\staveXI</code>		<code>\staveXXXIV</code>		<code>\staveLVII</code>
	<code>\staveXII</code>		<code>\staveXXXV</code>		<code>\staveLVIII</code>
	<code>\staveXIII</code>		<code>\staveXXXVI</code>		<code>\staveLIX</code>
	<code>\staveXIV</code>		<code>\staveXXXVII</code>		<code>\staveLX</code>
	<code>\staveXV</code>		<code>\staveXXXVIII</code>		<code>\staveLXI</code>
	<code>\staveXVI</code>		<code>\staveXXXIX</code>		<code>\staveLXII</code>
	<code>\staveXVII</code>		<code>\staveXL</code>		<code>\staveLXIII</code>
	<code>\staveXVIII</code>		<code>\staveXLI</code>		<code>\staveLXIV</code>
	<code>\staveXIX</code>		<code>\staveXLII</code>		<code>\staveLXV</code>
	<code>\staveXX</code>		<code>\staveXLIII</code>		<code>\staveLXVI</code>
	<code>\staveXXI</code>		<code>\staveXLIV</code>		<code>\staveLXVII</code>
	<code>\staveXXII</code>		<code>\staveXLV</code>		<code>\staveLXVIII</code>
	<code>\staveXXIII</code>		<code>\staveXLVI</code>		


The meanings of these symbols are described on the Web site for the Museum of Icelandic Sorcery and Witchcraft at [http://www.galdrasynning.is/index.php?option=com\\_content&task=category&sectionid=5&id=18&Itemid=60](http://www.galdrasynning.is/index.php?option=com_content&task=category&sectionid=5&id=18&Itemid=60) (TinyURL: <http://tinyurl.com/25979m>). For example, `\staveL` (“”) is intended to ward off ghosts and evil spirits.

TABLE 531: pigpen Cipher Symbols








































	<code>{\pigpenfont A}</code>		<code>{\pigpenfont J}</code>		<code>{\pigpenfont S}</code>
	<code>{\pigpenfont B}</code>		<code>{\pigpenfont K}</code>		<code>{\pigpenfont T}</code>
	<code>{\pigpenfont C}</code>		<code>{\pigpenfont L}</code>		<code>{\pigpenfont U}</code>
	<code>{\pigpenfont D}</code>		<code>{\pigpenfont M}</code>		<code>{\pigpenfont V}</code>
	<code>{\pigpenfont E}</code>		<code>{\pigpenfont N}</code>		<code>{\pigpenfont W}</code>
	<code>{\pigpenfont F}</code>		<code>{\pigpenfont O}</code>		<code>{\pigpenfont X}</code>
	<code>{\pigpenfont G}</code>		<code>{\pigpenfont P}</code>		<code>{\pigpenfont Y}</code>
	<code>{\pigpenfont H}</code>		<code>{\pigpenfont Q}</code>		<code>{\pigpenfont Z}</code>
	<code>{\pigpenfont I}</code>		<code>{\pigpenfont R}</code>		

TABLE 532: GijŒA2e Phases of the Moon

	<code>\MoonPha{1}</code>		<code>\MoonPha{2}</code>		<code>\MoonPha{3}</code>		<code>\MoonPha{4}</code>
---	--------------------------	---	--------------------------	---	--------------------------	---	--------------------------



TABLE 533: twemojis Phases of the Moon

	<code>\twemoji{crescent moon}</code>		<code>\twemoji{new moon}</code>
	<code>\twemoji{first quarter moon}</code>		<code>\twemoji{new moon face}</code>
	<code>\twemoji{first quarter moon face}</code>		<code>\twemoji{waning crescent moon}</code>
	<code>\twemoji{full moon}</code>		<code>\twemoji{waning gibbous moon}</code>
	<code>\twemoji{full moon face}</code>		<code>\twemoji{waxing crescent moon}</code>
	<code>\twemoji{last quarter moon}</code>		<code>\twemoji{waxing gibbous moon}</code>
	<code>\twemoji{last quarter moon face}</code>		

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.

TABLE 534: Greenpoint Recycling Symbols


 `\Greenpoint`

TABLE 535: marvosym Recycling Symbols




 `\PackingWaste`  `\Recycling`

TABLE 536: utfsym Recycling Symbols

	<code>\usym{2672}</code>		<code>\usym{2676}</code>		<code>\usym{267A}</code>		<code>\usym{267E}</code>
	<code>\usym{2673}</code>		<code>\usym{2677}</code>		<code>\usym{267B}</code>		
	<code>\usym{2674}</code>		<code>\usym{2678}</code>		<code>\usym{267C}</code>		
	<code>\usym{2675}</code>		<code>\usym{2679}</code>		<code>\usym{267D}</code>		

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 537: recycle Recycling Symbols



The METAFONT code that implements the recycling symbols shown above is, in the words of its author, “awful code [that] doesn’t even put the logo in a box (properly)”. Expect to receive “**Inconsistent equation (off by  $\langle number \rangle$ )**” errors from METAFONT. Fortunately, if you tell METAFONT to proceed past those errors (e.g., by pressing Enter after each one or by specifying “`-interaction=nonstopmode`” on the METAFONT command line) it should produce a valid font.

The commands listed above should be used within a group (e.g., “`{\recycle}`”) because they exhibit the side effect of *changing* the font to the recycle font.

TABLE 538: Other G<sub>U</sub>A<sub>2</sub>e Symbols



TABLE 539: soyombo Soyombo Symbols



\* These symbols require that the Soyombo font be active (“`{\soyombo ... }`”).

TABLE 540: knitting Knitting Symbols

$\wedge$	<code>\textknit{!}</code>	$\rightarrow$	<code>\textknit{[}</code>		<code>\textknit{Q}</code>
	<code>\textknit{"}</code>	$\leftarrow$	<code>\textknit{]}</code>		<code>\textknit{q}</code>
$\backslash$	<code>\textknit{(}</code>	$\uparrow$	<code>\textknit{A}</code>		<code>\textknit{R}</code>
$/$	<code>\textknit{)}</code>	$\uparrow$	<code>\textknit{a}</code>	$\swarrow$	<code>\textknit{r}</code>
$*$	<code>\textknit{*}</code>		<code>\textknit{B}</code>	$\leftarrow$	<code>\textknit{S}</code>
$ $	<code>\textknit{-}</code>		<code>\textknit{b}</code>	$\rightarrow$	<code>\textknit{s}</code>
	<code>\textknit{2}</code>	$\nabla$	<code>\textknit{E}</code>		<code>\textknit{T}</code>
	<code>\textknit{3}</code>		<code>\textknit{F}</code>		<code>\textknit{t}</code>
$\lambda$	<code>\textknit{4}</code>	$\frown$	<code>\textknit{f}</code>		<code>\textknit{U}</code>
$\sphericalangle$	<code>\textknit{5}</code>	$\uparrow$	<code>\textknit{H}</code>	$\sphericalangle$	<code>\textknit{u}</code>
$\nabla$	<code>\textknit{6}</code>	$\downarrow$	<code>\textknit{h}</code>		<code>\textknit{V}</code>
$\nabla$	<code>\textknit{7}</code>		<code>\textknit{I}</code>	$\nabla$	<code>\textknit{v}</code>
$\nabla$	<code>\textknit{8}</code>		<code>\textknit{i}</code>		<code>\textknit{W}</code>
	<code>\textknit{9}</code>		<code>\textknit{J}</code>	$\nabla$	<code>\textknit{w}</code>
	<code>\textknit{:}</code>		<code>\textknit{j}</code>		<code>\textknit{X}</code>
	<code>\textknit{;}</code>	$\nabla$	<code>\textknit{L}</code>		<code>\textknit{x}</code>
$\nabla$	<code>\textknit{&lt;}</code>	$\nabla$	<code>\textknit{l}</code>	$\nabla$	<code>\textknit{Y}</code>
	<code>\textknit{=}</code>		<code>\textknit{M}</code>	$\nabla$	<code>\textknit{y}</code>
$\nabla$	<code>\textknit{&gt;}</code>	$m$	<code>\textknit{m}</code>		<code>\textknit{Z}</code>
$\bullet$	<code>\textknit{@}</code>		<code>\textknit{0}</code>		<code>\textknit{z}</code>

The knitting package is intended to typeset complete knitting charts. See the knitting documentation for more information.























Some symbols behave differently when used as part of a sequence. For example, contrast `\textknit{1}` (“ $\uparrow$ ”), `\textknit{11}` (“ $\uparrow\uparrow$ ”), and `\textknit{111}` (“ $\uparrow\uparrow\uparrow$ ”). Similarly, contrast `\textknit{"}` (“ $\curvearrowright$ ”) and `\textknit{""}` (“ $\curvearrowleft$ ”). Again, see the knitting documentation for more information.

TABLE 541: countriesofeurope Country Maps

	<code>\Albania</code>		<code>\Latvia</code>
	<code>\Andorra</code>		<code>\Liechtenstein</code>
	<code>\Austria</code>		<code>\Lithuania</code>
	<code>\Belarus</code>		<code>\Luxembourg</code>


(continued on next page)

*(continued from previous page)*

	\Belgium		\Macedonia
	\Bosnia		\Malta
	\Bulgaria		\Moldova
	\Croatia		\Montenegro
	\Czechia		\Netherlands
	\Denmark		\Norway
	\Estonia		\Poland
	\Finland		\Portugal
	\France		\Romania
	\Germany		\Serbia
	\GreatBritain		\Slovakia

*(continued on next page)*

*(continued from previous page)*



The preceding commands work only when the `CountriesOfEurope` font family is active. For convenience, the package defines a `\countriesofeuropfamily` command that switches to that font family.














By default, countries are drawn in the current font size. Hence, “`{\countriesofeuropfamily\France}`” draws a nearly unrecognizable “”. For clarity of presentation, Table 541 scales each glyph to 72 pt. via an explicit `\fontsize{72}{72}`. An alternative is to specify the `scaled` package option to scale all country glyphs by a given factor of the font size.

TABLE 542: rojud Maps of Romanian Counties

	<code>\jAB</code>		<code>\jCT</code>		<code>\jMS</code>
	<code>\jAG</code>		<code>\jCV</code>		<code>\jNT</code>
	<code>\jAR</code>		<code>\jDB</code>		<code>\jOT</code>
	<code>\jBC</code>		<code>\jDJ</code>		<code>\jPH</code>
	<code>\jBH</code>		<code>\jGJ</code>		<code>\jSB</code>
	<code>\jBI</code>		<code>\jGL</code>		<code>\jSJ</code>
	<code>\jBN</code>		<code>\jGR</code>		<code>\jSM</code>
	<code>\jBR</code>		<code>\jHD</code>		<code>\jSV</code>
	<code>\jBT</code>		<code>\jHR</code>		<code>\jTL</code>
	<code>\jBV</code>		<code>\jIF</code>		<code>\jTM</code>

*(continued on next page)*

(continued from previous page)

	<code>\jBZ</code>		<code>\jIL</code>		<code>\jTR</code>
	<code>\jCJ</code>		<code>\jIS</code>		<code>\jVL</code>
	<code>\jCL</code>		<code>\jMH</code>		<code>\jVN</code>
	<code>\jCS</code>		<code>\jMM</code>		<code>\jVS</code>

The preceding commands work only when the `rojud` font family is active. Use the OT1 font encoding `OT1` in `pdfLATEX` and the TU font encoding in `XYLATEX`. (`rojud` requires one of those two `TEX` engines.) For example, “`{\usefont{OT1}{rojud}{m}{n}\jBI}`” draws Bucharest.<sup>a</sup>

<sup>a</sup>technically a municipality, not a county



















TABLE 543: `euflag` European Union Flag



`\euflag`

The `\euflag` flag is drawn using the `LATEX` `picture` environment.

TABLE 544: `worldflags` World Flags

	<code>\worldflag{Abkhazia}</code>		<code>\worldflag{GL}</code>		<code>\worldflag{NU}</code>
	<code>\worldflag{AD}</code>		<code>\worldflag{GM}</code>		<code>\worldflag{NZ}</code>
	<code>\worldflag{AE}</code>		<code>\worldflag{GN}</code>		<code>\worldflag{Olympics}</code>
	<code>\worldflag{AF}</code>		<code>\worldflag{GQ}</code>		<code>\worldflag{OM}</code>
	<code>\worldflag{AG}</code>		<code>\worldflag{GR}</code>		<code>\worldflag{PA}</code>
	<code>\worldflag{AL}</code>		<code>\worldflag{GT}</code>		<code>\worldflag{PE}</code>

(continued on next page)










































































(continued from previous page)

	<code>\worldflag{AM}</code>		<code>\worldflag{GW}</code>		<code>\worldflag{PG}</code>
	<code>\worldflag{AO}</code>		<code>\worldflag{GY}</code>		<code>\worldflag{PH}</code>
	<code>\worldflag{AQ}</code>		<code>\worldflag{HN}</code>		<code>\worldflag{PK}</code>
	<code>\worldflag{AR}</code>		<code>\worldflag{HR}</code>		<code>\worldflag{PL}</code>
	<code>\worldflag{Artsakh}</code>		<code>\worldflag{HT}</code>		<code>\worldflag{PS}</code>
	<code>\worldflag{AT}</code>		<code>\worldflag{HU}</code>		<code>\worldflag{PT}</code>
	<code>\worldflag{AU}</code>		<code>\worldflag{ID}</code>		<code>\worldflag{PW}</code>
	<code>\worldflag{AZ}</code>		<code>\worldflag{IE}</code>		<code>\worldflag{PY}</code>
	<code>\worldflag{BA}</code>		<code>\worldflag{IL}</code>		<code>\worldflag{QA}</code>
	<code>\worldflag{BB}</code>		<code>\worldflag{IN}</code>		<code>\worldflag{Rainbow}</code>
	<code>\worldflag{BD}</code>		<code>\worldflag{IQ}</code>		<code>\worldflag{RedCross}</code>
	<code>\worldflag{BE}</code>		<code>\worldflag{IR}</code>		<code>\worldflag{RO}</code>
	<code>\worldflag{BF}</code>		<code>\worldflag{IS}</code>		<code>\worldflag{RU}</code>
	<code>\worldflag{BG}</code>		<code>\worldflag{IT}</code>		<code>\worldflag{RW}</code>
	<code>\worldflag{BH}</code>		<code>\worldflag{JM}</code>		<code>\worldflag{SE}</code>
	<code>\worldflag{BI}</code>		<code>\worldflag{JO}</code>		<code>\worldflag{SA}</code>
	<code>\worldflag{BJ}</code>		<code>\worldflag{JollyRoger}</code>		<code>\worldflag{SB}</code>
	<code>\worldflag{BN}</code>		<code>\worldflag{JP}</code>		<code>\worldflag{SC}</code>
	<code>\worldflag{BO}</code>		<code>\worldflag{KE}</code>		<code>\worldflag{SD}</code>
	<code>\worldflag{BR}</code>		<code>\worldflag{KG}</code>		<code>\worldflag{SE}</code>
	<code>\worldflag{BS}</code>		<code>\worldflag{KH}</code>		<code>\worldflag{SG}</code>
	<code>\worldflag{BT}</code>		<code>\worldflag{KI}</code>		<code>\worldflag{SI}</code>
	<code>\worldflag{BW}</code>		<code>\worldflag{KM}</code>		<code>\worldflag{SK}</code>
	<code>\worldflag{BY}</code>		<code>\worldflag{KN}</code>		<code>\worldflag{SL}</code>
	<code>\worldflag{BZ}</code>		<code>\worldflag{KO}</code>		<code>\worldflag{SM}</code>
	<code>\worldflag{CA}</code>		<code>\worldflag{KP}</code>		<code>\worldflag{SN}</code>
	<code>\worldflag{CD}</code>		<code>\worldflag{KR}</code>		<code>\worldflag{SO}</code>
	<code>\worldflag{CF}</code>		<code>\worldflag{KW}</code>		<code>\worldflag{Somaliland}</code>
	<code>\worldflag{CG}</code>		<code>\worldflag{KZ}</code>		<code>\worldflag{SR}</code>
	<code>\worldflag{CH}</code>		<code>\worldflag{LA}</code>		<code>\worldflag{SS}</code>
	<code>\worldflag{CI}</code>		<code>\worldflag{LB}</code>		<code>\worldflag{ST}</code>
	<code>\worldflag{CK}</code>		<code>\worldflag{LC}</code>		<code>\worldflag{SV}</code>
	<code>\worldflag{CL}</code>		<code>\worldflag{LI}</code>		<code>\worldflag{SY}</code>
	<code>\worldflag{CM}</code>		<code>\worldflag{LK}</code>		<code>\worldflag{SZ}</code>
	<code>\worldflag{CN}</code>		<code>\worldflag{LR}</code>		<code>\worldflag{TD}</code>
	<code>\worldflag{CO}</code>		<code>\worldflag{LS}</code>		<code>\worldflag{TG}</code>
	<code>\worldflag{CR}</code>		<code>\worldflag{LT}</code>		<code>\worldflag{TH}</code>
	<code>\worldflag{CU}</code>		<code>\worldflag{LU}</code>		<code>\worldflag{TJ}</code>
	<code>\worldflag{CV}</code>		<code>\worldflag{LV}</code>		<code>\worldflag{TL}</code>

(continued on next page)























































































(continued from previous page)

	<code>\worldflag{CY}</code>		<code>\worldflag{LY}</code>		<code>\worldflag{TM}</code>
	<code>\worldflag{CZ}</code>		<code>\worldflag{MA}</code>		<code>\worldflag{TN}</code>
	<code>\worldflag{DE}</code>		<code>\worldflag{MD}</code>		<code>\worldflag{TO}</code>
	<code>\worldflag{DJ}</code>		<code>\worldflag{ME}</code>		<code>\worldflag{TR}</code>
	<code>\worldflag{DK}</code>		<code>\worldflag{MG}</code>		<code>\worldflag{Transnistria}</code>
	<code>\worldflag{DM}</code>		<code>\worldflag{MH}</code>		<code>\worldflag{TT}</code>
	<code>\worldflag{DO}</code>		<code>\worldflag{MK}</code>		<code>\worldflag{TV}</code>
	<code>\worldflag{DZ}</code>		<code>\worldflag{ML}</code>		<code>\worldflag{TW}</code>
	<code>\worldflag{EC}</code>		<code>\worldflag{MM}</code>		<code>\worldflag{TZ}</code>
	<code>\worldflag{EE}</code>		<code>\worldflag{MN}</code>		<code>\worldflag{UA}</code>
	<code>\worldflag{EG}</code>		<code>\worldflag{MR}</code>		<code>\worldflag{UG}</code>
	<code>\worldflag{EH}</code>		<code>\worldflag{MT}</code>		<code>\worldflag{UNO}</code>
	<code>\worldflag{ER}</code>		<code>\worldflag{MU}</code>		<code>\worldflag{US}</code>
	<code>\worldflag{ES}</code>		<code>\worldflag{MV}</code>		<code>\worldflag{UY}</code>
	<code>\worldflag{Esperanto}</code>		<code>\worldflag{MW}</code>		<code>\worldflag{UZ}</code>
	<code>\worldflag{ET}</code>		<code>\worldflag{MX}</code>		<code>\worldflag{VA}</code>
	<code>\worldflag{EU}</code>		<code>\worldflag{MY}</code>		<code>\worldflag{VC}</code>
	<code>\worldflag{FI}</code>		<code>\worldflag{MZ}</code>		<code>\worldflag{VE}</code>
	<code>\worldflag{FJ}</code>		<code>\worldflag{NA}</code>		<code>\worldflag{VN}</code>
	<code>\worldflag{FM}</code>		<code>\worldflag{NATO}</code>		<code>\worldflag{VU}</code>
	<code>\worldflag{FR}</code>		<code>\worldflag{NE}</code>		<code>\worldflag{WB}</code>
	<code>\worldflag{GA}</code>		<code>\worldflag{NG}</code>		<code>\worldflag{WS}</code>
	<code>\worldflag{GB}</code>		<code>\worldflag{NI}</code>		<code>\worldflag{YE}</code>
	<code>\worldflag{GD}</code>		<code>\worldflag{NL}</code>		<code>\worldflag{ZA}</code>
	<code>\worldflag{GE}</code>		<code>\worldflag{NO}</code>		<code>\worldflag{ZM}</code>
	<code>\worldflag{GF}</code>		<code>\worldflag{NP}</code>		<code>\worldflag{ZW}</code>
	<code>\worldflag{GH}</code>		<code>\worldflag{NR}</code>		





























































All worldflags symbols are implemented with *TikZ* graphics, not with a font. The package provides a number of options for controlling flag size and style. See the worldflags documentation for more information.

TABLE 545: twemojis Flags

	<code>\twemoji{flag: Afghanistan}</code>		<code>\twemoji{flag: Libya}</code>
	<code>\twemoji{flag: Albania}</code>		<code>\twemoji{flag: Liechtenstein}</code>
	<code>\twemoji{flag: Algeria}</code>		<code>\twemoji{flag: Lithuania}</code>
	<code>\twemoji{flag: American Samoa}</code>		<code>\twemoji{flag: Luxembourg}</code>
	<code>\twemoji{flag: Andorra}</code>		<code>\twemoji{flag: Macao SAR China}</code>
	<code>\twemoji{flag: Angola}</code>		<code>\twemoji{flag: Madagascar}</code>
	<code>\twemoji{flag: Anguilla}</code>		<code>\twemoji{flag: Malawi}</code>
	<code>\twemoji{flag: Antarctica}</code>		<code>\twemoji{flag: Malaysia}</code>
	<code>\twemoji{flag: Antigua &amp; Barbuda}</code>		<code>\twemoji{flag: Maldives}</code>
	<code>\twemoji{flag: Argentina}</code>		<code>\twemoji{flag: Mali}</code>
	<code>\twemoji{flag: Armenia}</code>		<code>\twemoji{flag: Malta}</code>
	<code>\twemoji{flag: Aruba}</code>		<code>\twemoji{flag: Marshall Islands}</code>
	<code>\twemoji{flag: Ascension Island}</code>		<code>\twemoji{flag: Martinique}</code>
	<code>\twemoji{flag: Australia}</code>		<code>\twemoji{flag: Mauritania}</code>
	<code>\twemoji{flag: Austria}</code>		<code>\twemoji{flag: Mauritius}</code>
	<code>\twemoji{flag: Azerbaijan}</code>		<code>\twemoji{flag: Mayotte}</code>
	<code>\twemoji{flag: Bahamas}</code>		<code>\twemoji{flag: Mexico}</code>
	<code>\twemoji{flag: Bahrain}</code>		<code>\twemoji{flag: Micronesia}</code>
	<code>\twemoji{flag: Bangladesh}</code>		<code>\twemoji{flag: Moldova}</code>
	<code>\twemoji{flag: Barbados}</code>		<code>\twemoji{flag: Monaco}</code>
	<code>\twemoji{flag: Belarus}</code>		<code>\twemoji{flag: Mongolia}</code>
	<code>\twemoji{flag: Belgium}</code>		<code>\twemoji{flag: Montenegro}</code>
	<code>\twemoji{flag: Belize}</code>		<code>\twemoji{flag: Montserrat}</code>
	<code>\twemoji{flag: Benin}</code>		<code>\twemoji{flag: Morocco}</code>
	<code>\twemoji{flag: Bermuda}</code>		<code>\twemoji{flag: Mozambique}</code>
	<code>\twemoji{flag: Bhutan}</code>		<code>\twemoji{flag: Myanmar (Burma)}</code>
	<code>\twemoji{flag: Bolivia}</code>		<code>\twemoji{flag: Namibia}</code>
	<code>\twemoji{flag: Bosnia &amp; Herzegovina}</code>		<code>\twemoji{flag: Nauru}</code>
	<code>\twemoji{flag: Botswana}</code>		<code>\twemoji{flag: Nepal}</code>
	<code>\twemoji{flag: Bouvet Island}</code>		<code>\twemoji{flag: Netherlands}</code>
	<code>\twemoji{flag: Brazil}</code>		<code>\twemoji{flag: New Caledonia}</code>
	<code>\twemoji{flag: British Indian Ocean Territory}</code>		<code>\twemoji{flag: New Zealand}</code>
	<code>\twemoji{flag: British Virgin Islands}</code>		<code>\twemoji{flag: Nicaragua}</code>
	<code>\twemoji{flag: Brunei}</code>		<code>\twemoji{flag: Niger}</code>
	<code>\twemoji{flag: Bulgaria}</code>		<code>\twemoji{flag: Nigeria}</code>
	<code>\twemoji{flag: Burkina Faso}</code>		<code>\twemoji{flag: Niue}</code>
	<code>\twemoji{flag: Burundi}</code>		<code>\twemoji{flag: Norfolk Island}</code>
	<code>\twemoji{flag: Cambodia}</code>		<code>\twemoji{flag: North Korea}</code>
	<code>\twemoji{flag: Cameroon}</code>		<code>\twemoji{flag: North Macedonia}</code>
	<code>\twemoji{flag: Canada}</code>		<code>\twemoji{flag: Northern Mariana Islands}</code>
	<code>\twemoji{flag: Canary Islands}</code>		<code>\twemoji{flag: Norway}</code>
	<code>\twemoji{flag: Cape Verde}</code>		<code>\twemoji{flag: Oman}</code>
	<code>\twemoji{flag: Caribbean Netherlands}</code>		<code>\twemoji{flag: Pakistan}</code>















(continued on next page)

(continued from previous page)

 \twemoji{flag: Cayman Islands}	 \twemoji{flag: Palau}
 \twemoji{flag: Central African Republic}	 \twemoji{flag: Palestinian Territories}
 \twemoji{flag: Ceuta \& Melilla}	 \twemoji{flag: Panama}
 \twemoji{flag: Chad}	 \twemoji{flag: Papua New Guinea}
 \twemoji{flag: Chile}	 \twemoji{flag: Paraguay}
 \twemoji{flag: China}	 \twemoji{flag: Peru}
 \twemoji{flag: Christmas Island}	 \twemoji{flag: Philippines}
 \twemoji{flag: Clipperton Island}	 \twemoji{flag: Pitcairn Islands}
 \twemoji{flag: Cocos (Keeling) Islands}	 \twemoji{flag: Poland}
 \twemoji{flag: Colombia}	 \twemoji{flag: Portugal}
 \twemoji{flag: Comoros}	 \twemoji{flag: Puerto Rico}
 \twemoji{flag: Congo - Brazzaville}	 \twemoji{flag: Qatar}
 \twemoji{flag: Congo - Kinshasa}	 \twemoji{flag: Romania}
 \twemoji{flag: Cook Islands}	 \twemoji{flag: Russia}
 \twemoji{flag: Costa Rica}	 \twemoji{flag: Rwanda}
 \twemoji{flag: Croatia}	 \twemoji{flag: Runion}
 \twemoji{flag: Cuba}	 \twemoji{flag: Samoa}
 \twemoji{flag: Curaao}	 \twemoji{flag: San Marino}
 \twemoji{flag: Cyprus}	 \twemoji{flag: Saudi Arabia}
 \twemoji{flag: Czechia}	 \twemoji{flag: Scotland}
 \twemoji{flag: Cte d'Ivoire}	 \twemoji{flag: Senegal}
 \twemoji{flag: Denmark}	 \twemoji{flag: Serbia}
 \twemoji{flag: Diego Garcia}	 \twemoji{flag: Seychelles}
 \twemoji{flag: Djibouti}	 \twemoji{flag: Sierra Leone}
 \twemoji{flag: Dominica}	 \twemoji{flag: Singapore}
 \twemoji{flag: Dominican Republic}	 \twemoji{flag: Sint Maarten}
 \twemoji{flag: Ecuador}	 \twemoji{flag: Slovakia}
 \twemoji{flag: Egypt}	 \twemoji{flag: Slovenia}
 \twemoji{flag: El Salvador}	 \twemoji{flag: Solomon Islands}
 \twemoji{flag: England}	 \twemoji{flag: Somalia}
 \twemoji{flag: Equatorial Guinea}	 \twemoji{flag: South Africa}
 \twemoji{flag: Eritrea}	 \twemoji{flag: South Georgia \& South Sandwich Islands}
 \twemoji{flag: Estonia}	 \twemoji{flag: South Korea}
 \twemoji{flag: Eswatini}	 \twemoji{flag: South Sudan}
 \twemoji{flag: Ethiopia}	 \twemoji{flag: Spain}
 \twemoji{flag: European Union}	 \twemoji{flag: Sri Lanka}
 \twemoji{flag: Falkland Islands}	 \twemoji{flag: St. Barthlemy}
 \twemoji{flag: Faroe Islands}	 \twemoji{flag: St. Helena}
 \twemoji{flag: Fiji}	 \twemoji{flag: St. Kitts \& Nevis}
 \twemoji{flag: Finland}	 \twemoji{flag: St. Lucia}
 \twemoji{flag: France}	 \twemoji{flag: St. Martin}
 \twemoji{flag: French Guiana}	 \twemoji{flag: St. Pierre \& Miquelon}
 \twemoji{flag: French Polynesia}	 \twemoji{flag: St. Vincent \& Grenadines}


(continued on next page)

(continued from previous page)

 \twemoji{flag: French Southern Territories}	 \twemoji{flag: Sudan}
 \twemoji{flag: Gabon}	 \twemoji{flag: Suriname}
 \twemoji{flag: Gambia}	 \twemoji{flag: Svalbard \& Jan Mayen}
 \twemoji{flag: Georgia}	 \twemoji{flag: Sweden}
 \twemoji{flag: Germany}	 \twemoji{flag: Switzerland}
 \twemoji{flag: Ghana}	 \twemoji{flag: Syria}
 \twemoji{flag: Gibraltar}	 \twemoji{flag: So Tom \& Prncipe}
 \twemoji{flag: Greece}	 \twemoji{flag: Taiwan}
 \twemoji{flag: Greenland}	 \twemoji{flag: Tajikistan}
 \twemoji{flag: Grenada}	 \twemoji{flag: Tanzania}
 \twemoji{flag: Guadeloupe}	 \twemoji{flag: Thailand}
 \twemoji{flag: Guam}	 \twemoji{flag: Timor-Leste}
 \twemoji{flag: Guatemala}	 \twemoji{flag: Togo}
 \twemoji{flag: Guernsey}	 \twemoji{flag: Tokelau}
 \twemoji{flag: Guinea}	 \twemoji{flag: Tonga}
 \twemoji{flag: Guinea-Bissau}	 \twemoji{flag: Trinidad \& Tobago}
 \twemoji{flag: Guyana}	 \twemoji{flag: Tristan da Cunha}
 \twemoji{flag: Haiti}	 \twemoji{flag: Tunisia}
 \twemoji{flag: Heard \& McDonald Islands}	 \twemoji{flag: Turkey}
 \twemoji{flag: Honduras}	 \twemoji{flag: Turkmenistan}
 \twemoji{flag: Hong Kong SAR China}	 \twemoji{flag: Turks \& Caicos Islands}
 \twemoji{flag: Hungary}	 \twemoji{flag: Tuvalu}
 \twemoji{flag: Iceland}	 \twemoji{flag: U.S. Outlying Islands}
 \twemoji{flag: India}	 \twemoji{flag: U.S. Virgin Islands}
 \twemoji{flag: Indonesia}	 \twemoji{flag: Uganda}
 \twemoji{flag: Iran}	 \twemoji{flag: Ukraine}
 \twemoji{flag: Iraq}	 \twemoji{flag: United Arab Emirates}
 \twemoji{flag: Ireland}	 \twemoji{flag: United Kingdom}
 \twemoji{flag: Isle of Man}	 \twemoji{flag: United Nations}
 \twemoji{flag: Israel}	 \twemoji{flag: United States}
 \twemoji{flag: Italy}	 \twemoji{flag: Uruguay}
 \twemoji{flag: Jamaica}	 \twemoji{flag: Uzbekistan}
 \twemoji{flag: Japan}	 \twemoji{flag: Vanuatu}
 \twemoji{flag: Jersey}	 \twemoji{flag: Vatican City}
 \twemoji{flag: Jordan}	 \twemoji{flag: Venezuela}
 \twemoji{flag: Kazakhstan}	 \twemoji{flag: Vietnam}
 \twemoji{flag: Kenya}	 \twemoji{flag: Wales}
 \twemoji{flag: Kiribati}	 \twemoji{flag: Wallis \& Futuna}
 \twemoji{flag: Kosovo}	 \twemoji{flag: Western Sahara}
 \twemoji{flag: Kuwait}	 \twemoji{flag: Yemen}
 \twemoji{flag: Kyrgyzstan}	 \twemoji{flag: Zambia}
 \twemoji{flag: Laos}	 \twemoji{flag: Zimbabwe}
 \twemoji{flag: Latvia}	 \twemoji{flag: land Islands}

(continued on next page)

(continued from previous page)

	<code>\twemoji{flag: Lebanon}</code>		<code>\twemoji{pirate flag}</code>
	<code>\twemoji{flag: Lesotho}</code>		<code>\twemoji{rainbow flag}</code>
	<code>\twemoji{flag: Liberia}</code>		<code>\twemoji{transgender flag}</code>

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.

TABLE 546: Miscellaneous arev Symbols















	<code>\anchor</code>		<code>\invsmileface</code>		<code>\skull</code>		<code>\warning</code>
	<code>\biohazard</code>		<code>\radiation</code>		<code>\smileface</code>		<code>\yinyang</code>
	<code>\heavyqleft</code>		<code>\recycle</code>		<code>\steaming</code>		
	<code>\heavyqright</code>		<code>\sadface</code>		<code>\swords</code>		

TABLE 547: cookingsymbols Cooking Symbols





























	<code>\Bottomheat</code>		<code>\Fork</code>		<code>\Knife</code>		<code>\Topbottomheat</code>
	<code>\Dish</code>		<code>\Gasstove</code>		<code>\Oven</code>		<code>\Topheat</code>
	<code>\Fanoven</code>		<code>\Gloves</code>		<code>\Spoon</code>		

























TABLE 548: tikzsymbols Cooking Symbols

	<code>\bakingplate</code>		<code>\eggbeater</code>		<code>\pan</code>		<code>\squeezer</code>
	<code>\blender</code>		<code>\fryingpan</code>		<code>\peeler</code>		<code>\trident</code>
	<code>\bottle</code>		<code>\garlicpress</code>		<code>\pot</code>		
	<code>\bowl</code>		<code>\grater</code>		<code>\rollingpin</code>		
	<code>\cooker</code>		<code>\oven</code>		<code>\sieve</code>		

`tikzsymbols` defines German-language aliases for each of the above: `\Backblech` for `\bakingplate`, `\Bratpfanne` for `\fryingpan`, `\Dreizack` for `\trident`, `\Flasche` for `\bottle`, `\Herd` for `\cooker`, `\Kochtopf` for `\pot`, `\Knoblauchpresse` for `\garlicpress`, `\Nudelholz` for `\rollingpin`, `\Ofen` for `\oven`, `\Pfanne` for `\pan`, `\Purierstab` for `\blender`, `\Reibe` for `\grater`, `\Saftpresse` for `\squeezer`, `\Schaler` for `\peeler`, `\Schneebeesen` for `\eggbeater`, `\Schussel` for `\bowl`, and `\Sieb` for `\sieve`.





















All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font.

TABLE 549: tikzsymbols Emoji

	<code>\Annoey</code>		<code>\Laughey</code>		<code>\rWalley</code>		<code>\Tongey</code>
	<code>\Cat</code>		<code>\Neutrey</code>		<code>\Sadey</code>		<code>\Vomey</code>
	<code>\cChangey{1}</code>		<code>\NiceReapey</code>		<code>\SchrodingersCat{0}</code>		<code>\Walley</code>
	<code>\Changey{1}</code>		<code>\Ninja</code>		<code>\Sey</code>		<code>\Winkey</code>
	<code>\Cooley</code>		<code>\Nursey</code>		<code>\Sleepy</code>		<code>\wInnocey</code>
	<code>\Innocey</code>		<code>\oldWinkey</code>		<code>\Smiley</code>		<code>\Xey</code>

All tikzsymbols symbols are implemented with *TikZ* graphics, not with a font. Hence, symbols like `\Ninja` can include color. In fact, most of the commands shown above accept one or more color arguments for further customization. Also note that `\cChangey`, `\Changey`, and `\SchrodingersCat` take a mandatory argument. See the tikzsymbols documentation for more information.

TABLE 550: tikzsymbols 3D Emoji

	<code>\dAnnoey</code>		<code>\dLaughey</code>		<code>\dSadey</code>		<code>\dVomey</code>
	<code>\dcChangey{1}</code>		<code>\dNeutrey</code>		<code>\dSey</code>		<code>\dWalley</code>
	<code>\dChangey{1}</code>		<code>\dNinja</code>		<code>\dSleepy</code>		<code>\dWinkey</code>
	<code>\dCooley</code>		<code>\dNursey</code>		<code>\dSmiley</code>		<code>\dXey</code>
	<code>\dInnocey</code>		<code>\drWalley</code>		<code>\dTongey</code>		<code>\olddWinkey</code>

All tikzsymbols symbols are implemented with *TikZ* graphics, not with a font. Hence, all of the symbols shown above can include color. In fact, each command in Table 550 accepts one or more color arguments for further customization. Note that `\dcChangey` and `\dChangey` also take a mandatory argument. See the tikzsymbols documentation for more information.

TABLE 551: utfsym Emoji

\usym{1F600}	\usym{1F614}	\usym{1F628}	\usym{1F63C}
\usym{1F601}	\usym{1F615}	\usym{1F629}	\usym{1F63D}
\usym{1F602}	\usym{1F616}	\usym{1F62A}	\usym{1F63E}
\usym{1F603}	\usym{1F617}	\usym{1F62B}	\usym{1F63F}
\usym{1F604}	\usym{1F618}	\usym{1F62C}	\usym{1F640}
\usym{1F605}	\usym{1F619}	\usym{1F62D}	\usym{1F641}
\usym{1F606}	\usym{1F61A}	\usym{1F62E}	\usym{1F642}
\usym{1F607}	\usym{1F61B}	\usym{1F62F}	\usym{1F643}
\usym{1F608}	\usym{1F61C}	\usym{1F630}	\usym{1F644}
\usym{1F609}	\usym{1F61D}	\usym{1F631}	\usym{1F645}
\usym{1F60A}	\usym{1F61E}	\usym{1F632}	\usym{1F646}
\usym{1F60B}	\usym{1F61F}	\usym{1F633}	\usym{1F647}
\usym{1F60C}	\usym{1F620}	\usym{1F634}	\usym{1F648}
\usym{1F60D}	\usym{1F621}	\usym{1F635}	\usym{1F649}
\usym{1F60E}	\usym{1F622}	\usym{1F636}	\usym{1F64A}
\usym{1F60F}	\usym{1F623}	\usym{1F637}	\usym{1F64B}
\usym{1F610}	\usym{1F624}	\usym{1F638}	\usym{1F64C}
\usym{1F611}	\usym{1F625}	\usym{1F639}	\usym{1F64D}
\usym{1F612}	\usym{1F626}	\usym{1F63A}	\usym{1F64E}
\usym{1F613}	\usym{1F627}	\usym{1F63B}	\usym{1F64F}

All utfsym symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the utfsym package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the utfsym documentation for more information.

TABLE 552: tikzsymbols Trees

\Autumtree	\Summertree	\WorstTree
\Springtree	\Wintertree	





All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, all of the symbols shown above can include color. tikzsymbols additionally defines a `\BasicTree` command that supports customization of trunk and leaf colors. See the tikzsymbols documentation for more information.

TABLE 553: Miscellaneous tikzsymbols Symbols

\Bed	\Chair	\Fire	\Snowman	\Tribar
\Candle	\Coffeecup	\Moai	\Strichmaxerl	

All tikzsymbols symbols are implemented with TikZ graphics, not with a font. `\Tribar` supports customization of the fill color for each bar. `\Strichmaxerl` supports customization of the angles at which the stick figure's arms and legs are drawn. See the tikzsymbols documentation for more information.

TABLE 554: Miscellaneous twemojis Emoji

<b>A</b>	<code>\twemoji{1f1e6}</code>		<code>\twemoji{man in lotus position}*</code>
<b>B</b>	<code>\twemoji{1f1e7}</code>		<code>\twemoji{man in manual wheelchair}*</code>
<b>C</b>	<code>\twemoji{1f1e8}</code>		<code>\twemoji{man in motorized wheelchair}*</code>
<b>D</b>	<code>\twemoji{1f1e9}</code>		<code>\twemoji{man in steamy room}*</code>
<b>E</b>	<code>\twemoji{1f1ea}</code>		<code>\twemoji{man in tuxedo}*</code>
<b>F</b>	<code>\twemoji{1f1eb}</code>		<code>\twemoji{man judge}*</code>
<b>G</b>	<code>\twemoji{1f1ec}</code>		<code>\twemoji{man juggling}*</code>
<b>H</b>	<code>\twemoji{1f1ed}</code>		<code>\twemoji{man kneeling}*</code>
<b>I</b>	<code>\twemoji{1f1ee}</code>		<code>\twemoji{man lifting weights}*</code>
<b>J</b>	<code>\twemoji{1f1ef}</code>		<code>\twemoji{man mage}*</code>
<b>K</b>	<code>\twemoji{1f1f0}</code>		<code>\twemoji{man mechanic}*</code>
<b>L</b>	<code>\twemoji{1f1f1}</code>		<code>\twemoji{man office worker}*</code>
<b>M</b>	<code>\twemoji{1f1f2}</code>		<code>\twemoji{man pilot}*</code>
<b>N</b>	<code>\twemoji{1f1f3}</code>		<code>\twemoji{man playing handball}*</code>
<b>O</b>	<code>\twemoji{1f1f4}</code>		<code>\twemoji{man playing water polo}*</code>
<b>P</b>	<code>\twemoji{1f1f5}</code>		<code>\twemoji{man police officer}*</code>
<b>Q</b>	<code>\twemoji{1f1f6}</code>		<code>\twemoji{man pouting}*</code>
<b>R</b>	<code>\twemoji{1f1f7}</code>		<code>\twemoji{man raising hand}*</code>
<b>S</b>	<code>\twemoji{1f1f8}</code>		<code>\twemoji{man running}*</code>
<b>T</b>	<code>\twemoji{1f1f9}</code>		<code>\twemoji{man scientist}*</code>
<b>U</b>	<code>\twemoji{1f1fa}</code>		<code>\twemoji{man shrugging}*</code>
<b>V</b>	<code>\twemoji{1f1fb}</code>		<code>\twemoji{man singer}*</code>
<b>W</b>	<code>\twemoji{1f1fc}</code>		<code>\twemoji{man standing}*</code>
<b>X</b>	<code>\twemoji{1f1fd}</code>		<code>\twemoji{man student}*</code>
<b>Y</b>	<code>\twemoji{1f1fe}</code>		<code>\twemoji{man superhero}*</code>
<b>Z</b>	<code>\twemoji{1f1ff}</code>		<code>\twemoji{man supervillain}*</code>
	<code>\twemoji{1f468-1f3fb-200d-1f384}</code>		<code>\twemoji{man surfing}*</code>
	<code>\twemoji{1f468-1f3fc-200d-1f384}</code>		<code>\twemoji{man swimming}*</code>
	<code>\twemoji{1f468-1f3fd-200d-1f384}</code>		<code>\twemoji{man teacher}*</code>
	<code>\twemoji{1f468-1f3fe-200d-1f384}</code>		<code>\twemoji{man technologist}*</code>
	<code>\twemoji{1f468-1f3ff-200d-1f384}</code>		<code>\twemoji{man tipping hand}*</code>
	<code>\twemoji{1f468-200d-1f384}</code>		<code>\twemoji{man vampire}*</code>
	<code>\twemoji{1f469-1f3fb-200d-1f384}</code>		<code>\twemoji{man walking}*</code>
	<code>\twemoji{1f469-1f3fc-200d-1f384}</code>		<code>\twemoji{man wearing turban}*</code>
	<code>\twemoji{1f469-1f3fd-200d-1f384}</code>		<code>\twemoji{man with veil}*</code>
	<code>\twemoji{1f469-1f3fe-200d-1f384}</code>		<code>\twemoji{man with white cane}*</code>
	<code>\twemoji{1f469-1f3ff-200d-1f384}</code>		<code>\twemoji{man zombie}</code>
	<code>\twemoji{1f469-200d-1f384}</code>		<code>\twemoji{man's shoe}</code>
	<code>\twemoji{1f574-1f3fb-200d-2640-fe0f}</code>		<code>\twemoji{manual wheelchair}</code>
	<code>\twemoji{1f574-1f3fb-200d-2642-fe0f}</code>		<code>\twemoji{map of Japan}</code>
	<code>\twemoji{1f574-1f3fc-200d-2640-fe0f}</code>		<code>\twemoji{maple leaf}</code>
	<code>\twemoji{1f574-1f3fc-200d-2642-fe0f}</code>		<code>\twemoji{martial arts uniform}</code>
	<code>\twemoji{1f574-1f3fd-200d-2640-fe0f}</code>		<code>\twemoji{mechanic}*</code>
	<code>\twemoji{1f574-1f3fd-200d-2642-fe0f}</code>		<code>\twemoji{mechanical arm}</code>
	<code>\twemoji{1f574-1f3fe-200d-2640-fe0f}</code>		<code>\twemoji{mechanical leg}</code>
	<code>\twemoji{1f574-1f3fe-200d-2642-fe0f}</code>		<code>\twemoji{medical symbol}</code>

(continued on next page)



(continued from previous page)

	<code>\twemoji{1f574-1f3ff-200d-2640-fe0f}</code>		<code>\twemoji{medium skin tone}</code>
	<code>\twemoji{1f574-1f3ff-200d-2642-fe0f}</code>		<code>\twemoji{medium-dark skin tone}</code>
	<code>\twemoji{1f574-fe0f-200d-2640-fe0f}</code>		<code>\twemoji{medium-light skin tone}</code>
	<code>\twemoji{1f574-fe0f-200d-2642-fe0f}</code>		<code>\twemoji{megaphone}</code>
	<code>\twemoji{1f576}</code>		<code>\twemoji{men holding hands}*</code>
	<code>\twemoji{1f6cf}</code>		<code>\twemoji{men with bunny ears}</code>
	<code>\twemoji{1st place medal}</code>		<code>\twemoji{men wrestling}</code>
	<code>\twemoji{26f7-1f3fb}</code>		<code>\twemoji{men's room}</code>
	<code>\twemoji{26f7-1f3fc}</code>		<code>\twemoji{menorah}</code>
	<code>\twemoji{26f7-1f3fd}</code>		<code>\twemoji{mermaid}*</code>
	<code>\twemoji{26f7-1f3fe}</code>		<code>\twemoji{merman}*</code>
	<code>\twemoji{26f7-1f3ff}</code>		<code>\twemoji{merperson}*</code>
	<code>\twemoji{270f}</code>		<code>\twemoji{microphone}</code>
	<code>\twemoji{2nd place medal}</code>		<code>\twemoji{microscope}</code>
	<code>\twemoji{3rd place medal}</code>		<code>\twemoji{middle finger}*</code>
	<code>\twemoji{A button (blood type)}</code>		<code>\twemoji{military helmet}</code>
	<code>\twemoji{AB button (blood type)}</code>		<code>\twemoji{military medal}</code>
	<code>\twemoji{abacus}</code>		<code>\twemoji{milky way}</code>
	<code>\twemoji{accordion}</code>		<code>\twemoji{minus}</code>
	<code>\twemoji{adhesive bandage}</code>		<code>\twemoji{mirror}</code>
	<code>\twemoji{admission tickets}</code>		<code>\twemoji{mobile phone}</code>
	<code>\twemoji{alembic}</code>		<code>\twemoji{mobile phone off}</code>
	<code>\twemoji{alien}</code>		<code>\twemoji{mobile phone with arrow}</code>
	<code>\twemoji{alien monster}</code>		<code>\twemoji{money bag}</code>
	<code>\twemoji{american football}</code>		<code>\twemoji{money with wings}</code>
	<code>\twemoji{amphora}</code>		<code>\twemoji{money-mouth face}</code>
	<code>\twemoji{anatomical heart}</code>		<code>\twemoji{moon viewing ceremony}</code>
	<code>\twemoji{anchor}</code>		<code>\twemoji{mosque}</code>
	<code>\twemoji{anger symbol}</code>		<code>\twemoji{motorized wheelchair}</code>
	<code>\twemoji{angry face}</code>		<code>\twemoji{mount fuji}</code>
	<code>\twemoji{angry face with horns}</code>		<code>\twemoji{mountain}</code>
	<code>\twemoji{anguished face}</code>		<code>\twemoji{mouse trap}</code>
	<code>\twemoji{antenna bars}</code>		<code>\twemoji{mouth}</code>
	<code>\twemoji{anxious face with sweat}</code>		<code>\twemoji{movie camera}</code>
	<code>\twemoji{Aquarius}</code>		<code>\twemoji{moyai}</code>
	<code>\twemoji{Aries}</code>		<code>\twemoji{Mrs. Claus}*</code>
	<code>\twemoji{artist}*</code>		<code>\twemoji{multiply}</code>
	<code>\twemoji{artist palette}</code>		<code>\twemoji{musical keyboard}</code>
	<code>\twemoji{astonished face}</code>		<code>\twemoji{musical note}</code>
	<code>\twemoji{astronaut}*</code>		<code>\twemoji{musical notes}</code>
	<code>\twemoji{ATM sign}</code>		<code>\twemoji{musical score}</code>
	<code>\twemoji{atom symbol}</code>		<code>\twemoji{muted speaker}</code>
	<code>\twemoji{axe}</code>		<code>\twemoji{mx claus}*</code>
	<code>\twemoji{B button (blood type)}</code>		<code>\twemoji{nail polish}*</code>
	<code>\twemoji{baby}*</code>		<code>\twemoji{name badge}</code>
	<code>\twemoji{baby angel}*</code>		<code>\twemoji{national park}</code>
	<code>\twemoji{baby bottle}</code>		<code>\twemoji{nauseated face}</code>
	<code>\twemoji{baby symbol}</code>		<code>\twemoji{nazar amulet}</code>
	<code>\twemoji{BACK arrow}</code>		<code>\twemoji{necktie}</code>

(continued on next page)

(continued from previous page)

\twemoji{backhand index pointing down}*	\twemoji{nerd face}
\twemoji{backhand index pointing left}*	\twemoji{nesting dolls}
\twemoji{backhand index pointing right}*	\twemoji{neutral face}
\twemoji{backhand index pointing up}*	\twemoji{NEW button}
\twemoji{backpack}	\twemoji{newspaper}
\twemoji{badminton}	\twemoji{next track button}
\twemoji{balance scale}	\twemoji{NG button}
\twemoji{bald}	\twemoji{night with stars}
\twemoji{ballet shoes}	\twemoji{ninja}*
\twemoji{balloon}	\twemoji{no entry}
\twemoji{ballot box with ballot}	\twemoji{no littering}
\twemoji{banjo}	\twemoji{no mobile phones}
\twemoji{bank}	\twemoji{no one under eighteen}
\twemoji{bar chart}	\twemoji{no pedestrians}
\twemoji{barber pole}	\twemoji{no smoking}
\twemoji{baseball}	\twemoji{non-potable water}
\twemoji{basket}	\twemoji{nose}*
\twemoji{basketball}	\twemoji{notebook}
\twemoji{bathtub}	\twemoji{notebook with decorative cover}
\twemoji{battery}	\twemoji{nut and bolt}
\twemoji{beach with umbrella}	\twemoji{O button (blood type)}
\twemoji{beaming face with smiling eyes}	\twemoji{office building}
\twemoji{beating heart}	\twemoji{office worker}*
\twemoji{bell}	\twemoji{ogre}
\twemoji{bell with slash}	\twemoji{oil drum}
\twemoji{bellhop bell}	\twemoji{OK button}
\twemoji{bikini}	\twemoji{OK hand}*
\twemoji{billed cap}	\twemoji{old key}
\twemoji{biohazard}	\twemoji{old man}*
\twemoji{birthday cake}	\twemoji{old woman}*
\twemoji{bison}	\twemoji{older person}*
\twemoji{black circle}	\twemoji{om}
\twemoji{black flag}	\twemoji{ON! arrow}
\twemoji{black heart}	\twemoji{oncoming fist}*
\twemoji{black large square}	\twemoji{one-piece swimsuit}
\twemoji{black medium square}	\twemoji{open book}
\twemoji{black medium-small square}	\twemoji{open file folder}
\twemoji{black nib}	\twemoji{open hands}*
\twemoji{black small square}	\twemoji{open mailbox with lowered flag}
\twemoji{black square button}	\twemoji{open mailbox with raised flag}
\twemoji{blossom}	\twemoji{Ophiuchus}

(continued on next page)

(continued from previous page)

	<code>\twemoji{blue book}</code>		<code>\twemoji{optical disk}</code>
	<code>\twemoji{blue circle}</code>		<code>\twemoji{orange book}</code>
	<code>\twemoji{blue heart}</code>		<code>\twemoji{orange circle}</code>
	<code>\twemoji{blue square}</code>		<code>\twemoji{orange heart}</code>
	<code>\twemoji{bomb}</code>		<code>\twemoji{orange square}</code>
	<code>\twemoji{bone}</code>		<code>\twemoji{orthodox cross}</code>
	<code>\twemoji{bookmark}</code>		<code>\twemoji{outbox tray}</code>
	<code>\twemoji{bookmark tabs}</code>		<code>\twemoji{P button}</code>
	<code>\twemoji{books}</code>		<code>\twemoji{package}</code>
	<code>\twemoji{boomerang}</code>		<code>\twemoji{page facing up}</code>
	<code>\twemoji{bouquet}</code>		<code>\twemoji{page with curl}</code>
	<code>\twemoji{bow and arrow}</code>		<code>\twemoji{pager}</code>
	<code>\twemoji{bowling}</code>		<code>\twemoji{paintbrush}</code>
	<code>\twemoji{boxing glove}</code>		<code>\twemoji{palm tree}</code>
	<code>\twemoji{boy}*</code>		<code>\twemoji{palms up together}*</code>
	<code>\twemoji{brain}</code>		<code>\twemoji{paperclip}</code>
	<code>\twemoji{breast-feeding}*</code>		<code>\twemoji{parachute}</code>
	<code>\twemoji{bricks}</code>		<code>\twemoji{part alternation mark}</code>
	<code>\twemoji{bridge at night}</code>		<code>\twemoji{party popper}</code>
	<code>\twemoji{briefcase}</code>		<code>\twemoji{partying face}</code>
	<code>\twemoji{briefs}</code>		<code>\twemoji{pause button}</code>
	<code>\twemoji{bright button}</code>		<code>\twemoji{peace symbol}</code>
	<code>\twemoji{broken heart}</code>		<code>\twemoji{pen}</code>
	<code>\twemoji{broom}</code>		<code>\twemoji{pencil}</code>
	<code>\twemoji{brown circle}</code>		<code>\twemoji{pensive face}</code>
	<code>\twemoji{brown heart}</code>		<code>\twemoji{people holding hands}*</code>
	<code>\twemoji{brown square}</code>		<code>\twemoji{people hugging}</code>
	<code>\twemoji{bucket}</code>		<code>\twemoji{people with bunny ears}</code>
	<code>\twemoji{building construction}</code>		<code>\twemoji{people wrestling}</code>
	<code>\twemoji{bullseye}</code>		<code>\twemoji{performing arts}</code>
	<code>\twemoji{bust in silhouette}</code>		<code>\twemoji{persevering face}</code>
	<code>\twemoji{busts in silhouette}</code>		<code>\twemoji{person}*</code>
	<code>\twemoji{cactus}</code>		<code>\twemoji{person bouncing ball}*</code>
	<code>\twemoji{call me hand}*</code>		<code>\twemoji{person bowing}*</code>
	<code>\twemoji{camera}</code>		<code>\twemoji{person cartwheeling}*</code>
	<code>\twemoji{camera with flash}</code>		<code>\twemoji{person climbing}*</code>
	<code>\twemoji{camping}</code>		<code>\twemoji{person facepalming}*</code>
	<code>\twemoji{Cancer}</code>		<code>\twemoji{person feeding baby}*</code>
	<code>\twemoji{candle}</code>		<code>\twemoji{person fencing}</code>
	<code>\twemoji{Capricorn}</code>		<code>\twemoji{person frowning}*</code>
	<code>\twemoji{card file box}</code>		<code>\twemoji{person gesturing NO}*</code>
	<code>\twemoji{card index}</code>		<code>\twemoji{person gesturing OK}*</code>
	<code>\twemoji{card index dividers}</code>		<code>\twemoji{person getting haircut}*</code>
	<code>\twemoji{carousel horse}</code>		<code>\twemoji{person getting massage}*</code>
	<code>\twemoji{carp streamer}</code>		<code>\twemoji{person golfing}*</code>
	<code>\twemoji{carpentry saw}</code>		<code>\twemoji{person in bed}*</code>
	<code>\twemoji{castle}</code>		<code>\twemoji{person in lotus position}*</code>
	<code>\twemoji{cat with tears of joy}</code>		<code>\twemoji{person in manual wheelchair}*</code>

(continued on next page)

(continued from previous page)

	<code>\twemoji{cat with wry smile}</code>		<code>\twemoji{person in motorized wheelchair}*</code>
	<code>\twemoji{chains}</code>		<code>\twemoji{person in steamy room}*</code>
	<code>\twemoji{chair}</code>		<code>\twemoji{person in suit levitating}*</code>
	<code>\twemoji{chart decreasing}</code>		<code>\twemoji{person in tuxedo}*</code>
	<code>\twemoji{chart increasing}</code>		<code>\twemoji{person juggling}*</code>
	<code>\twemoji{chart increasing with yen}</code>		<code>\twemoji{person kneeling}*</code>
	<code>\twemoji{check box with check}</code>		<code>\twemoji{person lifting weights}*</code>
	<code>\twemoji{check mark}</code>		<code>\twemoji{person playing handball}*</code>
	<code>\twemoji{check mark button}</code>		<code>\twemoji{person playing water polo}*</code>
	<code>\twemoji{chequered flag}</code>		<code>\twemoji{person pouting}*</code>
	<code>\twemoji{cherry blossom}</code>		<code>\twemoji{person raising hand}*</code>
	<code>\twemoji{chess pawn}</code>		<code>\twemoji{person running}*</code>
	<code>\twemoji{chestnut}</code>		<code>\twemoji{person shrugging}*</code>
	<code>\twemoji{child}*</code>		<code>\twemoji{person standing}*</code>
	<code>\twemoji{children crossing}</code>		<code>\twemoji{person surfing}*</code>
	<code>\twemoji{Christmas tree}</code>		<code>\twemoji{person swimming}*</code>
	<code>\twemoji{church}</code>		<code>\twemoji{person taking bath}*</code>
	<code>\twemoji{cigarette}</code>		<code>\twemoji{person tipping hand}*</code>
	<code>\twemoji{cinema}</code>		<code>\twemoji{person walking}*</code>
	<code>\twemoji{circled M}</code>		<code>\twemoji{person wearing turban}*</code>
	<code>\twemoji{circus tent}</code>		<code>\twemoji{person with skullcap}*</code>
	<code>\twemoji{cityscape}</code>		<code>\twemoji{person with veil}*</code>
	<code>\twemoji{cityscape at dusk}</code>		<code>\twemoji{person with white cane}*</code>
	<code>\twemoji{CL button}</code>		<code>\twemoji{petri dish}</code>
	<code>\twemoji{clamp}</code>		<code>\twemoji{pick}</code>
	<code>\twemoji{clapper board}</code>		<code>\twemoji{pile of poo}</code>
	<code>\twemoji{clapping hands}*</code>		<code>\twemoji{pill}</code>
	<code>\twemoji{classical building}</code>		<code>\twemoji{pilot}*</code>
	<code>\twemoji{clipboard}</code>		<code>\twemoji{pinched fingers}*</code>
	<code>\twemoji{clockwise vertical arrows}</code>		<code>\twemoji{pinching hand}*</code>
	<code>\twemoji{closed book}</code>		<code>\twemoji{pine decoration}</code>
	<code>\twemoji{closed mailbox with lowered flag}</code>		<code>\twemoji{ping pong}</code>
	<code>\twemoji{closed mailbox with raised flag}</code>		<code>\twemoji{Pisces}</code>
	<code>\twemoji{closed umbrella}</code>		<code>\twemoji{piata}</code>
	<code>\twemoji{clown face}</code>		<code>\twemoji{placard}</code>
	<code>\twemoji{clutch bag}</code>		<code>\twemoji{place of worship}</code>
	<code>\twemoji{coat}</code>		<code>\twemoji{play button}</code>
	<code>\twemoji{coffin}</code>		<code>\twemoji{play or pause button}</code>
	<code>\twemoji{coin}</code>		<code>\twemoji{pleading face}</code>
	<code>\twemoji{cold face}</code>		<code>\twemoji{plunger}</code>
	<code>\twemoji{collision}</code>		<code>\twemoji{plus}</code>
	<code>\twemoji{comet}</code>		<code>\twemoji{police officer}*</code>
	<code>\twemoji{compass}</code>		<code>\twemoji{pool 8 ball}</code>
	<code>\twemoji{computer}</code>		<code>\twemoji{post office}</code>
	<code>\twemoji{computer disk}</code>		<code>\twemoji{postal horn}</code>
	<code>\twemoji{computer mouse}</code>		<code>\twemoji{postbox}</code>

(continued on next page)

(continued from previous page)

	<code>\twemoji{confetti ball}</code>		<code>\twemoji{potable water}</code>
	<code>\twemoji{confounded face}</code>		<code>\twemoji{potted plant}</code>
	<code>\twemoji{confused face}</code>		<code>\twemoji{pound banknote}</code>
	<code>\twemoji{construction worker}*</code>		<code>\twemoji{pouting cat}</code>
	<code>\twemoji{control knobs}</code>		<code>\twemoji{pouting face}</code>
	<code>\twemoji{convenience store}</code>		<code>\twemoji{prayer beads}</code>
	<code>\twemoji{cook}*</code>		<code>\twemoji{pregnant woman}*</code>
	<code>\twemoji{COOL button}</code>		<code>\twemoji{prince}*</code>
	<code>\twemoji{copyright}</code>		<code>\twemoji{princess}*</code>
	<code>\twemoji{couch and lamp}</code>		<code>\twemoji{printer}</code>
	<code>\twemoji{counterclockwise arrows button}</code>		<code>\twemoji{prohibited}</code>
	<code>\twemoji{couple with heart}*</code>		<code>\twemoji{purple circle}</code>
	<code>\twemoji{couplekiss}</code>		<code>\twemoji{purple heart}</code>
	<code>\twemoji{cowboy hat face}</code>		<code>\twemoji{purple square}</code>
	<code>\twemoji{crayon}</code>		<code>\twemoji{purse}</code>
	<code>\twemoji{credit card}</code>		<code>\twemoji{pushpin}</code>
	<code>\twemoji{cricket game}</code>		<code>\twemoji{puzzle piece}</code>
	<code>\twemoji{cross mark}</code>		<code>\twemoji{radio}</code>
	<code>\twemoji{cross mark button}</code>		<code>\twemoji{radio button}</code>
	<code>\twemoji{crossed fingers}*</code>		<code>\twemoji{radioactive}</code>
	<code>\twemoji{crossed flags}</code>		<code>\twemoji{rainbow}</code>
	<code>\twemoji{crossed swords}</code>		<code>\twemoji{raised back of hand}*</code>
	<code>\twemoji{crown}</code>		<code>\twemoji{raised fist}*</code>
	<code>\twemoji{crying cat}</code>		<code>\twemoji{raised hand}*</code>
	<code>\twemoji{crying face}</code>		<code>\twemoji{raising hands}*</code>
	<code>\twemoji{crystal ball}</code>		<code>\twemoji{razor}</code>
	<code>\twemoji{curling stone}</code>		<code>\twemoji{receipt}</code>
	<code>\twemoji{curly hair}</code>		<code>\twemoji{record button}</code>
	<code>\twemoji{curly loop}</code>		<code>\twemoji{recycling symbol}</code>
	<code>\twemoji{currency exchange}</code>		<code>\twemoji{red circle}</code>
	<code>\twemoji{cyclone}</code>		<code>\twemoji{red envelope}</code>
	<code>\twemoji{dagger}</code>		<code>\twemoji{red exclamation mark}</code>
	<code>\twemoji{dark skin tone}</code>		<code>\twemoji{red hair}</code>
	<code>\twemoji{dashing away}</code>		<code>\twemoji{red heart}</code>
	<code>\twemoji{date}</code>		<code>\twemoji{red paper lantern}</code>
	<code>\twemoji{deaf man}*</code>		<code>\twemoji{red question mark}</code>
	<code>\twemoji{deaf person}*</code>		<code>\twemoji{red square}</code>
	<code>\twemoji{deaf woman}*</code>		<code>\twemoji{red triangle pointed down}</code>
	<code>\twemoji{deciduous tree}</code>		<code>\twemoji{red triangle pointed up}</code>
	<code>\twemoji{department store}</code>		<code>\twemoji{registered}</code>
	<code>\twemoji{derelict house}</code>		<code>\twemoji{relieved face}</code>
	<code>\twemoji{desert}</code>		<code>\twemoji{reminder ribbon}</code>
	<code>\twemoji{desert island}</code>		<code>\twemoji{repeat button}</code>
	<code>\twemoji{desktop computer}</code>		<code>\twemoji{repeat single button}</code>
	<code>\twemoji{detective}*</code>		<code>\twemoji{rescue worker's helmet}</code>
	<code>\twemoji{diamond with a dot}</code>		<code>\twemoji{restroom}</code>
	<code>\twemoji{dim button}</code>		<code>\twemoji{reverse button}</code>
	<code>\twemoji{disappointed face}</code>		<code>\twemoji{revolving hearts}</code>










(continued on next page)

(continued from previous page)

	<code>\twemoji{disguised face}</code>		<code>\twemoji{ribbon}</code>
	<code>\twemoji{divide}</code>		<code>\twemoji{right anger bubble}</code>
	<code>\twemoji{diving mask}</code>		<code>\twemoji{right arrow}</code>
	<code>\twemoji{diya lamp}</code>		<code>\twemoji{right arrow curving down}</code>
	<code>\twemoji{dizzy}</code>		<code>\twemoji{right arrow curving left}</code>
	<code>\twemoji{dna}</code>		<code>\twemoji{right arrow curving up}</code>
	<code>\twemoji{dollar banknote}</code>		<code>\twemoji{right-facing fist}*</code>
	<code>\twemoji{door}</code>		<code>\twemoji{ring}</code>
	<code>\twemoji{dotted six-pointed star}</code>		<code>\twemoji{ringed planet}</code>
	<code>\twemoji{double curly loop}</code>		<code>\twemoji{robot}</code>
	<code>\twemoji{double exclamation mark}</code>		<code>\twemoji{rock}</code>
	<code>\twemoji{dove}</code>		<code>\twemoji{roll of paper}</code>
	<code>\twemoji{down arrow}</code>		<code>\twemoji{rolled-up newspaper}</code>
	<code>\twemoji{down-left arrow}</code>		<code>\twemoji{roller coaster}</code>
	<code>\twemoji{down-right arrow}</code>		<code>\twemoji{rolling on the floor laughing}</code>
	<code>\twemoji{downcast face with sweat}</code>		<code>\twemoji{rose}</code>
	<code>\twemoji{downwards button}</code>		<code>\twemoji{rosette}</code>
	<code>\twemoji{dress}</code>		<code>\twemoji{round pushpin}</code>
	<code>\twemoji{drooling face}</code>		<code>\twemoji{rugby football}</code>
	<code>\twemoji{drop of blood}</code>		<code>\twemoji{running shirt}</code>
	<code>\twemoji{droplet}</code>		<code>\twemoji{running shoe}</code>
	<code>\twemoji{drum}</code>		<code>\twemoji{sad but relieved face}</code>
	<code>\twemoji{dvd}</code>		<code>\twemoji{safety pin}</code>
	<code>\twemoji{e-mail}</code>		<code>\twemoji{safety vest}</code>
	<code>\twemoji{e50a}</code>		<code>\twemoji{Sagittarius}</code>
	<code>\twemoji{ear}*</code>		<code>\twemoji{sailboat}</code>
	<code>\twemoji{ear of corn}</code>		<code>\twemoji{Santa Claus}*</code>
	<code>\twemoji{ear with hearing aid}*</code>		<code>\twemoji{sari}</code>
	<code>\twemoji{eight-pointed star}</code>		<code>\twemoji{satellite antenna}</code>
	<code>\twemoji{eight-spoked asterisk}</code>		<code>\twemoji{saxophone}</code>
	<code>\twemoji{eject button}</code>		<code>\twemoji{scarf}</code>
	<code>\twemoji{electric plug}</code>		<code>\twemoji{school}</code>
	<code>\twemoji{elevator}</code>		<code>\twemoji{scientist}*</code>
	<code>\twemoji{elf}*</code>		<code>\twemoji{scissors}</code>
	<code>\twemoji{END arrow}</code>		<code>\twemoji{scorpius}</code>
	<code>\twemoji{envelope}</code>		<code>\twemoji{screwdriver}</code>
	<code>\twemoji{envelope with arrow}</code>		<code>\twemoji{scroll}</code>
	<code>\twemoji{euro banknote}</code>		<code>\twemoji{seat}</code>
	<code>\twemoji{evergreen tree}</code>		<code>\twemoji{see-no-evil monkey}</code>
	<code>\twemoji{exclamation question mark}</code>		<code>\twemoji{seedling}</code>
	<code>\twemoji{exploding head}</code>		<code>\twemoji{selfie}*</code>
	<code>\twemoji{expressionless face}</code>		<code>\twemoji{sewing needle}</code>
	<code>\twemoji{eye}</code>		<code>\twemoji{shamrock}</code>
	<code>\twemoji{eye in speech bubble}</code>		<code>\twemoji{sheaf of rice}</code>
	<code>\twemoji{eyeglasses}</code>		<code>\twemoji{shield}</code>
	<code>\twemoji{eyes}</code>		<code>\twemoji{shinto shrine}</code>
	<code>\twemoji{face blowing a kiss}</code>		<code>\twemoji{shooting star}</code>
	<code>\twemoji{face savoring food}</code>		<code>\twemoji{shopping bags}</code>

(continued on next page)

(continued from previous page)

	<code>\twemoji{face screaming in fear}</code>		<code>\twemoji{shopping cart}</code>
	<code>\twemoji{face vomiting}</code>		<code>\twemoji{shorts}</code>
	<code>\twemoji{face with hand over mouth}</code>		<code>\twemoji{shower}</code>
	<code>\twemoji{face with head-bandage}</code>		<code>\twemoji{shuffle tracks button}</code>
	<code>\twemoji{face with medical mask}</code>		<code>\twemoji{shushing face}</code>
	<code>\twemoji{face with monocle}</code>		<code>\twemoji{sign of the horns}*</code>
	<code>\twemoji{face with open mouth}</code>		<code>\twemoji{singer}*</code>
	<code>\twemoji{face with raised eyebrow}</code>		<code>\twemoji{skier}</code>
	<code>\twemoji{face with rolling eyes}</code>		<code>\twemoji{skis}</code>
	<code>\twemoji{face with steam from nose}</code>		<code>\twemoji{skull}</code>
	<code>\twemoji{face with symbols on mouth}</code>		<code>\twemoji{skull and crossbones}</code>
	<code>\twemoji{face with tears of joy}</code>		<code>\twemoji{sleeping face}</code>
	<code>\twemoji{face with thermometer}</code>		<code>\twemoji{sleepy face}</code>
	<code>\twemoji{face with tongue}</code>		<code>\twemoji{slightly frowning face}</code>
	<code>\twemoji{face without mouth}</code>		<code>\twemoji{slightly smiling face}</code>
	<code>\twemoji{factory}</code>		<code>\twemoji{slot machine}</code>
	<code>\twemoji{factory worker}*</code>		<code>\twemoji{small blue diamond}</code>
	<code>\twemoji{fairy}*</code>		<code>\twemoji{small orange diamond}</code>
	<code>\twemoji{fallen leaf}</code>		<code>\twemoji{smiling cat with heart-eyes}</code>
	<code>\twemoji{family}*</code>		<code>\twemoji{smiling face}</code>
	<code>\twemoji{farmer}*</code>		<code>\twemoji{smiling face with halo}</code>
	<code>\twemoji{fast down button}</code>		<code>\twemoji{smiling face with heart-eyes}</code>
	<code>\twemoji{fast reverse button}</code>		<code>\twemoji{smiling face with hearts}</code>
	<code>\twemoji{fast up button}</code>		<code>\twemoji{smiling face with horns}</code>
	<code>\twemoji{fast-forward button}</code>		<code>\twemoji{smiling face with smiling eyes}</code>
	<code>\twemoji{fax machine}</code>		<code>\twemoji{smiling face with sunglasses}</code>
	<code>\twemoji{fearful face}</code>		<code>\twemoji{smiling face with tear}</code>
	<code>\twemoji{feather}</code>		<code>\twemoji{smirking face}</code>
	<code>\twemoji{female sign}</code>		<code>\twemoji{sneezing face}</code>
	<code>\twemoji{ferris wheel}</code>		<code>\twemoji{snow-capped mountain}</code>
	<code>\twemoji{ferry}</code>		<code>\twemoji{snowboarder}*</code>
	<code>\twemoji{field hockey}</code>		<code>\twemoji{snowflake}</code>
	<code>\twemoji{file cabinet}</code>		<code>\twemoji{snowman}</code>
	<code>\twemoji{file folder}</code>		<code>\twemoji{snowman without snow}</code>
	<code>\twemoji{film frames}</code>		<code>\twemoji{soap}</code>
	<code>\twemoji{film projector}</code>		<code>\twemoji{soccer ball}</code>
	<code>\twemoji{fire}</code>		<code>\twemoji{socks}</code>
	<code>\twemoji{fire extinguisher}</code>		<code>\twemoji{softball}</code>
	<code>\twemoji{firecracker}</code>		<code>\twemoji{SOON arrow}</code>
	<code>\twemoji{firefighter}*</code>		<code>\twemoji{SOS button}</code>
	<code>\twemoji{fireworks}</code>		<code>\twemoji{sparkle}</code>
	<code>\twemoji{fishing pole}</code>		<code>\twemoji{sparkler}</code>
	<code>\twemoji{flag in hole}</code>		<code>\twemoji{sparkles}</code>
	<code>\twemoji{flashlight}</code>		<code>\twemoji{sparkling heart}</code>

(continued on next page)































































































(continued from previous page)

	<code>\twemoji{flat shoe}</code>		<code>\twemoji{speak-no-evil monkey}</code>
	<code>\twemoji{fleur-de-lis}</code>		<code>\twemoji{speaker high volume}</code>
	<code>\twemoji{flexed biceps}*</code>		<code>\twemoji{speaker low volume}</code>
	<code>\twemoji{floppy disk}</code>		<code>\twemoji{speaker medium volume}</code>
	<code>\twemoji{flower playing cards}</code>		<code>\twemoji{speaking head}</code>
	<code>\twemoji{flushed face}</code>		<code>\twemoji{speech balloon}</code>
	<code>\twemoji{flying disc}</code>		<code>\twemoji{spider}</code>
	<code>\twemoji{foggy}</code>		<code>\twemoji{spider web}</code>
	<code>\twemoji{folded hands}*</code>		<code>\twemoji{spiral calendar}</code>
	<code>\twemoji{foot}*</code>		<code>\twemoji{spiral notepad}</code>
	<code>\twemoji{footprints}</code>		<code>\twemoji{sponge}</code>
	<code>\twemoji{fountain}</code>		<code>\twemoji{spoon}</code>
	<code>\twemoji{fountain pen}</code>		<code>\twemoji{sports medal}</code>
	<code>\twemoji{four leaf clover}</code>		<code>\twemoji{squinting face with tongue}</code>
	<code>\twemoji{framed picture}</code>		<code>\twemoji{stadium}</code>
	<code>\twemoji{FREE button}</code>		<code>\twemoji{star}</code>
	<code>\twemoji{frowning face}</code>		<code>\twemoji{star and crescent}</code>
	<code>\twemoji{frowning face with open mouth}</code>		<code>\twemoji{star of David}</code>
	<code>\twemoji{fuel pump}</code>		<code>\twemoji{star-struck}</code>
	<code>\twemoji{funeral urn}</code>		<code>\twemoji{Statue of Liberty}</code>
	<code>\twemoji{game die}</code>		<code>\twemoji{stethoscope}</code>
	<code>\twemoji{gear}</code>		<code>\twemoji{stop button}</code>
	<code>\twemoji{gem stone}</code>		<code>\twemoji{stop sign}</code>
	<code>\twemoji{Gemini}</code>		<code>\twemoji{straight ruler}</code>
	<code>\twemoji{genie}</code>		<code>\twemoji{student}*</code>
	<code>\twemoji{ghost}</code>		<code>\twemoji{studio microphone}</code>
	<code>\twemoji{girl}*</code>		<code>\twemoji{sun with face}</code>
	<code>\twemoji{globe showing Americas}</code>		<code>\twemoji{sunflower}</code>
	<code>\twemoji{globe showing Asia-Australia}</code>		<code>\twemoji{sunrise}</code>
	<code>\twemoji{globe showing Europe-Africa}</code>		<code>\twemoji{sunrise over mountains}</code>
	<code>\twemoji{globe with meridians}</code>		<code>\twemoji{sunset}</code>
	<code>\twemoji{gloves}</code>		<code>\twemoji{superhero}*</code>
	<code>\twemoji{glowing star}</code>		<code>\twemoji{supervillain}*</code>
	<code>\twemoji{goal net}</code>		<code>\twemoji{sweat droplets}</code>
	<code>\twemoji{goblin}</code>		<code>\twemoji{synagogue}</code>
	<code>\twemoji{goggles}</code>		<code>\twemoji{syringe}</code>
	<code>\twemoji{graduation cap}</code>		<code>\twemoji{t-shirt}</code>
	<code>\twemoji{green book}</code>		<code>\twemoji{tanabata tree}</code>
	<code>\twemoji{green circle}</code>		<code>\twemoji{Taurus}</code>
	<code>\twemoji{green heart}</code>		<code>\twemoji{teacher}*</code>
	<code>\twemoji{green square}</code>		<code>\twemoji{tear-off calendar}</code>
	<code>\twemoji{grimacing face}</code>		<code>\twemoji{technologist}*</code>
	<code>\twemoji{grinning cat}</code>		<code>\twemoji{teddy bear}</code>
	<code>\twemoji{grinning cat with smiling eyes}</code>		<code>\twemoji{telephone}</code>

(continued on next page)



(continued from previous page)

	<code>\twemoji{grinning face}</code>		<code>\twemoji{telephone receiver}</code>
	<code>\twemoji{grinning face with big eyes}</code>		<code>\twemoji{telescope}</code>
	<code>\twemoji{grinning face with smiling eyes}</code>		<code>\twemoji{television}</code>
	<code>\twemoji{grinning face with sweat}</code>		<code>\twemoji{tennis}</code>
	<code>\twemoji{grinning squinting face}</code>		<code>\twemoji{tent}</code>
	<code>\twemoji{growing heart}</code>		<code>\twemoji{test tube}</code>
	<code>\twemoji{guard}</code> *		<code>\twemoji{thinking face}</code>
	<code>\twemoji{guitar}</code>		<code>\twemoji{thong sandal}</code>
	<code>\twemoji{hammer}</code>		<code>\twemoji{thought balloon}</code>
	<code>\twemoji{hammer and pick}</code>		<code>\twemoji{thread}</code>
	<code>\twemoji{hammer and wrench}</code>		<code>\twemoji{thumbs down}</code> *
	<code>\twemoji{hand with fingers splayed}</code> *		<code>\twemoji{thumbs up}</code> *
	<code>\twemoji{handbag}</code>		<code>\twemoji{ticket}</code>
	<code>\twemoji{handshake}</code>		<code>\twemoji{tired face}</code>
	<code>\twemoji{headphones}</code>		<code>\twemoji{toilet}</code>
	<code>\twemoji{headstone}</code>		<code>\twemoji{Tokyo tower}</code>
	<code>\twemoji{health worker}</code> *		<code>\twemoji{tongue}</code>
	<code>\twemoji{hear-no-evil monkey}</code>		<code>\twemoji{toolbox}</code>
	<code>\twemoji{heart decoration}</code>		<code>\twemoji{tooth}</code>
	<code>\twemoji{heart exclamation}</code>		<code>\twemoji{toothbrush}</code>
	<code>\twemoji{heart with arrow}</code>		<code>\twemoji{TOP arrow}</code>
	<code>\twemoji{heart with ribbon}</code>		<code>\twemoji{top hat}</code>
	<code>\twemoji{heavy dollar sign}</code>		<code>\twemoji{trackball}</code>
	<code>\twemoji{herb}</code>		<code>\twemoji{trade mark}</code>
	<code>\twemoji{hibiscus}</code>		<code>\twemoji{transgender symbol}</code>
	<code>\twemoji{high voltage}</code>		<code>\twemoji{triangular flag}</code>
	<code>\twemoji{high-heeled shoe}</code>		<code>\twemoji{triangular ruler}</code>
	<code>\twemoji{hiking boot}</code>		<code>\twemoji{trident emblem}</code>
	<code>\twemoji{hindu temple}</code>		<code>\twemoji{trophy}</code>
	<code>\twemoji{hole}</code>		<code>\twemoji{trumpet}</code>
	<code>\twemoji{hollow red circle}</code>		<code>\twemoji{tulip}</code>
	<code>\twemoji{hook}</code>		<code>\twemoji{two hearts}</code>
	<code>\twemoji{horse racing}</code> *		<code>\twemoji{umbrella}</code>
	<code>\twemoji{hospital}</code>		<code>\twemoji{umbrella on ground}</code>
	<code>\twemoji{hot face}</code>		<code>\twemoji{umbrella with rain drops}</code>
	<code>\twemoji{hot springs}</code>		<code>\twemoji{unamused face}</code>
	<code>\twemoji{hotel}</code>		<code>\twemoji{unlocked}</code>
	<code>\twemoji{house}</code>		<code>\twemoji{up arrow}</code>
	<code>\twemoji{house with garden}</code>		<code>\twemoji{UP! button}</code>
	<code>\twemoji{houses}</code>		<code>\twemoji{up-down arrow}</code>
	<code>\twemoji{hugging face}</code>		<code>\twemoji{up-left arrow}</code>
	<code>\twemoji{hundred points}</code>		<code>\twemoji{up-right arrow}</code>
	<code>\twemoji{hushed face}</code>		<code>\twemoji{upside-down face}</code>
	<code>\twemoji{hut}</code>		<code>\twemoji{upwards button}</code>
	<code>\twemoji{ice hockey}</code>		<code>\twemoji{vampire}</code> *
	<code>\twemoji{ice skate}</code>		<code>\twemoji{vibration mode}</code>
	<code>\twemoji{ID button}</code>		<code>\twemoji{victory hand}</code> *

(continued on next page)

(continued from previous page)

	<code>\twemoji{inbox tray}</code>		<code>\twemoji{video camera}</code>
	<code>\twemoji{incoming envelope}</code>		<code>\twemoji{video game}</code>
	<code>\twemoji{index pointing up}*</code>		<code>\twemoji{videocassette}</code>
	<code>\twemoji{infinity}</code>		<code>\twemoji{violin}</code>
	<code>\twemoji{information}</code>		<code>\twemoji{Virgo}</code>
	<code>\twemoji{input latin letters}</code>		<code>\twemoji{volcano}</code>
	<code>\twemoji{input latin lowercase}</code>		<code>\twemoji{volleyball}</code>
	<code>\twemoji{input latin uppercase}</code>		<code>\twemoji{VS button}</code>
	<code>\twemoji{input numbers}</code>		<code>\twemoji{vulcan salute}*</code>
	<code>\twemoji{input symbols}</code>		<code>\twemoji{warning}</code>
	<code>\twemoji{jack-o-lantern}</code>		<code>\twemoji{wastebasket}</code>
	<code>\twemoji{Japanese ‘acceptable’ button}</code>		<code>\twemoji{watch}</code>
	<code>\twemoji{Japanese ‘application’ button}</code>		<code>\twemoji{water closet}</code>
	<code>\twemoji{Japanese ‘bargain’ button}</code>		<code>\twemoji{water pistol}</code>
	<code>\twemoji{Japanese ‘congratulations’ button}</code>		<code>\twemoji{water wave}</code>
	<code>\twemoji{Japanese ‘discount’ button}</code>		<code>\twemoji{waving hand}*</code>
	<code>\twemoji{Japanese ‘free of charge’ button}</code>		<code>\twemoji{wavy dash}</code>
	<code>\twemoji{Japanese ‘here’ button}</code>		<code>\twemoji{weary cat}</code>
	<code>\twemoji{Japanese ‘monthly amount’ button}</code>		<code>\twemoji{weary face}</code>
	<code>\twemoji{Japanese ‘no vacancy’ button}</code>		<code>\twemoji{wedding}</code>
	<code>\twemoji{Japanese ‘not free of charge’ button}</code>		<code>\twemoji{wheel of dharma}</code>
	<code>\twemoji{Japanese ‘open for business’ button}</code>		<code>\twemoji{wheelchair symbol}</code>
	<code>\twemoji{Japanese ‘passing grade’ button}</code>		<code>\twemoji{white cane}</code>
	<code>\twemoji{Japanese ‘prohibited’ button}</code>		<code>\twemoji{white circle}</code>
	<code>\twemoji{Japanese ‘reserved’ button}</code>		<code>\twemoji{white exclamation mark}</code>
	<code>\twemoji{Japanese ‘secret’ button}</code>		<code>\twemoji{white flag}</code>
	<code>\twemoji{Japanese ‘service charge’ button}</code>		<code>\twemoji{white flower}</code>
	<code>\twemoji{Japanese ‘vacancy’ button}</code>		<code>\twemoji{white hair}</code>
	<code>\twemoji{Japanese castle}</code>		<code>\twemoji{white heart}</code>
	<code>\twemoji{Japanese dolls}</code>		<code>\twemoji{white large square}</code>
	<code>\twemoji{Japanese post office}</code>		<code>\twemoji{white medium square}</code>
	<code>\twemoji{Japanese symbol for beginner}</code>		<code>\twemoji{white medium-small square}</code>

(continued on next page)

(continued from previous page)

	<code>\twemoji{jeans}</code>		<code>\twemoji{white question mark}</code>
	<code>\twemoji{joker}</code>		<code>\twemoji{white small square}</code>
	<code>\twemoji{joystick}</code>		<code>\twemoji{white square button}</code>
	<code>\twemoji{judge}*</code>		<code>\twemoji{wilted flower}</code>
	<code>\twemoji{kaaba}</code>		<code>\twemoji{wind chime}</code>
	<code>\twemoji{key}</code>		<code>\twemoji{window}</code>
	<code>\twemoji{keyboard}</code>		<code>\twemoji{winking face}</code>
	<code>\twemoji{keycap: 0}</code>		<code>\twemoji{winking face with tongue}</code>
	<code>\twemoji{keycap: 1}</code>		<code>\twemoji{woman}*</code>
	<code>\twemoji{keycap: 2}</code>		<code>\twemoji{woman and man holding hands}*</code>
	<code>\twemoji{keycap: 3}</code>		<code>\twemoji{woman artist}*</code>
	<code>\twemoji{keycap: 4}</code>		<code>\twemoji{woman astronaut}*</code>
	<code>\twemoji{keycap: 5}</code>		<code>\twemoji{woman bouncing ball}*</code>
	<code>\twemoji{keycap: 6}</code>		<code>\twemoji{woman bowling}*</code>
	<code>\twemoji{keycap: 7}</code>		<code>\twemoji{woman cartwheeling}*</code>
	<code>\twemoji{keycap: 8}</code>		<code>\twemoji{woman climbing}*</code>
	<code>\twemoji{keycap: 9}</code>		<code>\twemoji{woman construction worker}*</code>
	<code>\twemoji{keycap: 10}</code>		<code>\twemoji{woman cook}*</code>
	<code>\twemoji{keycap: *}</code>		<code>\twemoji{woman dancing}*</code>
	<code>\twemoji{keycap: \#}</code>		<code>\twemoji{woman detective}*</code>
	<code>\twemoji{kimono}</code>		<code>\twemoji{woman elf}*</code>
	<code>\twemoji{kiss}*</code>		<code>\twemoji{woman facepalming}*</code>
	<code>\twemoji{kissing cat}</code>		<code>\twemoji{woman factory worker}*</code>
	<code>\twemoji{kissing face}</code>		<code>\twemoji{woman fairy}*</code>
	<code>\twemoji{kissing face with closed eyes}</code>		<code>\twemoji{woman farmer}*</code>
	<code>\twemoji{kissing face with smiling eyes}</code>		<code>\twemoji{woman feeding baby}*</code>
	<code>\twemoji{kitchen knife}</code>		<code>\twemoji{woman firefighter}*</code>
	<code>\twemoji{kite}</code>		<code>\twemoji{woman frowning}*</code>
	<code>\twemoji{knocked-out face}</code>		<code>\twemoji{woman genie}</code>
	<code>\twemoji{knot}</code>		<code>\twemoji{woman gesturing NO}*</code>
	<code>\twemoji{lab coat}</code>		<code>\twemoji{woman gesturing OK}*</code>
	<code>\twemoji{label}</code>		<code>\twemoji{woman getting haircut}*</code>
	<code>\twemoji{lacrosse}</code>		<code>\twemoji{woman getting massage}*</code>
	<code>\twemoji{ladder}</code>		<code>\twemoji{woman golfing}*</code>
	<code>\twemoji{large blue diamond}</code>		<code>\twemoji{woman guard}*</code>
	<code>\twemoji{large orange diamond}</code>		<code>\twemoji{woman health worker}*</code>
	<code>\twemoji{last track button}</code>		<code>\twemoji{woman in lotus position}*</code>
	<code>\twemoji{latin cross}</code>		<code>\twemoji{woman in manual wheelchair}*</code>
	<code>\twemoji{leaf fluttering in wind}</code>		<code>\twemoji{woman in motorized wheelchair}*</code>
	<code>\twemoji{ledger}</code>		<code>\twemoji{woman in steamy room}*</code>
	<code>\twemoji{left arrow}</code>		<code>\twemoji{woman in tuxedo}*</code>
	<code>\twemoji{left arrow curving right}</code>		<code>\twemoji{woman judge}*</code>
	<code>\twemoji{left speech bubble}</code>		<code>\twemoji{woman juggling}*</code>
	<code>\twemoji{left-facing fist}*</code>		<code>\twemoji{woman kneeling}*</code>






















(continued on next page)

(continued from previous page)

	<code>\twemoji{left-right arrow}</code>		<code>\twemoji{woman lifting weights}*</code>
	<code>\twemoji{leg}*</code>		<code>\twemoji{woman mage}*</code>
	<code>\twemoji{Leo}</code>		<code>\twemoji{woman mechanic}*</code>
	<code>\twemoji{level slider}</code>		<code>\twemoji{woman office worker}*</code>
	<code>\twemoji{Libra}</code>		<code>\twemoji{woman pilot}*</code>
	<code>\twemoji{light bulb}</code>		<code>\twemoji{woman playing handball}*</code>
	<code>\twemoji{light skin tone}</code>		<code>\twemoji{woman playing water polo}*</code>
	<code>\twemoji{link}</code>		<code>\twemoji{woman police officer}*</code>
	<code>\twemoji{linked paperclips}</code>		<code>\twemoji{woman pouting}*</code>
	<code>\twemoji{lipstick}</code>		<code>\twemoji{woman raising hand}*</code>
	<code>\twemoji{litter in bin sign}</code>		<code>\twemoji{woman running}*</code>
	<code>\twemoji{locked}</code>		<code>\twemoji{woman scientist}*</code>
	<code>\twemoji{locked with key}</code>		<code>\twemoji{woman shrugging}*</code>
	<code>\twemoji{locked with pen}</code>		<code>\twemoji{woman singer}*</code>
	<code>\twemoji{long drum}</code>		<code>\twemoji{woman standing}*</code>
	<code>\twemoji{lotion bottle}</code>		<code>\twemoji{woman student}*</code>
	<code>\twemoji{loudly crying face}</code>		<code>\twemoji{woman superhero}*</code>
	<code>\twemoji{loudspeaker}</code>		<code>\twemoji{woman supervillain}*</code>
	<code>\twemoji{love hotel}</code>		<code>\twemoji{woman surfing}*</code>
	<code>\twemoji{love letter}</code>		<code>\twemoji{woman swimming}*</code>
	<code>\twemoji{love-you gesture}*</code>		<code>\twemoji{woman teacher}*</code>
	<code>\twemoji{luggage}</code>		<code>\twemoji{woman technologist}*</code>
	<code>\twemoji{lungs}</code>		<code>\twemoji{woman tipping hand}*</code>
	<code>\twemoji{lying face}</code>		<code>\twemoji{woman vampire}*</code>
	<code>\twemoji{mage}*</code>		<code>\twemoji{woman walking}*</code>
	<code>\twemoji{magic wand}</code>		<code>\twemoji{woman wearing turban}*</code>
	<code>\twemoji{magnet}</code>		<code>\twemoji{woman with headscarf}*</code>
	<code>\twemoji{magnifying glass tilted left}</code>		<code>\twemoji{woman with veil}*</code>
	<code>\twemoji{magnifying glass tilted right}</code>		<code>\twemoji{woman with white cane}*</code>
	<code>\twemoji{mahjong red dragon}</code>		<code>\twemoji{woman zombie}</code>
	<code>\twemoji{male sign}</code>		<code>\twemoji{woman's boot}</code>
	<code>\twemoji{man}*</code>		<code>\twemoji{woman's clothes}</code>
	<code>\twemoji{man artist}*</code>		<code>\twemoji{woman's hat}</code>
	<code>\twemoji{man astronaut}*</code>		<code>\twemoji{woman's sandal}</code>
	<code>\twemoji{man bouncing ball}*</code>		<code>\twemoji{women holding hands}*</code>
	<code>\twemoji{man bowling}*</code>		<code>\twemoji{women with bunny ears}</code>
	<code>\twemoji{man cartwheeling}*</code>		<code>\twemoji{women wrestling}</code>
	<code>\twemoji{man climbing}*</code>		<code>\twemoji{women's room}</code>
	<code>\twemoji{man construction worker}*</code>		<code>\twemoji{wood}</code>
	<code>\twemoji{man cook}*</code>		<code>\twemoji{woozy face}</code>
	<code>\twemoji{man dancing}*</code>		<code>\twemoji{world map}</code>
	<code>\twemoji{man detective}*</code>		<code>\twemoji{worried face}</code>
	<code>\twemoji{man elf}*</code>		<code>\twemoji{wrapped gift}</code>
	<code>\twemoji{man facepalming}*</code>		<code>\twemoji{wrench}</code>
	<code>\twemoji{man factory worker}*</code>		<code>\twemoji{writing hand}*</code>
	<code>\twemoji{man fairy}*</code>		<code>\twemoji{yarn}</code>
	<code>\twemoji{man farmer}*</code>		<code>\twemoji{yawning face}</code>

(continued on next page)


(continued from previous page)

	<code>\twemoji{man feeding baby}*</code>		<code>\twemoji{yellow circle}</code>
	<code>\twemoji{man firefighter}*</code>		<code>\twemoji{yellow heart}</code>
	<code>\twemoji{man frowning}*</code>		<code>\twemoji{yellow square}</code>
	<code>\twemoji{man genie}</code>		<code>\twemoji{yen banknote}</code>
	<code>\twemoji{man gesturing NO}*</code>		<code>\twemoji{yin yang}</code>
	<code>\twemoji{man gesturing OK}*</code>		<code>\twemoji{yo-yo}</code>
	<code>\twemoji{man getting haircut}*</code>		<code>\twemoji{zany face}</code>
	<code>\twemoji{man getting massage}*</code>		<code>\twemoji{zipper-mouth face}</code>
	<code>\twemoji{man golfing}*</code>		<code>\twemoji{zombie}</code>
	<code>\twemoji{man guard}*</code>		<code>\twemoji{zzz}</code>
	<code>\twemoji{man health worker}*</code>		

Most twemojis symbols have multiple names. Only the most descriptive name for each symbol is shown in this table.

All twemojis symbols are implemented as PDF graphics, not with a font.

\* Variants of this symbol portraying different colors and styles are not shown. For example, twemojis defines the following variants of “thumbs up”:



See the twemojis documentation for more information.

TABLE 555: scsnowman Snowmen

 `\scsnowman`

\* `\scsnowman` is drawn using TikZ. The command accepts a number of options for controlling the presence, appearance, and color of the snowman’s body, eyes, nose, mouth, arms, hat, and more. See the `scsnowman` documentation for more information, but the following examples showcase a subset of the possibilities (drawn large for clarity):






























































TABLE 556: Miscellaneous bclogo Symbols

	<code>\bcattention</code>		<code>\bcetoile</code>		<code>\bcpanchant</code>
	<code>\bcbombe</code>		<code>\bcfemme</code>		<code>\bcpeaceandlove</code>
	<code>\bcbook</code>		<code>\bcfeujaune</code>		<code>\bcpluie</code>
	<code>\bccalendrier</code>		<code>\bcfeurouge</code>		<code>\bcplume</code>
	<code>\bccle</code>		<code>\bcfeutricolore</code>		<code>\bcpoisson</code>
	<code>\bcclefa</code>		<code>\bcfeuvert</code>		<code>\bcquestion</code>
	<code>\bcclesol</code>		<code>\bcfleur</code>		<code>\bcrecyclage</code>
	<code>\bccoeur</code>		<code>\bchomme</code>		<code>\bcrosevents</code>
	<code>\bccrayon</code>		<code>\bchorloge</code>		<code>\bcsmbh</code>
	<code>\bccube</code>		<code>\bcicosaedre</code>		<code>\bcsmmh</code>
	<code>\bcdallemagne</code>		<code>\bcinfo</code>		<code>\bcsoleil</code>
	<code>\bcdanger</code>		<code>\bcinterdit</code>		<code>\bcspadesuit</code>
	<code>\bcdautriche</code>		<code>\bclampe</code>		<code>\bcstop</code>
	<code>\bcdbelgique</code>		<code>\bcloupe</code>		<code>\bctakecare</code>
	<code>\bdbulgarie</code>		<code>\bcneige</code>		<code>\bctetraedre</code>
	<code>\bcdfrance</code>		<code>\bcnote</code>		<code>\bctrefle</code>
	<code>\bcditalie</code>		<code>\bcnucleaire</code>		<code>\bctrombone</code>
	<code>\bcdluxembourg</code>		<code>\bcocetaedre</code>		<code>\bcvaletcoeur</code>
	<code>\bcdodecaedre</code>		<code>\bcoeil</code>		<code>\bcvelo</code>
	<code>\bcdpaysbas</code>		<code>\bcorne</code>		<code>\bcyin</code>
	<code>\bcdz</code>		<code>\bcours</code>		
	<code>\bceclaircie</code>		<code>\bcoutil</code>		

All bclogo symbols are implemented with TikZ (or alternatively, PSTricks) graphics, not with a font. This is how the symbols shown above can include color.

TABLE 557: Miscellaneous utfsym Pictographs

	<code>\usym{1F300}</code>		<code>\usym{1F3C2}</code>		<code>\usym{1F472}</code>		<code>\usym{1F515}</code>
	<code>\usym{1F301}</code>		<code>\usym{1F3C3}</code>		<code>\usym{1F473}</code>		<code>\usym{1F516}</code>
	<code>\usym{1F302}</code>		<code>\usym{1F3C4}</code>		<code>\usym{1F474}</code>		<code>\usym{1F517}</code>
	<code>\usym{1F303}</code>		<code>\usym{1F3C5}</code>		<code>\usym{1F475}</code>		<code>\usym{1F518}</code>
	<code>\usym{1F304}</code>		<code>\usym{1F3C6}</code>		<code>\usym{1F476}</code>		<code>\usym{1F519}</code>
	<code>\usym{1F305}</code>		<code>\usym{1F3C7}</code>		<code>\usym{1F477}</code>		<code>\usym{1F51A}</code>
	<code>\usym{1F306}</code>		<code>\usym{1F3C8}</code>		<code>\usym{1F478}</code>		<code>\usym{1F51B}</code>
	<code>\usym{1F307}</code>		<code>\usym{1F3C9}</code>		<code>\usym{1F479}</code>		<code>\usym{1F51C}</code>
	<code>\usym{1F308}</code>		<code>\usym{1F3CA}</code>		<code>\usym{1F47A}</code>		<code>\usym{1F51D}</code>
	<code>\usym{1F309}</code>		<code>\usym{1F3CB}</code>		<code>\usym{1F47B}</code>		<code>\usym{1F51E}</code>
	<code>\usym{1F30A}</code>		<code>\usym{1F3CC}</code>		<code>\usym{1F47C}</code>		<code>\usym{1F51F}</code>
	<code>\usym{1F30B}</code>		<code>\usym{1F3CF}</code>		<code>\usym{1F47D}</code>		<code>\usym{1F520}</code>
	<code>\usym{1F30C}</code>		<code>\usym{1F3D0}</code>		<code>\usym{1F47E}</code>		<code>\usym{1F521}</code>
	<code>\usym{1F30D}</code>		<code>\usym{1F3D1}</code>		<code>\usym{1F47F}</code>		<code>\usym{1F522}</code>
	<code>\usym{1F30E}</code>		<code>\usym{1F3D2}</code>		<code>\usym{1F480}</code>		<code>\usym{1F523}</code>
	<code>\usym{1F30F}</code>		<code>\usym{1F3D3}</code>		<code>\usym{1F481}</code>		<code>\usym{1F524}</code>
	<code>\usym{1F310}</code>		<code>\usym{1F3D4}</code>		<code>\usym{1F482}</code>		<code>\usym{1F525}</code>
	<code>\usym{1F32D}</code>		<code>\usym{1F3D5}</code>		<code>\usym{1F483}</code>		<code>\usym{1F526}</code>
	<code>\usym{1F32E}</code>		<code>\usym{1F3D6}</code>		<code>\usym{1F484}</code>		<code>\usym{1F527}</code>
	<code>\usym{1F32F}</code>		<code>\usym{1F3D7}</code>		<code>\usym{1F485}</code>		<code>\usym{1F528}</code>
	<code>\usym{1F330}</code>		<code>\usym{1F3D8}</code>		<code>\usym{1F486}</code>		<code>\usym{1F529}</code>
	<code>\usym{1F331}</code>		<code>\usym{1F3D9}</code>		<code>\usym{1F487}</code>		<code>\usym{1F52A}</code>
	<code>\usym{1F332}</code>		<code>\usym{1F3DA}</code>		<code>\usym{1F488}</code>		<code>\usym{1F52B}</code>
	<code>\usym{1F333}</code>		<code>\usym{1F3DB}</code>		<code>\usym{1F489}</code>		<code>\usym{1F52C}</code>
	<code>\usym{1F334}</code>		<code>\usym{1F3DC}</code>		<code>\usym{1F48A}</code>		<code>\usym{1F52D}</code>
	<code>\usym{1F335}</code>		<code>\usym{1F3DD}</code>		<code>\usym{1F48B}</code>		<code>\usym{1F52E}</code>
	<code>\usym{1F336}</code>		<code>\usym{1F3DE}</code>		<code>\usym{1F48C}</code>		<code>\usym{1F530}</code>
	<code>\usym{1F337}</code>		<code>\usym{1F3DF}</code>		<code>\usym{1F48D}</code>		<code>\usym{1F531}</code>
	<code>\usym{1F338}</code>		<code>\usym{1F3E0}</code>		<code>\usym{1F48E}</code>		<code>\usym{1F532}</code>
	<code>\usym{1F339}</code>		<code>\usym{1F3E1}</code>		<code>\usym{1F48F}</code>		<code>\usym{1F533}</code>
	<code>\usym{1F33A}</code>		<code>\usym{1F3E2}</code>		<code>\usym{1F490}</code>		<code>\usym{1F53E}</code>
	<code>\usym{1F33B}</code>		<code>\usym{1F3E3}</code>		<code>\usym{1F491}</code>		<code>\usym{1F53F}</code>
	<code>\usym{1F33C}</code>		<code>\usym{1F3E4}</code>		<code>\usym{1F492}</code>		<code>\usym{1F540}</code>
	<code>\usym{1F33D}</code>		<code>\usym{1F3E5}</code>		<code>\usym{1F493}</code>		<code>\usym{1F541}</code>
	<code>\usym{1F33E}</code>		<code>\usym{1F3E6}</code>		<code>\usym{1F494}</code>		<code>\usym{1F542}</code>
	<code>\usym{1F33F}</code>		<code>\usym{1F3E7}</code>		<code>\usym{1F495}</code>		<code>\usym{1F543}</code>
	<code>\usym{1F340}</code>		<code>\usym{1F3E8}</code>		<code>\usym{1F496}</code>		<code>\usym{1F544}</code>
	<code>\usym{1F341}</code>		<code>\usym{1F3E9}</code>		<code>\usym{1F497}</code>		<code>\usym{1F545}</code>
	<code>\usym{1F342}</code>		<code>\usym{1F3EA}</code>		<code>\usym{1F498}</code>		<code>\usym{1F549}</code>
	<code>\usym{1F343}</code>		<code>\usym{1F3EB}</code>		<code>\usym{1F499}</code>		<code>\usym{1F54A}</code>
	<code>\usym{1F344}</code>		<code>\usym{1F3EC}</code>		<code>\usym{1F49A}</code>		<code>\usym{1F54B}</code>
	<code>\usym{1F345}</code>		<code>\usym{1F3ED}</code>		<code>\usym{1F49B}</code>		<code>\usym{1F54C}</code>
	<code>\usym{1F346}</code>		<code>\usym{1F3EE}</code>		<code>\usym{1F49C}</code>		<code>\usym{1F54D}</code>
	<code>\usym{1F347}</code>		<code>\usym{1F3EF}</code>		<code>\usym{1F49D}</code>		<code>\usym{1F54E}</code>
	<code>\usym{1F348}</code>		<code>\usym{1F3F0}</code>		<code>\usym{1F49E}</code>		<code>\usym{1F54F}</code>
	<code>\usym{1F349}</code>		<code>\usym{1F3F1}</code>		<code>\usym{1F49F}</code>		<code>\usym{1F568}</code>

(continued on next page)

(continued from previous page)

	<code>\usym{1F34A}</code>		<code>\usym{1F3F2}</code>		<code>\usym{1F4A0}</code>		<code>\usym{1F569}</code>
	<code>\usym{1F34B}</code>		<code>\usym{1F3F3}</code>		<code>\usym{1F4A1}</code>		<code>\usym{1F56A}</code>
	<code>\usym{1F34C}</code>		<code>\usym{1F3F4}</code>		<code>\usym{1F4A2}</code>		<code>\usym{1F56B}</code>
	<code>\usym{1F34D}</code>		<code>\usym{1F3F5}</code>		<code>\usym{1F4A3}</code>		<code>\usym{1F56C}</code>
	<code>\usym{1F34E}</code>		<code>\usym{1F3F6}</code>		<code>\usym{1F4A4}</code>		<code>\usym{1F56D}</code>
	<code>\usym{1F34F}</code>		<code>\usym{1F3F7}</code>		<code>\usym{1F4A5}</code>		<code>\usym{1F56E}</code>
	<code>\usym{1F350}</code>		<code>\usym{1F3F8}</code>		<code>\usym{1F4A6}</code>		<code>\usym{1F56F}</code>
	<code>\usym{1F351}</code>		<code>\usym{1F3F9}</code>		<code>\usym{1F4A7}</code>		<code>\usym{1F571}</code>
	<code>\usym{1F352}</code>		<code>\usym{1F3FA}</code>		<code>\usym{1F4A8}</code>		<code>\usym{1F572}</code>
	<code>\usym{1F353}</code>		<code>\usym{1F3FB}</code>		<code>\usym{1F4A9}</code>		<code>\usym{1F573}</code>
	<code>\usym{1F354}</code>		<code>\usym{1F3FC}</code>		<code>\usym{1F4AA}</code>		<code>\usym{1F574}</code>
	<code>\usym{1F355}</code>		<code>\usym{1F3FD}</code>		<code>\usym{1F4AB}</code>		<code>\usym{1F575}</code>
	<code>\usym{1F356}</code>		<code>\usym{1F3FE}</code>		<code>\usym{1F4AC}</code>		<code>\usym{1F576}</code>
	<code>\usym{1F357}</code>		<code>\usym{1F3FF}</code>		<code>\usym{1F4AD}</code>		<code>\usym{1F577}</code>
	<code>\usym{1F358}</code>		<code>\usym{1F400}</code>		<code>\usym{1F4AE}</code>		<code>\usym{1F578}</code>
	<code>\usym{1F359}</code>		<code>\usym{1F401}</code>		<code>\usym{1F4AF}</code>		<code>\usym{1F579}</code>
	<code>\usym{1F35A}</code>		<code>\usym{1F402}</code>		<code>\usym{1F4B0}</code>		<code>\usym{1F57A}</code>
	<code>\usym{1F35B}</code>		<code>\usym{1F403}</code>		<code>\usym{1F4B1}</code>		<code>\usym{1F57B}</code>
	<code>\usym{1F35C}</code>		<code>\usym{1F404}</code>		<code>\usym{1F4B2}</code>		<code>\usym{1F57C}</code>
	<code>\usym{1F35D}</code>		<code>\usym{1F405}</code>		<code>\usym{1F4B3}</code>		<code>\usym{1F57D}</code>
	<code>\usym{1F35E}</code>		<code>\usym{1F406}</code>		<code>\usym{1F4B4}</code>		<code>\usym{1F57E}</code>
	<code>\usym{1F35F}</code>		<code>\usym{1F407}</code>		<code>\usym{1F4B5}</code>		<code>\usym{1F57F}</code>
	<code>\usym{1F360}</code>		<code>\usym{1F408}</code>		<code>\usym{1F4B6}</code>		<code>\usym{1F580}</code>
	<code>\usym{1F361}</code>		<code>\usym{1F409}</code>		<code>\usym{1F4B7}</code>		<code>\usym{1F581}</code>
	<code>\usym{1F362}</code>		<code>\usym{1F40A}</code>		<code>\usym{1F4B8}</code>		<code>\usym{1F582}</code>
	<code>\usym{1F363}</code>		<code>\usym{1F40B}</code>		<code>\usym{1F4B9}</code>		<code>\usym{1F583}</code>
	<code>\usym{1F364}</code>		<code>\usym{1F40C}</code>		<code>\usym{1F4BA}</code>		<code>\usym{1F584}</code>
	<code>\usym{1F365}</code>		<code>\usym{1F40D}</code>		<code>\usym{1F4BB}</code>		<code>\usym{1F585}</code>
	<code>\usym{1F366}</code>		<code>\usym{1F40E}</code>		<code>\usym{1F4BC}</code>		<code>\usym{1F586}</code>
	<code>\usym{1F367}</code>		<code>\usym{1F40F}</code>		<code>\usym{1F4BD}</code>		<code>\usym{1F587}</code>
	<code>\usym{1F368}</code>		<code>\usym{1F410}</code>		<code>\usym{1F4BE}</code>		<code>\usym{1F588}</code>
	<code>\usym{1F369}</code>		<code>\usym{1F411}</code>		<code>\usym{1F4BF}</code>		<code>\usym{1F5A4}</code>
	<code>\usym{1F36A}</code>		<code>\usym{1F412}</code>		<code>\usym{1F4C0}</code>		<code>\usym{1F5A5}</code>
	<code>\usym{1F36B}</code>		<code>\usym{1F413}</code>		<code>\usym{1F4C1}</code>		<code>\usym{1F5A6}</code>
	<code>\usym{1F36C}</code>		<code>\usym{1F414}</code>		<code>\usym{1F4C2}</code>		<code>\usym{1F5A7}</code>
	<code>\usym{1F36D}</code>		<code>\usym{1F415}</code>		<code>\usym{1F4C3}</code>		<code>\usym{1F5A8}</code>
	<code>\usym{1F36E}</code>		<code>\usym{1F416}</code>		<code>\usym{1F4C4}</code>		<code>\usym{1F5A9}</code>
	<code>\usym{1F36F}</code>		<code>\usym{1F417}</code>		<code>\usym{1F4C5}</code>		<code>\usym{1F5AA}</code>
	<code>\usym{1F370}</code>		<code>\usym{1F418}</code>		<code>\usym{1F4C6}</code>		<code>\usym{1F5AB}</code>
	<code>\usym{1F371}</code>		<code>\usym{1F419}</code>		<code>\usym{1F4C7}</code>		<code>\usym{1F5AC}</code>
	<code>\usym{1F372}</code>		<code>\usym{1F41A}</code>		<code>\usym{1F4C8}</code>		<code>\usym{1F5AD}</code>
	<code>\usym{1F373}</code>		<code>\usym{1F41B}</code>		<code>\usym{1F4C9}</code>		<code>\usym{1F5AE}</code>
	<code>\usym{1F374}</code>		<code>\usym{1F41C}</code>		<code>\usym{1F4CA}</code>		<code>\usym{1F5AF}</code>
	<code>\usym{1F375}</code>		<code>\usym{1F41D}</code>		<code>\usym{1F4CB}</code>		<code>\usym{1F5B0}</code>
	<code>\usym{1F376}</code>		<code>\usym{1F41E}</code>		<code>\usym{1F4CC}</code>		<code>\usym{1F5B1}</code>
	<code>\usym{1F377}</code>		<code>\usym{1F41F}</code>		<code>\usym{1F4CD}</code>		<code>\usym{1F5B2}</code>
	<code>\usym{1F378}</code>		<code>\usym{1F420}</code>		<code>\usym{1F4CE}</code>		<code>\usym{1F5B3}</code>
	<code>\usym{1F379}</code>		<code>\usym{1F421}</code>		<code>\usym{1F4CF}</code>		<code>\usym{1F5B4}</code>
	<code>\usym{1F37A}</code>		<code>\usym{1F422}</code>		<code>\usym{1F4D0}</code>		<code>\usym{1F5B5}</code>

(continued on next page)



(continued from previous page)

	<code>\usym{1F37B}</code>		<code>\usym{1F423}</code>		<code>\usym{1F4D1}</code>		<code>\usym{1F5B6}</code>
	<code>\usym{1F37C}</code>		<code>\usym{1F424}</code>		<code>\usym{1F4D2}</code>		<code>\usym{1F5B7}</code>
	<code>\usym{1F37D}</code>		<code>\usym{1F425}</code>		<code>\usym{1F4D3}</code>		<code>\usym{1F5B8}</code>
	<code>\usym{1F37E}</code>		<code>\usym{1F426}</code>		<code>\usym{1F4D4}</code>		<code>\usym{1F5B9}</code>
	<code>\usym{1F37F}</code>		<code>\usym{1F427}</code>		<code>\usym{1F4D5}</code>		<code>\usym{1F5BA}</code>
	<code>\usym{1F380}</code>		<code>\usym{1F428}</code>		<code>\usym{1F4D6}</code>		<code>\usym{1F5BB}</code>
	<code>\usym{1F381}</code>		<code>\usym{1F429}</code>		<code>\usym{1F4D7}</code>		<code>\usym{1F5BC}</code>
	<code>\usym{1F382}</code>		<code>\usym{1F42A}</code>		<code>\usym{1F4D8}</code>		<code>\usym{1F5BD}</code>
	<code>\usym{1F383}</code>		<code>\usym{1F42B}</code>		<code>\usym{1F4D9}</code>		<code>\usym{1F5BE}</code>
	<code>\usym{1F384}</code>		<code>\usym{1F42C}</code>		<code>\usym{1F4DA}</code>		<code>\usym{1F5BF}</code>
	<code>\usym{1F385}</code>		<code>\usym{1F42D}</code>		<code>\usym{1F4DB}</code>		<code>\usym{1F5C0}</code>
	<code>\usym{1F386}</code>		<code>\usym{1F42E}</code>		<code>\usym{1F4DC}</code>		<code>\usym{1F5C1}</code>
	<code>\usym{1F387}</code>		<code>\usym{1F42F}</code>		<code>\usym{1F4DD}</code>		<code>\usym{1F5C2}</code>
	<code>\usym{1F388}</code>		<code>\usym{1F430}</code>		<code>\usym{1F4DE}</code>		<code>\usym{1F5C3}</code>
	<code>\usym{1F389}</code>		<code>\usym{1F431}</code>		<code>\usym{1F4DF}</code>		<code>\usym{1F5C4}</code>
	<code>\usym{1F38A}</code>		<code>\usym{1F432}</code>		<code>\usym{1F4E0}</code>		<code>\usym{1F5C5}</code>
	<code>\usym{1F38B}</code>		<code>\usym{1F433}</code>		<code>\usym{1F4E1}</code>		<code>\usym{1F5C6}</code>
	<code>\usym{1F38C}</code>		<code>\usym{1F434}</code>		<code>\usym{1F4E2}</code>		<code>\usym{1F5C7}</code>
	<code>\usym{1F38D}</code>		<code>\usym{1F435}</code>		<code>\usym{1F4E3}</code>		<code>\usym{1F5C8}</code>
	<code>\usym{1F38E}</code>		<code>\usym{1F436}</code>		<code>\usym{1F4E4}</code>		<code>\usym{1F5C9}</code>
	<code>\usym{1F38F}</code>		<code>\usym{1F437}</code>		<code>\usym{1F4E5}</code>		<code>\usym{1F5CA}</code>
	<code>\usym{1F390}</code>		<code>\usym{1F438}</code>		<code>\usym{1F4E6}</code>		<code>\usym{1F5CB}</code>
	<code>\usym{1F391}</code>		<code>\usym{1F439}</code>		<code>\usym{1F4E7}</code>		<code>\usym{1F5CC}</code>
	<code>\usym{1F392}</code>		<code>\usym{1F43A}</code>		<code>\usym{1F4E8}</code>		<code>\usym{1F5CD}</code>
	<code>\usym{1F393}</code>		<code>\usym{1F43B}</code>		<code>\usym{1F4E9}</code>		<code>\usym{1F5CE}</code>
	<code>\usym{1F394}</code>		<code>\usym{1F43C}</code>		<code>\usym{1F4EA}</code>		<code>\usym{1F5CF}</code>
	<code>\usym{1F395}</code>		<code>\usym{1F43D}</code>		<code>\usym{1F4EB}</code>		<code>\usym{1F5D0}</code>
	<code>\usym{1F396}</code>		<code>\usym{1F43E}</code>		<code>\usym{1F4EC}</code>		<code>\usym{1F5D1}</code>
	<code>\usym{1F397}</code>		<code>\usym{1F43F}</code>		<code>\usym{1F4ED}</code>		<code>\usym{1F5D2}</code>
	<code>\usym{1F398}</code>		<code>\usym{1F440}</code>		<code>\usym{1F4EE}</code>		<code>\usym{1F5D3}</code>
	<code>\usym{1F399}</code>		<code>\usym{1F441}</code>		<code>\usym{1F4EF}</code>		<code>\usym{1F5D4}</code>
	<code>\usym{1F39A}</code>		<code>\usym{1F442}</code>		<code>\usym{1F4F0}</code>		<code>\usym{1F5D5}</code>
	<code>\usym{1F39B}</code>		<code>\usym{1F443}</code>		<code>\usym{1F4F1}</code>		<code>\usym{1F5D6}</code>
	<code>\usym{1F39C}</code>		<code>\usym{1F444}</code>		<code>\usym{1F4F2}</code>		<code>\usym{1F5D7}</code>
	<code>\usym{1F39D}</code>		<code>\usym{1F445}</code>		<code>\usym{1F4F3}</code>		<code>\usym{1F5D8}</code>
	<code>\usym{1F39E}</code>		<code>\usym{1F451}</code>		<code>\usym{1F4F4}</code>		<code>\usym{1F5D9}</code>
	<code>\usym{1F39F}</code>		<code>\usym{1F452}</code>		<code>\usym{1F4F5}</code>		<code>\usym{1F5DA}</code>
	<code>\usym{1F3A0}</code>		<code>\usym{1F453}</code>		<code>\usym{1F4F6}</code>		<code>\usym{1F5DB}</code>
	<code>\usym{1F3A1}</code>		<code>\usym{1F454}</code>		<code>\usym{1F4F7}</code>		<code>\usym{1F5DC}</code>
	<code>\usym{1F3A2}</code>		<code>\usym{1F455}</code>		<code>\usym{1F4F8}</code>		<code>\usym{1F5DD}</code>
	<code>\usym{1F3A3}</code>		<code>\usym{1F456}</code>		<code>\usym{1F4F9}</code>		<code>\usym{1F5DE}</code>
	<code>\usym{1F3A4}</code>		<code>\usym{1F457}</code>		<code>\usym{1F4FA}</code>		<code>\usym{1F5DF}</code>
	<code>\usym{1F3A5}</code>		<code>\usym{1F458}</code>		<code>\usym{1F4FB}</code>		<code>\usym{1F5E0}</code>
	<code>\usym{1F3A6}</code>		<code>\usym{1F459}</code>		<code>\usym{1F4FC}</code>		<code>\usym{1F5E1}</code>
	<code>\usym{1F3A7}</code>		<code>\usym{1F45A}</code>		<code>\usym{1F4FD}</code>		<code>\usym{1F5E2}</code>
	<code>\usym{1F3A8}</code>		<code>\usym{1F45B}</code>		<code>\usym{1F4FE}</code>		<code>\usym{1F5E3}</code>
	<code>\usym{1F3A9}</code>		<code>\usym{1F45C}</code>		<code>\usym{1F4FF}</code>		<code>\usym{1F5E4}</code>
	<code>\usym{1F3AA}</code>		<code>\usym{1F45D}</code>		<code>\usym{1F500}</code>		<code>\usym{1F5E5}</code>
	<code>\usym{1F3AB}</code>		<code>\usym{1F45E}</code>		<code>\usym{1F501}</code>		<code>\usym{1F5E6}</code>

(continued on next page)

(continued from previous page)

	<code>\usym{1F3AC}</code>		<code>\usym{1F45F}</code>		<code>\usym{1F502}</code>
	<code>\usym{1F3AD}</code>		<code>\usym{1F460}</code>		<code>\usym{1F503}</code>
	<code>\usym{1F3AE}</code>		<code>\usym{1F461}</code>		<code>\usym{1F504}</code>
	<code>\usym{1F3AF}</code>		<code>\usym{1F462}</code>		<code>\usym{1F505}</code>
	<code>\usym{1F3B0}</code>		<code>\usym{1F463}</code>		<code>\usym{1F506}</code>
	<code>\usym{1F3B1}</code>		<code>\usym{1F464}</code>		<code>\usym{1F507}</code>
	<code>\usym{1F3B2}</code>		<code>\usym{1F465}</code>		<code>\usym{1F508}</code>
	<code>\usym{1F3B3}</code>		<code>\usym{1F466}</code>		<code>\usym{1F509}</code>
	<code>\usym{1F3B4}</code>		<code>\usym{1F467}</code>		<code>\usym{1F50A}</code>
	<code>\usym{1F3B7}</code>		<code>\usym{1F468}</code>		<code>\usym{1F50B}</code>
	<code>\usym{1F3B8}</code>		<code>\usym{1F469}</code>		<code>\usym{1F50C}</code>
	<code>\usym{1F3B9}</code>		<code>\usym{1F46A}</code>		<code>\usym{1F50D}</code>
	<code>\usym{1F3BA}</code>		<code>\usym{1F46B}</code>		<code>\usym{1F50E}</code>
	<code>\usym{1F3BB}</code>		<code>\usym{1F46C}</code>		<code>\usym{1F50F}</code>
	<code>\usym{1F3BD}</code>		<code>\usym{1F46D}</code>		<code>\usym{1F510}</code>
	<code>\usym{1F3BE}</code>		<code>\usym{1F46E}</code>		<code>\usym{1F511}</code>
	<code>\usym{1F3BF}</code>		<code>\usym{1F46F}</code>		<code>\usym{1F512}</code>
	<code>\usym{1F3C0}</code>		<code>\usym{1F470}</code>		<code>\usym{1F513}</code>
	<code>\usym{1F3C1}</code>		<code>\usym{1F471}</code>		<code>\usym{1F514}</code>

All `usym` symbols are implemented with TikZ graphics, not with a font. In addition to `\usym`, the `usym` package defines `\usymH`, which renders a symbol at a given height, and `\usymW`, which renders a symbol at a given width. See the `usym` documentation for more information.

TABLE 558: fontawesome Web-Related Icons

	<code>\fa500px</code>		<code>\faFemale</code>		<code>\faPlane</code>
	<code>\faAdjust</code>		<code>\faFighterJet</code>		<code>\faPlay</code>
	<code>\faAdn</code>		<code>\faFile</code>		<code>\faPlayCircle</code>
	<code>\faAlignCenter</code>		<code>\faFileArchive0</code>		<code>\faPlayCircle0</code>
	<code>\faAlignJustify</code>		<code>\faFileAudio0</code>		<code>\faPlug</code>
	<code>\faAlignLeft</code>		<code>\faFileCode0</code>		<code>\faPlus</code>
	<code>\faAlignRight</code>		<code>\faFileExcel0</code>		<code>\faPlusCircle</code>
	<code>\faAmazon</code>		<code>\faFileImage0</code>		<code>\faPlusSquare</code>
	<code>\faAmbulance</code>		<code>\faFile0</code>		<code>\faPlusSquare0</code>
	<code>\faAnchor</code>		<code>\faFilePdf0</code>		<code>\faPowerOff</code>
	<code>\faAndroid</code>		<code>\faFilePowerpoint0</code>		<code>\faPrint</code>
	<code>\faAngellist</code>		<code>\faFiles0</code>		<code>\faPuzzlePiece</code>
	<code>\faAngleDoubleDown</code>		<code>\faFileText</code>		<code>\faQq</code>
	<code>\faAngleDoubleLeft</code>		<code>\faFileText0</code>		<code>\faQrcode</code>
	<code>\faAngleDoubleRight</code>		<code>\faFileVideo0</code>		<code>\faQuestion</code>
	<code>\faAngleDoubleUp</code>		<code>\faFileWord0</code>		<code>\faQuestionCircle</code>

(continued on next page)

(continued from previous page)

∨	\faAngleDown		\faFilm	“	\faQuoteLeft
<	\faAngleLeft		\faFilter	”	\faQuoteRight
>	\faAngleRight		\faFire		\faRandom
^	\faAngleUp		\faFireExtinguisher		\faRebel
	\faApple		\faFirefox		\faRecycle
	\faArchive		\faFlag		\faReddit
	\faAreaChart		\faFlagCheckered		\faRedditSquare
*	\faAsterisk		\faFlagO		\faRefresh
@	\faAt		\faFlask		\faRenren
	\faBackward		\faFlickr		\faReply
	\faBalanceScale		\faFloppyO		\faReplyAll
	\faBan		\faFolder		\faRetweet
	\faBarChart		\faFolderO		\faRoad
	\faBarcode		\faFolderOpen		\faRocket
	\faBars		\faFolderOpenO		\faRss
	\faBatteryEmpty		\faFont		\faRssSquare
	\faBatteryFull		\faFonticons		\faSafari
	\faBatteryHalf		\faForumbee		\faScissors
	\faBatteryQuarter		\faForward		\faSearch
	\faBatteryThreeQuarters		\faFoursquare		\faSearchMinus
	\faBed		\faFrownO		\faSearchPlus
	\faBeer		\faFutbolO		\faSellsy
	\faBehance		\faGamepad		\faServer
	\faBehanceSquare		\faGavel		\faShare
	\faBell		\faGetPocket		\faShareAlt
	\faBellO		\faGg		\faShareAltSquare
	\faBellSlash		\faGgCircle		\faShareSquare
	\faBellSlashO		\faGift		\faShareSquareO
	\faBicycle		\faGit		\faShield
	\faBinoculars		\faGithub		\faShip
	\faBirthdayCake		\faGithubAlt		\faShirtsinbulk
	\faBitbucket		\faGithubSquare		\faShoppingCart
	\faBitbucketSquare		\faGitSquare		\faSignal
	\faBlackTie		\faGlass		\faSignIn
	\faBold		\faGlobe		\faSignOut
	\faBolt		\faGoogle		\faSimplybuilt
	\faBomb		\faGooglePlus		\faSitemap
	\faBook		\faGooglePlusSquare		\faSkyatlas
	\faBookmark		\faGoogleWallet		\faSkype
	\faBookmarkO		\faGraduationCap		\faSlack
	\faBriefcase		\faGratipay		\faSliders
	\faBug		\faHackerNews		\faSlideshare
	\faBuilding		\faHddO		\faSmileO
	\faBuildingO		\faHeader		\faSort
	\faBullhorn		\faHeadphones		\faSortAlphaAsc
	\faBullseye		\faHeart		\faSortAlphaDesc
	\faBus		\faHeartbeat		\faSortAmountAsc
	\faBuysellads		\faHeartO		\faSortAmountDesc
	\faCalculator		\faHistory		\faSortAsc

(continued on next page)

(continued from previous page)

	\faCalendar		\faHome		\faSortDesc
	\faCalendarCheckO		\faHospitalO		\faSortNumericAsc
	\faCalendarMinusO		\faHourglass		\faSortNumericDesc
	\faCalendarO		\faHourglassEnd		\faSoundcloud
	\faCalendarPlusO		\faHourglassHalf		\faSpaceShuttle
	\faCalendarTimesO		\faHourglassO		\faSpinner
	\faCamera		\faHourglassStart		\faSpoon
	\faCameraRetro		\faHouzz		\faSpotify
	\faCar		\faHSquare		\faStackExchange
	\faCaretDown		\faHtml5		\faStackOverflow
	\faCaretLeft		\faICursor		\faSteam
	\faCaretRight		\faInbox		\faSteamSquare
	\faCaretSquareODown		\faIndent		\faStepBackward
	\faCaretSquareOLeft		\faIndustry		\faStepForward
	\faCaretSquareORight		\faInfo		\faStethoscope
	\faCaretSquareOUp		\faInfoCircle		\faStickyNote
	\faCaretUp		\faInstagram		\faStickyNoteO
	\faCartArrowDown		\faInternetExplorer		\faStop
	\faCartPlus		\faIoxhost		\faStreetView
	\faCc		\faItalic		\faStrikethrough
	\faCcAmex		\faJoomla		\faStumbleupon
	\faCcDinersClub		\faJsFiddle		\faStumbleuponCircle
	\faCcDiscover		\faKey		\faSubscript
	\faCcJcb		\faKeyboardO		\faSubway
	\faCcMastercard		\faLanguage		\faSuitcase
	\faCcPaypal		\faLaptop		\faSuperscript
	\faCcStripe		\faLastfm		\faTable
	\faCcVisa		\faLastfmSquare		\faTablet
	\faCertificate		\faLeaf		\faTachometer
	\faChainBroken		\faLeanpub		\faTag
	\faChild		\faLemonO		\faTags
	\faChrome		\faLevelDown		\faTasks
	\faClipboard		\faLevelUp		\faTaxi
	\faClockO		\faLifeRing		\faTelevision
	\faClone		\faLightbulbO		\faTencentWeibo
	\faCloud		\faLineChart		\faTerminal
	\faCloudDownload		\faLink		\faTextHeight
	\faCloudUpload		\faLinkedin		\faTextWidth
	\faCode		\faLinkedinSquare		\faTh
	\faCodeFork		\faLinux		\faThLarge
	\faCodepen		\faList		\faThList
	\faCoffee		\faListAlt		\faThumbTack
	\faCog		\faListO1		\faTicket
	\faCogs		\faListUl		\faTint
	\faColumns		\faLocationArrow		\faToggleOff
	\faComment		\faLock		\faToggleOn
	\faCommenting		\faMagic		\faTrain
	\faCommentingO		\faMagnet		\faTrash
	\faCommentO		\faMale		\faTrashO

(continued on next page)

(continued from previous page)

	<code>\faComments</code>		<code>\faMap</code>		<code>\faTree</code>
	<code>\faCommentsO</code>		<code>\faMapMarker</code>		<code>\faTrello</code>
	<code>\faCompass</code>		<code>\faMapO</code>		<code>\faTripadvisor</code>
	<code>\faCompress</code>		<code>\faMapPin</code>		<code>\faTrophy</code>
	<code>\faConnectdevelop</code>		<code>\faMapSigns</code>		<code>\faTruck</code>
	<code>\faContao</code>		<code>\faMaxcdn</code>		<code>\faTty</code>
	<code>\faCreditCard</code>		<code>\faMeanpath</code>		<code>\faTumblrSquare</code>
	<code>\faCrop</code>		<code>\faMedium</code>		<code>\faTwitch</code>
	<code>\faCrosshairs</code>		<code>\faMedkit</code>		<code>\faTwitter</code>
	<code>\faCss3</code>		<code>\faMehO</code>		<code>\faTwitterSquare</code>
	<code>\faCube</code>		<code>\faMicrophone</code>		<code>\faUmbrella</code>
	<code>\faCubes</code>		<code>\faMicrophoneSlash</code>		<code>\faUnderline</code>
	<code>\faCutlery</code>		<code>\faMinus</code>		<code>\faUniversity</code>
	<code>\faDashcube</code>		<code>\faMinusCircle</code>		<code>\faUnlock</code>
	<code>\faDatabase</code>		<code>\faMinusSquare</code>		<code>\faUnlockAlt</code>
	<code>\faDelicious</code>		<code>\faMinusSquareO</code>		<code>\faUpload</code>
	<code>\faDesktop</code>		<code>\faMobile</code>		<code>\faUser</code>
	<code>\faDeviantart</code>		<code>\faMoney</code>		<code>\faUserMd</code>
	<code>\faDiamond</code>		<code>\faMotorcycle</code>		<code>\faUserPlus</code>
	<code>\faDigg</code>		<code>\faMousePointer</code>		<code>\faUsers</code>
	<code>\faDownload</code>		<code>\faMusic</code>		<code>\faUserSecret</code>
	<code>\faDribbble</code>		<code>\faNewspaperO</code>		<code>\faUserTimes</code>
	<code>\faDropbox</code>		<code>\faObjectGroup</code>		<code>\faVideoCamera</code>
	<code>\faDrupal</code>		<code>\faObjectUngroup</code>		<code>\faVimeo</code>
	<code>\faEject</code>		<code>\faOdnoklassniki</code>		<code>\faVimeoSquare</code>
	<code>\faEllipsisH</code>		<code>\faOdnoklassnikiSquare</code>		<code>\faVine</code>
	<code>\faEllipsisV</code>		<code>\faOpencart</code>		<code>\faVk</code>
	<code>\faEmpire</code>		<code>\faOpenid</code>		<code>\faVolumeDown</code>
	<code>\faEnvelope</code>		<code>\faOpera</code>		<code>\faVolumeOff</code>
	<code>\faEnvelopeO</code>		<code>\faOptinMonster</code>		<code>\faVolumeUp</code>
	<code>\faEnvelopeSquare</code>		<code>\faOutdent</code>		<code>\faWeibo</code>
	<code>\faEraser</code>		<code>\faPagelines</code>		<code>\faWeixin</code>
	<code>\faExchange</code>		<code>\faPaintBrush</code>		<code>\faWhatsapp</code>
	<code>\faExclamation</code>		<code>\faPaperclip</code>		<code>\faWheelchair</code>
	<code>\faExclamationCircle</code>		<code>\faPaperPlane</code>		<code>\faWifi</code>
	<code>\faExclamationTriangle</code>		<code>\faPaperPlaneO</code>		<code>\faWikipediaW</code>
	<code>\faExpand</code>		<code>\faParagraph</code>		<code>\faWindows</code>
	<code>\faExpeditedssl</code>		<code>\faPause</code>		<code>\faWordpress</code>
	<code>\faExternalLink</code>		<code>\faPaw</code>		<code>\faWrench</code>
	<code>\faExternalLinkSquare</code>		<code>\faPaypal</code>		<code>\faXing</code>
	<code>\faEye</code>		<code>\faPhone</code>		<code>\faXingSquare</code>
	<code>\faEyedropper</code>		<code>\faPhoneSquare</code>		<code>\faYahoo</code>
	<code>\faEyeSlash</code>		<code>\faPictureO</code>		<code>\faYCombinator</code>
	<code>\faFacebook</code>		<code>\faPieChart</code>		<code>\faYelp</code>
	<code>\faFacebookOfficial</code>		<code>\faPiedPiper</code>		<code>\faYoutube</code>
	<code>\faFacebookSquare</code>		<code>\faPiedPiperAlt</code>		<code>\faYoutubePlay</code>
	<code>\faFastBackward</code>		<code>\faPinterest</code>		<code>\faYoutubeSquare</code>
	<code>\faFastForward</code>		<code>\faPinterestP</code>		
	<code>\faFax</code>		<code>\faPinterestSquare</code>		

fontawesome defines synonyms for many of the preceding symbols:

	<code>\faAutomobile</code>		<code>\faFileZip0</code>		<code>\faRa</code>
	<code>\faBank</code>		<code>\faFlash</code>		<code>\faReorder</code>
	<code>\faBarChart0</code>		<code>\faGe</code>		<code>\faSave</code>
	<code>\faBattery0</code>		<code>\faGear</code>		<code>\faSend</code>
	<code>\faBattery1</code>		<code>\faGears</code>		<code>\faSend0</code>
	<code>\faBattery2</code>		<code>\faGittip</code>		<code>\faSoccerBall0</code>
	<code>\faBattery3</code>		<code>\faGroup</code>		<code>\faSortDown</code>
	<code>\faBattery4</code>		<code>\faHotel</code>		<code>\faSortUp</code>
	<code>\faCab</code>		<code>\faImage</code>		<code>\faSupport</code>
	<code>\faChain</code>		<code>\faInstitution</code>		<code>\faToggleDown</code>
	<code>\faCopy</code>		<code>\faLegal</code>		<code>\faToggleLeft</code>
	<code>\faCut</code>		<code>\faLifeBouy</code>		<code>\faToggleRight</code>
	<code>\faDashboard</code>		<code>\faLifeSaver</code>		<code>\faToggleUp</code>
	<code>\faDedent</code>		<code>\faMailForward</code>		<code>\faTv</code>
	<code>\faEdit</code>		<code>\faMailReply</code>		<code>\faUnlink</code>
	<code>\faFacebookF</code>		<code>\faMailReplyAll</code>		<code>\faUnsorted</code>
	<code>\faFeed</code>		<code>\faMobilePhone</code>		<code>\faWarning</code>
	<code>\faFileMovie0</code>		<code>\faMortarBoard</code>		<code>\faWechat</code>
	<code>\faFilePhoto0</code>		<code>\faNavicon</code>		<code>\faYc</code>
	<code>\faFilePicture0</code>		<code>\faPaste</code>		<code>\faYCombinatorSquare</code>
	<code>\faFileSound0</code>		<code>\faPhoto</code>		<code>\faYcSquare</code>

TABLE 559: rubikcube Rubik’s Cube Rotations

	<code>\rrhD</code>		<code>\rrhF</code>		<code>\rrhLw</code>		<code>\rrhRw</code>		<code>\rrhU</code>
	<code>\rrhDa</code>		<code>\rrhFp</code>		<code>\rrhLwp</code>		<code>\rrhRwp</code>		<code>\rrhUa</code>
	<code>\rrhDap</code>		<code>\rrhFw</code>		<code>\rrhM</code>		<code>\rrhSd</code>		<code>\rrhUap</code>
	<code>\rrhDp</code>		<code>\rrhFwp</code>		<code>\rrhMp</code>		<code>\rrhSdp</code>		<code>\rrhUp</code>
	<code>\rrhDs</code>		<code>\rrhL</code>		<code>\rrhR</code>		<code>\rrhSl</code>		<code>\rrhUs</code>
	<code>\rrhDsp</code>		<code>\rrhLa</code>		<code>\rrhRa</code>		<code>\rrhSlp</code>		<code>\rrhUsp</code>
	<code>\rrhDw</code>		<code>\rrhLap</code>		<code>\rrhRap</code>		<code>\rrhSr</code>		<code>\rrhUw</code>
	<code>\rrhDwp</code>		<code>\rrhLp</code>		<code>\rrhRp</code>		<code>\rrhSrp</code>		<code>\rrhUwp</code>
	<code>\rrhE</code>		<code>\rrhLs</code>		<code>\rrhRs</code>		<code>\rrhSu</code>		
	<code>\rrhEp</code>		<code>\rrhLsp</code>		<code>\rrhRsp</code>		<code>\rrhSup</code>		

All rubikcube symbols are implemented with TikZ graphics, not with a font. In addition to the symbols shown above, the rubikcube package defines commands for combinations of textual and graphical representations of rotations (e.g., `\textRubikUa` produces “**Ua** ”) as well as commands that produce colored illustrations of Rubik’s Cube configurations and rotations. See the rubikcube documentation for more information.

## 10 Fonts with minimal L<sup>A</sup>T<sub>E</sub>X support

The symbol fonts shown in this section are provided without a corresponding L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> style file that assigns a convenient name to each glyph. Consequently, each glyph must be accessed by number. To help with this, the `pifont` package defines a `\Pisymbol` command that typesets a specified character by number from a specified L<sup>A</sup>T<sub>E</sub>X font family. Alas, most of the fonts in this section do not even define a L<sup>A</sup>T<sub>E</sub>X font family. Hence, except where otherwise specified, a document will need to include code like the following in its preamble:

```
\usepackage{pifont}
\DeclareFontFamily{U}{\langle name \rangle}{}
\DeclareFontShape{U}{\langle name \rangle}{m}{n}{<-> \langle font \rangle}{}

```

where *font* is the name of the `.tfm` font file (or `.mf` font file, from which a `.tfm` font file can be generated automatically), and *name* is a name to use to refer to that font. It's generally good practice to use the name of the font file for *name*, as in the following:

```
\usepackage{pifont}
\DeclareFontFamily{U}{hands}{}
\DeclareFontShape{U}{hands}{m}{n}{<-> hands}{}

```

TABLE 560: hands Fists





	<code>\Pisymbol{hands}{65}</code>		<code>\Pisymbol{hands}{67}</code>
	<code>\Pisymbol{hands}{66}</code>		<code>\Pisymbol{hands}{68}</code>

TABLE 561: greenpoint Recycling Symbols






































	<code>\Pisymbol{greenpoint}{71}</code>
---	--

TABLE 562: nkarta Map Symbols

	<code>\Pisymbol{nkarta}{33}</code>		<code>\Pisymbol{nkarta}{96}</code>		<code>\Pisymbol{nkarta}{193}</code>
	<code>\Pisymbol{nkarta}{34}</code>		<code>\Pisymbol{nkarta}{97}</code>		<code>\Pisymbol{nkarta}{194}</code>
	<code>\Pisymbol{nkarta}{35}</code>		<code>\Pisymbol{nkarta}{98}</code>		<code>\Pisymbol{nkarta}{195}</code>
	<code>\Pisymbol{nkarta}{36}</code>		<code>\Pisymbol{nkarta}{99}</code>		<code>\Pisymbol{nkarta}{196}</code>
	<code>\Pisymbol{nkarta}{37}</code>		<code>\Pisymbol{nkarta}{100}</code>		<code>\Pisymbol{nkarta}{197}</code>
	<code>\Pisymbol{nkarta}{38}</code>		<code>\Pisymbol{nkarta}{101}</code>		<code>\Pisymbol{nkarta}{198}</code>
	<code>\Pisymbol{nkarta}{39}</code>		<code>\Pisymbol{nkarta}{102}</code>		<code>\Pisymbol{nkarta}{199}</code>
	<code>\Pisymbol{nkarta}{40}</code>		<code>\Pisymbol{nkarta}{103}</code>		<code>\Pisymbol{nkarta}{200}</code>
	<code>\Pisymbol{nkarta}{41}</code>		<code>\Pisymbol{nkarta}{104}</code>		<code>\Pisymbol{nkarta}{201}</code>
	<code>\Pisymbol{nkarta}{42}</code>		<code>\Pisymbol{nkarta}{105}</code>		<code>\Pisymbol{nkarta}{202}</code>
	<code>\Pisymbol{nkarta}{43}</code>		<code>\Pisymbol{nkarta}{106}</code>		<code>\Pisymbol{nkarta}{203}</code>
	<code>\Pisymbol{nkarta}{44}</code>		<code>\Pisymbol{nkarta}{107}</code>		<code>\Pisymbol{nkarta}{204}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{nkarta}{45}</code>		<code>\Pisymbol{nkarta}{108}</code>		<code>\Pisymbol{nkarta}{205}</code>
	<code>\Pisymbol{nkarta}{46}</code>		<code>\Pisymbol{nkarta}{109}</code>		<code>\Pisymbol{nkarta}{206}</code>
	<code>\Pisymbol{nkarta}{47}</code>		<code>\Pisymbol{nkarta}{110}</code>		<code>\Pisymbol{nkarta}{207}</code>
	<code>\Pisymbol{nkarta}{48}</code>		<code>\Pisymbol{nkarta}{111}</code>		<code>\Pisymbol{nkarta}{208}</code>
	<code>\Pisymbol{nkarta}{49}</code>		<code>\Pisymbol{nkarta}{112}</code>		<code>\Pisymbol{nkarta}{209}</code>
	<code>\Pisymbol{nkarta}{50}</code>		<code>\Pisymbol{nkarta}{113}</code>		<code>\Pisymbol{nkarta}{210}</code>
	<code>\Pisymbol{nkarta}{51}</code>		<code>\Pisymbol{nkarta}{114}</code>		<code>\Pisymbol{nkarta}{211}</code>
	<code>\Pisymbol{nkarta}{52}</code>		<code>\Pisymbol{nkarta}{115}</code>		<code>\Pisymbol{nkarta}{212}</code>
	<code>\Pisymbol{nkarta}{53}</code>		<code>\Pisymbol{nkarta}{116}</code>		<code>\Pisymbol{nkarta}{213}</code>
	<code>\Pisymbol{nkarta}{54}</code>		<code>\Pisymbol{nkarta}{117}</code>		<code>\Pisymbol{nkarta}{214}</code>
	<code>\Pisymbol{nkarta}{55}</code>		<code>\Pisymbol{nkarta}{118}</code>		<code>\Pisymbol{nkarta}{215}</code>
	<code>\Pisymbol{nkarta}{56}</code>		<code>\Pisymbol{nkarta}{119}</code>		<code>\Pisymbol{nkarta}{216}</code>
	<code>\Pisymbol{nkarta}{57}</code>		<code>\Pisymbol{nkarta}{120}</code>		<code>\Pisymbol{nkarta}{217}</code>
	<code>\Pisymbol{nkarta}{58}</code>		<code>\Pisymbol{nkarta}{121}</code>		<code>\Pisymbol{nkarta}{218}</code>
	<code>\Pisymbol{nkarta}{59}</code>		<code>\Pisymbol{nkarta}{122}</code>		<code>\Pisymbol{nkarta}{219}</code>
	<code>\Pisymbol{nkarta}{60}</code>		<code>\Pisymbol{nkarta}{123}</code>		<code>\Pisymbol{nkarta}{220}</code>
	<code>\Pisymbol{nkarta}{61}</code>		<code>\Pisymbol{nkarta}{124}</code>		<code>\Pisymbol{nkarta}{221}</code>
	<code>\Pisymbol{nkarta}{62}</code>		<code>\Pisymbol{nkarta}{125}</code>		<code>\Pisymbol{nkarta}{222}</code>
	<code>\Pisymbol{nkarta}{63}</code>		<code>\Pisymbol{nkarta}{126}</code>		<code>\Pisymbol{nkarta}{223}</code>
	<code>\Pisymbol{nkarta}{64}</code>		<code>\Pisymbol{nkarta}{161}</code>		<code>\Pisymbol{nkarta}{224}</code>
	<code>\Pisymbol{nkarta}{65}</code>		<code>\Pisymbol{nkarta}{162}</code>		<code>\Pisymbol{nkarta}{225}</code>
	<code>\Pisymbol{nkarta}{66}</code>		<code>\Pisymbol{nkarta}{163}</code>		<code>\Pisymbol{nkarta}{226}</code>
	<code>\Pisymbol{nkarta}{67}</code>		<code>\Pisymbol{nkarta}{164}</code>		<code>\Pisymbol{nkarta}{227}</code>
	<code>\Pisymbol{nkarta}{68}</code>		<code>\Pisymbol{nkarta}{165}</code>		<code>\Pisymbol{nkarta}{228}</code>
	<code>\Pisymbol{nkarta}{69}</code>		<code>\Pisymbol{nkarta}{166}</code>		<code>\Pisymbol{nkarta}{229}</code>
	<code>\Pisymbol{nkarta}{70}</code>		<code>\Pisymbol{nkarta}{167}</code>		<code>\Pisymbol{nkarta}{230}</code>
	<code>\Pisymbol{nkarta}{71}</code>		<code>\Pisymbol{nkarta}{168}</code>		<code>\Pisymbol{nkarta}{231}</code>
	<code>\Pisymbol{nkarta}{72}</code>		<code>\Pisymbol{nkarta}{169}</code>		<code>\Pisymbol{nkarta}{232}</code>
	<code>\Pisymbol{nkarta}{73}</code>		<code>\Pisymbol{nkarta}{170}</code>		<code>\Pisymbol{nkarta}{233}</code>
	<code>\Pisymbol{nkarta}{74}</code>		<code>\Pisymbol{nkarta}{171}</code>		<code>\Pisymbol{nkarta}{234}</code>
	<code>\Pisymbol{nkarta}{75}</code>		<code>\Pisymbol{nkarta}{172}</code>		<code>\Pisymbol{nkarta}{235}</code>
	<code>\Pisymbol{nkarta}{76}</code>		<code>\Pisymbol{nkarta}{173}</code>		<code>\Pisymbol{nkarta}{236}</code>
	<code>\Pisymbol{nkarta}{77}</code>		<code>\Pisymbol{nkarta}{174}</code>		<code>\Pisymbol{nkarta}{237}</code>
	<code>\Pisymbol{nkarta}{78}</code>		<code>\Pisymbol{nkarta}{175}</code>		<code>\Pisymbol{nkarta}{238}</code>
	<code>\Pisymbol{nkarta}{79}</code>		<code>\Pisymbol{nkarta}{176}</code>		<code>\Pisymbol{nkarta}{239}</code>
	<code>\Pisymbol{nkarta}{80}</code>		<code>\Pisymbol{nkarta}{177}</code>		<code>\Pisymbol{nkarta}{240}</code>
	<code>\Pisymbol{nkarta}{81}</code>		<code>\Pisymbol{nkarta}{178}</code>		<code>\Pisymbol{nkarta}{241}</code>
	<code>\Pisymbol{nkarta}{82}</code>		<code>\Pisymbol{nkarta}{179}</code>		<code>\Pisymbol{nkarta}{242}</code>
	<code>\Pisymbol{nkarta}{83}</code>		<code>\Pisymbol{nkarta}{180}</code>		<code>\Pisymbol{nkarta}{243}</code>
	<code>\Pisymbol{nkarta}{84}</code>		<code>\Pisymbol{nkarta}{181}</code>		<code>\Pisymbol{nkarta}{244}</code>
	<code>\Pisymbol{nkarta}{85}</code>		<code>\Pisymbol{nkarta}{182}</code>		<code>\Pisymbol{nkarta}{245}</code>
	<code>\Pisymbol{nkarta}{86}</code>		<code>\Pisymbol{nkarta}{183}</code>		<code>\Pisymbol{nkarta}{246}</code>
	<code>\Pisymbol{nkarta}{87}</code>		<code>\Pisymbol{nkarta}{184}</code>		<code>\Pisymbol{nkarta}{247}</code>
	<code>\Pisymbol{nkarta}{88}</code>		<code>\Pisymbol{nkarta}{185}</code>		<code>\Pisymbol{nkarta}{248}</code>
	<code>\Pisymbol{nkarta}{89}</code>		<code>\Pisymbol{nkarta}{186}</code>		<code>\Pisymbol{nkarta}{249}</code>
	<code>\Pisymbol{nkarta}{90}</code>		<code>\Pisymbol{nkarta}{187}</code>		<code>\Pisymbol{nkarta}{250}</code>
	<code>\Pisymbol{nkarta}{91}</code>		<code>\Pisymbol{nkarta}{188}</code>		<code>\Pisymbol{nkarta}{251}</code>

(continued on next page)



(continued from previous page)





	<code>\Pisymbol{nkarta}{92}</code>	☒	<code>\Pisymbol{nkarta}{189}</code>	◼	<code>\Pisymbol{nkarta}{252}</code>
	<code>\Pisymbol{nkarta}{93}</code>	×	<code>\Pisymbol{nkarta}{190}</code>	▼	<code>\Pisymbol{nkarta}{253}</code>
	<code>\Pisymbol{nkarta}{94}</code>	○	<code>\Pisymbol{nkarta}{191}</code>	▶	<code>\Pisymbol{nkarta}{254}</code>
	<code>\Pisymbol{nkarta}{95}</code>	✳	<code>\Pisymbol{nkarta}{192}</code>		

TABLE 563: moonphase Astronomical Symbols





















































































	<code>\Pisymbol{moonphase}{0}</code>		<code>\Pisymbol{moonphase}{2}</code>
	<code>\Pisymbol{moonphase}{1}</code>		<code>\Pisymbol{moonphase}{3}</code>

TABLE 564: astrosym Astronomical Symbols

	<code>\Pisymbol{astrosym}{0}</code>		<code>\Pisymbol{astrosym}{132}</code>
	<code>\Pisymbol{astrosym}{1}</code>		<code>\Pisymbol{astrosym}{133}</code>
	<code>\Pisymbol{astrosym}{2}</code>		<code>\Pisymbol{astrosym}{134}</code>
	<code>\Pisymbol{astrosym}{3}</code>		<code>\Pisymbol{astrosym}{135}</code>
	<code>\Pisymbol{astrosym}{4}</code>		<code>\Pisymbol{astrosym}{136}</code>
	<code>\Pisymbol{astrosym}{5}</code>		<code>\Pisymbol{astrosym}{137}</code>
	<code>\Pisymbol{astrosym}{6}</code>		<code>\Pisymbol{astrosym}{138}</code>
	<code>\Pisymbol{astrosym}{7}</code>		<code>\Pisymbol{astrosym}{139}</code>
	<code>\Pisymbol{astrosym}{8}</code>		<code>\Pisymbol{astrosym}{140}</code>
	<code>\Pisymbol{astrosym}{9}</code>		<code>\Pisymbol{astrosym}{141}</code>
	<code>\Pisymbol{astrosym}{10}</code>		<code>\Pisymbol{astrosym}{142}</code>
	<code>\Pisymbol{astrosym}{11}</code>		<code>\Pisymbol{astrosym}{143}</code>
	<code>\Pisymbol{astrosym}{12}</code>		<code>\Pisymbol{astrosym}{144}</code>
	<code>\Pisymbol{astrosym}{13}</code>		<code>\Pisymbol{astrosym}{145}</code>
	<code>\Pisymbol{astrosym}{14}</code>		<code>\Pisymbol{astrosym}{146}</code>
	<code>\Pisymbol{astrosym}{15}</code>		<code>\Pisymbol{astrosym}{147}</code>
	<code>\Pisymbol{astrosym}{16}</code>		<code>\Pisymbol{astrosym}{148}</code>
	<code>\Pisymbol{astrosym}{17}</code>		<code>\Pisymbol{astrosym}{149}</code>
	<code>\Pisymbol{astrosym}{18}</code>		<code>\Pisymbol{astrosym}{150}</code>
	<code>\Pisymbol{astrosym}{19}</code>		<code>\Pisymbol{astrosym}{151}</code>








































































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{20}</code>		<code>\Pisymbol{astroSYM}{152}</code>
	<code>\Pisymbol{astroSYM}{21}</code>		<code>\Pisymbol{astroSYM}{153}</code>
	<code>\Pisymbol{astroSYM}{22}</code>		<code>\Pisymbol{astroSYM}{154}</code>
	<code>\Pisymbol{astroSYM}{23}</code>		<code>\Pisymbol{astroSYM}{155}</code>
	<code>\Pisymbol{astroSYM}{24}</code>		<code>\Pisymbol{astroSYM}{156}</code>
	<code>\Pisymbol{astroSYM}{25}</code>		<code>\Pisymbol{astroSYM}{157}</code>
	<code>\Pisymbol{astroSYM}{26}</code>		<code>\Pisymbol{astroSYM}{158}</code>
	<code>\Pisymbol{astroSYM}{27}</code>		<code>\Pisymbol{astroSYM}{159}</code>
	<code>\Pisymbol{astroSYM}{28}</code>		<code>\Pisymbol{astroSYM}{160}</code>
	<code>\Pisymbol{astroSYM}{29}</code>		<code>\Pisymbol{astroSYM}{161}</code>
	<code>\Pisymbol{astroSYM}{30}</code>		<code>\Pisymbol{astroSYM}{162}</code>
	<code>\Pisymbol{astroSYM}{31}</code>		<code>\Pisymbol{astroSYM}{163}</code>
	<code>\Pisymbol{astroSYM}{32}</code>		<code>\Pisymbol{astroSYM}{164}</code>
	<code>\Pisymbol{astroSYM}{33}</code>		<code>\Pisymbol{astroSYM}{165}</code>
	<code>\Pisymbol{astroSYM}{34}</code>		<code>\Pisymbol{astroSYM}{166}</code>
	<code>\Pisymbol{astroSYM}{35}</code>		<code>\Pisymbol{astroSYM}{167}</code>
	<code>\Pisymbol{astroSYM}{36}</code>		<code>\Pisymbol{astroSYM}{168}</code>
	<code>\Pisymbol{astroSYM}{37}</code>		<code>\Pisymbol{astroSYM}{169}</code>
	<code>\Pisymbol{astroSYM}{38}</code>		<code>\Pisymbol{astroSYM}{170}</code>
	<code>\Pisymbol{astroSYM}{39}</code>		<code>\Pisymbol{astroSYM}{171}</code>
	<code>\Pisymbol{astroSYM}{40}</code>		<code>\Pisymbol{astroSYM}{172}</code>
	<code>\Pisymbol{astroSYM}{41}</code>		<code>\Pisymbol{astroSYM}{173}</code>
	<code>\Pisymbol{astroSYM}{42}</code>		<code>\Pisymbol{astroSYM}{174}</code>
	<code>\Pisymbol{astroSYM}{43}</code>		<code>\Pisymbol{astroSYM}{175}</code>
	<code>\Pisymbol{astroSYM}{44}</code>		<code>\Pisymbol{astroSYM}{176}</code>
	<code>\Pisymbol{astroSYM}{45}</code>		<code>\Pisymbol{astroSYM}{177}</code>
	<code>\Pisymbol{astroSYM}{46}</code>		<code>\Pisymbol{astroSYM}{178}</code>
	<code>\Pisymbol{astroSYM}{47}</code>		<code>\Pisymbol{astroSYM}{179}</code>
	<code>\Pisymbol{astroSYM}{48}</code>		<code>\Pisymbol{astroSYM}{180}</code>
	<code>\Pisymbol{astroSYM}{49}</code>		<code>\Pisymbol{astroSYM}{181}</code>
	<code>\Pisymbol{astroSYM}{50}</code>		<code>\Pisymbol{astroSYM}{182}</code>
	<code>\Pisymbol{astroSYM}{51}</code>		<code>\Pisymbol{astroSYM}{183}</code>
	<code>\Pisymbol{astroSYM}{52}</code>		<code>\Pisymbol{astroSYM}{184}</code>
	<code>\Pisymbol{astroSYM}{53}</code>		<code>\Pisymbol{astroSYM}{185}</code>
	<code>\Pisymbol{astroSYM}{54}</code>		<code>\Pisymbol{astroSYM}{186}</code>
	<code>\Pisymbol{astroSYM}{55}</code>		<code>\Pisymbol{astroSYM}{187}</code>
	<code>\Pisymbol{astroSYM}{56}</code>		<code>\Pisymbol{astroSYM}{188}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{57}</code>		<code>\Pisymbol{astroSYM}{205}</code>
	<code>\Pisymbol{astroSYM}{58}</code>		<code>\Pisymbol{astroSYM}{206}</code>
	<code>\Pisymbol{astroSYM}{59}</code>		<code>\Pisymbol{astroSYM}{207}</code>
	<code>\Pisymbol{astroSYM}{60}</code>		<code>\Pisymbol{astroSYM}{208}</code>
	<code>\Pisymbol{astroSYM}{61}</code>		<code>\Pisymbol{astroSYM}{209}</code>
	<code>\Pisymbol{astroSYM}{62}</code>		<code>\Pisymbol{astroSYM}{210}</code>
	<code>\Pisymbol{astroSYM}{63}</code>		<code>\Pisymbol{astroSYM}{211}</code>
	<code>\Pisymbol{astroSYM}{64}</code>		<code>\Pisymbol{astroSYM}{212}</code>
	<code>\Pisymbol{astroSYM}{65}</code>		<code>\Pisymbol{astroSYM}{213}</code>
	<code>\Pisymbol{astroSYM}{66}</code>		<code>\Pisymbol{astroSYM}{214}</code>
	<code>\Pisymbol{astroSYM}{67}</code>		<code>\Pisymbol{astroSYM}{215}</code>
	<code>\Pisymbol{astroSYM}{68}</code>		<code>\Pisymbol{astroSYM}{216}</code>
	<code>\Pisymbol{astroSYM}{69}</code>		<code>\Pisymbol{astroSYM}{217}</code>
	<code>\Pisymbol{astroSYM}{90}</code>		<code>\Pisymbol{astroSYM}{218}</code>
	<code>\Pisymbol{astroSYM}{91}</code>		<code>\Pisymbol{astroSYM}{219}</code>
	<code>\Pisymbol{astroSYM}{92}</code>		<code>\Pisymbol{astroSYM}{220}</code>
	<code>\Pisymbol{astroSYM}{93}</code>		<code>\Pisymbol{astroSYM}{221}</code>
	<code>\Pisymbol{astroSYM}{94}</code>		<code>\Pisymbol{astroSYM}{222}</code>
	<code>\Pisymbol{astroSYM}{95}</code>		<code>\Pisymbol{astroSYM}{223}</code>
	<code>\Pisymbol{astroSYM}{100}</code>		<code>\Pisymbol{astroSYM}{224}</code>
	<code>\Pisymbol{astroSYM}{101}</code>		<code>\Pisymbol{astroSYM}{225}</code>
	<code>\Pisymbol{astroSYM}{102}</code>		<code>\Pisymbol{astroSYM}{226}</code>
	<code>\Pisymbol{astroSYM}{103}</code>		<code>\Pisymbol{astroSYM}{227}</code>
	<code>\Pisymbol{astroSYM}{104}</code>		<code>\Pisymbol{astroSYM}{228}</code>
	<code>\Pisymbol{astroSYM}{105}</code>		<code>\Pisymbol{astroSYM}{229}</code>
	<code>\Pisymbol{astroSYM}{106}</code>		<code>\Pisymbol{astroSYM}{230}</code>
	<code>\Pisymbol{astroSYM}{107}</code>		<code>\Pisymbol{astroSYM}{231}</code>
	<code>\Pisymbol{astroSYM}{108}</code>		<code>\Pisymbol{astroSYM}{232}</code>
	<code>\Pisymbol{astroSYM}{109}</code>		<code>\Pisymbol{astroSYM}{233}</code>
	<code>\Pisymbol{astroSYM}{110}</code>		<code>\Pisymbol{astroSYM}{234}</code>
	<code>\Pisymbol{astroSYM}{111}</code>		<code>\Pisymbol{astroSYM}{235}</code>
	<code>\Pisymbol{astroSYM}{112}</code>		<code>\Pisymbol{astroSYM}{236}</code>
	<code>\Pisymbol{astroSYM}{113}</code>		<code>\Pisymbol{astroSYM}{237}</code>
	<code>\Pisymbol{astroSYM}{114}</code>		<code>\Pisymbol{astroSYM}{238}</code>
	<code>\Pisymbol{astroSYM}{115}</code>		<code>\Pisymbol{astroSYM}{239}</code>
	<code>\Pisymbol{astroSYM}{116}</code>		<code>\Pisymbol{astroSYM}{240}</code>
	<code>\Pisymbol{astroSYM}{117}</code>		<code>\Pisymbol{astroSYM}{241}</code>
	<code>\Pisymbol{astroSYM}{118}</code>		<code>\Pisymbol{astroSYM}{242}</code>

(continued on next page)

(continued from previous page)


























































































	<code>\Pisymbol{astroSYM}{119}</code>		<code>\Pisymbol{astroSYM}{243}</code>
	<code>\Pisymbol{astroSYM}{120}</code>		<code>\Pisymbol{astroSYM}{244}</code>
	<code>\Pisymbol{astroSYM}{121}</code>		<code>\Pisymbol{astroSYM}{245}</code>
	<code>\Pisymbol{astroSYM}{122}</code>		<code>\Pisymbol{astroSYM}{246}</code>
	<code>\Pisymbol{astroSYM}{123}</code>		<code>\Pisymbol{astroSYM}{247}</code>
	<code>\Pisymbol{astroSYM}{124}</code>		<code>\Pisymbol{astroSYM}{248}</code>
	<code>\Pisymbol{astroSYM}{125}</code>		<code>\Pisymbol{astroSYM}{249}</code>
	<code>\Pisymbol{astroSYM}{126}</code>		<code>\Pisymbol{astroSYM}{250}</code>
	<code>\Pisymbol{astroSYM}{127}</code>		<code>\Pisymbol{astroSYM}{251}</code>
	<code>\Pisymbol{astroSYM}{128}</code>		<code>\Pisymbol{astroSYM}{252}</code>
	<code>\Pisymbol{astroSYM}{129}</code>		<code>\Pisymbol{astroSYM}{253}</code>
	<code>\Pisymbol{astroSYM}{130}</code>		<code>\Pisymbol{astroSYM}{254}</code>
	<code>\Pisymbol{astroSYM}{131}</code>		<code>\Pisymbol{astroSYM}{255}</code>



TABLE 565: webomints Decorative Borders

	<code>\Pisymbol{WebOMintsGD}{47}</code>		<code>\Pisymbol{WebOMintsGD}{87}</code>
	<code>\Pisymbol{WebOMintsGD}{48}</code>		<code>\Pisymbol{WebOMintsGD}{88}</code>
	<code>\Pisymbol{WebOMintsGD}{49}</code>		<code>\Pisymbol{WebOMintsGD}{89}</code>
	<code>\Pisymbol{WebOMintsGD}{50}</code>		<code>\Pisymbol{WebOMintsGD}{90}</code>
	<code>\Pisymbol{WebOMintsGD}{51}</code>		<code>\Pisymbol{WebOMintsGD}{91}</code>
	<code>\Pisymbol{WebOMintsGD}{52}</code>		<code>\Pisymbol{WebOMintsGD}{93}</code>
	<code>\Pisymbol{WebOMintsGD}{53}</code>		<code>\Pisymbol{WebOMintsGD}{97}</code>
	<code>\Pisymbol{WebOMintsGD}{54}</code>		<code>\Pisymbol{WebOMintsGD}{98}</code>
	<code>\Pisymbol{WebOMintsGD}{55}</code>		<code>\Pisymbol{WebOMintsGD}{99}</code>
	<code>\Pisymbol{WebOMintsGD}{56}</code>		<code>\Pisymbol{WebOMintsGD}{100}</code>
	<code>\Pisymbol{WebOMintsGD}{57}</code>		<code>\Pisymbol{WebOMintsGD}{101}</code>
	<code>\Pisymbol{WebOMintsGD}{65}</code>		<code>\Pisymbol{WebOMintsGD}{102}</code>
	<code>\Pisymbol{WebOMintsGD}{66}</code>		<code>\Pisymbol{WebOMintsGD}{103}</code>
	<code>\Pisymbol{WebOMintsGD}{67}</code>		<code>\Pisymbol{WebOMintsGD}{104}</code>
	<code>\Pisymbol{WebOMintsGD}{68}</code>		<code>\Pisymbol{WebOMintsGD}{105}</code>
	<code>\Pisymbol{WebOMintsGD}{69}</code>		<code>\Pisymbol{WebOMintsGD}{106}</code>
	<code>\Pisymbol{WebOMintsGD}{70}</code>		<code>\Pisymbol{WebOMintsGD}{107}</code>
	<code>\Pisymbol{WebOMintsGD}{71}</code>		<code>\Pisymbol{WebOMintsGD}{108}</code>
	<code>\Pisymbol{WebOMintsGD}{72}</code>		<code>\Pisymbol{WebOMintsGD}{109}</code>
	<code>\Pisymbol{WebOMintsGD}{73}</code>		<code>\Pisymbol{WebOMintsGD}{110}</code>
	<code>\Pisymbol{WebOMintsGD}{74}</code>		<code>\Pisymbol{WebOMintsGD}{111}</code>
	<code>\Pisymbol{WebOMintsGD}{75}</code>		<code>\Pisymbol{WebOMintsGD}{112}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{WebOMintsGD}{76}</code>		<code>\Pisymbol{WebOMintsGD}{113}</code>
	<code>\Pisymbol{WebOMintsGD}{77}</code>		<code>\Pisymbol{WebOMintsGD}{114}</code>
	<code>\Pisymbol{WebOMintsGD}{78}</code>		<code>\Pisymbol{WebOMintsGD}{115}</code>
	<code>\Pisymbol{WebOMintsGD}{79}</code>		<code>\Pisymbol{WebOMintsGD}{116}</code>
	<code>\Pisymbol{WebOMintsGD}{80}</code>		<code>\Pisymbol{WebOMintsGD}{117}</code>
	<code>\Pisymbol{WebOMintsGD}{81}</code>		<code>\Pisymbol{WebOMintsGD}{118}</code>
	<code>\Pisymbol{WebOMintsGD}{82}</code>		<code>\Pisymbol{WebOMintsGD}{119}</code>
	<code>\Pisymbol{WebOMintsGD}{83}</code>		<code>\Pisymbol{WebOMintsGD}{120}</code>
	<code>\Pisymbol{WebOMintsGD}{84}</code>		<code>\Pisymbol{WebOMintsGD}{121}</code>
	<code>\Pisymbol{WebOMintsGD}{85}</code>		<code>\Pisymbol{WebOMintsGD}{122}</code>
	<code>\Pisymbol{WebOMintsGD}{86}</code>		

webomints provides a `uwebo.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the webomints font directly. For example, `{\usefont{U}{webo}{xl}{n}\char73\char74}`—alternatively, `{\usefont{U}{webo}{xl}{n}IJ}`—will typeset “ ”. This can be useful for typesetting a number of webomints glyphs in a row.

The `niceframe` package can be used to typeset decorative frames using fonts such as webomints.

TABLE 566: umranda Decorative Borders

	<code>\Pisymbol{umranda}{0}</code>		<code>\Pisymbol{umranda}{34}</code>		<code>\Pisymbol{umranda}{68}</code>
	<code>\Pisymbol{umranda}{1}</code>		<code>\Pisymbol{umranda}{35}</code>		<code>\Pisymbol{umranda}{69}</code>
	<code>\Pisymbol{umranda}{2}</code>		<code>\Pisymbol{umranda}{36}</code>		<code>\Pisymbol{umranda}{70}</code>
	<code>\Pisymbol{umranda}{3}</code>		<code>\Pisymbol{umranda}{37}</code>		<code>\Pisymbol{umranda}{71}</code>
	<code>\Pisymbol{umranda}{4}</code>		<code>\Pisymbol{umranda}{38}</code>		<code>\Pisymbol{umranda}{72}</code>
	<code>\Pisymbol{umranda}{5}</code>		<code>\Pisymbol{umranda}{39}</code>		<code>\Pisymbol{umranda}{73}</code>
	<code>\Pisymbol{umranda}{6}</code>		<code>\Pisymbol{umranda}{40}</code>		<code>\Pisymbol{umranda}{74}</code>
	<code>\Pisymbol{umranda}{7}</code>		<code>\Pisymbol{umranda}{41}</code>		<code>\Pisymbol{umranda}{75}</code>
	<code>\Pisymbol{umranda}{8}</code>		<code>\Pisymbol{umranda}{42}</code>		<code>\Pisymbol{umranda}{76}</code>
	<code>\Pisymbol{umranda}{9}</code>		<code>\Pisymbol{umranda}{43}</code>		<code>\Pisymbol{umranda}{77}</code>
	<code>\Pisymbol{umranda}{10}</code>		<code>\Pisymbol{umranda}{44}</code>		<code>\Pisymbol{umranda}{78}</code>
	<code>\Pisymbol{umranda}{11}</code>		<code>\Pisymbol{umranda}{45}</code>		<code>\Pisymbol{umranda}{79}</code>
	<code>\Pisymbol{umranda}{12}</code>		<code>\Pisymbol{umranda}{46}</code>		<code>\Pisymbol{umranda}{80}</code>
	<code>\Pisymbol{umranda}{13}</code>		<code>\Pisymbol{umranda}{47}</code>		<code>\Pisymbol{umranda}{81}</code>
	<code>\Pisymbol{umranda}{14}</code>		<code>\Pisymbol{umranda}{48}</code>		<code>\Pisymbol{umranda}{82}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{umranda}{15}</code>		<code>\Pisymbol{umranda}{49}</code>		<code>\Pisymbol{umranda}{83}</code>
	<code>\Pisymbol{umranda}{16}</code>		<code>\Pisymbol{umranda}{50}</code>		<code>\Pisymbol{umranda}{84}</code>
	<code>\Pisymbol{umranda}{17}</code>		<code>\Pisymbol{umranda}{51}</code>		<code>\Pisymbol{umranda}{85}</code>
	<code>\Pisymbol{umranda}{18}</code>		<code>\Pisymbol{umranda}{52}</code>		<code>\Pisymbol{umranda}{86}</code>
	<code>\Pisymbol{umranda}{19}</code>		<code>\Pisymbol{umranda}{53}</code>		<code>\Pisymbol{umranda}{87}</code>
	<code>\Pisymbol{umranda}{20}</code>		<code>\Pisymbol{umranda}{54}</code>		<code>\Pisymbol{umranda}{88}</code>
	<code>\Pisymbol{umranda}{21}</code>		<code>\Pisymbol{umranda}{55}</code>		<code>\Pisymbol{umranda}{89}</code>
	<code>\Pisymbol{umranda}{22}</code>		<code>\Pisymbol{umranda}{56}</code>		<code>\Pisymbol{umranda}{90}</code>
	<code>\Pisymbol{umranda}{23}</code>		<code>\Pisymbol{umranda}{57}</code>		<code>\Pisymbol{umranda}{91}</code>
	<code>\Pisymbol{umranda}{24}</code>		<code>\Pisymbol{umranda}{58}</code>		<code>\Pisymbol{umranda}{92}</code>
	<code>\Pisymbol{umranda}{25}</code>		<code>\Pisymbol{umranda}{59}</code>		<code>\Pisymbol{umranda}{93}</code>
	<code>\Pisymbol{umranda}{26}</code>		<code>\Pisymbol{umranda}{60}</code>		<code>\Pisymbol{umranda}{94}</code>
	<code>\Pisymbol{umranda}{27}</code>		<code>\Pisymbol{umranda}{61}</code>		<code>\Pisymbol{umranda}{95}</code>
	<code>\Pisymbol{umranda}{28}</code>		<code>\Pisymbol{umranda}{62}</code>		<code>\Pisymbol{umranda}{96}</code>
	<code>\Pisymbol{umranda}{29}</code>		<code>\Pisymbol{umranda}{63}</code>		<code>\Pisymbol{umranda}{97}</code>
	<code>\Pisymbol{umranda}{30}</code>		<code>\Pisymbol{umranda}{64}</code>		<code>\Pisymbol{umranda}{98}</code>
	<code>\Pisymbol{umranda}{31}</code>		<code>\Pisymbol{umranda}{65}</code>		<code>\Pisymbol{umranda}{99}</code>
	<code>\Pisymbol{umranda}{32}</code>		<code>\Pisymbol{umranda}{66}</code>		<code>\Pisymbol{umranda}{100}</code>
	<code>\Pisymbol{umranda}{33}</code>		<code>\Pisymbol{umranda}{67}</code>		<code>\Pisymbol{umranda}{101}</code>

The niceframe package can be used to typeset decorative frames using fonts such as umranda.

TABLE 567: umrandb Decorative Borders

	<code>\Pisymbol{umrandb}{0}</code>		<code>\Pisymbol{umrandb}{42}</code>		<code>\Pisymbol{umrandb}{84}</code>
	<code>\Pisymbol{umrandb}{1}</code>		<code>\Pisymbol{umrandb}{43}</code>		<code>\Pisymbol{umrandb}{85}</code>
	<code>\Pisymbol{umrandb}{2}</code>		<code>\Pisymbol{umrandb}{44}</code>		<code>\Pisymbol{umrandb}{86}</code>
	<code>\Pisymbol{umrandb}{3}</code>		<code>\Pisymbol{umrandb}{45}</code>		<code>\Pisymbol{umrandb}{87}</code>
	<code>\Pisymbol{umrandb}{4}</code>		<code>\Pisymbol{umrandb}{46}</code>		<code>\Pisymbol{umrandb}{88}</code>
	<code>\Pisymbol{umrandb}{5}</code>		<code>\Pisymbol{umrandb}{47}</code>		<code>\Pisymbol{umrandb}{89}</code>
	<code>\Pisymbol{umrandb}{6}</code>		<code>\Pisymbol{umrandb}{48}</code>		<code>\Pisymbol{umrandb}{90}</code>
	<code>\Pisymbol{umrandb}{7}</code>		<code>\Pisymbol{umrandb}{49}</code>		<code>\Pisymbol{umrandb}{91}</code>
	<code>\Pisymbol{umrandb}{8}</code>		<code>\Pisymbol{umrandb}{50}</code>		<code>\Pisymbol{umrandb}{92}</code>
	<code>\Pisymbol{umrandb}{9}</code>		<code>\Pisymbol{umrandb}{51}</code>		<code>\Pisymbol{umrandb}{93}</code>

















(continued on next page)

(continued from previous page)

	<code>\Pisymbol{umrandb}{10}</code>		<code>\Pisymbol{umrandb}{52}</code>		<code>\Pisymbol{umrandb}{94}</code>
	<code>\Pisymbol{umrandb}{11}</code>		<code>\Pisymbol{umrandb}{53}</code>		<code>\Pisymbol{umrandb}{95}</code>
	<code>\Pisymbol{umrandb}{12}</code>		<code>\Pisymbol{umrandb}{54}</code>		<code>\Pisymbol{umrandb}{96}</code>
	<code>\Pisymbol{umrandb}{13}</code>		<code>\Pisymbol{umrandb}{55}</code>		<code>\Pisymbol{umrandb}{97}</code>
	<code>\Pisymbol{umrandb}{14}</code>		<code>\Pisymbol{umrandb}{56}</code>		<code>\Pisymbol{umrandb}{98}</code>
	<code>\Pisymbol{umrandb}{15}</code>		<code>\Pisymbol{umrandb}{57}</code>		<code>\Pisymbol{umrandb}{99}</code>
	<code>\Pisymbol{umrandb}{16}</code>		<code>\Pisymbol{umrandb}{58}</code>		<code>\Pisymbol{umrandb}{100}</code>
	<code>\Pisymbol{umrandb}{17}</code>		<code>\Pisymbol{umrandb}{59}</code>		<code>\Pisymbol{umrandb}{101}</code>
	<code>\Pisymbol{umrandb}{18}</code>		<code>\Pisymbol{umrandb}{60}</code>		<code>\Pisymbol{umrandb}{102}</code>
	<code>\Pisymbol{umrandb}{19}</code>		<code>\Pisymbol{umrandb}{61}</code>		<code>\Pisymbol{umrandb}{103}</code>
	<code>\Pisymbol{umrandb}{20}</code>		<code>\Pisymbol{umrandb}{62}</code>		<code>\Pisymbol{umrandb}{104}</code>
	<code>\Pisymbol{umrandb}{21}</code>		<code>\Pisymbol{umrandb}{63}</code>		<code>\Pisymbol{umrandb}{105}</code>
	<code>\Pisymbol{umrandb}{22}</code>		<code>\Pisymbol{umrandb}{64}</code>		<code>\Pisymbol{umrandb}{106}</code>
	<code>\Pisymbol{umrandb}{23}</code>		<code>\Pisymbol{umrandb}{65}</code>		<code>\Pisymbol{umrandb}{107}</code>
	<code>\Pisymbol{umrandb}{24}</code>		<code>\Pisymbol{umrandb}{66}</code>		<code>\Pisymbol{umrandb}{108}</code>
	<code>\Pisymbol{umrandb}{25}</code>		<code>\Pisymbol{umrandb}{67}</code>		<code>\Pisymbol{umrandb}{109}</code>
	<code>\Pisymbol{umrandb}{26}</code>		<code>\Pisymbol{umrandb}{68}</code>		<code>\Pisymbol{umrandb}{110}</code>
	<code>\Pisymbol{umrandb}{27}</code>		<code>\Pisymbol{umrandb}{69}</code>		<code>\Pisymbol{umrandb}{111}</code>
	<code>\Pisymbol{umrandb}{28}</code>		<code>\Pisymbol{umrandb}{70}</code>		<code>\Pisymbol{umrandb}{112}</code>
	<code>\Pisymbol{umrandb}{29}</code>		<code>\Pisymbol{umrandb}{71}</code>		<code>\Pisymbol{umrandb}{113}</code>
	<code>\Pisymbol{umrandb}{30}</code>		<code>\Pisymbol{umrandb}{72}</code>		<code>\Pisymbol{umrandb}{114}</code>
	<code>\Pisymbol{umrandb}{31}</code>		<code>\Pisymbol{umrandb}{73}</code>		<code>\Pisymbol{umrandb}{115}</code>
	<code>\Pisymbol{umrandb}{32}</code>		<code>\Pisymbol{umrandb}{74}</code>		<code>\Pisymbol{umrandb}{116}</code>
	<code>\Pisymbol{umrandb}{33}</code>		<code>\Pisymbol{umrandb}{75}</code>		<code>\Pisymbol{umrandb}{117}</code>
	<code>\Pisymbol{umrandb}{34}</code>		<code>\Pisymbol{umrandb}{76}</code>		<code>\Pisymbol{umrandb}{118}</code>
	<code>\Pisymbol{umrandb}{35}</code>		<code>\Pisymbol{umrandb}{77}</code>		<code>\Pisymbol{umrandb}{119}</code>
	<code>\Pisymbol{umrandb}{36}</code>		<code>\Pisymbol{umrandb}{78}</code>		<code>\Pisymbol{umrandb}{120}</code>
	<code>\Pisymbol{umrandb}{37}</code>		<code>\Pisymbol{umrandb}{79}</code>		<code>\Pisymbol{umrandb}{121}</code>
	<code>\Pisymbol{umrandb}{38}</code>		<code>\Pisymbol{umrandb}{80}</code>		<code>\Pisymbol{umrandb}{122}</code>
	<code>\Pisymbol{umrandb}{39}</code>		<code>\Pisymbol{umrandb}{81}</code>		<code>\Pisymbol{umrandb}{123}</code>
	<code>\Pisymbol{umrandb}{40}</code>		<code>\Pisymbol{umrandb}{82}</code>		
	<code>\Pisymbol{umrandb}{41}</code>		<code>\Pisymbol{umrandb}{83}</code>		

The niceframe package can be used to typeset decorative frames using fonts such as umrandb.

TABLE 568: dingbat Decorative Borders






















	<code>\Pisymbol{dingbat}{69}</code>		<code>\Pisymbol{dingbat}{97}</code>
	<code>\Pisymbol{dingbat}{70}</code>		<code>\Pisymbol{dingbat}{98}</code>
	<code>\Pisymbol{dingbat}{71}</code>		<code>\Pisymbol{dingbat}{99}</code>
	<code>\Pisymbol{dingbat}{72}</code>		<code>\Pisymbol{dingbat}{100}</code>
	<code>\Pisymbol{dingbat}{74}</code>		<code>\Pisymbol{dingbat}{101}</code>
	<code>\Pisymbol{dingbat}{75}</code>		<code>\Pisymbol{dingbat}{102}</code>
	<code>\Pisymbol{dingbat}{76}</code>		<code>\Pisymbol{dingbat}{103}</code>
	<code>\Pisymbol{dingbat}{77}</code>		<code>\Pisymbol{dingbat}{104}</code>

The preceding table is incomplete in that it includes only unnamed dingbat symbols. Named symbols are included in Table 367 and Table 412 (both intermixed with symbols from the `ark10` font).

The `dingbat` package includes a `udingbat.fd` file so a document does not need to specify the `\DeclareFontFamily` and `\DeclareFontShape` commands list at the beginning of Section 10.

The `niceframe` package can be used to typeset decorative frames using fonts such as `dingbat`.




















TABLE 569: knot Celtic Knots
















































	<code>\Pisymbol{knot1}{48}</code>		<code>\Pisymbol{knot1}{68}</code>		<code>\Pisymbol{knot1}{84}</code>
	<code>\Pisymbol{knot1}{49}</code>		<code>\Pisymbol{knot1}{69}</code>		<code>\Pisymbol{knot1}{85}</code>
	<code>\Pisymbol{knot1}{50}</code>		<code>\Pisymbol{knot1}{70}</code>		<code>\Pisymbol{knot1}{86}</code>
	<code>\Pisymbol{knot1}{51}</code>		<code>\Pisymbol{knot1}{71}</code>		<code>\Pisymbol{knot1}{87}</code>
	<code>\Pisymbol{knot1}{52}</code>		<code>\Pisymbol{knot1}{72}</code>		<code>\Pisymbol{knot1}{88}</code>
	<code>\Pisymbol{knot1}{53}</code>		<code>\Pisymbol{knot1}{73}</code>		<code>\Pisymbol{knot1}{96}</code>
	<code>\Pisymbol{knot1}{58}</code>		<code>\Pisymbol{knot1}{74}</code>		<code>\Pisymbol{knot1}{97}</code>






























(continued on next page)



(continued from previous page)


















	<code>\Pisymbol{knot1}{59}</code>		<code>\Pisymbol{knot1}{75}</code>		<code>\Pisymbol{knot1}{98}</code>
	<code>\Pisymbol{knot1}{60}</code>		<code>\Pisymbol{knot1}{76}</code>		<code>\Pisymbol{knot1}{99}</code>
	<code>\Pisymbol{knot1}{61}</code>		<code>\Pisymbol{knot1}{77}</code>		<code>\Pisymbol{knot1}{100}</code>
	<code>\Pisymbol{knot1}{62}</code>		<code>\Pisymbol{knot1}{78}</code>		<code>\Pisymbol{knot1}{101}</code>
	<code>\Pisymbol{knot1}{63}</code>		<code>\Pisymbol{knot1}{79}</code>		<code>\Pisymbol{knot1}{102}</code>
	<code>\Pisymbol{knot1}{64}</code>		<code>\Pisymbol{knot1}{80}</code>		<code>\Pisymbol{knot1}{103}</code>
	<code>\Pisymbol{knot1}{65}</code>		<code>\Pisymbol{knot1}{81}</code>		<code>\Pisymbol{knot1}{104}</code>
	<code>\Pisymbol{knot1}{66}</code>		<code>\Pisymbol{knot1}{82}</code>		<code>\Pisymbol{knot1}{105}</code>
	<code>\Pisymbol{knot1}{67}</code>		<code>\Pisymbol{knot1}{83}</code>		
















































	<code>\Pisymbol{knot2}{48}</code>		<code>\Pisymbol{knot2}{68}</code>		<code>\Pisymbol{knot2}{84}</code>
	<code>\Pisymbol{knot2}{49}</code>		<code>\Pisymbol{knot2}{69}</code>		<code>\Pisymbol{knot2}{85}</code>
	<code>\Pisymbol{knot2}{50}</code>		<code>\Pisymbol{knot2}{70}</code>		<code>\Pisymbol{knot2}{86}</code>
	<code>\Pisymbol{knot2}{51}</code>		<code>\Pisymbol{knot2}{71}</code>		<code>\Pisymbol{knot2}{87}</code>
	<code>\Pisymbol{knot2}{52}</code>		<code>\Pisymbol{knot2}{72}</code>		<code>\Pisymbol{knot2}{88}</code>
	<code>\Pisymbol{knot2}{53}</code>		<code>\Pisymbol{knot2}{73}</code>		<code>\Pisymbol{knot2}{96}</code>
	<code>\Pisymbol{knot2}{58}</code>		<code>\Pisymbol{knot2}{74}</code>		<code>\Pisymbol{knot2}{97}</code>
	<code>\Pisymbol{knot2}{59}</code>		<code>\Pisymbol{knot2}{75}</code>		<code>\Pisymbol{knot2}{98}</code>
	<code>\Pisymbol{knot2}{60}</code>		<code>\Pisymbol{knot2}{76}</code>		<code>\Pisymbol{knot2}{99}</code>
	<code>\Pisymbol{knot2}{61}</code>		<code>\Pisymbol{knot2}{77}</code>		<code>\Pisymbol{knot2}{100}</code>
	<code>\Pisymbol{knot2}{62}</code>		<code>\Pisymbol{knot2}{78}</code>		<code>\Pisymbol{knot2}{101}</code>
	<code>\Pisymbol{knot2}{63}</code>		<code>\Pisymbol{knot2}{79}</code>		<code>\Pisymbol{knot2}{102}</code>
	<code>\Pisymbol{knot2}{64}</code>		<code>\Pisymbol{knot2}{80}</code>		<code>\Pisymbol{knot2}{103}</code>
	<code>\Pisymbol{knot2}{65}</code>		<code>\Pisymbol{knot2}{81}</code>		<code>\Pisymbol{knot2}{104}</code>
	<code>\Pisymbol{knot2}{66}</code>		<code>\Pisymbol{knot2}{82}</code>		<code>\Pisymbol{knot2}{105}</code>
	<code>\Pisymbol{knot2}{67}</code>		<code>\Pisymbol{knot2}{83}</code>		








































	<code>\Pisymbol{knot3}{48}</code>		<code>\Pisymbol{knot3}{68}</code>		<code>\Pisymbol{knot3}{84}</code>
	<code>\Pisymbol{knot3}{49}</code>		<code>\Pisymbol{knot3}{69}</code>		<code>\Pisymbol{knot3}{85}</code>
	<code>\Pisymbol{knot3}{50}</code>		<code>\Pisymbol{knot3}{70}</code>		<code>\Pisymbol{knot3}{86}</code>
	<code>\Pisymbol{knot3}{51}</code>		<code>\Pisymbol{knot3}{71}</code>		<code>\Pisymbol{knot3}{87}</code>
	<code>\Pisymbol{knot3}{52}</code>		<code>\Pisymbol{knot3}{72}</code>		<code>\Pisymbol{knot3}{88}</code>
	<code>\Pisymbol{knot3}{53}</code>		<code>\Pisymbol{knot3}{73}</code>		<code>\Pisymbol{knot3}{96}</code>
	<code>\Pisymbol{knot3}{58}</code>		<code>\Pisymbol{knot3}{74}</code>		<code>\Pisymbol{knot3}{97}</code>
	<code>\Pisymbol{knot3}{59}</code>		<code>\Pisymbol{knot3}{75}</code>		<code>\Pisymbol{knot3}{98}</code>
	<code>\Pisymbol{knot3}{60}</code>		<code>\Pisymbol{knot3}{76}</code>		<code>\Pisymbol{knot3}{99}</code>
	<code>\Pisymbol{knot3}{61}</code>		<code>\Pisymbol{knot3}{77}</code>		<code>\Pisymbol{knot3}{100}</code>

(continued on next page)

(continued from previous page)


































































































	<code>\Pisymbol{knot3}{62}</code>		<code>\Pisymbol{knot3}{78}</code>		<code>\Pisymbol{knot3}{101}</code>
	<code>\Pisymbol{knot3}{63}</code>		<code>\Pisymbol{knot3}{79}</code>		<code>\Pisymbol{knot3}{102}</code>
	<code>\Pisymbol{knot3}{64}</code>		<code>\Pisymbol{knot3}{80}</code>		<code>\Pisymbol{knot3}{103}</code>
	<code>\Pisymbol{knot3}{65}</code>		<code>\Pisymbol{knot3}{81}</code>		<code>\Pisymbol{knot3}{104}</code>
	<code>\Pisymbol{knot3}{66}</code>		<code>\Pisymbol{knot3}{82}</code>		<code>\Pisymbol{knot3}{105}</code>
	<code>\Pisymbol{knot3}{67}</code>		<code>\Pisymbol{knot3}{83}</code>		

	<code>\Pisymbol{knot4}{48}</code>		<code>\Pisymbol{knot4}{68}</code>		<code>\Pisymbol{knot4}{84}</code>
	<code>\Pisymbol{knot4}{49}</code>		<code>\Pisymbol{knot4}{69}</code>		<code>\Pisymbol{knot4}{85}</code>
	<code>\Pisymbol{knot4}{50}</code>		<code>\Pisymbol{knot4}{70}</code>		<code>\Pisymbol{knot4}{86}</code>
	<code>\Pisymbol{knot4}{51}</code>		<code>\Pisymbol{knot4}{71}</code>		<code>\Pisymbol{knot4}{87}</code>
	<code>\Pisymbol{knot4}{52}</code>		<code>\Pisymbol{knot4}{72}</code>		<code>\Pisymbol{knot4}{88}</code>
	<code>\Pisymbol{knot4}{53}</code>		<code>\Pisymbol{knot4}{73}</code>		<code>\Pisymbol{knot4}{96}</code>
	<code>\Pisymbol{knot4}{58}</code>		<code>\Pisymbol{knot4}{74}</code>		<code>\Pisymbol{knot4}{97}</code>
	<code>\Pisymbol{knot4}{59}</code>		<code>\Pisymbol{knot4}{75}</code>		<code>\Pisymbol{knot4}{98}</code>
	<code>\Pisymbol{knot4}{60}</code>		<code>\Pisymbol{knot4}{76}</code>		<code>\Pisymbol{knot4}{99}</code>
	<code>\Pisymbol{knot4}{61}</code>		<code>\Pisymbol{knot4}{77}</code>		<code>\Pisymbol{knot4}{100}</code>
	<code>\Pisymbol{knot4}{62}</code>		<code>\Pisymbol{knot4}{78}</code>		<code>\Pisymbol{knot4}{101}</code>
	<code>\Pisymbol{knot4}{63}</code>		<code>\Pisymbol{knot4}{79}</code>		<code>\Pisymbol{knot4}{102}</code>
	<code>\Pisymbol{knot4}{64}</code>		<code>\Pisymbol{knot4}{80}</code>		<code>\Pisymbol{knot4}{103}</code>
	<code>\Pisymbol{knot4}{65}</code>		<code>\Pisymbol{knot4}{81}</code>		<code>\Pisymbol{knot4}{104}</code>
	<code>\Pisymbol{knot4}{66}</code>		<code>\Pisymbol{knot4}{82}</code>		<code>\Pisymbol{knot4}{105}</code>
	<code>\Pisymbol{knot4}{67}</code>		<code>\Pisymbol{knot4}{83}</code>		

	<code>\Pisymbol{knot5}{48}</code>		<code>\Pisymbol{knot5}{68}</code>		<code>\Pisymbol{knot5}{84}</code>
	<code>\Pisymbol{knot5}{49}</code>		<code>\Pisymbol{knot5}{69}</code>		<code>\Pisymbol{knot5}{85}</code>
	<code>\Pisymbol{knot5}{50}</code>		<code>\Pisymbol{knot5}{70}</code>		<code>\Pisymbol{knot5}{86}</code>
	<code>\Pisymbol{knot5}{51}</code>		<code>\Pisymbol{knot5}{71}</code>		<code>\Pisymbol{knot5}{87}</code>
	<code>\Pisymbol{knot5}{52}</code>		<code>\Pisymbol{knot5}{72}</code>		<code>\Pisymbol{knot5}{88}</code>
	<code>\Pisymbol{knot5}{53}</code>		<code>\Pisymbol{knot5}{73}</code>		<code>\Pisymbol{knot5}{96}</code>
	<code>\Pisymbol{knot5}{58}</code>		<code>\Pisymbol{knot5}{74}</code>		<code>\Pisymbol{knot5}{97}</code>
	<code>\Pisymbol{knot5}{59}</code>		<code>\Pisymbol{knot5}{75}</code>		<code>\Pisymbol{knot5}{98}</code>
	<code>\Pisymbol{knot5}{60}</code>		<code>\Pisymbol{knot5}{76}</code>		<code>\Pisymbol{knot5}{99}</code>
	<code>\Pisymbol{knot5}{61}</code>		<code>\Pisymbol{knot5}{77}</code>		<code>\Pisymbol{knot5}{100}</code>
	<code>\Pisymbol{knot5}{62}</code>		<code>\Pisymbol{knot5}{78}</code>		<code>\Pisymbol{knot5}{101}</code>
	<code>\Pisymbol{knot5}{63}</code>		<code>\Pisymbol{knot5}{79}</code>		<code>\Pisymbol{knot5}{102}</code>
	<code>\Pisymbol{knot5}{64}</code>		<code>\Pisymbol{knot5}{80}</code>		<code>\Pisymbol{knot5}{103}</code>



(continued on next page)

(continued from previous page)








	<code>\Pisymbol{knot5}{65}</code>		<code>\Pisymbol{knot5}{81}</code>		<code>\Pisymbol{knot5}{104}</code>
	<code>\Pisymbol{knot5}{66}</code>		<code>\Pisymbol{knot5}{82}</code>		<code>\Pisymbol{knot5}{105}</code>
	<code>\Pisymbol{knot5}{67}</code>		<code>\Pisymbol{knot5}{83}</code>		
	<code>\Pisymbol{knot6}{48}</code>		<code>\Pisymbol{knot6}{68}</code>		<code>\Pisymbol{knot6}{84}</code>
	<code>\Pisymbol{knot6}{49}</code>		<code>\Pisymbol{knot6}{69}</code>		<code>\Pisymbol{knot6}{85}</code>
	<code>\Pisymbol{knot6}{50}</code>		<code>\Pisymbol{knot6}{70}</code>		<code>\Pisymbol{knot6}{86}</code>
	<code>\Pisymbol{knot6}{51}</code>		<code>\Pisymbol{knot6}{71}</code>		<code>\Pisymbol{knot6}{87}</code>
	<code>\Pisymbol{knot6}{52}</code>		<code>\Pisymbol{knot6}{72}</code>		<code>\Pisymbol{knot6}{88}</code>
	<code>\Pisymbol{knot6}{53}</code>		<code>\Pisymbol{knot6}{73}</code>		<code>\Pisymbol{knot6}{96}</code>
	<code>\Pisymbol{knot6}{58}</code>		<code>\Pisymbol{knot6}{74}</code>		<code>\Pisymbol{knot6}{97}</code>
	<code>\Pisymbol{knot6}{59}</code>		<code>\Pisymbol{knot6}{75}</code>		<code>\Pisymbol{knot6}{98}</code>
	<code>\Pisymbol{knot6}{60}</code>		<code>\Pisymbol{knot6}{76}</code>		<code>\Pisymbol{knot6}{99}</code>
	<code>\Pisymbol{knot6}{61}</code>		<code>\Pisymbol{knot6}{77}</code>		<code>\Pisymbol{knot6}{100}</code>
	<code>\Pisymbol{knot6}{62}</code>		<code>\Pisymbol{knot6}{78}</code>		<code>\Pisymbol{knot6}{101}</code>
	<code>\Pisymbol{knot6}{63}</code>		<code>\Pisymbol{knot6}{79}</code>		<code>\Pisymbol{knot6}{102}</code>
	<code>\Pisymbol{knot6}{64}</code>		<code>\Pisymbol{knot6}{80}</code>		<code>\Pisymbol{knot6}{103}</code>
	<code>\Pisymbol{knot6}{65}</code>		<code>\Pisymbol{knot6}{81}</code>		<code>\Pisymbol{knot6}{104}</code>
	<code>\Pisymbol{knot6}{66}</code>		<code>\Pisymbol{knot6}{82}</code>		<code>\Pisymbol{knot6}{105}</code>
	<code>\Pisymbol{knot6}{67}</code>		<code>\Pisymbol{knot6}{83}</code>		
	<code>\Pisymbol{knot7}{48}</code>		<code>\Pisymbol{knot7}{68}</code>		<code>\Pisymbol{knot7}{84}</code>
	<code>\Pisymbol{knot7}{49}</code>		<code>\Pisymbol{knot7}{69}</code>		<code>\Pisymbol{knot7}{85}</code>
	<code>\Pisymbol{knot7}{50}</code>		<code>\Pisymbol{knot7}{70}</code>		<code>\Pisymbol{knot7}{86}</code>
	<code>\Pisymbol{knot7}{51}</code>		<code>\Pisymbol{knot7}{71}</code>		<code>\Pisymbol{knot7}{87}</code>
	<code>\Pisymbol{knot7}{52}</code>		<code>\Pisymbol{knot7}{72}</code>		<code>\Pisymbol{knot7}{88}</code>
	<code>\Pisymbol{knot7}{53}</code>		<code>\Pisymbol{knot7}{73}</code>		<code>\Pisymbol{knot7}{96}</code>
	<code>\Pisymbol{knot7}{58}</code>		<code>\Pisymbol{knot7}{74}</code>		<code>\Pisymbol{knot7}{97}</code>
	<code>\Pisymbol{knot7}{59}</code>		<code>\Pisymbol{knot7}{75}</code>		<code>\Pisymbol{knot7}{98}</code>
	<code>\Pisymbol{knot7}{60}</code>		<code>\Pisymbol{knot7}{76}</code>		<code>\Pisymbol{knot7}{99}</code>
	<code>\Pisymbol{knot7}{61}</code>		<code>\Pisymbol{knot7}{77}</code>		<code>\Pisymbol{knot7}{100}</code>
	<code>\Pisymbol{knot7}{62}</code>		<code>\Pisymbol{knot7}{78}</code>		<code>\Pisymbol{knot7}{101}</code>
	<code>\Pisymbol{knot7}{63}</code>		<code>\Pisymbol{knot7}{79}</code>		<code>\Pisymbol{knot7}{102}</code>
	<code>\Pisymbol{knot7}{64}</code>		<code>\Pisymbol{knot7}{80}</code>		<code>\Pisymbol{knot7}{103}</code>
	<code>\Pisymbol{knot7}{65}</code>		<code>\Pisymbol{knot7}{81}</code>		<code>\Pisymbol{knot7}{104}</code>
	<code>\Pisymbol{knot7}{66}</code>		<code>\Pisymbol{knot7}{82}</code>		<code>\Pisymbol{knot7}{105}</code>

(continued on next page)

(continued from previous page)




















































 `\Pisymbol{knot7}{67}`  `\Pisymbol{knot7}{83}`

The following is an example of a basic knot, using `\usefont{U}{knot(number)}{m}{n}` to change fonts for multiple characters instead of `\Pisymbol` to typeset one character at a time. Note that all of the characters in the knot fonts lie conveniently within the range of printable ASCII characters.

Input	knot1	knot2	knot3	knot4	knot5	knot6	knot7
CDB							
FHG							
@EA							











The niceframe package can be used to typeset decorative frames using fonts such as knot, especially using characters 48–63 of each font variant.

TABLE 570: dancers Dancing Men

 <code>\Pisymbol{dancers}{0}</code>	 <code>\Pisymbol{dancers}{86}</code>	 <code>\Pisymbol{dancers}{172}</code>
 <code>\Pisymbol{dancers}{1}</code>	 <code>\Pisymbol{dancers}{87}</code>	 <code>\Pisymbol{dancers}{173}</code>
 <code>\Pisymbol{dancers}{2}</code>	 <code>\Pisymbol{dancers}{88}</code>	 <code>\Pisymbol{dancers}{174}</code>
 <code>\Pisymbol{dancers}{3}</code>	 <code>\Pisymbol{dancers}{89}</code>	 <code>\Pisymbol{dancers}{175}</code>
 <code>\Pisymbol{dancers}{4}</code>	 <code>\Pisymbol{dancers}{90}</code>	 <code>\Pisymbol{dancers}{176}</code>
 <code>\Pisymbol{dancers}{5}</code>	 <code>\Pisymbol{dancers}{91}</code>	 <code>\Pisymbol{dancers}{177}</code>
 <code>\Pisymbol{dancers}{6}</code>	 <code>\Pisymbol{dancers}{92}</code>	 <code>\Pisymbol{dancers}{178}</code>
 <code>\Pisymbol{dancers}{7}</code>	 <code>\Pisymbol{dancers}{93}</code>	 <code>\Pisymbol{dancers}{179}</code>
 <code>\Pisymbol{dancers}{8}</code>	 <code>\Pisymbol{dancers}{94}</code>	 <code>\Pisymbol{dancers}{180}</code>
 <code>\Pisymbol{dancers}{9}</code>	 <code>\Pisymbol{dancers}{95}</code>	 <code>\Pisymbol{dancers}{181}</code>
 <code>\Pisymbol{dancers}{10}</code>	 <code>\Pisymbol{dancers}{96}</code>	 <code>\Pisymbol{dancers}{182}</code>
 <code>\Pisymbol{dancers}{11}</code>	 <code>\Pisymbol{dancers}{97}</code>	 <code>\Pisymbol{dancers}{183}</code>
 <code>\Pisymbol{dancers}{12}</code>	 <code>\Pisymbol{dancers}{98}</code>	 <code>\Pisymbol{dancers}{184}</code>
 <code>\Pisymbol{dancers}{13}</code>	 <code>\Pisymbol{dancers}{99}</code>	 <code>\Pisymbol{dancers}{185}</code>
 <code>\Pisymbol{dancers}{14}</code>	 <code>\Pisymbol{dancers}{100}</code>	 <code>\Pisymbol{dancers}{186}</code>
 <code>\Pisymbol{dancers}{15}</code>	 <code>\Pisymbol{dancers}{101}</code>	 <code>\Pisymbol{dancers}{187}</code>
 <code>\Pisymbol{dancers}{16}</code>	 <code>\Pisymbol{dancers}{102}</code>	 <code>\Pisymbol{dancers}{188}</code>










(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{17}	 \Pisymbol{dancers}{103}	 \Pisymbol{dancers}{189}
 \Pisymbol{dancers}{18}	 \Pisymbol{dancers}{104}	 \Pisymbol{dancers}{190}
 \Pisymbol{dancers}{19}	 \Pisymbol{dancers}{105}	 \Pisymbol{dancers}{191}
 \Pisymbol{dancers}{20}	 \Pisymbol{dancers}{106}	 \Pisymbol{dancers}{192}
 \Pisymbol{dancers}{21}	 \Pisymbol{dancers}{107}	 \Pisymbol{dancers}{193}
 \Pisymbol{dancers}{22}	 \Pisymbol{dancers}{108}	 \Pisymbol{dancers}{194}
 \Pisymbol{dancers}{23}	 \Pisymbol{dancers}{109}	 \Pisymbol{dancers}{195}
 \Pisymbol{dancers}{24}	 \Pisymbol{dancers}{110}	 \Pisymbol{dancers}{196}
 \Pisymbol{dancers}{25}	 \Pisymbol{dancers}{111}	 \Pisymbol{dancers}{197}
 \Pisymbol{dancers}{26}	 \Pisymbol{dancers}{112}	 \Pisymbol{dancers}{198}
 \Pisymbol{dancers}{27}	 \Pisymbol{dancers}{113}	 \Pisymbol{dancers}{199}
 \Pisymbol{dancers}{28}	 \Pisymbol{dancers}{114}	 \Pisymbol{dancers}{200}
 \Pisymbol{dancers}{29}	 \Pisymbol{dancers}{115}	 \Pisymbol{dancers}{201}
 \Pisymbol{dancers}{30}	 \Pisymbol{dancers}{116}	 \Pisymbol{dancers}{202}
 \Pisymbol{dancers}{31}	 \Pisymbol{dancers}{117}	 \Pisymbol{dancers}{203}
 \Pisymbol{dancers}{32}	 \Pisymbol{dancers}{118}	 \Pisymbol{dancers}{204}
 \Pisymbol{dancers}{33}	 \Pisymbol{dancers}{119}	 \Pisymbol{dancers}{205}
 \Pisymbol{dancers}{34}	 \Pisymbol{dancers}{120}	 \Pisymbol{dancers}{206}
 \Pisymbol{dancers}{35}	 \Pisymbol{dancers}{121}	 \Pisymbol{dancers}{207}
 \Pisymbol{dancers}{36}	 \Pisymbol{dancers}{122}	 \Pisymbol{dancers}{208}
 \Pisymbol{dancers}{37}	 \Pisymbol{dancers}{123}	 \Pisymbol{dancers}{209}
 \Pisymbol{dancers}{38}	 \Pisymbol{dancers}{124}	 \Pisymbol{dancers}{210}
 \Pisymbol{dancers}{39}	 \Pisymbol{dancers}{125}	 \Pisymbol{dancers}{211}
 \Pisymbol{dancers}{40}	 \Pisymbol{dancers}{126}	 \Pisymbol{dancers}{212}
 \Pisymbol{dancers}{41}	 \Pisymbol{dancers}{127}	 \Pisymbol{dancers}{213}
 \Pisymbol{dancers}{42}	 \Pisymbol{dancers}{128}	 \Pisymbol{dancers}{214}
 \Pisymbol{dancers}{43}	 \Pisymbol{dancers}{129}	 \Pisymbol{dancers}{215}
 \Pisymbol{dancers}{44}	 \Pisymbol{dancers}{130}	 \Pisymbol{dancers}{216}
 \Pisymbol{dancers}{45}	 \Pisymbol{dancers}{131}	 \Pisymbol{dancers}{217}
 \Pisymbol{dancers}{46}	 \Pisymbol{dancers}{132}	 \Pisymbol{dancers}{218}
 \Pisymbol{dancers}{47}	 \Pisymbol{dancers}{133}	 \Pisymbol{dancers}{219}
 \Pisymbol{dancers}{48}	 \Pisymbol{dancers}{134}	 \Pisymbol{dancers}{220}














(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{49}	 \Pisymbol{dancers}{135}	 \Pisymbol{dancers}{221}
 \Pisymbol{dancers}{50}	 \Pisymbol{dancers}{136}	 \Pisymbol{dancers}{222}
 \Pisymbol{dancers}{51}	 \Pisymbol{dancers}{137}	 \Pisymbol{dancers}{223}
 \Pisymbol{dancers}{52}	 \Pisymbol{dancers}{138}	 \Pisymbol{dancers}{224}
 \Pisymbol{dancers}{53}	 \Pisymbol{dancers}{139}	 \Pisymbol{dancers}{225}
 \Pisymbol{dancers}{54}	 \Pisymbol{dancers}{140}	 \Pisymbol{dancers}{226}
 \Pisymbol{dancers}{55}	 \Pisymbol{dancers}{141}	 \Pisymbol{dancers}{227}
 \Pisymbol{dancers}{56}	 \Pisymbol{dancers}{142}	 \Pisymbol{dancers}{228}
 \Pisymbol{dancers}{57}	 \Pisymbol{dancers}{143}	 \Pisymbol{dancers}{229}
 \Pisymbol{dancers}{58}	 \Pisymbol{dancers}{144}	 \Pisymbol{dancers}{230}
 \Pisymbol{dancers}{59}	 \Pisymbol{dancers}{145}	 \Pisymbol{dancers}{231}
 \Pisymbol{dancers}{60}	 \Pisymbol{dancers}{146}	 \Pisymbol{dancers}{232}
 \Pisymbol{dancers}{61}	 \Pisymbol{dancers}{147}	 \Pisymbol{dancers}{233}
 \Pisymbol{dancers}{62}	 \Pisymbol{dancers}{148}	 \Pisymbol{dancers}{234}
 \Pisymbol{dancers}{63}	 \Pisymbol{dancers}{149}	 \Pisymbol{dancers}{235}
 \Pisymbol{dancers}{64}	 \Pisymbol{dancers}{150}	 \Pisymbol{dancers}{236}
 \Pisymbol{dancers}{65}	 \Pisymbol{dancers}{151}	 \Pisymbol{dancers}{237}
 \Pisymbol{dancers}{66}	 \Pisymbol{dancers}{152}	 \Pisymbol{dancers}{238}
 \Pisymbol{dancers}{67}	 \Pisymbol{dancers}{153}	 \Pisymbol{dancers}{239}
 \Pisymbol{dancers}{68}	 \Pisymbol{dancers}{154}	 \Pisymbol{dancers}{240}
 \Pisymbol{dancers}{69}	 \Pisymbol{dancers}{155}	 \Pisymbol{dancers}{241}
 \Pisymbol{dancers}{70}	 \Pisymbol{dancers}{156}	 \Pisymbol{dancers}{242}
 \Pisymbol{dancers}{71}	 \Pisymbol{dancers}{157}	 \Pisymbol{dancers}{243}
 \Pisymbol{dancers}{72}	 \Pisymbol{dancers}{158}	 \Pisymbol{dancers}{244}
 \Pisymbol{dancers}{73}	 \Pisymbol{dancers}{159}	 \Pisymbol{dancers}{245}
 \Pisymbol{dancers}{74}	 \Pisymbol{dancers}{160}	 \Pisymbol{dancers}{246}
 \Pisymbol{dancers}{75}	 \Pisymbol{dancers}{161}	 \Pisymbol{dancers}{247}
 \Pisymbol{dancers}{76}	 \Pisymbol{dancers}{162}	 \Pisymbol{dancers}{248}
 \Pisymbol{dancers}{77}	 \Pisymbol{dancers}{163}	 \Pisymbol{dancers}{249}
 \Pisymbol{dancers}{78}	 \Pisymbol{dancers}{164}	 \Pisymbol{dancers}{250}
 \Pisymbol{dancers}{79}	 \Pisymbol{dancers}{165}	 \Pisymbol{dancers}{251}
 \Pisymbol{dancers}{80}	 \Pisymbol{dancers}{166}	 \Pisymbol{dancers}{252}





































(continued on next page)

(continued from previous page)

	<code>\Pisymbol{dancers}{81}</code>		<code>\Pisymbol{dancers}{167}</code>		<code>\Pisymbol{dancers}{253}</code>
	<code>\Pisymbol{dancers}{82}</code>		<code>\Pisymbol{dancers}{168}</code>		<code>\Pisymbol{dancers}{254}</code>
	<code>\Pisymbol{dancers}{83}</code>		<code>\Pisymbol{dancers}{169}</code>		<code>\Pisymbol{dancers}{255}</code>
	<code>\Pisymbol{dancers}{84}</code>		<code>\Pisymbol{dancers}{170}</code>		
	<code>\Pisymbol{dancers}{85}</code>		<code>\Pisymbol{dancers}{171}</code>		

Fans of Sherlock Holmes mysteries will recognize these glyphs as forming the substitution cipher featured in Sir Arthur Conan Doyle's *The Adventure of the Dancing Men* (1903).

TABLE 571: semaphor Semaphore Alphabet

	<code>\Pisymbol{smfpr10}{34}</code>		<code>\Pisymbol{smfpr10}{116}</code>		<code>\Pisymbol{smfpr10}{184}</code>
	<code>\Pisymbol{smfpr10}{35}</code>		<code>\Pisymbol{smfpr10}{117}</code>		<code>\Pisymbol{smfpr10}{185}</code>
	<code>\Pisymbol{smfpr10}{36}</code>		<code>\Pisymbol{smfpr10}{118}</code>		<code>\Pisymbol{smfpr10}{186}</code>
	<code>\Pisymbol{smfpr10}{42}</code>		<code>\Pisymbol{smfpr10}{119}</code>		<code>\Pisymbol{smfpr10}{187}</code>
	<code>\Pisymbol{smfpr10}{46}</code>		<code>\Pisymbol{smfpr10}{120}</code>		<code>\Pisymbol{smfpr10}{192}</code>
	<code>\Pisymbol{smfpr10}{48}</code>		<code>\Pisymbol{smfpr10}{121}</code>		<code>\Pisymbol{smfpr10}{193}</code>
	<code>\Pisymbol{smfpr10}{49}</code>		<code>\Pisymbol{smfpr10}{122}</code>		<code>\Pisymbol{smfpr10}{194}</code>
	<code>\Pisymbol{smfpr10}{50}</code>		<code>\Pisymbol{smfpr10}{126}</code>		<code>\Pisymbol{smfpr10}{195}</code>
	<code>\Pisymbol{smfpr10}{51}</code>		<code>\Pisymbol{smfpr10}{128}</code>		<code>\Pisymbol{smfpr10}{196}</code>
	<code>\Pisymbol{smfpr10}{52}</code>		<code>\Pisymbol{smfpr10}{129}</code>		<code>\Pisymbol{smfpr10}{197}</code>
	<code>\Pisymbol{smfpr10}{53}</code>		<code>\Pisymbol{smfpr10}{130}</code>		<code>\Pisymbol{smfpr10}{199}</code>
	<code>\Pisymbol{smfpr10}{54}</code>		<code>\Pisymbol{smfpr10}{131}</code>		<code>\Pisymbol{smfpr10}{200}</code>
	<code>\Pisymbol{smfpr10}{55}</code>		<code>\Pisymbol{smfpr10}{132}</code>		<code>\Pisymbol{smfpr10}{201}</code>
	<code>\Pisymbol{smfpr10}{56}</code>		<code>\Pisymbol{smfpr10}{133}</code>		<code>\Pisymbol{smfpr10}{202}</code>
	<code>\Pisymbol{smfpr10}{57}</code>		<code>\Pisymbol{smfpr10}{134}</code>		<code>\Pisymbol{smfpr10}{203}</code>
	<code>\Pisymbol{smfpr10}{65}</code>		<code>\Pisymbol{smfpr10}{135}</code>		<code>\Pisymbol{smfpr10}{204}</code>
	<code>\Pisymbol{smfpr10}{66}</code>		<code>\Pisymbol{smfpr10}{136}</code>		<code>\Pisymbol{smfpr10}{205}</code>
	<code>\Pisymbol{smfpr10}{67}</code>		<code>\Pisymbol{smfpr10}{137}</code>		<code>\Pisymbol{smfpr10}{206}</code>
	<code>\Pisymbol{smfpr10}{68}</code>		<code>\Pisymbol{smfpr10}{138}</code>		<code>\Pisymbol{smfpr10}{207}</code>
	<code>\Pisymbol{smfpr10}{69}</code>		<code>\Pisymbol{smfpr10}{139}</code>		<code>\Pisymbol{smfpr10}{209}</code>
	<code>\Pisymbol{smfpr10}{70}</code>		<code>\Pisymbol{smfpr10}{140}</code>		<code>\Pisymbol{smfpr10}{210}</code>
	<code>\Pisymbol{smfpr10}{71}</code>		<code>\Pisymbol{smfpr10}{142}</code>		<code>\Pisymbol{smfpr10}{211}</code>
	<code>\Pisymbol{smfpr10}{72}</code>		<code>\Pisymbol{smfpr10}{143}</code>		<code>\Pisymbol{smfpr10}{212}</code>
	<code>\Pisymbol{smfpr10}{73}</code>		<code>\Pisymbol{smfpr10}{144}</code>		<code>\Pisymbol{smfpr10}{213}</code>
	<code>\Pisymbol{smfpr10}{74}</code>		<code>\Pisymbol{smfpr10}{145}</code>		<code>\Pisymbol{smfpr10}{214}</code>
	<code>\Pisymbol{smfpr10}{75}</code>		<code>\Pisymbol{smfpr10}{146}</code>		<code>\Pisymbol{smfpr10}{216}</code>
	<code>\Pisymbol{smfpr10}{76}</code>		<code>\Pisymbol{smfpr10}{147}</code>		<code>\Pisymbol{smfpr10}{217}</code>
	<code>\Pisymbol{smfpr10}{77}</code>		<code>\Pisymbol{smfpr10}{148}</code>		<code>\Pisymbol{smfpr10}{218}</code>

(continued on next page)

(continued from previous page)

♣	\Pisymbol{smfpr10}{78}	♣	\Pisymbol{smfpr10}{149}	♣	\Pisymbol{smfpr10}{219}
♣	\Pisymbol{smfpr10}{79}	♣	\Pisymbol{smfpr10}{150}	♣	\Pisymbol{smfpr10}{220}
♣	\Pisymbol{smfpr10}{80}	♣	\Pisymbol{smfpr10}{151}	♣	\Pisymbol{smfpr10}{221}
♣	\Pisymbol{smfpr10}{81}	♣	\Pisymbol{smfpr10}{152}	♣	\Pisymbol{smfpr10}{224}
♣	\Pisymbol{smfpr10}{82}	♣	\Pisymbol{smfpr10}{153}	♣	\Pisymbol{smfpr10}{225}
♣	\Pisymbol{smfpr10}{83}	♣	\Pisymbol{smfpr10}{154}	♣	\Pisymbol{smfpr10}{226}
♣	\Pisymbol{smfpr10}{84}	♣	\Pisymbol{smfpr10}{155}	♣	\Pisymbol{smfpr10}{227}
♣	\Pisymbol{smfpr10}{85}	♣	\Pisymbol{smfpr10}{157}	♣	\Pisymbol{smfpr10}{228}
♣	\Pisymbol{smfpr10}{86}	♣	\Pisymbol{smfpr10}{158}	♣	\Pisymbol{smfpr10}{229}
♣	\Pisymbol{smfpr10}{87}	♣	\Pisymbol{smfpr10}{160}	♣	\Pisymbol{smfpr10}{231}
♣	\Pisymbol{smfpr10}{88}	♣	\Pisymbol{smfpr10}{161}	♣	\Pisymbol{smfpr10}{232}
♣	\Pisymbol{smfpr10}{89}	♣	\Pisymbol{smfpr10}{162}	♣	\Pisymbol{smfpr10}{233}
♣	\Pisymbol{smfpr10}{90}	♣	\Pisymbol{smfpr10}{163}	♣	\Pisymbol{smfpr10}{234}
♣	\Pisymbol{smfpr10}{97}	♣	\Pisymbol{smfpr10}{164}	♣	\Pisymbol{smfpr10}{235}
♣	\Pisymbol{smfpr10}{98}	♣	\Pisymbol{smfpr10}{165}	♣	\Pisymbol{smfpr10}{236}
♣	\Pisymbol{smfpr10}{99}	♣	\Pisymbol{smfpr10}{166}	♣	\Pisymbol{smfpr10}{237}
♣	\Pisymbol{smfpr10}{100}	♣	\Pisymbol{smfpr10}{167}	♣	\Pisymbol{smfpr10}{238}
♣	\Pisymbol{smfpr10}{101}	♣	\Pisymbol{smfpr10}{168}	♣	\Pisymbol{smfpr10}{239}
♣	\Pisymbol{smfpr10}{102}	♣	\Pisymbol{smfpr10}{169}	♣	\Pisymbol{smfpr10}{241}
♣	\Pisymbol{smfpr10}{103}	♣	\Pisymbol{smfpr10}{170}	♣	\Pisymbol{smfpr10}{242}
♣	\Pisymbol{smfpr10}{104}	♣	\Pisymbol{smfpr10}{171}	♣	\Pisymbol{smfpr10}{243}
♣	\Pisymbol{smfpr10}{105}	♣	\Pisymbol{smfpr10}{172}	♣	\Pisymbol{smfpr10}{244}
♣	\Pisymbol{smfpr10}{106}	♣	\Pisymbol{smfpr10}{174}	♣	\Pisymbol{smfpr10}{245}
♣	\Pisymbol{smfpr10}{107}	♣	\Pisymbol{smfpr10}{175}	♣	\Pisymbol{smfpr10}{246}
♣	\Pisymbol{smfpr10}{108}	♣	\Pisymbol{smfpr10}{176}	♣	\Pisymbol{smfpr10}{248}
♣	\Pisymbol{smfpr10}{109}	♣	\Pisymbol{smfpr10}{177}	♣	\Pisymbol{smfpr10}{249}
♣	\Pisymbol{smfpr10}{110}	♣	\Pisymbol{smfpr10}{178}	♣	\Pisymbol{smfpr10}{250}
♣	\Pisymbol{smfpr10}{111}	♣	\Pisymbol{smfpr10}{179}	♣	\Pisymbol{smfpr10}{251}
♣	\Pisymbol{smfpr10}{112}	♣	\Pisymbol{smfpr10}{180}	♣	\Pisymbol{smfpr10}{252}
♣	\Pisymbol{smfpr10}{113}	♣	\Pisymbol{smfpr10}{181}	♣	\Pisymbol{smfpr10}{253}
♣	\Pisymbol{smfpr10}{114}	♣	\Pisymbol{smfpr10}{182}		
♣	\Pisymbol{smfpr10}{115}	♣	\Pisymbol{smfpr10}{183}		

semaphor provides a `semaf.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `semaphor` fonts directly, although this does require putting `\input{semaf.fd}` in the document’s preamble. For example, `{\usefont{OT1}{smfp}{m}{n}Hello}` will typeset “♣♣♣♣♣”. This can be useful for typesetting complete messages. Roman, bold, monospace, slanted, and bold+slanted styles are all supported.

In addition, `semaphor` provides three variations of each font: a “person” version (`smfpr10`), which is what is illustrated in the preceding table, a “pillar” version (`smfr10`), which shows the flags on a pillar rather than being held by a person, and an “empty” version (`smfer10`), which shows only the flags and no pillar or person. Contrast these variations of the letter “H”:



































TABLE 572: cryst Crystallography Symbols

◦	\Pisymbol{cryst}{0}	⬤	\Pisymbol{cryst}{63}	↘	\Pisymbol{cryst}{138}
◐	\Pisymbol{cryst}{2}	◀	\Pisymbol{cryst}{64}	↙	\Pisymbol{cryst}{139}
▲	\Pisymbol{cryst}{3}	↗	\Pisymbol{cryst}{65}	◼	\Pisymbol{cryst}{140}
◆	\Pisymbol{cryst}{4}	◉	\Pisymbol{cryst}{66}	⬆	\Pisymbol{cryst}{141}
–	\Pisymbol{cryst}{5}	↖	\Pisymbol{cryst}{75}	↗	\Pisymbol{cryst}{142}
●	\Pisymbol{cryst}{6}	↘	\Pisymbol{cryst}{77}	⬇	\Pisymbol{cryst}{143}
→	\Pisymbol{cryst}{7}	↖	\Pisymbol{cryst}{78}	↙	\Pisymbol{cryst}{145}
→	\Pisymbol{cryst}{8}	↗	\Pisymbol{cryst}{79}	↘	\Pisymbol{cryst}{147}
→	\Pisymbol{cryst}{9}	◼	\Pisymbol{cryst}{80}	↘	\Pisymbol{cryst}{148}
◦	\Pisymbol{cryst}{10}	◼	\Pisymbol{cryst}{81}	↘	\Pisymbol{cryst}{149}
◊	\Pisymbol{cryst}{12}	◼	\Pisymbol{cryst}{82}	↓	\Pisymbol{cryst}{155}
●	\Pisymbol{cryst}{15}	◼	\Pisymbol{cryst}{83}	↓	\Pisymbol{cryst}{157}
◊	\Pisymbol{cryst}{20}	◼	\Pisymbol{cryst}{84}	↓	\Pisymbol{cryst}{158}
◊	\Pisymbol{cryst}{21}	↖	\Pisymbol{cryst}{85}	↓	\Pisymbol{cryst}{159}
◊	\Pisymbol{cryst}{22}	↖	\Pisymbol{cryst}{87}	↖	\Pisymbol{cryst}{175}
◊	\Pisymbol{cryst}{24}	↖	\Pisymbol{cryst}{88}	↖	\Pisymbol{cryst}{177}
↘	\Pisymbol{cryst}{25}	↖	\Pisymbol{cryst}{89}	↖	\Pisymbol{cryst}{178}
↘	\Pisymbol{cryst}{27}	↖	\Pisymbol{cryst}{95}	↖	\Pisymbol{cryst}{179}
↘	\Pisymbol{cryst}{28}	↖	\Pisymbol{cryst}{97}	↖	\Pisymbol{cryst}{185}
↘	\Pisymbol{cryst}{29}	↖	\Pisymbol{cryst}{98}	↖	\Pisymbol{cryst}{187}
▲	\Pisymbol{cryst}{30}	↖	\Pisymbol{cryst}{99}	↖	\Pisymbol{cryst}{188}
▲	\Pisymbol{cryst}{31}	↖	\Pisymbol{cryst}{102}	↖	\Pisymbol{cryst}{189}
▲	\Pisymbol{cryst}{32}	↖	\Pisymbol{cryst}{103}	↖	\Pisymbol{cryst}{195}
↘	\Pisymbol{cryst}{35}	⬆	\Pisymbol{cryst}{104}	↖	\Pisymbol{cryst}{197}
◉	\Pisymbol{cryst}{36}	←	\Pisymbol{cryst}{105}	↖	\Pisymbol{cryst}{198}
↘	\Pisymbol{cryst}{37}	←	\Pisymbol{cryst}{107}	↖	\Pisymbol{cryst}{199}
↘	\Pisymbol{cryst}{38}	←	\Pisymbol{cryst}{108}	↖	\Pisymbol{cryst}{202}
↘	\Pisymbol{cryst}{39}	←	\Pisymbol{cryst}{109}	↖	\Pisymbol{cryst}{203}
◊	\Pisymbol{cryst}{40}	↖	\Pisymbol{cryst}{112}	↖	\Pisymbol{cryst}{204}
◊	\Pisymbol{cryst}{41}	↖	\Pisymbol{cryst}{113}	⬆	\Pisymbol{cryst}{210}
◊	\Pisymbol{cryst}{42}	↖	\Pisymbol{cryst}{120}	↖	\Pisymbol{cryst}{212}
◊	\Pisymbol{cryst}{43}	↖	\Pisymbol{cryst}{121}	↖	\Pisymbol{cryst}{213}
◼	\Pisymbol{cryst}{44}	↖	\Pisymbol{cryst}{123}	↖	\Pisymbol{cryst}{220}
↘	\Pisymbol{cryst}{45}	⬆	\Pisymbol{cryst}{124}	↖	\Pisymbol{cryst}{221}
↘	\Pisymbol{cryst}{47}	↖	\Pisymbol{cryst}{125}	↖	\Pisymbol{cryst}{223}
↘	\Pisymbol{cryst}{48}	↖	\Pisymbol{cryst}{127}	↖	\Pisymbol{cryst}{224}
↘	\Pisymbol{cryst}{49}	↖	\Pisymbol{cryst}{128}	↖	\Pisymbol{cryst}{230}
◉	\Pisymbol{cryst}{50}	↖	\Pisymbol{cryst}{129}	↖	\Pisymbol{cryst}{231}
↑	\Pisymbol{cryst}{55}	↖	\Pisymbol{cryst}{130}	↖	\Pisymbol{cryst}{232}
↑	\Pisymbol{cryst}{57}	↖	\Pisymbol{cryst}{131}	↖	\Pisymbol{cryst}{233}
↑	\Pisymbol{cryst}{58}	↖	\Pisymbol{cryst}{132}	↖	\Pisymbol{cryst}{236}
↑	\Pisymbol{cryst}{59}	↖	\Pisymbol{cryst}{133}	◊	\Pisymbol{cryst}{240}
◉	\Pisymbol{cryst}{60}	↖	\Pisymbol{cryst}{135}	↖	\Pisymbol{cryst}{241}
↖	\Pisymbol{cryst}{61}	↖	\Pisymbol{cryst}{136}	⬆	\Pisymbol{cryst}{242}
↖	\Pisymbol{cryst}{62}	↖	\Pisymbol{cryst}{137}	↖	\Pisymbol{cryst}{243}

TABLE 573: dice Dice

	<code>\Pisymbol{dice3d}{49}</code>		<code>\Pisymbol{dice3d}{101}</code>		<code>\Pisymbol{dice3d}{111}</code>
	<code>\Pisymbol{dice3d}{50}</code>		<code>\Pisymbol{dice3d}{102}</code>		<code>\Pisymbol{dice3d}{112}</code>
	<code>\Pisymbol{dice3d}{51}</code>		<code>\Pisymbol{dice3d}{103}</code>		<code>\Pisymbol{dice3d}{113}</code>
	<code>\Pisymbol{dice3d}{52}</code>		<code>\Pisymbol{dice3d}{104}</code>		<code>\Pisymbol{dice3d}{114}</code>
	<code>\Pisymbol{dice3d}{53}</code>		<code>\Pisymbol{dice3d}{105}</code>		<code>\Pisymbol{dice3d}{115}</code>
	<code>\Pisymbol{dice3d}{54}</code>		<code>\Pisymbol{dice3d}{106}</code>		<code>\Pisymbol{dice3d}{116}</code>
	<code>\Pisymbol{dice3d}{97}</code>		<code>\Pisymbol{dice3d}{107}</code>		<code>\Pisymbol{dice3d}{117}</code>
	<code>\Pisymbol{dice3d}{98}</code>		<code>\Pisymbol{dice3d}{108}</code>		<code>\Pisymbol{dice3d}{118}</code>
	<code>\Pisymbol{dice3d}{99}</code>		<code>\Pisymbol{dice3d}{109}</code>		<code>\Pisymbol{dice3d}{119}</code>
	<code>\Pisymbol{dice3d}{100}</code>		<code>\Pisymbol{dice3d}{110}</code>		<code>\Pisymbol{dice3d}{120}</code>

dice defines its symbols at a very small design size. The glyphs shown above were scaled up by a factor of four using `\DeclareFontShape{U}{dice3d}{m}{n}{<-> s*[4] dice3d}{}`.



An alternative to using `\Pisymbol` to select a die rotation is to rely on some cleverness in the kerning tables provided by the dice font. The individual digits “1” through “6” each produce the corresponding (2D) die face: `{\usefont{U}{dice3d}{m}{n}2 2 1}` produces “”, for example. When followed by a letter “a” through “d”, those pairs are kerned to produce a 3D die rotation with the digit specifying by the top face and the letter specifying one of the four possible front faces, sorted by increasing value. For example, `{\usefont{U}{dice3d}{m}{n}2a 2b 1d}` produces “”.

TABLE 574: magic Trading Card Symbols

①	<code>\Pisymbol{magic}{48}</code>	⑥	<code>\Pisymbol{magic}{54}</code>	Ⓢ	<code>\Pisymbol{magic}{82}</code>
②	<code>\Pisymbol{magic}{49}</code>	⑦	<code>\Pisymbol{magic}{55}</code>	Ⓣ	<code>\Pisymbol{magic}{84}</code>
③	<code>\Pisymbol{magic}{50}</code>	⑧	<code>\Pisymbol{magic}{56}</code>	Ⓤ	<code>\Pisymbol{magic}{85}</code>
④	<code>\Pisymbol{magic}{51}</code>	⑨	<code>\Pisymbol{magic}{57}</code>	Ⓦ	<code>\Pisymbol{magic}{87}</code>
⑤	<code>\Pisymbol{magic}{52}</code>	Ⓡ	<code>\Pisymbol{magic}{66}</code>	Ⓧ	<code>\Pisymbol{magic}{88}</code>
	<code>\Pisymbol{magic}{53}</code>	♣	<code>\Pisymbol{magic}{71}</code>	⑩	<code>\Pisymbol{magic}{90}</code>

The preceding symbols resemble those from Wizards of the Coast’s *Magic: The Gathering* trading-card game. An alternative to entering symbols numerically using `\Pisymbol` is to switch to the magic font with `\usefont{U}{magic}{m}{n}` and employ the following mnemonic characters:



















































































































①–⑩	0–9	Circled numerals 0–9
Ⓡ	B	Black magic symbol
♣	G	Green magic symbol
Ⓢ	R	Red magic symbol
Ⓣ	T	Tap symbol (tilted “T” in a circle)
Ⓤ	U	Blue magic symbol
Ⓦ	W	White magic symbol
Ⓧ	X	Circled “X” (for mana cost, e.g., Fireball)
⑩	Z	Circled “10” (for mana cost, e.g., Aladdin’s Lamp)

TABLE 575: bartel-chess-fonts Chess Pieces and Chessboard Squares

	<code>\Pisymbol{fselch}{0}</code>		<code>\Pisymbol{fselch}{55}</code>		<code>\Pisymbol{fselch}{110}</code>
	<code>\Pisymbol{fselch}{1}</code>		<code>\Pisymbol{fselch}{56}</code>		<code>\Pisymbol{fselch}{111}</code>
	<code>\Pisymbol{fselch}{2}</code>		<code>\Pisymbol{fselch}{57}</code>		<code>\Pisymbol{fselch}{112}</code>
	<code>\Pisymbol{fselch}{3}</code>		<code>\Pisymbol{fselch}{58}</code>		<code>\Pisymbol{fselch}{113}</code>
	<code>\Pisymbol{fselch}{4}</code>		<code>\Pisymbol{fselch}{59}</code>		<code>\Pisymbol{fselch}{114}</code>
	<code>\Pisymbol{fselch}{5}</code>		<code>\Pisymbol{fselch}{60}</code>		<code>\Pisymbol{fselch}{115}</code>
	<code>\Pisymbol{fselch}{6}</code>		<code>\Pisymbol{fselch}{61}</code>		<code>\Pisymbol{fselch}{116}</code>
	<code>\Pisymbol{fselch}{7}</code>		<code>\Pisymbol{fselch}{62}</code>		<code>\Pisymbol{fselch}{117}</code>
	<code>\Pisymbol{fselch}{8}</code>		<code>\Pisymbol{fselch}{63}</code>		<code>\Pisymbol{fselch}{118}</code>
	<code>\Pisymbol{fselch}{9}</code>		<code>\Pisymbol{fselch}{64}</code>		<code>\Pisymbol{fselch}{119}</code>
	<code>\Pisymbol{fselch}{10}</code>		<code>\Pisymbol{fselch}{65}</code>		<code>\Pisymbol{fselch}{120}</code>
	<code>\Pisymbol{fselch}{11}</code>		<code>\Pisymbol{fselch}{66}</code>		<code>\Pisymbol{fselch}{121}</code>
	<code>\Pisymbol{fselch}{12}</code>		<code>\Pisymbol{fselch}{67}</code>		<code>\Pisymbol{fselch}{122}</code>
	<code>\Pisymbol{fselch}{13}</code>		<code>\Pisymbol{fselch}{68}</code>		<code>\Pisymbol{fselch}{123}</code>
	<code>\Pisymbol{fselch}{14}</code>		<code>\Pisymbol{fselch}{69}</code>		<code>\Pisymbol{fselch}{124}</code>
	<code>\Pisymbol{fselch}{15}</code>		<code>\Pisymbol{fselch}{70}</code>		<code>\Pisymbol{fselch}{125}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{fselch}{16}</code>		<code>\Pisymbol{fselch}{71}</code>		<code>\Pisymbol{fselch}{126}</code>
	<code>\Pisymbol{fselch}{17}</code>		<code>\Pisymbol{fselch}{72}</code>		<code>\Pisymbol{fselch}{127}</code>
	<code>\Pisymbol{fselch}{18}</code>		<code>\Pisymbol{fselch}{73}</code>		<code>\Pisymbol{fselch}{128}</code>
	<code>\Pisymbol{fselch}{19}</code>		<code>\Pisymbol{fselch}{74}</code>		<code>\Pisymbol{fselch}{129}</code>
	<code>\Pisymbol{fselch}{20}</code>		<code>\Pisymbol{fselch}{75}</code>		<code>\Pisymbol{fselch}{130}</code>
	<code>\Pisymbol{fselch}{21}</code>		<code>\Pisymbol{fselch}{76}</code>		<code>\Pisymbol{fselch}{131}</code>
	<code>\Pisymbol{fselch}{22}</code>		<code>\Pisymbol{fselch}{77}</code>		<code>\Pisymbol{fselch}{132}</code>
	<code>\Pisymbol{fselch}{23}</code>		<code>\Pisymbol{fselch}{78}</code>		<code>\Pisymbol{fselch}{133}</code>
	<code>\Pisymbol{fselch}{24}</code>		<code>\Pisymbol{fselch}{79}</code>		<code>\Pisymbol{fselch}{134}</code>
	<code>\Pisymbol{fselch}{25}</code>		<code>\Pisymbol{fselch}{80}</code>		<code>\Pisymbol{fselch}{135}</code>
	<code>\Pisymbol{fselch}{26}</code>		<code>\Pisymbol{fselch}{81}</code>		<code>\Pisymbol{fselch}{136}</code>
	<code>\Pisymbol{fselch}{27}</code>		<code>\Pisymbol{fselch}{82}</code>		<code>\Pisymbol{fselch}{137}</code>
	<code>\Pisymbol{fselch}{28}</code>		<code>\Pisymbol{fselch}{83}</code>		<code>\Pisymbol{fselch}{138}</code>
	<code>\Pisymbol{fselch}{29}</code>		<code>\Pisymbol{fselch}{84}</code>		<code>\Pisymbol{fselch}{139}</code>
	<code>\Pisymbol{fselch}{30}</code>		<code>\Pisymbol{fselch}{85}</code>		<code>\Pisymbol{fselch}{140}</code>
	<code>\Pisymbol{fselch}{31}</code>		<code>\Pisymbol{fselch}{86}</code>		<code>\Pisymbol{fselch}{141}</code>
	<code>\Pisymbol{fselch}{32}</code>		<code>\Pisymbol{fselch}{87}</code>		<code>\Pisymbol{fselch}{142}</code>
	<code>\Pisymbol{fselch}{33}</code>		<code>\Pisymbol{fselch}{88}</code>		<code>\Pisymbol{fselch}{143}</code>
	<code>\Pisymbol{fselch}{34}</code>		<code>\Pisymbol{fselch}{89}</code>		<code>\Pisymbol{fselch}{144}</code>
	<code>\Pisymbol{fselch}{35}</code>		<code>\Pisymbol{fselch}{90}</code>		<code>\Pisymbol{fselch}{145}</code>
	<code>\Pisymbol{fselch}{36}</code>		<code>\Pisymbol{fselch}{91}</code>		<code>\Pisymbol{fselch}{151}</code>
	<code>\Pisymbol{fselch}{37}</code>		<code>\Pisymbol{fselch}{92}</code>		<code>\Pisymbol{fselch}{157}</code>
	<code>\Pisymbol{fselch}{38}</code>		<code>\Pisymbol{fselch}{93}</code>		<code>\Pisymbol{fselch}{163}</code>
	<code>\Pisymbol{fselch}{39}</code>		<code>\Pisymbol{fselch}{94}</code>		<code>\Pisymbol{fselch}{169}</code>
	<code>\Pisymbol{fselch}{40}</code>		<code>\Pisymbol{fselch}{95}</code>		<code>\Pisymbol{fselch}{175}</code>
	<code>\Pisymbol{fselch}{41}</code>		<code>\Pisymbol{fselch}{96}</code>		<code>\Pisymbol{fselch}{180}</code>
	<code>\Pisymbol{fselch}{42}</code>		<code>\Pisymbol{fselch}{97}</code>		<code>\Pisymbol{fselch}{186}</code>
	<code>\Pisymbol{fselch}{43}</code>		<code>\Pisymbol{fselch}{98}</code>		<code>\Pisymbol{fselch}{192}</code>
	<code>\Pisymbol{fselch}{44}</code>		<code>\Pisymbol{fselch}{99}</code>		<code>\Pisymbol{fselch}{198}</code>
	<code>\Pisymbol{fselch}{45}</code>		<code>\Pisymbol{fselch}{100}</code>		<code>\Pisymbol{fselch}{204}</code>
	<code>\Pisymbol{fselch}{46}</code>		<code>\Pisymbol{fselch}{101}</code>		<code>\Pisymbol{fselch}{210}</code>
	<code>\Pisymbol{fselch}{47}</code>		<code>\Pisymbol{fselch}{102}</code>		<code>\Pisymbol{fselch}{216}</code>
	<code>\Pisymbol{fselch}{48}</code>		<code>\Pisymbol{fselch}{103}</code>		<code>\Pisymbol{fselch}{222}</code>
	<code>\Pisymbol{fselch}{49}</code>		<code>\Pisymbol{fselch}{104}</code>		<code>\Pisymbol{fselch}{228}</code>
	<code>\Pisymbol{fselch}{50}</code>		<code>\Pisymbol{fselch}{105}</code>		<code>\Pisymbol{fselch}{234}</code>
	<code>\Pisymbol{fselch}{51}</code>		<code>\Pisymbol{fselch}{106}</code>		<code>\Pisymbol{fselch}{240}</code>
	<code>\Pisymbol{fselch}{52}</code>		<code>\Pisymbol{fselch}{107}</code>		<code>\Pisymbol{fselch}{246}</code>
	<code>\Pisymbol{fselch}{53}</code>		<code>\Pisymbol{fselch}{108}</code>		
	<code>\Pisymbol{fselch}{54}</code>		<code>\Pisymbol{fselch}{109}</code>		

In addition to the `fselch` font showcased above, `bartel-chess-fonts` also provides a `pkelch` font which includes the same symbol set (minus some of the higher-numbered characters) but drawn in a slightly different style.

`bartel-chess-fonts` provides the `fselch` and `pkelch` fonts in various sizes (optically scaled). See “[L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Font Selection](#)” [L<sup>A</sup>T<sub>E</sub>X 19] for advice on how to expose these sorts of fonts to L<sup>A</sup>T<sub>E</sub>X using `\DeclareFontFamily` and `\DeclareFontShape`.

## 11 Additional Information

Unlike the previous sections of this document, Section 11 does not contain new symbol tables. Rather, it provides additional help in using the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List. First, it draws attention to symbol names used by multiple packages. Next, it provides some guidelines for finding symbols and gives some examples regarding how to construct missing symbols out of existing ones. Then, it comments on the spacing surrounding symbols in math mode. After that, it presents an ASCII and Latin 1 quick-reference guide, showing how to enter all of the standard ASCII/Latin 1 symbols in L<sup>A</sup>T<sub>E</sub>X. And finally, it lists some statistics about this document itself.

### 11.1 Symbol Name Clashes

Unfortunately, a number of symbol names are not unique; they appear in more than one package. Depending on how the symbols are defined in each package, L<sup>A</sup>T<sub>E</sub>X will either output an error message or replace an earlier-defined symbol with a later-defined symbol. Table 576 on the next page presents a selection of name clashes that appear in this document.

Using multiple symbols with the same name in the same document—or even merely loading conflicting symbol packages—can be tricky but, as evidenced by the existence of Table 576, not impossible. The general procedure is to load the first package, rename the conflicting symbols, and then load the second package. Examine the L<sup>A</sup>T<sub>E</sub>X source for this document (`symbols.tex`) for examples of this and other techniques for handling symbol conflicts. Note that `symbols.tex`'s `\savesymbol` and `\restoresymbol` macros have been extracted into the `savesym` package, which can be downloaded from CTAN.

`txfonts` and `pxfonts` redefine a huge number of symbols—essentially, all of the symbols defined by `latexsym`, `textcomp`, the various  $\mathcal{AMS}$  symbol sets, and L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> itself. Similarly, `mathabx` redefines a vast number of math symbols in an attempt to improve their look. The `txfonts`, `pxfonts`, and `mathabx` conflicts are not listed in Table 576 because they are designed to be compatible with the symbols they replace. Table 577 on page 279 illustrates what “compatible” means in this context.

To use the new `txfonts/pxfonts` symbols without altering the document's main font, merely reset the default font families back to their original values after loading one of those packages:

```
\renewcommand\rmdefault{cmr}
\renewcommand\sfdefault{cms}
\renewcommand\ttdefault{cmtt}
```

### 11.2 Resizing symbols

Mathematical symbols listed in this document as “variable-sized” are designed to stretch vertically. Each variable-sized symbol comes in one or more basic sizes plus a variation comprising both stretchable and nonstretchable segments. Table 578 on page 279 presents the symbols `\}` and `\uparrow` in their default size, in their `\big`, `\Big`, `\bigg`, and `\Bigg` sizes, in an even larger size achieved using `\left/\right`, and—for contrast—in a large size achieved by changing the font size using L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s `\fontsize` command. Because the symbols shown belong to the Computer Modern family, the `typelcm` package needs to be loaded to support font sizes larger than 24.88 pt.

Note how `\fontsize` makes the symbol wider and thicker. (The `graphicx` package's `\scalebox` or `\resizebox` commands would produce a similar effect.) Also, the `\fontsize`-enlarged symbol is vertically centered relative to correspondingly large text, unlike the symbols enlarged using `\big` et al. or `\left/\right`, which all use the same math axis regardless of symbol size. However, `\fontsize` is not limited to mathematical delimiters. Also, `\scalebox` and `\resizebox` are more robust to poorly composed symbols (e.g., two symbols made to overlap by backspacing a fixed distance) but do not work with every T<sub>E</sub>X backend and will produce jagged symbols when scaling a bitmapped font.

All variable-sized delimiters are defined (by the corresponding `.tfm` file) in terms of up to five segments, as illustrated by Figure 1 on page 279. The top, middle, and bottom segments are of a fixed size. The top-middle and middle-bottom segments (which are constrained to be the same character) are repeated as many times as necessary to achieve the desired height.

TABLE 576: Symbol Name Clashes

Symbol	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	$\mathcal{A}$	$\mathcal{M}$	$\mathcal{S}$	stmaryrd	wasysym	mathabx	marvosym	bbding	ifsym	dingbat	wsuipa
<code>\bar{o}</code>					$\phi$							$\theta$
<code>\bigtriangledown</code>	$\nabla$				$\nabla$							
<code>\bigtriangleup</code>	$\triangle$				$\triangle$							
<code>\checkmark</code>		$\checkmark$									$\checkmark$	
<code>\Circle</code>						$\circ$				$\circ$		
<code>\Cross</code>								$\dagger$	$\dagger$	$\times$		
<code>\ggg</code>							$\gg$					
<code>\Letter</code>								$\boxtimes$		$\boxtimes$		
<code>\lightning</code>								$\lightning$				
<code>\Lightning</code>								$\lightning$		$\lightning$		
<code>\lll</code>												
<code>\Square</code>						$\square$			$\square$	$\square$		
<code>\Sun</code>							$\odot$	$\odot$		$\odot$		
<code>\TriangleDown</code>									$\blacktriangledown$	$\blacktriangledown$		
<code>\TriangleUp</code>									$\blacktriangleup$	$\blacktriangleup$		

TABLE 577: Example of a Benign Name Clash

Symbol	Default (Computer Modern)	txfonts (Times Roman)
R	$\mathbb{R}$	<b>R</b>
<code>\textrecipe</code>	$\mathbb{R}$	<b>R</b>

TABLE 578: Sample resized delimiters

Symbol	Default size	<code>\big</code>	<code>\Big</code>	<code>\bigg</code>	<code>\Bigg</code>	<code>\left / \right</code>	<code>\fontsize</code>
<code>\}</code>	}	}	}	}	}	}	} }
<code>\uparrow</code>	↑	↑	↑	↑	↑	↑	↑




Figure 1: Implementation of variable-sized delimiters

### 11.3 Where can I find the symbol for ...?

If you can't find some symbol you're looking for in this document, there are a few possible explanations:

- The symbol isn't intuitively named. As a few examples, the `ifsym` command to draw dice is “`\Cube`”; a plus sign with a circle around it (“exclusive or” to computer engineers) is “`\oplus`”; and lightning bolts in fonts designed by German speakers may have “blitz” in their names as in the `ulsy` package. The moral of the story is to be creative with synonyms when searching the index.
- The symbol is defined by some package that I overlooked (or deemed unimportant). If there's some symbol package that you think should be included in the Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List, please send me e-mail at the address listed on the title page.
- The symbol isn't defined in any package whatsoever.

Even in the last case, all is not lost. Sometimes, a symbol exists in a font, but there is no L<sup>A</sup>T<sub>E</sub>X binding for it. For example, the PostScript Symbol font contains a “`␣`” symbol, which may be useful for representing a carriage return, but there is no package (as far as I know) for accessing that symbol. To produce an unnamed symbol, you need to switch to the font explicitly with L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>'s low-level font commands [L<sup>A</sup>T<sub>E</sub>X 19] and use T<sub>E</sub>X's primitive `\char` command [Knu86a] to request a specific character number in the font. For example, one can define a command to typeset a long s (“f”) using character 115 from the Latin Modern fonts in the TS1 font encoding:<sup>5</sup>

```
\newcommand{\textlongs}{\%  
  \fontencoding{TS1}\fontfamily{lmr}\selectfont\char115%  
}
```

Then, “`\textlongs ucce\textlongs sful`” will produce “fuccesful”—in the current font style (roman, italic, bold, etc.)

In fact, `\char` is not strictly necessary in all cases; the character can often be entered symbolically. For example, the symbol for an impulse train or Tate-Shafarevich group (“III”) is actually an uppercase *sha* in the Cyrillic alphabet. (Cyrillic is supported by the OT2 font encoding, for instance). While a *sha* can be defined numerically as “`{\fontencoding{OT2}\selectfont\char88}`” it may be more intuitive to use the OT2 font encoding's “SH” ligature: “`{\fontencoding{OT2}\selectfont SH}`”. Another possibility is to use the T2A font encoding's `\CYRSH` command: “`{\fontencoding{T2A}\selectfont\CYRSH}`”.

For the specific case of the U font encoding, which is used for symbol or “pi” fonts, the `pifont` package defines a convenient `\Pisymbol` command. `\Pisymbol` typesets a specified character (by number) in a specified font family. For example, “`\Pisymbol{psy}{191}`” produces the aforementioned “`␣`” symbol by typesetting character number 191 in the `psy` (PostScript Symbol) font family.

#### Reflecting and rotating existing symbols

A common request on `comp.text.tex` is for a reversed or rotated version of an existing symbol. As a last resort, these effects can be achieved with the `graphicx` (or `graphics`) package's `\reflectbox` and `\rotatebox` macros. For example, `\textsuperscript{\reflectbox{?}}` produces an irony mark (“<sup>?</sup>”), and `\rotatebox[origin=c]{180}{\mathfrak{I}}` produces the definite-description operator (“ $\mathfrak{I}$ ”). As noted by Marc Olschok in a July 2011 post on `comp.text.tex`, Project Gutenberg uses `\reflectbox` to typeset the part (“3”) and whole (“ $\mathfrak{E}$ ”) relations used in Dedekind's set notation:

```
\newcommand\partof{\mathrel{\raisebox{0.45ex}{\mathfrak{3}}}}  
\newcommand\wholeof{\mathrel{\reflectbox{\mathfrak{3}}}}
```

The disadvantage of the `graphicx/graphics` approach is that not every T<sub>E</sub>X backend handles graphical transformations.<sup>6</sup> Far better is to find a suitable font that contains the desired symbol in the correct

<sup>5</sup>Since January 2020, the `wasysym` package provides a `\longs` symbol. See Table 47.

<sup>6</sup>As an example, Xdvi ignores both `\reflectbox` and `\rotatebox`.



orientation. For instance, if the `phonetic` package is available, then `\textit{\riota}` will yield a backend-independent “ $\iota$ ”. Similarly, `tipa`’s `\textrepsilon` (“ $\mathfrak{z}$ ”) or `wsuipa`’s `\repsilon` (“ $\mathfrak{z}$ ”) may be used to express the mathematical notion of “such that” in a cleaner manner than with `\reflectbox` or `\rotatebox`.<sup>7</sup>

### Joining and overlapping existing symbols

Symbols that do not exist in any font can sometimes be fabricated out of existing symbols. The  $\LaTeX 2_{\epsilon}$  source file `fontdef.dtx` contains a number of such definitions. For example, `\models` (see Table 89 on page 54) is defined in that file with:

```
\def\models{\mathrel|\joinrel=}
```

where `\mathrel` and `\joinrel` are used to control the horizontal spacing. `\def` is the  $\TeX$  primitive upon which  $\LaTeX$ ’s `\newcommand` is based. See *The  $\TeX$ book* [Knu86a] for more information on all three of those commands.

With some simple pattern-matching, one can easily define a backward `\models` sign (“ $\models$ ”):

```
\def\ismodeledby{=\joinrel\mathrel|}
```

In general, arrows/harpoons, horizontal lines (“ $=$ ”, “ $_$ ”, “ $\relbar$ ”, and “ $\Relbar$ ”), and the various math-extension characters can be combined creatively with miscellaneous other characters to produce a variety of new symbols. Of course, new symbols can be composed from *any* set of existing characters. For instance,  $\LaTeX$  defines `\hbar` (“ $\hbar$ ”) as a “ $-$ ” character (`\mathchar’26`) followed by a backspace of 9 math units (`\mkern-9mu`), followed by the letter “ $h$ ”:

```
\def\hbar{\mathchar’26\mkern-9mu h}
```

We can just as easily define other barred letters:

```
\def\bbar{\mathchar’26\mkern-9mu b}
\def\dbar{\mathchar’26\mkern-12mu d}
```

(The space after the “ $mu$ ” is optional but is added for clarity.) `\bbar` and `\dbar` define “ $\bar{b}$ ” and “ $\bar{d}$ ”, respectively. Note that `\dbar` requires a greater backward math kern than `\bbar`; a  $-9\mu$  kern would have produced the less-attractive “ $\bar{d}$ ” glyph.

The `amsmath` package provides `\overset` and `\underset` commands for placing one symbol respectively above or below another. For example, `\overset{G}{\sim}`<sup>8</sup> produces “ $\overset{G}{\sim}$ ” (sometimes used for “equidecomposable with respect to  $G$ ”).

Sometimes an ordinary `tabular` environment can be co-opted into juxtaposing existing symbols into a new symbol. Consider the following definition of `\asterisk` (“ $\ast$ ”) from a June 2007 post to `comp.text.tex` by Peter Flynn:

```
\newcommand{\asterisk}{\smash{%
\raisebox{-.5ex}{%
\setlength{\tabcolsep}{-.5pt}%
\begin{tabular}{@{}cc@{}}%
\multicolumn{2}{\[-2ex] * & *}%
\end{tabular}}}}
```

Note how the space between columns (`\tabcolsep`) and rows (`\[-2ex]`) is made negative to squeeze the asterisks closer together.

There is a  $\TeX$  primitive called `\mathaccent` that centers one mathematical symbol atop another. For example, one can define `\dotcup` (“ $\dot{\cup}$ ”)—the composition of a `\cup` and a `\cdot`—as follows:

<sup>7</sup>More common symbols for representing “such that” include “ $|$ ”, “ $.$ ”, and “`s.t.`”.

<sup>8</sup> $\LaTeX$ ’s `\stackrel` command is similar but is limited to placing a symbol above a binary relation.

```
\newcommand{\dotcup}{\ensuremath{\mathaccent\cdot\cup}}
```

The catch is that `\mathaccent` requires the accent to be a “math character”. That is, it must be a character in a math font as opposed to a symbol defined in terms of other symbols. See *The T<sub>E</sub>Xbook* [Knu86a] for more information.

Another T<sub>E</sub>X primitive that is useful for composing symbols is `\vcenter`. `\vcenter` is conceptually similar to “`\begin{tabular}{l}`” in L<sup>A</sup>T<sub>E</sub>X but takes a list of vertical material instead of `\-`-separated rows. Also, it vertically centers the result on the math axis. (Many operators, such as “+” and “−” are also vertically centered on the math axis.) Enrico Gregorio posted the following symbol definition to `comp.text.tex` in March 2004 in response to a query about an alternate way to denote equivalence:

```
\newcommand*{\threesim}{%
  \mathrel{\vcenter{\offinterlineskip
    \hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}}}}
```

The `\threesim` symbol, which vertically centers three `\sim` (“~”) symbols with 0.35 *x*-heights of space between them, is rendered as “≈”. `\offinterlineskip` is a macro that disables implicit interline spacing. Without it, `\threesim` would have a full line of vertical spacing between each `\sim`. Because of `\vcenter`, `\threesim` aligns properly with other math operators:  $a \div b \approx c \times d$ .

A related L<sup>A</sup>T<sub>E</sub>X command, borrowed from Plain T<sub>E</sub>X, is `\oalign`. `\oalign` vertically overlaps symbols and works both within and outside of math mode. Essentially, it creates a single-column `tabular` environment with zero vertical distance between rows. However, because it is based directly on T<sub>E</sub>X’s `\ialign` primitive, `\oalign` uses T<sub>E</sub>X’s `tabular` syntax instead of L<sup>A</sup>T<sub>E</sub>X’s (i.e., with `\cr` as the row terminator instead of `\-`). The following example of `\oalign`, a macro that defines a standard-state symbol (`\stst`, “ $\ominus$ ”) as a superscripted Plimsoll line (`\barcirc`, “ $\bar{\ominus}$ ”),<sup>9</sup> is due to an October 2007 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\providecommand\barcirc{\mathpalette@barred\circ}
\def@barred#1#2{\oalign{\hfil#1-\hfil\cr\hfil#1#2\hfil\cr}}
\newcommand\stst{\protect\barcirc}
\makeatother
```

In the preceding code, note the `\oalign` call’s use of `\hfil` to horizontally center a minus sign (“−”) and a `\circ` (“o”).

As another example of `\oalign`, consider the following code (due to Enrico Gregorio in a June 2007 post to `comp.text.tex`) that overlaps a `\ni` (“ $\ni$ ”) and two minus signs (“−”) to produce “ $\ni$ ”, an obscure variation on the infrequently used “ $\ni$ ” symbol for “such that” discussed on the previous page:

```
\newcommand{\suchthat}{%
  \mathrel{\oalign{$\ni$\cr\kern-1pt$-\kern-6.5pt$-}}}
```

The `slashed` package, although originally designed for producing Feynman slashed-character notation, in fact facilitates the production of *arbitrary* overlapped symbols. The default behavior is to overwrite a given character with “/”. For example, `\slashed{D}` produces “ $\mathcal{D}$ ”. However, the `\declareslashed` command provides the flexibility to specify the mathematical context of the composite character (operator, relation, punctuation, etc., as will be discussed in Section 11.4), the overlapping symbol, horizontal and vertical adjustments in symbol-relative units, and the character to be overlapped. Consider, for example, the symbol for reduced quadrupole moment (“ $F$ ”). This can be declared as follows:

```
\newcommand{\rqm}{%
  \declareslashed{\text{-}}{0.04}{0}{I}\slashed{I}}
```

<sup>9</sup>While `\barcirc` illustrates how to combine symbols using `\oalign`, the `plimsoll` package’s `\plimsoll` command (Table 321 on page 136) and the `stmaryrd` package’s `\minuso` command (Table 52 on page 33) provide a similar glyph ( $\ominus$ ) as a single, indivisible symbol.

`\declareslashed{.}{.}{.}{.}{I}` affects the meaning of all subsequent `\slashed{I}` commands in the same scope. The preceding definition of `\rqm` therefore uses an extra set of curly braces to limit that scope to a single `\slashed{I}`. In addition, `\rqm` uses `amstext`'s `\text` macro (described on the next page) to make `\declareslashed` use a text-mode hyphen (“-”) instead of a math-mode minus sign (“−”) and to ensure that the hyphen scales properly in size in subscripts and superscripts. See `slashed`'s documentation (located in `slashed.sty` itself) for a detailed usage description of the `\slashed` and `\declareslashed` commands.

Somewhat simpler than `slashed` is the `centernot` package. `centernot` provides a single command, `\centernot`, which, like `\not`, puts a slash over the subsequent mathematical symbol. However, instead of putting the slash at a fixed location, `\centernot` centers the slash over its argument. `\centernot` might be used, for example, to create a “does not imply” symbol:

$$\begin{array}{c} \not\Rightarrow \quad \backslash\text{not}\backslash\text{Longrightarrow} \\ \text{vs.} \\ \centernot\Rightarrow \quad \backslash\text{centernot}\backslash\text{Longrightarrow} \end{array}$$

See the `centernot` documentation for more information.

### Making new symbols work in superscripts and subscripts

To make composite symbols work properly within subscripts and superscripts, you may need to use `TeX`'s `\mathchoice` primitive. `\mathchoice` evaluates one of four expressions, based on whether the current math style is display, text, script, or scriptscript. (See *The TeXbook* [Knu86a] for a more complete description.) For example, the following `LaTeX` code—posted to `comp.text.tex` by Torsten Bronger—composes a sub/superscriptable “ $\top$ ” symbol out of `\top` and `\bot` (“ $\top$ ” and “ $\perp$ ”):

```
\def\topbotatom#1{\hbox{\hbox to 0pt{${#1}\bot$\hss}${#1}\top$}}
\newcommand*\topbot{\mathrel{\mathchoice{\topbotatom\displaystyle}
{\topbotatom\textstyle}
{\topbotatom\scriptstyle}
{\topbotatom\scriptscriptstyle}}}
```

The following is another example that uses `\mathchoice` to construct symbols in different math modes. The code defines a principal value integral symbol, which is an integral sign with a line through it.

```
\def\Xint#1{\mathchoice
{\XXint\displaystyle\textstyle{#1}}%
{\XXint\textstyle\scriptstyle{#1}}%
{\XXint\scriptstyle\scriptscriptstyle{#1}}%
{\XXint\scriptscriptstyle\scriptscriptstyle{#1}}%
\!\int}
\def\XXint#1#2#3{\setbox0=\hbox{${#1}{#2#3}{\int}$}
\vcenter{\hbox{${#2#3$}}\kern-.5\wd0}}
\def\ddashint{\Xint=}
\def\dashint{\Xint-}
```

(The preceding code was taken verbatim from the UK `TeX` Users Group FAQ at <http://www.tex.ac.uk/>.) `\dashint` produces a single-dashed integral sign (“ $\int$ ”), while `\ddashint` produces a double-dashed one (“ $\int$ ”). The `\Xint` macro defined above can also be used to generate a wealth of new integrals: “ $\int$ ” (`\Xint\circlearrowright`), “ $\int$ ” (`\Xint\circlearrowleft`), “ $\int$ ” (`\Xint\subset`), “ $\int$ ” (`\Xint\infty`), and so forth.

`LaTeX 2ε` provides a simple wrapper for `\mathchoice` that sometimes helps produce terser symbol definitions. The macro is called `\mathpalette` and it takes two arguments. `\mathpalette` invokes the first argument, passing it one of “`\displaystyle`”, “`\textstyle`”, “`\scriptstyle`”, or “`\scriptscriptstyle`”, followed by the second argument. `\mathpalette` is useful when a symbol macro must know which math style is currently in use (e.g., to set it explicitly within an `\mbox`). Donald Arseneau posted the following `\mathpalette`-based definition of a probabilistic-independence symbol (“ $\perp$ ”) to `comp.text.tex` in June 2000:

```

\newcommand\independent{\protect\mathpalette{\protect\independentT}{\perp}}
\def\independent#1#2{\mathrel{\rlap{#1#2}\mkern2mu{#1#2}}}

```

The `\independent` macro uses `\mathpalette` to pass the `\independentT` helper macro both the current math style and the `\perp` symbol. `\independentT` typesets `\perp` in the current math style, moves two math units to the right, and finally typesets a second—overlapping—copy of `\perp`, again in the current math style. `\rlap`, which enables text overlap, is described later on this page.

Some people like their square-root signs with a trailing “hook” (i.e., “ $\sqrt{\quad}$ ”) as this helps visually distinguish expressions like “ $\sqrt{3x}$ ” from those like “ $\sqrt{3}x$ ”. In March 2002, Dan Luecking posted a `\mathpalette`-based definition of a hooked square-root symbol to `comp.text.tex`. This code was subsequently refined by Max Dohse and Scott Pakin into the version shown below, which accepts a root as an optional argument, for consistency with `\sqrt`.

```

\newcommand{\hksqrt}[2] []{\mathpalette\DHLhksqrt{[#1]{#2\,}}}
\def\DHLhksqrt#1#2{\setbox0=\hbox{#1\sqrt#2}\dimen0=\ht0
\advance\dimen0-0.2\ht0
\setbox2=\hbox{\vrule height\ht0 depth -\dimen0}%
{\box0\lower0.4pt\box2}}

```

Notice how `\hksqrt` uses `\mathpalette` to pass the current math style (`\displaystyle`, `\textstyle`, etc.) to `\DHLhksqrt` as argument #1. `\DHLhksqrt` subsequently uses that style within an `\hbox`. The rest of the code is simply using T<sub>E</sub>X primitives to position a hook of height 0.2 times the `\sqrt` height at the right of the `\sqrt`. See The T<sub>E</sub>Xbook [Knu86a] for more understanding of T<sub>E</sub>X “boxes” and “dimens”.

Sometimes, however, `amstext`’s `\text` macro is all that is necessary to make composite symbols appear correctly in subscripts and superscripts, as in the following definitions of `\neswarrow` (“ $\nearrow$ ”) and `\nwsearrow` (“ $\nwarrow$ ”):<sup>10</sup>

```

\newcommand{\neswarrow}{\mathrel{\text{\nearrow}\llap{\swarrow}}}
\newcommand{\nwsearrow}{\mathrel{\text{\nwarrow}\llap{\searrow}}}

```

`\text` resembles L<sup>A</sup>T<sub>E</sub>X’s `\mbox` command but shrinks its argument appropriately when used within a subscript or superscript. `\llap` (“left overlap”) and its counterpart, `\rlap` (“right overlap”), appear frequently when creating composite characters. `\llap` outputs its argument to the left of the current position, overlapping whatever text is already there. Similarly, `\rlap` overlaps whatever text would normally appear to the right of its argument. For example, “`A\llap{B}`” and “`\rlap{A}B`” each produce “**B**”. However, the result of the former is the width of “A”, and the result of the latter is the width of “B”—`\llap{...}` and `\rlap{...}` take up zero space.

In a June 2002 post to `comp.text.tex`, Donald Arseneau presented a general macro for aligning an arbitrary number of symbols on their horizontal centers and vertical baselines:

```

\makeatletter
\def\moverlay{\mathpalette\mov@rlay}
\def\mov@rlay#1#2{\leavevmode\vtop{%
\baselineskip\z@skip \lineskiplimit-\maxdimen
\ialign{\hfil$#1##$\hfil\cr#2\cr}}
\makeatother

```

The `\makeatletter` and `\makeatother` commands are needed to coerce L<sup>A</sup>T<sub>E</sub>X into accepting “@” as part of a macro name. `\moverlay` takes a list of symbols separated by `\cr` (T<sub>E</sub>X’s equivalent of L<sup>A</sup>T<sub>E</sub>X’s `\)`). For example, the `\topbot` command defined on the previous page could have been expressed as “`\moverlay{\top\cr\bot}`” and the `\neswarrow` command defined above could have been expressed as “`\moverlay{\nearrow\cr\swarrow}`”.

<sup>10</sup>Note that if your goal is to typeset commutative diagrams or pushout/pullback diagrams, then you should probably be using `XY-pic`.

The basic concept behind `\moverlay`'s implementation is that `\moverlay` typesets the given symbols in a table that utilizes a zero `\baselineskip`. This causes every row to be typeset at the same vertical position. See The  $\TeX$ book [Knu86a] for explanations of the  $\TeX$  primitives used by `\moverlay`.

Steven B. Segletes answered a question on  $\TeX$  Stack Exchange, “AMS inequalities: a variant of `\gtrsim` and `\lesssim`” on typesetting `\gtrsim` (“ $\gtrsim$ ”) and `\lesssim` (“ $\lesssim$ ”) with the `\sim` symbol slanted to match the angle of the greater-than/less-than sign. His solution incorporates the `graphicx` package's `\rotatebox` for rotating the “ $\sim$ ”, the `stackengine` package's `\stackengine` command for stacking two symbols on top of each other, and the `scalrel` package's `\ThisStyle`, `\SavedStyle`, and `\LMex` commands for scaling the symbol based on the surrounding context. The following code due to Segletes defines the `\gtrsimslant` (“ $\gtrsim$ ”) and `\lesssimslant` (“ $\lesssim$ ”) symbols:<sup>11</sup>

```
\newcommand\lesssimslant{\mathrel{\ensurestackMath{\ThisStyle{%
  \stackengine{-0.4\LMex}{\SavedStyle<}{%
    \rotatebox{-25}{\SavedStyle\sim}}{U}{r}{F}{T}{S}}}}}
\newcommand\gtrsimslant{\mathrel{\ensurestackMath{\ThisStyle{%
  \stackengine{-0.4\LMex}{\SavedStyle>}{%
    \rotatebox{25}{\SavedStyle\sim}}{U}{l}{F}{T}{S}}}}}
```

### Modifying $\LaTeX$ -generated symbols

Oftentimes, symbols composed in the  $\LaTeX 2_{\epsilon}$  source code can be modified with minimal effort to produce useful variations. For example, `fontdef.dtx` composes the `\ddots` symbol (see Table 277 on page 125) out of three periods, raised 7 pt., 4 pt., and 1 pt., respectively:

```
\def\ddots{\mathinner{\mkern1mu\raise7\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}\mkern2mu\raise\p@\hbox{.}\mkern1mu}}
```

`\p@` is a  $\LaTeX 2_{\epsilon}$  shortcut for “pt” or “1.0pt”. The remaining commands are defined in The  $\TeX$ book [Knu86a]. To draw a version of `\ddots` with the dots going along the opposite diagonal, we merely have to reorder the `\raise7\p@`, `\raise4\p@`, and `\raise\p@`:

```
\makeatletter
\def\revddots{\mathinner{\mkern1mu\raise\p@
  \vbox{\kern7\p@\hbox{.}}\mkern2mu
  \raise4\p@\hbox{.}\mkern2mu\raise7\p@\hbox{.}\mkern1mu}}
\makeatother
```

`\revddots` is essentially identical to the `mathdots` package's `\iddots` command or the `yhmath` package's `\adots` command.

### Producing complex accents

Accents are a special case of combining existing symbols to make new symbols. While various tables in this document show how to add an accent to an existing symbol, some applications, such as transliterations from non-Latin alphabets, require *multiple* accents per character. For instance, the creator of `pdf $\TeX$`  writes his name as “Hàn Thê Thành”. The `dblaccnt` package enables  $\LaTeX$  to stack accents, as in “H\‘an Th\’{\^e} Th\‘anh” (albeit not in the OT1 font encoding). In addition, the `wsuipa` package defines `\diatop` and `\diaunder` macros for putting one or more diacritics or accents above or below a given character. For example, `\diaunder[\diatop[\’|\=]]|\textsubdot{r}` produces “ $\ddot{r}$ ”. See the `wsuipa` documentation for more information.

<sup>11</sup>The code as posted on  $\TeX$  Stack Exchange named these `\vargtrsim` and `\varlesssim`. They are renamed here for naming consistency with symbols such as `\geqslant` (“ $\geq$ ”).

The `accents` package facilitates the fabrication of accents in math mode. Its `\accentset` command enables *any* character to be used as an accent. For instance, `\accentset{\star}{f}` produces “ $f^{\star}$ ” and `\accentset{e}{X}` produces “ $X^e$ ”. `\underaccent` does the same thing, but places the accent beneath the character. This enables constructs like `\underaccent{\tilde}{V}`, which produces “ $\underline{V}$ ”. `accents` provides other accent-related features as well; see the documentation for more information.

### Creating extensible symbols

A relatively simple example of creating extensible symbols stems from a `comp.text.tex` post by Donald Arseneau (June 2003). The following code defines an equals sign that extends as far to the right as possible, just like L<sup>A</sup>T<sub>E</sub>X’s `\hrulefill` command:

```
\makeatletter
\def\equalsfill{\m@th\mathord=\mkern-7mu
  \cleaders\hbox{\!\mathord=\!}\hfill
  \mkern-7mu\mathord=}
\makeatother
```

T<sub>E</sub>X’s `\cleaders` and `\hfill` primitives are the key to understanding `\equalsfill`’s extensibility. Essentially, `\equalsfill` repeats a box containing “=” plus some negative space until it fills the maximum available horizontal space. `\equalsfill` is intended to be used with L<sup>A</sup>T<sub>E</sub>X’s `\stackrel` command, which stacks one mathematical expression (slightly reduced in size) atop another. Hence, “`\stackrel{a}{\rightarrow}`” produces “ $\xrightarrow{a}$ ” and “`X \stackrel{\text{definition}}{\hbox{\equalsfill}} Y`” produces “ $X \stackrel{\text{definition}}{=} Y$ ”.

If all that needs to extend are horizontal and vertical lines—as opposed to repeated symbols such as the “=” in the previous example—L<sup>A</sup>T<sub>E</sub>X’s `array` or `tabular` environments may suffice. Consider the following code (due to a February 1999 `comp.text.tex` post by Donald Arseneau and subsequent modifications by Billy Yu and Scott Pakin) for typesetting annuity and life-insurance symbols:

```
\DeclareRobustCommand{\actuarial}[2][]{%
  \def\arraystretch{0}%
  \setlength\arraycolsep{0.5pt}%
  \setlength\arrayrulewidth{0.5pt}%
  \setbox0=\hbox{\scriptstyle#1#2}%
  \begin{array}[b]{*2@{>{\scriptstyle}c}|}
    \cline{2-2}%
    \rule[1.25pt]{0pt}{\ht0}%
    #1 & #2%
  \end{array}%
}
```

Using the preceding definition, one can type, e.g., “`$a_{\actuarial{n}}$`” to produce “ $a_{\overline{n}}$ ” and “`$a_{\actuarial[x:]n}$`” to produce “ $a_{\overline{x:n}}$ ”. This is similar in concept to how the `actuarialangle` package defines its `\actuarialangle` command (Table 261). For a more complete solution for typesetting actuarial symbols see the `actuarialsymbol` package.

A more complex example of composing accents is the following definition of extensible `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` symbols, taken from a May 2002 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\def\overbracket#1{\mathop{\vbox{\ialign{##\crrc\noalign{\kern3\p@}
  \downbracketfill\crrc\noalign{\kern3\p@\nointerlineskip}
  $\hfil\displaystyle{#1}\hfil$\crrc}}}\limits}
\def\underbracket#1{\mathop{\vtop{\ialign{##\crrc
  $\hfil\displaystyle{#1}\hfil$\crrc\noalign{\kern3\p@\nointerlineskip}
  \upbracketfill\crrc\noalign{\kern3\p@}}}\limits}
```

```

\def\overparenthesis#1{\mathop{\vbox{\ialign{##\cr cr\cr\noalign{\kern3\p@}
\downparenthfill\cr cr\cr\noalign{\kern3\p@\nointerlineskip}
$\hfil\displaystyle{#1}\hfil$\cr cr}}}\limits}
\def\underparenthesis#1{\mathop{\vtop{\ialign{##\cr cr\cr
$\hfil\displaystyle{#1}\hfil$\cr cr\cr\noalign{\kern3\p@\nointerlineskip}
\upparenthfill\cr cr\cr\noalign{\kern3\p@}}}}}\limits}
\def\downparenthfill{$\m@th\braced\leaders\vrule\hfill\bracerd$}
\def\upparenthfill{$\m@th\bracelu\leaders\vrule\hfill\braceru$}
\def\upbracketfill{$\m@th\makesm@sh{\llap{\vrule\@height3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height3\p@\@width.7\p@}}$}
\def\downbracketfill{$\m@th
\makesm@sh{\llap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}$}
\makeatother

```

Table 579 showcases these accents. The  $\TeX$ book [Knu86a] or another book on  $\TeX$  primitives is indispensable for understanding how the preceding code works. The basic idea is that `\downparenthfill`, `\upparenthfill`, `\downbracketfill`, and `\upbracketfill` do all of the work; they output a left symbol (e.g., `\braced` [“ $\lrcorner$ ”] for `\downparenthfill`), a horizontal rule that stretches as wide as possible, and a right symbol (e.g., `\bracerd` [“ $\rceil$ ”] for `\downparenthfill`). `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` merely create a table whose width is determined by the given text, thereby constraining the width of the horizontal rules.

TABLE 579: Manually Composed Extensible Accents

$\overline{abc}$	<code>\overbracket{abc}</code>	$\overparen{abc}$	<code>\overparenthesis{abc}</code>
$\underline{abc}$	<code>\underbracket{abc}</code>	$\underparen{abc}$	<code>\underparenthesis{abc}</code>

Note that the `simplewick` package provides mechanisms for typesetting Wick contractions, which utilize `\overbracket`- and `\underbracket`-like brackets of variable width *and* height (or depth). For example, “`\acontraction{}{A}{B}{C}\acontraction[2ex]{A}{B}{C}{D}\bcontraction{}{A}{BC}{D}ABCD`” produces



See the `simplewick` documentation for more information.


## Developing new symbols from scratch

Sometimes it is simply not possible to define a new symbol in terms of existing symbols. Fortunately, most, if not all,  $\TeX$  distributions are shipped with a tool called METAFONT which is designed specifically for creating fonts to be used with  $\TeX$ . The METAFONTbook [Knu86b] is the authoritative text on METAFONT. If you plan to design your own symbols with METAFONT, The METAFONTbook is essential reading. You may also want to read the freely available METAFONT primer located at <http://metafont.tutorial.free.fr/>. The following is an extremely brief tutorial on how to create a new  $\LaTeX$  symbol using METAFONT. Its primary purpose is to cover the  $\LaTeX$ -specific operations not mentioned in The METAFONTbook and to demonstrate that symbol-font creation is not necessarily a difficult task.

Suppose we need a symbol to represent a light bulb (“ $\mathcal{Q}$ ”).<sup>12</sup> The first step is to draw this in METAFONT. It is common to separate the font into two files: a size-dependent file, which specifies the design size and various font-specific parameters that are a function of the design size; and a size-independent file, which draws

<sup>12</sup>I’m not a very good artist; you’ll have to pretend that “ $\mathcal{Q}$ ” looks like a light bulb.

characters in the given size. Figure 2 shows the METAFONT code for `lightbulb10.mf`. `lightbulb10.mf` specifies various parameters that produce a 10 pt. light bulb then loads `lightbulb.mf`. Ideally, one should produce `lightbulb<size>.mf` files for a variety of `<size>`s. This is called “optical scaling”. It enables, for example, the lines that make up the light bulb to retain the same thickness at different font sizes, which looks much nicer than the alternative—and default—“mechanical scaling”. When a `lightbulb<size>.mf` file does not exist for a given size `<size>`, the computer mechanically produces a wider, taller, thicker symbol:



```
font_identifier := "LightBulb10";           % Name the font.
font_size 10pt#;                           % Specify the design size.

em# := 10pt#;                               % "M" width is 10 points.
cap# := 7pt#;                               % Capital letter height is 7 points above the baseline.
sb# := 1/4pt#;                              % Leave this much space on the side of each character.
o# := 1/16pt#;                              % Amount that curves overshoot borders.

input lightbulb                             % Load the file that draws the actual glyph.
```

Figure 2: Sample METAFONT size-specific file (`lightbulb10.mf`)

`lightbulb.mf`, shown in Figure 3, draws a light bulb using the parameters defined in `lightbulb10.mf`. Note that the the filenames “`lightbulb10.mf`” and “`lightbulb.mf`” do not follow the Berry font-naming scheme [Ber01]; the Berry font-naming scheme is largely irrelevant for symbol fonts, which generally lack bold, italic, small-caps, slanted, and other such variants.

The code in Figures Figure 2 and Figure 3 is heavily commented and should demonstrate some of the basic concepts behind METAFONT usage: declaring variables, defining points, drawing lines and curves, and preparing to debug or fine-tune the output. Again, The METAFONTbook [Knu86b] is the definitive reference on METAFONT programming.

METAFONT can produce “proofs” of fonts—large, labeled versions that showcase the logical structure of each character. In fact, proof mode is METAFONT’s default mode. To produce a proof of `lightbulb10.mf`, issue the following commands at the operating-system prompt:

```
prompt> mf lightbulb10.mf                    ⇐ Produces lightbulb10.2602gf
prompt> gftodvi lightbulb10.2602gf          ⇐ Produces lightbulb10.dvi
```

You can then view `lightbulb10.dvi` with any DVI viewer. The result is shown in Figure 4. Observe how the grid defined with `makegrid` at the bottom of Figure 3 draws vertical lines at positions 0, `sb`, `w/2`, and `w - sb` and horizontal lines at positions 0, `-1pt`, `y2`, and `h`. Similarly, observe how the `penlabels` command labels all of the important coordinates: `z1, z2, . . . , z8` and `z67`, which `lightbulb.mf` defines to lie between `z6` and `z7`.

Most, if not all, T<sub>E</sub>X distributions include a Plain T<sub>E</sub>X file called `testfont.tex` that is useful for testing new fonts in a variety of ways. One useful routine produces a table of all of the characters in the font:

```
prompt> tex testfont
This is TeX, Version 3.14159 (Web2C 7.3.1)
(/usr/share/texmf/tex/plain/base/testfont.tex
Name of the font to test = lightbulb10
Now type a test command (\help for help):
*\table
```



```

mode_setup; % Target a given printer.
define_pixels(em, cap, sb); % Convert to device-specific units.
define_corrected_pixels(o); % Same, but add a device-specific fudge factor.

%% Define a light bulb at the character position for "A"
%% with width 1/2em#, height cap#, and depth 1pt#.
beginchar("A", 1/2em#, cap#, 1pt#); "A light bulb";
  pickup pencircle scaled 1/2pt; % Use a pen with a small, circular tip.

  %% Define the points we need.
  top z1 = (w/2, h + o); % z1 is at the top of a circle.
  rt z2 = (w + sb + o - x4, y4); % z2 is at the same height as z4 but the opposite side.
  bot z3 = (z1 - (0, w - sb - o)); % z3 is at the bottom of the circle.
  lft z4 = (sb - o, 1/2[y1, y3]); % z4 is on the left of the circle.
  path bulb; % Define a path for the bulb itself.
  bulb = z1 .. z2 .. z3 .. z4 .. cycle; % The bulb is a closed path.

  z5 = point 2 - 1/3 of bulb; % z5 lies on the bulb, a little to the right of z3.
  z6 = (x5, 0); % z6 is at the bottom, directly under z5.
  z7 = (x8, 0); % z7 is at the bottom, directly under z8.
  z8 = point 2 + 1/3 of bulb; % z8 lies on the bulb, a little to the left of z3.
  bot z67 = (1/2[x6, x7], pen_bot - o - 1/8pt); % z67 lies halfway between z6 and z7 but a jot
lower.

  %% Draw the bulb and the base.
  draw bulb; % Draw the bulb proper.
  draw z5 -- z6 .. z67 .. z7 -- z8; % Draw the base of the bulb.

  %% Display key positions and points to help us debug.
  makegrid(0, sb, w/2, w - sb)(0, -1pt, y2, h); % Label "interesting" x and y coordinates.
  penlabels(1, 2, 3, 4, 5, 6, 67, 7, 8); % Label control points for debugging.
endchar;
end

```

Figure 3: Sample METAFONT size-independent file (`lightbulb.mf`)




Figure 4: Proof diagram of `lightbulb10.mf`

```
*\bye
[1]
Output written on testfont.dvi (1 page, 1516 bytes).
Transcript written on testfont.log.
```

The resulting table, stored in `testfont.dvi` and illustrated in Figure 5, shows every character in the font. To understand how to read the table, note that the character code for “A”—the only character defined by `lightbulb10.mf`—is 41 in hexadecimal (base 16) and 101 in octal (base 8).

	0	1	2	3	4	5	6	7	
10x		8							4x
11x	8	9	A	B	C	D	E	F	

Figure 5: Font table produced by `testfont.tex`

The `LightBulb10` font is now usable by  $\text{T}_{\text{E}}\text{X}$ .  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ , however, needs more information before documents can use the font. First, we create a font-description file that tells  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  how to map fonts in a given font family and encoding to a particular font in a particular font size. For symbol fonts, this mapping is fairly simple. Symbol fonts almost always use the “U” (“Unknown”) font encoding and frequently occur in only one variant: normal weight and non-italicized. The filename for a font-description file is important; it must be of the form “ $\langle encoding \rangle \langle family \rangle .fd$ ”, where  $\langle encoding \rangle$  is the lowercase version of the encoding name (typically “u” for symbol fonts) and  $\langle family \rangle$  is the name of the font family. For `LightBulb10`, let’s call this “bulb”. Figure 6 lists the contents of `ubulb.fd`. The document “ $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  Font Selection” [AT19] describes `\DeclareFontFamily` and `\DeclareFontShape` in detail, but the gist of `ubulb.fd` is first to declare a U-encoded version of the `bulb` font family and then to specify that a  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  request for a U-encoded version of `bulb` with a (m)edium font series (as opposed to, e.g., bold) and a (n)ormal font shape (as opposed to, e.g., italic) should translate into a  $\text{T}_{\text{E}}\text{X}$  request for `lightbulb10.tfm` mechanically scaled to the current font size.

```
\DeclareFontFamily{U}{bulb}{}
\DeclareFontShape{U}{bulb}{m}{n}{<-> lightbulb10}{}
```

Figure 6:  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  font-description file (`ubulb.fd`)

The final step is to write a  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  style file that defines a name for each symbol in the font. Because we have only one symbol our style file, `lightbulb.sty` (Figure 7), is rather trivial. Note that instead of typesetting “A” we could have had `\lightbulb typeset “\char65”`, `\lightbulb typeset “\char41”`, or `\lightbulb typeset “\char101”` (respectively, decimal, hexadecimal, and octal character offsets into the font). For a simple, one-character symbol font such as `LightBulb10` it would be reasonable to merge `ubulb.fd` into `lightbulb.sty` instead of maintaining two separate files. In either case, a document need only include “`\usepackage{lightbulb}`” to make the `\lightbulb` symbol available.

```
\newcommand{\lightbulb}{\usefont{U}{bulb}{m}{n}A}
```

Figure 7:  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  style file (`lightbulb.sty`)

METAFONT normally produces bitmapped fonts. However, it is also possible, with the help of some external tools, to produce PostScript Type 1 fonts. These have the advantages of rendering better in

Adobe<sup>®</sup> Acrobat<sup>®</sup> (at least in versions prior to 6.0) and of being more memory-efficient when handled by a PostScript interpreter. See <http://www.tex.ac.uk/FAQ-textrace.html> for pointers to tools that can produce Type 1 fonts from METAFONT.

## 11.4 Math-mode spacing

Terms such as “binary operators”, “relations”, and “punctuation” in Section 3 primarily regard the surrounding spacing. (See the Short Math Guide for L<sup>A</sup>T<sub>E</sub>X [Dow00] for a nice exposition on the subject.) To use a symbol for a different purpose, you can use the T<sub>E</sub>X commands `\mathord`, `\mathop`, `\mathbin`, `\mathrel`, `\mathopen`, `\mathclose`, and `\mathpunct`. For example, if you want to use `\downarrow` as a variable (an “ordinary” symbol) instead of a delimiter, you can write “`\$3 x + \mathord{\downarrow}`” to get the properly spaced “ $3x + \downarrow$ ” rather than the awkward-looking “ $3x + \downarrow$ ”. Similarly, to create a dotted-union symbol (“ $\dot{\cup}$ ”) that spaces like the ordinary set-union symbol (`\cup`) it must be defined with `\mathbin`, just as `\cup` is. Contrast “`\$A \dot{\cup} B`” (“ $A \dot{\cup} B$ ”) with “`\$A \mathbin{\dot{\cup}} B`” (“ $A \dot{\cup} B$ ”). See The T<sub>E</sub>Xbook [Knu86a] for the definitive description of math-mode spacing.

The purpose of the “log-like symbols” in Table 183 and Table 184 is to provide the correct amount of spacing around and within multi-letter function names. Table 580 contrasts the output of the log-like symbols with various, naïve alternatives. In addition to spacing, the log-like symbols also handle subscripts properly. For example, “`\max_{p \in P}`” produces “ $\max_{p \in P}$ ” in text, but “ $\max_{p \in P}$ ” as part of a displayed formula.

TABLE 580: Spacing Around/Within Log-like Symbols

L <sup>A</sup> T <sub>E</sub> X expression	Output
<code>\\$r \sin \theta</code>	$r \sin \theta$ (best)
<code>\\$r sin \theta</code>	$r \sin \theta$
<code>\\$r \mbox{sin} \theta</code>	$r \sin \theta$
<code>\\$r \mathrm{sin} \theta</code>	$r \sin \theta$

The `amsmath` package makes it straightforward to define new log-like symbols:

```
\DeclareMathOperator{\atan}{atan}
\DeclareMathOperator*{\lcm}{lcm}
```

The difference between `\DeclareMathOperator` and `\DeclareMathOperator*` involves the handling of subscripts. With `\DeclareMathOperator*`, subscripts are written beneath log-like symbols in display style and to the right in text style. This is useful for limit operators (e.g., `\lim`) and functions that tend to map over a set (e.g., `\min`). In contrast, `\DeclareMathOperator` tells T<sub>E</sub>X that subscripts should always be displayed to the right of the operator, as is common for functions that take a single parameter (e.g., `\log` and `\cos`). Table 581 contrasts symbols declared with `\DeclareMathOperator` and `\DeclareMathOperator*` in both text style (`\dots`) and display style (`\[...\]`).<sup>13</sup>

TABLE 581: Defining new log-like symbols

Declaration function	<code>\newlogsym_{p \in P}</code>	<code>\[ \newlogsym_{p \in P} \]</code>
<code>\DeclareMathOperator</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$
<code>\DeclareMathOperator*</code>	$\text{newlogsym}_{p \in P}$	$\text{newlogsym}_{p \in P}$

It is common to use a thin space (`\,`) between the words of a multiword operators, as in “`\DeclareMathOperator*{\argmax}{arg\,max}`”. `\liminf`, `\limsup`, and all of the log-like symbols shown in Table 184 utilize this spacing convention.

<sup>13</sup>Note that `\displaystyle` can be used to force display style within `\dots` and `\textstyle` can be used to force text style within `\[...\]`.

## 11.5 Bold mathematical symbols

L<sup>A</sup>T<sub>E</sub>X does not normally use bold symbols when typesetting mathematics. However, bold symbols are occasionally needed, for example when naming vectors. Any of the approaches described at <http://www.tex.ac.uk/FAQ-boldgreek.html> can be used to produce bold mathematical symbols. Table 582 contrasts the output produced by these various techniques. As the table illustrates, these techniques exhibit variation in their formatting of Latin letters (upright vs. italic), formatting of Greek letters (bold vs. normal), formatting of operators and relations (bold vs. normal), and spacing. xfakebold’s `\setBold` command is unique in that it takes a thickness argument and supports arbitrary symbol thickness, although it works only with vector fonts, not bitmapped fonts.

TABLE 582: Producing bold mathematical symbols

Package	Code	Output	
<i>none</i>	<code>\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	(no bold)
<i>none</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
<i>none</i>	<code>\boldmath\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	
amsbsy	<code>\pmb{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	(faked bold)
amsbsy	<code>\boldsymbol{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
bm	<code>\bm{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
fixmath	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
xfakebold	<code>\setBold[0.3]</code> <code>\alpha + b = \Gamma \div D</code> <code>\unsetBold</code>	$\alpha + b = \Gamma \div D$	(faked bold)

## 11.6 ASCII and Latin 1 quick reference

Table 583 on the next page amalgamates data from various other tables in this document into a convenient reference for L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> typesetting of ASCII characters, i.e., the characters available on a typical U.S. computer keyboard. The first two columns list the character’s ASCII code in decimal and hexadecimal. The third column shows what the character looks like. The fourth column lists the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> command to typeset the character as a text character. And the fifth column lists the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> command to typeset the character within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

The following are some additional notes about the contents of Table 583:

- “” is not available in the OT1 font encoding.
- Table 583 shows a close quote for character 39 for consistency with the open quote shown for character 96. A straight quote can be typeset using `\textquotesingle` (cf. Table 46).
- The characters “<”, “>”, and “|” do work as expected in math mode, although they produce, respectively, “i”, “j”, and “—” in text mode when using the OT1 font encoding.<sup>14</sup> The following are some alternatives for typesetting “<”, “>”, and “|”:
  - Specify a document font encoding other than OT1 (as described on page 13).
  - Use the appropriate symbol commands from Table 2 on page 15, viz. `\textless`, `\textgreater`, and `\textbar`.
  - Enter the symbols in math mode instead of text mode, i.e., `\<`, `\>`, and `\|`.

<sup>14</sup>Donald Knuth didn’t think such symbols were important outside of mathematics so he omitted them from his text fonts.

TABLE 583: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> ASCII Table

Dec	Hex	Char	Body text	\texttt	Dec	Hex	Char	Body text	\texttt
33	21	!	!	!	62	3E	>	\textgreater	>
34	22	"	\textquotedbl	"	63	3F	?	?	?
35	23	#	\#	\#	64	40	@	@	@
36	24	\$	\\$	\\$	65	41	A	A	A
37	25	%	\%	\%	66	42	B	B	B
38	26	&	\&	\&	67	43	C	C	C
39	27	'	'	'	:	:	:	:	:
40	28	(	(	(	90	5A	Z	Z	Z
41	29	)	)	)	91	5B	[	[	[
42	2A	*	*	*	92	5C	\	\textbackslash	\char‘\
43	2B	+	+	+	93	5D	]	]	]
44	2C	,	,	,	94	5E	^	\^{}	\^{}{}
45	2D	-	-	-	95	5F	_	\_	\char‘\_
46	2E	.	.	.	96	60	‘	‘	‘
47	2F	/	/	/	97	61	a	a	a
48	30	0	0	0	98	62	b	b	b
49	31	1	1	1	99	63	c	c	c
50	32	2	2	2	:	:	:	:	:
:	:	:	:	:	122	7A	z	z	z
57	39	9	9	9	123	7B	{	\{	\char‘\{
58	3A	:	:	:	124	7C		\textbar	
59	3B	;	;	;	125	7D	}	\}	\char‘\}
60	3C	<	\textless	<	126	7E	~	\~{}{}	\~{}{}
61	3D	=	=	=					

Note that for typesetting metavariables many people prefer `\textlangle` and `\textrangle` to `\textless` and `\textgreater`; i.e., “`\langle filename \rangle`” instead of “`<filename>`”.

- Although “/” does not require any special treatment, L<sup>A</sup>T<sub>E</sub>X additionally defines a `\slash` command which outputs the same glyph but permits a line break afterwards. That is, “`increase/decrease`” is always typeset as a single entity while “`increase\slash{}decrease`” may be typeset with “`increase/`” on one line and “`decrease`” on the next.
- `\textasciicircum` can be used instead of `\^{}{}`, and `\textasciitilde` can be used instead of `\~{}{}`. Note that `\textasciitilde` and `\~{}{}` produce raised, diacritic tildes. “Text” (i.e., vertically centered) tildes can be generated with either the math-mode `\sim` command (shown in Table 89 on page 54), which produces a somewhat wide “`~`”, or the `textcomp` package’s `\texttildelow` (shown in Table 46 on page 29), which produces a vertically centered “`~`” in most fonts but a baseline-oriented “`~`” in Computer Modern, `txfonts`, `pxfonts`, and various other fonts originating from the T<sub>E</sub>X world. If your goal is to typeset tildes in URLs or Unix filenames, your best bet is to use the `url` package, which has a number of nice features such as proper line-breaking of such names.
- The various `\char` commands within `\texttt` are necessary only in the OT1 font encoding. In other encodings (e.g., T1), commands such as `\{`, `\}`, `\_`, and `\textbackslash` all work properly.
- The code page 437 (IBM PC) version of ASCII characters 1 to 31 can be typeset using the `ascii` package. See Table 337 on page 142.
- To replace “`”` and “`’`” with the more computer-like (and more visibly distinct) “`ˆ`” and “`ˆ`” within a `verbatim` environment, use the `upquote` package. Outside of `verbatim`, you can use `\char18` and `\char13` to get the modified quote characters. (The former is actually a grave accent.)

Similar to Table 583, Table 584 on the next page is an amalgamation of data from other tables in this document. While Table 583 shows how to typeset the 7-bit ASCII character set, Table 584 shows the Latin 1 (Western European) character set, also known as ISO-8859-1.

The following are some additional notes about the contents of Table 584:

- A “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Many of the `\text...` accents can also be produced using the accent commands shown in Table 18 on page 22 plus an empty argument. For instance, `\={}` is essentially the same as `\textasciimacron`.
- The commands in the “ $\LaTeX 2_{\epsilon}$ ” columns work both in body text and within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).
- The “ $\mathcal{L}$ ” and “ $\mathcal{S}$ ” glyphs occupy the same slot (36) of the OT1 font encoding, with “ $\mathcal{L}$ ” appearing in italic fonts and “ $\mathcal{S}$ ” appearing in roman fonts. A problem with  $\LaTeX$ ’s default handling of this double-mapping is that “`\sffamily\slshape\pounds`” produces “ $\mathcal{S}$ ”, not “ $\mathcal{L}$ ”. Other font encodings use separate slots for the two characters and are therefore robust to the problem of “ $\mathcal{L}$ ”/“ $\mathcal{S}$ ” conflicts. Authors who use `\pounds` should select a font encoding other than OT1 (as explained on page 13) or use the `textcomp` package, which redefines `\pounds` to use the TS1 font encoding.
- Character 173, `\-`, is shown as “-” but is actually a discretionary hyphen; it appears only at the end of a line.

Microsoft<sup>®</sup> Windows<sup>®</sup> normally uses a superset of Latin 1 called “Code Page 1252” or “CP1252” for short. CP1252 introduces symbols in the Latin 1 “invalid” range (characters 128–159). Table 585 presents the characters with which CP1252 augments the standard Latin 1 table.

The following are some additional notes about the contents of Table 585:

- As in Table 584, a “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Not all characters in the 128–159 range are defined.
- Look up “euro signs” in the index for alternatives to `\texteuro`.

While too large to incorporate into this document, a listing of ISO 8879:1986 SGML/XML character entities and their  $\LaTeX$  equivalents is available from <http://www.bitjungle.com/isoent/>. Some of the characters presented there make use of `isoent`, a  $\LaTeX 2_{\epsilon}$  package (available from the same URL) that fakes some of the missing ISO glyphs using the  $\LaTeX$  `picture` environment.<sup>15</sup>

## 11.7 Unicode characters

Unicode is a “universal character set”—a standard for encoding (i.e., assigning unique numbers to) the symbols appearing in many of the world’s languages. While ASCII can represent 128 symbols and Latin 1 can represent 256 symbols, Unicode can represent an astonishing 1,114,112 symbols.

Because  $\TeX$  and  $\LaTeX$  predate the Unicode standard and Unicode fonts by almost a decade, support for Unicode has had to be added to the base  $\TeX$  and  $\LaTeX$  systems. Note first that  $\LaTeX$  distinguishes between *input* encoding—the characters used in the `.tex` file—and *output* encoding—the characters that appear in the generated `.dvi`, `.pdf`, etc. file.

<sup>15</sup>`isoent` is not featured in this document, because it is not available from CTAN and because the faked symbols are not “true” characters; they exist in only one size, regardless of the body text’s font size.

TABLE 584: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Latin 1 Table

Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>
161	A1	¡	!'	209	D1	Ñ	\~{N}
162	A2	¢	\textcent (tc)	210	D2	Ò	\' {O}
163	A3	£	\pounds	211	D3	Ó	\' {O}
164	A4	¤	\textcurrency (tc)	212	D4	Ô	\^ {O}
165	A5	¥	\textyen (tc)	213	D5	Õ	\~ {O}
166	A6	¦	\textbrokenbar (tc)	214	D6	Ö	\" {O}
167	A7	§	\S	215	D7	×	\texttimes (tc)
168	A8	¨	\textasciidieresis (tc)	216	D8	Ø	\O
169	A9	©	\textcopyright	217	D9	Ù	\' {U}
170	AA	ª	\textordfeminine	218	DA	Ú	\' {U}
171	AB	«	\guillemetleft (T1)	219	DB	Û	\^ {U}
172	AC	¬	\textlnot (tc)	220	DC	Ü	\" {U}
173	AD	-	\-	221	DD	Ý	\' {Y}
174	AE	®	\textregistered	222	DE	Þ	\TH (T1)
175	AF	ˆ	\textasciimacron (tc)	223	DF	ƒ	\ss
176	B0	°	\textdegree (tc)	224	E0	à	\' {a}
177	B1	±	\textpm (tc)	225	E1	á	\' {a}
178	B2	²	\texttwosuperior (tc)	226	E2	â	\^ {a}
179	B3	³	\textthreesuperior (tc)	227	E3	ã	\~ {a}
180	B4	´	\textasciiacute (tc)	228	E4	ä	\" {a}
181	B5	µ	\textmu (tc)	229	E5	å	\aa
182	B6	¶	\P	230	E6	æ	\ae
183	B7	·	\textperiodcentered	231	E7	ç	\c {c}
184	B8	,	\c {}	232	E8	è	\' {e}
185	B9	¹	\textonesuperior (tc)	233	E9	é	\' {e}
186	BA	º	\textordmasculine	234	EA	ê	\^ {e}
187	BB	»	\guillemetright (T1)	235	EB	ë	\" {e}
188	BC	¼	\textonequarter (tc)	236	EC	ì	\' {i}
189	BD	½	\textonehalf (tc)	237	ED	í	\' {i}
190	BE	¾	\textthreequarters (tc)	238	EE	î	\^ {i}
191	BF	¿	?'	239	EF	ï	\" {i}
192	C0	À	\' {A}	240	F0	ð	\dh (T1)
193	C1	Á	\' {A}	241	F1	ñ	\~ {n}
194	C2	Â	\^ {A}	242	F2	ò	\' {o}
195	C3	Ã	\~ {A}	243	F3	ó	\' {o}
196	C4	Ä	\" {A}	244	F4	ô	\^ {o}
197	C5	Å	\AA	245	F5	õ	\~ {o}
198	C6	Æ	\AE	246	F6	ö	\" {o}
199	C7	Ç	\c {C}	247	F7	÷	\textdiv (tc)
200	C8	È	\' {E}	248	F8	ø	\o
201	C9	É	\' {E}	249	F9	ù	\' {u}
202	CA	Ê	\^ {E}	250	FA	ú	\' {u}
203	CB	Ë	\" {E}	251	FB	û	\^ {u}
204	CC	Ì	\' {I}	252	FC	ü	\" {u}
205	CD	Í	\' {I}	253	FD	ý	\' {y}
206	CE	Î	\^ {I}	254	FE	þ	\th (T1)
207	CF	Ï	\" {I}	255	FF	ÿ	\" {y}
208	D0	Ð	\DH (T1)				

TABLE 585: L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Code Page 1252 Table

Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	Dec	Hex	Char	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>
128	80	€	\texteuro (tc)	145	91	‘	‘
130	82	,	\quotesinglbase (T1)	146	92	’	’
131	83	<i>f</i>	\textit{f}	147	93	“	“
132	84	„	\quotedblbase (T1)	148	94	”	”
133	85	...	\dots	149	95	•	\textbullet
134	86	†	\dag	150	96	–	–
135	87	‡	\ddag	151	97	—	--
136	88	ˆ	\textasciicircum	152	98	˜	\textasciitilde
137	89	‰	\textperthousand (tc)	153	99	™	\texttrademark
138	8A	Š	\v{S}	154	9A	š	\v{s}
139	8B	‹	\guilsinglleft (T1)	155	9B	›	\guilsinglright (T1)
140	8C	Œ	\OE	156	9C	œ	\oe
142	8E	Ž	\v{Z}	158	9E	ž	\v{z}
				159	9F	ÿ	\{"Y}

### Inputting Unicode characters

To include Unicode characters in a `.tex` file, load the `ucs` package and load the `inputenc` package with the `utf8x` (“UTF-8 extended”) option.<sup>16</sup> These packages enable L<sup>A</sup>T<sub>E</sub>X to translate UTF-8 sequences to L<sup>A</sup>T<sub>E</sub>X commands, which are subsequently processed as normal. For example, the UTF-8 text “Copyright © 2021”—“©” is not an ASCII character and therefore cannot be input directly without packages such as `ucs/inputenc`—is converted internally by `inputenc` to “Copyright \textcopyright{} 2021” and therefore typeset as “Copyright © 2021”.

The `ucs/inputenc` combination supports only a tiny subset of Unicode’s million-plus symbols. Additional symbols can be added manually using the `\DeclareUnicodeCharacter` command. `\DeclareUnicodeCharacter` takes two arguments: a Unicode number and a L<sup>A</sup>T<sub>E</sub>X command to execute when the corresponding Unicode character is encountered in the input. For example, the Unicode character “degree celsius” (“°C”) appears at character position U+2103.<sup>17</sup> However, “°C” is not one of the characters that `ucs` and `inputenc` recognize. The following document shows how to use `\DeclareUnicodeCharacter` to tell L<sup>A</sup>T<sub>E</sub>X that the “°C” character should be treated as a synonym for `\textcelsius`:

```

\documentclass{article}
\usepackage{ucs}
\usepackage[utf8x]{inputenc}
\usepackage{textcomp}

\DeclareUnicodeCharacter{"2103}{\textcelsius} % Enable direct input of U+2103.

\begin{document}
It was a balmy 21°C.
\end{document}

```

which produces

It was a balmy 21°C.

See the `ucs` documentation for more information and for descriptions of the various options that control `ucs`’s behavior.

<sup>16</sup>UTF-8 is the 8-bit Unicode Transformation Format, a popular mechanism for representing Unicode symbol numbers as sequences of one to four bytes.

<sup>17</sup>The Unicode convention is to express character positions as “U+{*hexadecimal number*}”.



## Outputting Unicode characters

Orthogonal to the ability to include Unicode characters in a  $\LaTeX$  input file is the ability to include a given Unicode character in the corresponding output file. By far the easiest approach is to use  $X_{\text{K}}\LaTeX$  instead of  $\text{pdf}\LaTeX$  or ordinary  $\LaTeX$ .  $X_{\text{K}}\LaTeX$  handles Unicode input and output natively and can utilize system fonts directly without having to expose them via `.tfm`, `.fd`, and other such files. To output a Unicode character, a  $X_{\text{K}}\LaTeX$  document can either include that character directly as UTF-8 text or use  $\TeX$ 's `\char` primitive, which  $X_{\text{K}}\LaTeX$  extends to accept numbers larger than 255.

Suppose we want to output the symbols for versicle (“ $\mathcal{V}$ ”) and response (“ $\mathcal{R}$ ”) in a document. The Unicode charts list “versicle” at position U+2123 and “response” at position U+211F. We therefore need to install a font that contains those characters at their proper positions. One such font that is freely available from CTAN is Junicode (`Junicode.ttf`) from the `junicode` package. The `fontspec` package makes it easy for a  $X_{\text{K}}\LaTeX$  document to utilize a system font. The following example defines a `\textjuni` command that uses `fontspec` to typeset its argument in Junicode:

```
\documentclass{article}
\usepackage{fontspec}

\newcommand{\textjuni}[1]{\fontspec{Junicode}#1}

\begin{document}
We use ‘‘\textjuni{\char"2123}’’ for a versicle
and ‘‘\textjuni{\char"211F}’’ for a response.
\end{document}
```

which produces

We use “ $\mathcal{V}$ ” for a versicle and “ $\mathcal{R}$ ” for a response.

(Typesetting the entire document in Junicode would be even easier. See the `fontspec` documentation for more information regarding font selection.) Note how the preceding example uses `\char` to specify a Unicode character by number. The double quotes before the number indicate that the number is represented in hexadecimal instead of decimal.

## 11.8 About this document

**History** David Carlisle wrote the first version of this document in October, 1994. It originally contained all of the native  $\LaTeX$  symbols (Table 50, Table 72, Table 89, Table 139, Table 183, Table 188, Table 222, Table 223, Table 236, Table 246, Table 302, and a few tables that have since been reorganized) and was designed to be nearly identical to the tables in Chapter 3 of Leslie Lamport’s book [Lam86]. Even the table captions and the order of the symbols within each table matched! The  $\mathcal{AMS}$  symbols (Table 51, Table 90, Table 91, Table 142, Table 143, Table 189, Table 198, Table 216, and Table 303) and an initial Math Alphabets table (Table 316) were added thereafter. Later, Alexander Holt provided the `stmaryrd` tables (Table 52, Table 74, Table 92, Table 145, Table 179, and Table 217).

In January, 2001, Scott Pakin took responsibility for maintaining the symbol list and has since implemented a complete overhaul of the document. The result, now called, “The Comprehensive  $\LaTeX$  Symbol List”, includes the following new features:

- the addition of a handful of new math alphabets, dozens of new font tables, and thousands of new symbols
- the categorization of the symbol tables into body-text symbols, mathematical symbols, science and technology symbols, dingbats, ancient languages, and other symbols, to provide a more user-friendly document structure
- an index, table of contents, hyperlinks, and a frequently-requested symbol list, to help users quickly locate symbols

- symbol tables rewritten to list the symbols in alphabetical order
- appendices providing additional information relevant to using symbols in L<sup>A</sup>T<sub>E</sub>X
- tables showing how to typeset all of the characters in the ASCII and Latin 1 font encodings

Furthermore, the internal structure of the document has been completely altered from David Carlisle’s original version. Most of the changes are geared towards making the document easier to extend, modify, and reformat.

**Build characteristics** Table 586 lists some of this document’s build characteristics. Most important is the list of packages that L<sup>A</sup>T<sub>E</sub>X couldn’t find, but that `symbols.tex` otherwise would have been able to take advantage of. Complete, prebuilt versions of this document are available from CTAN via <https://www.ctan.org/pkg/comprehensive/>. Table 587 shows the package date (specified in the `.sty` file with `\ProvidesPackage`) for each package that was used to build this document and that specifies a package date. Packages are not listed in any particular order in either Table 586 or Table 587.

TABLE 586: Document Characteristics

Characteristic	Value
Source file:	<code>symbols.tex</code>
Build date:	May 5, 2021
Symbols documented:	18150
Packages included:	textcomp latexsym amssymb stmaryrd euscript wasysym pifont manfnt bbding undertilde ifsym tipa tipx extraipa wsuipa phonetic ulsy ar metre txfonts mathabx fclfont skak ascii dingbat skull eurosym esvect yfonts ymath esint mathdots trsym universa upgreek overrightarrow chemarr chemarrow nath trfsigns abracas mathtools phaistos arcs vietnam t4phonet holtpolt semtrans dictsym extarrows protosem harmony hieroglf ccllicenses mathdesign arev MnSymbol fdsymbol boisik cml extpfeil keystroke fge turnstile simpsons epsdice feyn staves igo colonequals shuffle fourier dozenal pmbboxdraw pippen clock teubner linearA linearb cypriot sarabian china2e harpoon steinmetz milstd recycle DotArrow ushort hhcount ogonek combelow musixtex ccicons adfsymbols adorn bigints soyombo tfruee knitting textgreek begriff frege countriesofeurope cookingsymbols prodint epiolmec mdwmath rsfs fontawesome stix hands greenpoint nkarta astrosym webomints moonphase dancers semaphor umranda umrandb cryst starfont tikzsymbols dice apl go magic bartel-chess-fonts actuarialangle lilyglyphs knot bclogo bullcncr rubikcube svrsymbols halloweenmath old-arrows allrunes emf esrelation oplotsymb cmupint realhats euflag scsnowman endofproofwd mismath musicography rojud utfsym plimsoll worldflags twemojis accents nicefrac bm xfakebold junicode mathrsfs chancery urwchancal calligra bbold mbboard dsfont bbm dserif
Packages omitted:	<i>none</i>

TABLE 587: Package versions used in the preparation of this document

Name	Date	Name	Date	Name	Date
textcomp	2020/02/02	latexsym	1998/08/17	amssymb	2013/01/14
stmaryrd	1994/03/03	euscript	2009/06/22	wasysym	2020/01/19
pifont	2020/03/25	manfnt	1999/07/01	bbding	1999/04/15
undertilde	2000/08/08	ifsym	2000/04/18	tipa	2002/08/08
tipx	2003/01/01	wsuipa	1994/07/16	ar	2012/01/23
metre	2001/12/05	txfonts	2008/01/22	mathabx	2003/07/29
skak	2018/01/08	ascii	2006/05/30	dingbat	2001/04/27
skull	2002/01/23	eurosym	1998/08/06	yfonts	2019/04/04
mathdots	2014/06/11	trsym	2000/06/25	universa	2019/08/26
upgreek	2003/02/12	chemarr	2016/05/16	abraces	2021/03/31
mathtools	2021/04/12	phaistos	2004/04/23	arcs	2004/05/09
t4phonet	2004/06/01	semtrans	1998/02/10	dictsym	2004/07/26
extarrows	2020/03/12	protosem	2005/03/18	harmony	2007/05/04
hieroglf	2015/06/02	ccllicenses	2005/05/20	MnSymbol	2007/01/21
fdsymbol	2011/11/01	boisik	2009/08/21	extpfeil	2009/10/31
keystroke	2010/04/23	fge	2015/05/19	turnstile	2007/06/23
epsdice	2007/02/15	feyn	2017/11/03	colonequals	2016/05/16
shuffle	2008/10/27	dozenal	2018/05/11	pmboxdraw	2019/12/05
pigpen	2008/12/07	clock	2001/04/10	teubner	2021/02/08
linearA	2006/03/13	linearb	2005/06/22	cyriot	2009/05/22
sarabian	2005/11/12	china2e	1997/06/01	harpoon	1994/11/02
steinmetz	2009/06/14	milstd	2009/06/25	DotArrow	2007/02/12
ushort	2001/06/13	hhcount	1995/03/31	ogonek	95/07/17
combelow	2010/05/02	musixtex	2001/07/08	ccicons	2017/10/30
adorn	2019/10/13	bigints	2010/02/15	soyombo	1996/09/01
tfrupee	2010/12/15	knitting	2019/04/03	textgreek	2011/10/09
frege	2012/08/04	countriesofeuope	2018/12/29	cookingsymbols	2014/12/28
epiolmec	2003/11/05	mdwmath	1996/04/11	fontawesome	2016/05/15
stix	2018/04/17	starfont	2010/09/29	tikzsymbols	2019/02/08
actuarialangle	2019/06/13	bclogo	2016/01/10	bullcntr	2007/04/02
rubikcube	2018/02/25	svrsymbols	2019/02/12	halloweenmath	2019/11/01
emf	2016/09/09	oplotsymb	2017/08/04	cmupint	2020/04/13
realhats	2019/04/14	euflag	2020/05/22	scsnowman	2018/06/07
musicography	2020/01/29	rojud	2020/10/25	utfsym	2020/10/22
plimsoll	2020/10/09	twemojis	2021/04/19	accents	2006/05/12
nicefrac	1998/08/04	bm	2019/07/24	xfakebold	2020/06/24
calligra	2012/04/10				

## 11.9 Copyright and license

The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List  
 Copyright © 2007–2021, Scott Pakin

This work may be distributed and/or modified under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of L<sup>A</sup>T<sub>E</sub>X version 2006/05/20 or later.

This work has the LPPL maintenance status “maintained”.

The current maintainer of this work is Scott Pakin.

The Twitter emoji graphics provided by twemojis are licensed under CC-BY 4.0. Copyright © 2019 Twitter, Inc. and other contributors.

## References

- [AMS99] American Mathematical Society. *User's Guide for the amsmath Package (Version 2.0)*, December 13, 1999. Available from <ftp://ftp.ams.org/pub/tex/doc/amsmath/amsldoc.pdf>.
- [Ber01] Karl Berry. Fontname: Filenames for T<sub>E</sub>X fonts, June 2001. Available from <https://www.ctan.org/pkg/fontname>.
- [Che98] Raymond Chen. A METAFONT of ‘Simpsons’ characters. *Baskerville*, 4(4):19, February 1998. ISSN 1354-5930. Available from <http://uk.tug.org/wp-installed-content/uploads/2008/12/44.pdf>.
- [Dow00] Michael Downes. Short math guide for L<sup>A</sup>T<sub>E</sub>X, July 19, 2000. Version 1.07. Available from <http://www.ams.org/tex/short-math-guide.html>.
- [Gib97] Jeremy Gibbons. Hey—it works! *TUGboat*, 18(2):75–78, June 1997. Available from <http://www.tug.org/TUGboat/Articles/tb18-2/tb55works.pdf>.
- [Gre09] Enrico Gregorio. *Appunti di programmazione in L<sup>A</sup>T<sub>E</sub>X e T<sub>E</sub>X*, second edition, June 2009. Available from <http://profs.sci.univr.it/~gregorio/introtex.pdf>.
- [Knu86a] Donald E. Knuth. *The T<sub>E</sub>Xbook*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Knu86b] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Lam86] Leslie Lamport. *L<sup>A</sup>T<sub>E</sub>X: A document preparation system*. Addison-Wesley, Reading, MA, USA, 1986.
- [L<sup>A</sup>T<sub>E</sub>X98] L<sup>A</sup>T<sub>E</sub>X3 Project Team. A new math accent. *L<sup>A</sup>T<sub>E</sub>X News*. Issue 9, June 1998. Available from <https://www.latex-project.org/news/latex2e-news/ltnews09.pdf> and also included in many T<sub>E</sub>X distributions.
- [L<sup>A</sup>T<sub>E</sub>X19] L<sup>A</sup>T<sub>E</sub>X3 Project Team. L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> font selection, October 2019. Available from <http://mirrors.ctan.org/macros/latex/base/fntguide.pdf> and also included in many T<sub>E</sub>X distributions.



a (esvect package option) . . .	120	háček . . . <i>see</i> accents, caron	<code>\acwgapcirclearrow</code> (↻) . . .	90
<code>\a</code> (♯) . . . . .	173	hook (◌̣) . . . . .	<code>\acwleftarcarrow</code> (↵) . . . . .	84
<code>\a</code> (×) . . . . .	213	Hungarian umlaut . . . <i>see</i>	<code>\acwleftarcarrow</code> (↵) . . . . .	90
a (f) . . . . .	173	accents, double acute	<code>\acwnearcarrow</code> (↶) . . . . .	84
A button (blood type) (A) . . .	233	inverted breve (◌̣̣) . . . . .	<code>\acwnwarcarrow</code> (↷) . . . . .	84
<code>\AA</code> (Å) . . . . .	16	kroužek . <i>see</i> accents, ring	<code>\acwopencirclearrow</code> (↻) . . . . .	85
<code>\aa</code> (å) . . . . .	16	macron (◌̄) 22, 25, 26, 114,	<code>\acwopencirclearrow</code> (↻) . . . . .	92,
<code>\AAaleph</code> (ℵ) . . . . .	164	117, 119	158	
<code>\AAayin</code> (א) . . . . .	164	multiple per character 22–	<code>\acwoverarcarrow</code> (↶) . . . . .	84
<code>\AAbeth</code> (ב) . . . . .	164	24, 285	<code>\acwoverarcarrow</code> (↶) . . . . .	90
<code>\AAcht</code> (♯) . . . . .	176	ogonek (◌̇) . . . . . 22–25	<code>\acwrightarcarrow</code> (↷) . . . . .	84
<code>\AAdaleth</code> (א) . . . . .	164	ring (◌̆) 22–24, 26, 114, 116	<code>\acwsearcarrow</code> (↶) . . . . .	84
<code>\AAhe</code> (ה) . . . . .	164	Romanian comma-belo ac-	<code>\acswarcarrow</code> (↷) . . . . .	84
<code>\AAhelmet</code> (℥) . . . . .	164	cent . . . . . <i>see</i> accents,	<code>\acwunderarcarrow</code> (↶) . . . . .	84
<code>\AAheth</code> (ה) . . . . .	164	comma-below	<code>\acwunderarcarrow</code> (↶) . . . . .	90
<code>\AAkaph</code> (כ) . . . . .	164	trema <i>see</i> accents, diaeresis	<code>\Adaleth</code> (א) . . . . .	164
<code>\AAlamed</code> (ל) . . . . .	164	umlaut . . . . . <i>see</i> accents,	adeles (A) <i>see</i> alphabets, math	
<code>\Aaleph</code> (א) . . . . .	164	diaeresis	<code>\adfarrow</code> . . . . .	147
<code>\AApe</code> (פ) . . . . .	164	accents (package) 114, 286, 298,	<code>\adfarrowe1</code> (↶) . . . . .	147
<code>\AAqoph</code> (ק) . . . . .	164	299	<code>\adfarrowe2</code> (↶) . . . . .	147
<code>\AAresh</code> (ר) . . . . .	164	<code>\accentset</code> . . . . . 286	<code>\adfarrowe3</code> (↶) . . . . .	147
<code>\AAsade</code> (ס) . . . . .	164	accidentals <i>see</i> musical symbols	<code>\adfarrowe4</code> (↶) . . . . .	147
<code>\Aayin</code> (ע) . . . . .	164	accordion (♯) . . . . . 233	<code>\adfarrowe5</code> (↶) . . . . .	147
<code>\AAyod</code> (ד) . . . . .	164	accordion notation . . . . . 181	<code>\adfarrowe6</code> (↶) . . . . .	147
<code>\AB</code> (I) . . . . .	141	<code>\accordionBayanBass</code> (♯) . . . . .	<code>\adfarrown1</code> (↑) . . . . .	147
AB button (blood type) (AB) . . .	233	<code>\accordionDiscant</code> (♯) . . . . . 181	<code>\adfarrown2</code> (↑) . . . . .	147
abacus (⌘) . . . . .	233	<code>\accordionFreeBass</code> (♯) . . . . . 181	<code>\adfarrown3</code> (↑) . . . . .	147
<code>\Abeth</code> (א) . . . . .	164	<code>\accordionOldEE</code> (♯) . . . . . 181	<code>\adfarrown4</code> (↑) . . . . .	147
abraces (package) . . . . .	120, 298, 299	<code>\accordionPull</code> (↑) . . . . . 181	<code>\adfarrown5</code> (↑) . . . . .	147
absolute value . <i>see</i> <code>\lvert</code> and		<code>\accordionPush</code> (↓) . . . . . 181	<code>\adfarrown6</code> (↑) . . . . .	147
<code>\rvert</code>		<code>\accordionStdBass</code> (♯) . . . . . 181	<code>\adfarrowne1</code> (↗) . . . . .	147
abzüglich . <i>see</i> <code>\textdiscount</code>		<code>\accurrent</code> (≈) . . . . . 132	<code>\adfarrowne2</code> (↗) . . . . .	147
<code>\AC</code> (≈) . . . . .	136	<code>\Acht</code> (♯) . . . . . 176	<code>\adfarrowne3</code> (↗) . . . . .	147
<code>\ac</code> (≈) . . . . .	62	<code>\AchtBL</code> (♯) . . . . . 176	<code>\adfarrowne4</code> (↗) . . . . .	147
<code>\acarc</code> . . . . .	24	<code>\AchtBR</code> (♯) . . . . . 176	<code>\adfarrowne5</code> (↗) . . . . .	147
<code>\acbar</code> . . . . .	24	<code>\acidfree</code> (⊙) . . . . . 128	<code>\adfarrowne6</code> (↗) . . . . .	147
accents . . . . . 22–26, 114–121, 125,		<code>\ACK</code> (♣) . . . . . 142	<code>\adfarrownw1</code> (↘) . . . . .	147
178, 285–287		<code>\acontraction</code> . . . . . 287	<code>\adfarrownw2</code> (↘) . . . . .	147
acute (◌́) . . . . . 22–26, 114		<code>\AcPa</code> (ץ) . . . . . 176	<code>\adfarrownw3</code> (↘) . . . . .	147
any character as . . . . . 285		<code>\actuarial</code> (▣) . . . . . 286	<code>\adfarrownw4</code> (↘) . . . . .	147
arc (◌̂) . . . . . 22–25, 117–120		actuarial symbols . . . . . 121, 286	<code>\adfarrownw5</code> (↘) . . . . .	147
breve (◌̆) . . . . . 22–26, 114		actuarialangle (package) . . . . . 121,	<code>\adfarrownw6</code> (↘) . . . . .	147
caron (◌̆̆) . . . . . 22, 26, 114, 119		286, 298, 299	<code>\adfarrows1</code> (↓) . . . . .	147
cedilla (◌̆̆̆) . . . . . 22		<code>\actuarialangle</code> . . . . . 286	<code>\adfarrows2</code> (↓) . . . . .	147
circumflex (◌̂) 22–24, 114,		<code>\actuarialangle</code> (▣) . . . . . 121	<code>\adfarrows3</code> (↓) . . . . .	147
117–119		actuarialsymbol (package) . . . . . 286	<code>\adfarrows4</code> (↓) . . . . .	147
comma-below (◌̣) . . . . . 26		<code>\acute</code> (◌́) . . . . . 115	<code>\adfarrows5</code> (↓) . . . . .	147
Cyrillic breve (◌̆̆) . . . . . 22		<code>\acute</code> (◌́) . . . . . 114	<code>\adfarrows6</code> (↓) . . . . .	147
Cyrillic flex (◌̆̆̆) . . . . . 22		acute (◌́) . . . . . <i>see</i> accents	<code>\adfarrowse1</code> (↘) . . . . .	147
Cyrillic umlaut (◌̆̆̆̆) . . . . . 22		<code>\acutus</code> (◌́) . . . . . 25	<code>\adfarrowse2</code> (↘) . . . . .	147
diaeresis (◌̈) 22, 25, 26, 114,		<code>\acwcirclearrow</code> (↻) . . . . . 90	<code>\adfarrowse3</code> (↘) . . . . .	147
135		<code>\acwcirclearrowdown</code> (↻) . . . . . 84	<code>\adfarrowse4</code> (↘) . . . . .	147
dot (◌̇ or ◌̈) . . . . . 22–24, 114		<code>\acwcirclearrowleft</code> (↻) . . . . . 84	<code>\adfarrowse5</code> (↘) . . . . .	147
double acute (◌̈́) . . . . . 22, 26		<code>\acwcirclearrowright</code> (↻) . . . . . 84	<code>\adfarrowse6</code> (↘) . . . . .	147
double grave (◌̈̀) . . . . . 22		<code>\acwcirclearrowup</code> (↻) . . . . . 84	<code>\adfarrowsw1</code> (↗) . . . . .	147
extensible . . . . . 117–121, 125,		<code>\acwgapcirclearrow</code> (↻) . . . . . 85	<code>\adfarrowsw2</code> (↗) . . . . .	147
286–287			<code>\adfarrowsw3</code> (↗) . . . . .	147
grave (◌̀) . . . . . 22–26, 114			<code>\adfarrowsw4</code> (↗) . . . . .	147
			<code>\adfarrowsw5</code> (↗) . . . . .	147

<code>\adfarrowsw6</code> (↗) .....	147	<code>\adfbullet{48}</code> (♦) .....	160	<code>\adfhalfrightarrow</code> (➤) ..	147
<code>\adfarroww1</code> (↔) .....	147	<code>\adfbullet{49}</code> (♦) .....	160	<code>\adfhalfrightarrowhead</code> (➤) ..	147
<code>\adfarroww2</code> (←) .....	147	<code>\adfbullet{50}</code> (♦) .....	160	<code>\adfhangingflatleafleft</code> (♣)	156
<code>\adfarroww3</code> (↔) .....	147	<code>\adfbullet{51}</code> (◊) .....	160	<code>\adfhangingflatleafright</code> (♣)	156
<code>\adfarroww4</code> (↔) .....	147	<code>\adfbullet{52}</code> (◊) .....	160	<code>\adfhangingleafleft</code> (♣) .	156
<code>\adfarroww5</code> (←) .....	147	<code>\adfclosedflourishleft</code> (↪)	162	<code>\adfhangingleafright</code> (♣) .	156
<code>\adfarroww6</code> (↔) .....	147	<code>\adfclosedflourishright</code> (↩)	162	<code>\adfhangleleafleft</code> (♣) .	156
<code>\adfast{1}</code> (✱) .....	155	<code>\adfclosedflourishright</code> (↩)	162	<code>\adfhangleleafright</code> (♣) .	156
<code>\adfast{2}</code> (✱) .....	155	<code>\adfdiamond</code> (◊) .....	163	<code>\adflaefleft</code> (♣) .....	156
<code>\adfast{3}</code> (✱) .....	155	<code>\adfdoubleflourishleft</code> (↪)	162	<code>\adflaefright</code> (♣) .....	156
<code>\adfast{4}</code> (✱) .....	155	<code>\adfdoubleflourishright</code> (↩)	162	<code>\adflleftarrowhead</code> (↔) ..	147
<code>\adfast{5}</code> (✱) .....	155	<code>\adfdoublesharplflourishleft</code>		<code>\adfopenflourishleft</code> (↪) .	162
<code>\adfast{6}</code> (✱) .....	155	<code>(↩)</code> .....	162	<code>\adfopenflourishright</code> (↩) .	162
<code>\adfast{7}</code> (✱) .....	155	<code>\adfdoublesharplflourishright</code>		<code>adfn</code> (package) 147, 155, 156,	162, 163, 298, 299
<code>\adfast{8}</code> (✱) .....	155	<code>(↩)</code> .....	162	<code>\adfoutlineleafleft</code> (♣) .	156
<code>\adfast{9}</code> (✱) .....	155	<code>\adfdoublesharplflourishright</code>		<code>\adfoutlineleafright</code> (♣) .	156
<code>\adfast{10}</code> (✱) .....	155	<code>(↩)</code> .....	162	<code>\adfrightharpoonhead</code> (➤) ..	147
<code>\adfbullet</code> (•) .....	163	<code>\adfdownhalfleafleft</code> (♣) .	156	<code>\adfs</code> (♣) .....	163
<code>\adfbullet{1}</code> (◊) .....	155	<code>\adfdownhalfleafright</code> (♣) .	156	<code>\adfssharpflourishleft</code> (↩) ..	162
<code>\adfbullet{2}</code> (♣) .....	155	<code>\adfdownleafleft</code> (♣) ..	156	<code>\adfssharpflourishright</code> (↩) .	162
<code>\adfbullet{3}</code> (♣) .....	155	<code>\adfdownleafright</code> (♣) ..	156	<code>\adfsickleflourishleft</code> (↩)	162
<code>\adfbullet{4}</code> (♣) .....	151	<code>\adfflatdownhalfleafleft</code> (♣)	156	<code>\adfsickleflourishright</code> (↩)	162
<code>\adfbullet{5}</code> (♣) .....	151	<code>(♣)</code> .....	156	<code>\adfsingleflourishleft</code> (↩)	162
<code>\adfbullet{6}</code> (♣) .....	151	<code>\adfflatdownhalfleafright</code>		<code>\adfsingleflourishright</code> (↩)	162
<code>\adfbullet{7}</code> (♣) .....	151	<code>(♣)</code> .....	156	<code>\adfsmallhangleleafleft</code> (♣)	156
<code>\adfbullet{8}</code> (♣) .....	151	<code>\adfflatdownoutlineleafleft</code>		<code>\adfsmallhangleleafright</code>	
<code>\adfbullet{9}</code> (♣) .....	151	<code>(♣)</code> .....	156	<code>(♣)</code> .....	156
<code>\adfbullet{10}</code> (♣) .....	151	<code>\adfflatdownoutlineleafright</code>		<code>\adfsmalleafleft</code> (♣) ..	156
<code>\adfbullet{11}</code> (♣) .....	155	<code>(♣)</code> .....	156	<code>\adfsmalleafright</code> (♣) ..	156
<code>\adfbullet{12}</code> (♣) .....	155	<code>\adfflatleafleft</code> (♣) ..	156	<code>\adfsolidleafleft</code> (♣) ..	156
<code>\adfbullet{13}</code> (♣) .....	155	<code>\adfflatleafoutlineleft</code> (♣)	156	<code>\adfsolidleafright</code> (♣) ..	156
<code>\adfbullet{14}</code> (♣) .....	155	<code>(♣)</code> .....	156	<code>\adfsquare</code> (♣) .....	163
<code>\adfbullet{15}</code> (♣) .....	155	<code>\adfflatleafright</code> (♣) ..	156	<code>adfsymbols</code> (package) .	147, 151,
<code>\adfbullet{16}</code> (♣) .....	155	<code>(♣)</code> .....	156	155, 160, 298	
<code>\adfbullet{17}</code> (♣) .....	155	<code>\adfflatleafsolidleft</code> (♣) .	156	<code>\adftripleflourishleft</code> (↪)	162
<code>\adfbullet{18}</code> (♣) .....	155	<code>(♣)</code> .....	156	<code>\adftripleflourishright</code>	
<code>\adfbullet{19}</code> (♣) .....	155	<code>(♣)</code> .....	156	<code>(↪)</code> .....	162
<code>\adfbullet{20}</code> (♣) .....	155	<code>\adfflatleafsolidright</code> (♣) .	156	<code>\adfwavesleft</code> (↪) .....	162
<code>\adfbullet{21}</code> (♣) .....	155	<code>(♣)</code> .....	156	<code>\adfwavesright</code> (↪) .....	162
<code>\adfbullet{22}</code> (♣) .....	155	<code>\adfflourishleft</code> (↪) ..	162	<code>adhesive bandage</code> (♣) .....	233
<code>\adfbullet{23}</code> (♣) .....	155	<code>\adfflourishleftdouble</code> (↪)	162	<code>\adj</code> (adj) .....	100
<code>\adfbullet{24}</code> (♣) .....	155	<code>(↪)</code> .....	162	<code>adjoint</code> (†) .....	see \dag
<code>\adfbullet{25}</code> (♣) .....	155	<code>\adfflourishright</code> (↩) ..	162	<code>\Admetos</code> (♣) .....	140
<code>\adfbullet{26}</code> (♣) .....	155	<code>\adfflourishrightdouble</code>		<code>admission tickets</code> (♣) .....	233
<code>\adfbullet{27}</code> (♣) .....	160	<code>(↩)</code> .....	162	<code>Adobe Acrobat</code> .....	291
<code>\adfbullet{28}</code> (♣) .....	160	<code>\adfflowerleft</code> (♣) .....	156	<code>\adots</code> (·) .....	127, 285
<code>\adfbullet{29}</code> (♣) .....	160	<code>\adfflowerright</code> (♣) .....	156	<code>\adots</code> (·) .....	126
<code>\adfbullet{30}</code> (♣) .....	160	<code>\adfgee</code> (♣) .....	163		
<code>\adfbullet{31}</code> (♣) .....	160	<code>\adfhalfarrowleft</code> (↔) ..	147		
<code>\adfbullet{32}</code> (♣) .....	160	<code>\adfhalfarrowleftsolid</code> (↔) .	147		
<code>\adfbullet{33}</code> (♣) .....	160	<code>\adfhalfarrowright</code> (↔) ..	147		
<code>\adfbullet{34}</code> (♣) .....	160	<code>\adfhalfarrowrightsolid</code> (↔) .	147		
<code>\adfbullet{41}</code> (♣) .....	160	<code>\adfhalfleafleft</code> (♣) ..	156		
<code>\adfbullet{42}</code> (♣) .....	160	<code>\adfhalfleafright</code> (♣) ..	156		
<code>\adfbullet{43}</code> (♣) .....	160	<code>\adfhalfleftarrow</code> (↔) ..	147		
<code>\adfbullet{44}</code> (♣) .....	160	<code>\adfhalfleftarrowhead</code> (↔) .	147		
<code>\adfbullet{45}</code> (♣) .....	160				
<code>\adfbullet{46}</code> (♣) .....	160				
<code>\adfbullet{47}</code> (♣) .....	160				

`\adots` (∴) ..... 126  
`\adsorbate` (Δ) ..... 145  
`\adsorbent` (⚡) ..... 145  
advancing *see* `\textadvancing`  
`\AE` (Æ) ..... 16  
`\ae` (æ) ..... 16  
`\aeolicbii` (oo) ..... 214  
`\aeolicbiii` (ooo) ..... 214  
`\aeolicbiv` (oooo) ..... 214  
aerial tramway (🚡) ..... 203  
`\agem0` (Ū) ..... 130  
`\Agimel` (⤵) ..... 164  
`\Ahe` (𐤀) ..... 164  
`\Ahelmet` (⚔) ..... 164  
`\Aheth` (𐤁) ..... 164  
`\ain` (ˈ) ..... 26  
`\Air` (Δ) ..... 140  
airplane (✈) ..... 203  
airplane arrival (🛬) ..... 203  
airplane departure (🛫) ..... 203  
airplanes ... 202–203, 250–254  
`\Akaph` (𐤀) ..... 164  
`\Alad` (𐤀) ..... 114  
`\alad` (𐤀) ..... 114  
`\Alamed` (𐤀) ..... 164  
alarm clock (🕒) ..... 208  
`\Alas` (𐤀) ..... 114  
`\alas` (𐤀) ..... 114  
`\Albania` (🇦🇱) ..... 219  
`\aldine` (𐤀) ..... 156  
`\aldineleft` (𐤀) ..... 156  
`\aldineright` (𐤀) ..... 156  
`\aldinesmall` (𐤀) ..... 156  
alembic (🍷) ..... 233  
`\aleph` (ℵ) ..... 103, 130  
`\aleph` (ℵ) ..... 103  
`\aleph` (ℵ) ..... 103  
`\aleph` (ℵ) ..... 104  
alien (👽) ..... 233  
alien monster (👾) ..... 233  
`\Alif` (ﺀ) ..... 21  
alla breve ..... 175–179, 181  
  
`\allabreve` (♩) ..... 175  
allrunes (package) ... 173, 298  
`\Alpha` (Α) ..... 101  
`\alpha` (α) ..... 101  
alphabets ..... 134  
  African ..... 17  
  Cypriot ..... 169  
  Cyrillic ..... 280  
  Greek . 17, 101, 102, 135,  
  170  
  Hebrew ... 103, 104, 135  
  hieroglyphic ..... 165  
  Linear A ..... 165  
  Linear B ..... 168  
  math ..... 134

  phonetic ..... 18–21  
  proto-Semitic ..... 164  
  South Arabian ..... 170  
  Vietnamese ..... 17  
`\alphaup` (α) ..... 102  
alpine symbols ..... 207  
`\Alt` (⚠) ..... 141  
alternative denial *see* `\uparrow`  
*and* |  
`\AltGr` (⌨) ..... 141  
  
`\altoclef` (⚡) ..... 175  
`\AM` (α) ..... 141  
`\amalg` (∐) ..... 32  
`\amalg` (∐) ..... 35  
`\amalg` (∐) ..... 34  
`\amalg` (∐) ..... 37  
ambulance (🚑) ..... 203  
`\Amem` (𐤀) ..... 164  
american football (🏈) ..... 233  
`\Amor` (🇲🇽) ..... 140  
ampersand ..... *see* `\&`  
amphora (🏺) ..... 233  
 $\mathcal{AMS}$  (package) . 13, 16, 32, 43,  
55, 67, 70, 75, 78, 79, 95,  
99, 101, 103, 104, 106, 108,  
114, 118, 121, 125, 129, 130,  
135, 277, 278, 297  
amsbsy (package) ..... 292  
amsmath (package) ... 130, 134  
amsmath (package) . 13, 53, 99,  
114, 281, 291  
amssymb (package) 13, 114, 130,  
134, 170, 298, 299  
amstext (package) ... 283, 284  
`\Anacclasis` (÷) ..... 213  
`\anaclasis` (÷) ..... 213  
anatomical heart (🫀) ..... 233  
`\anceps` (×) ..... 214  
`\ancepsdbrevis` (×) ..... 214  
`\anchor` (⚓) ..... 229  
  
`\anchor` (⚓) ..... 162  
anchor (⚓) ..... 233  
ancient-language symbols . 164–  
173  
*and* ..... *see* `\wedge`  
AND gates ..... 142  
  
`\ANDd` (⏏) ..... 142  
  
`\ANDl` (⏏) ..... 142  
`\Andorra` (🇦🇩) ..... 219  
  
`\ANDr` (⏏) ..... 142

`\ANDu` (⏏) ..... 142  
`\angdnr` (∠) ..... 129  
anger symbol (😡) ..... 233  
`\angl` (∟) ..... 121  
`\angle` (∠) ..... 129  
`\angle` (∠) ..... 130  
`\angle` (∠) ..... 129  
`\angle` (∠) ..... 129  
`\angle` (∠) ..... 129  
`\angle` (∠) ..... 129  
angle notation ..... 137  
angles ..... 128–130, 133, 140  
`\angles` (∠) ..... 129  
`\AngleSign` (⚡) ..... 128  
`\angleubar` (∠) ..... 129  
`\angln` (∟) ..... 121  
Anglo-Frisian runes ..... 173  
`\anglr` (∟) ..... 121  
angry face (😡) ..... 233  
angry face with horns (👹) . 233  
`\Angstrom` (Å) ..... 105  
Ångström unit  
  math mode *see* `\mathring`  
  text mode ..... *see* `\AA`  
`\Angud` (𐤀) ..... 114  
`\angud` (𐤀) ..... 114  
anguished face (😓) ..... 233  
angular minutes ... *see* `\prime`  
angular seconds .. *see* `\second`  
`\Angus` (𐤀) ..... 114  
`\angus` (𐤀) ..... 114  
animals 164, 165, 169, 209–210,  
247–250  
`\Ankh` (⚡) ..... 205  
`\Annoey` (☹) ..... 230  
`\annuity` (📊) ..... 115  
annuity symbols ..... 121, 286  
ant (🐜) ..... 209  
antenna bars (📶) ..... 233  
`\Antidiple` (<) ..... 213  
`\antidiple` (<) ..... 213  
`\Antidiple*` (<) ..... 213  
`\antidiple*` (<) ..... 213  
`\antilabe` (∴) ..... 127  
`\antimuon` (μ<sup>+</sup>) ..... 145  
`\antineutrino` (ν̄) ..... 145  
`\antineutron` (n̄) ..... 145  
`\antiproton` (p<sup>-</sup>) ..... 145  
`\antiquark` (q̄) ..... 145  
`\antiquarkb` (b̄) ..... 145  
`\antiquarkc` (c̄) ..... 145  
`\antiquarkd` (d̄) ..... 145  
`\antiquarks` (s̄) ..... 145  
`\antiquarkt` (t̄) ..... 145  
`\antiquarku` (ū) ..... 145  
`\Antisigma` (⊖) ..... 213  
`\antisigma` (⊖) ..... 213



<code>\Anun</code> (↖) . . . . .	164	<code>\arccot</code> (arccot) . . . . .	100	<code>\arrowvert</code> (   ) . . . . .	111
anxious face with sweat (😓) . . . . .	233	<code>\arceq</code> (≐) . . . . .	62	<code>\arsech</code> (arsech) . . . . .	100
<code>\anyon</code> (♯) . . . . .	145	<code>\arceq</code> (≐) . . . . .	60, 98	Arseneau, Donald . . . . .	282–284, 286
<code>\aoverbrace</code> (⏟) . . . . .	120	<code>\arceq</code> (≐) . . . . .	63	<code>\arsinh</code> (arsinh) . . . . .	100
<code>\Ape</code> (Ⓜ) . . . . .	164	<code>\arcfamily</code> . . . . .	173	<code>\artanh</code> (artanh) . . . . .	100
APL . . . . .		arcminutes . . . . .	<i>see</i> <code>\prime</code>	<code>\artfamily</code> . . . . .	173
symbols . . . . .	63–64	<code>\arcosh</code> (arcosh) . . . . .	100	articulated lorry (🚚) . . . . .	203
<code>apl</code> (package) . . . . .	141, 298	<code>\arcoth</code> (arcoth) . . . . .	100	articulations . . . . .	<i>see</i> musical symbols
APL symbols . . . . .	140, 141	arcs (package) . . . . .	25, 298, 299	artist (🎨) . . . . .	233
<code>\APLbox</code> (□) . . . . .	140	<code>\arcsch</code> (arcsch) . . . . .	100	artist palette (🎨) . . . . .	233
<code>\APLboxquestion</code> (❓) . . . . .	141	arcseconds . . . . .	<i>see</i> <code>\second</code>	<code>\Asade</code> (↵) . . . . .	164
<code>\APLboxupcaret</code> (⏏) . . . . .	141	<code>\arcsin</code> (arcsin) . . . . .	99	<code>\Asamekh</code> (◊) . . . . .	164
<code>\APLcirc</code> (■) . . . . .	140	<code>\arctan</code> (arctan) . . . . .	99	<code>\ASC</code> (A <sup>SC</sup> ) . . . . .	140
<code>\APLcomment</code> (Ⓐ) . . . . .	140	<code>\Aresh</code> (↶) . . . . .	164	ASCII . . . . .	13, 16, 142, 268, 277, 292–294, 296, 298
<code>\APLdown</code> (∇) . . . . .	140	arev (package) . . . . .	147, 149, 150, 152, 175, 194, 229, 298	table . . . . .	293
<code>\APLdownarrowbox</code> (⬇) . . . . .	140	<code>\arg</code> (arg) . . . . .	99	ascii (package) . . . . .	142, 293, 298, 299
<code>\APLinup</code> (⬆) . . . . .	140	<code>\Aries</code> (♈) . . . . .	138	<code>\ascnode</code> (Ω) . . . . .	137
<code>\APLinu</code> (⬆) . . . . .	140	<code>\Aries</code> (♈) . . . . .	138	<code>\Ashin</code> (ω) . . . . .	164
<code>\APLleftarrowbox</code> (⬅) . . . . .	140	<code>\Aries</code> (♈) . . . . .	140	aspect ratio . . . . .	136
<code>\APLlog</code> (⊕) . . . . .	140	<code>\Aries</code> (♈) . . . . .	138	<code>\Assert</code> (⊢) . . . . .	60
<code>\APLminus</code> (−) . . . . .	140	Aries (♈) . . . . .	233	<code>\assert</code> (⊢) . . . . .	60
<code>\APLnot</code> (⊖) . . . . .	140	<code>\aries</code> (♈) . . . . .	137	<code>\assert</code> (⊢) . . . . .	63
<code>\APLnotbackslash</code> (↘) . . . . .	141	<code>\arlfamily</code> . . . . .	173	<code>\assumption</code> (★) . . . . .	145
<code>\APLnotslash</code> (↗) . . . . .	141	<code>\armfamily</code> . . . . .	173	<code>\ast</code> (*) . . . . .	34
<code>\APLrightarrowbox</code> (➡) . . . . .	140	<code>\arnfamily</code> . . . . .	173	<code>\ast</code> (*) . . . . .	32
<code>\APLstar</code> (*) . . . . .	140	<code>\ArrowBoldDownRight</code> (➡) . . . . .	146	<code>\ast</code> (*) . . . . .	36
<code>\APLup</code> (Δ) . . . . .	140	<code>\ArrowBoldRightCircled</code> (⤵) . . . . .	146	<code>\ast</code> (*) . . . . .	35
<code>\APLuparrowbox</code> (⬆) . . . . .	140	. . . . .	146	<code>\ast</code> (*) . . . . .	34
<code>\APLvert</code> (⏏) . . . . .	140	<code>\ArrowBoldRightShort</code> (➡) . . . . .	146	<code>\ast</code> (*) . . . . .	37
<code>\Apollon</code> (♃) . . . . .	140	<code>\ArrowBoldRightStrobe</code> (⚡) . . . . .	146	<code>\asteq</code> (≐) . . . . .	63
apostropha . . . . .	<i>see</i> <code>musixgre</code>	<code>\ArrowBoldUpRight</code> (➡) . . . . .	146	<code>\asteraccent</code> (⌘) . . . . .	115
<code>\applecmd</code> (⌘) . . . . .	202	<code>\arrowbullet</code> (➤) . . . . .	147	<code>\Asteriscus</code> (✱) . . . . .	213
<code>\apprge</code> (≥) . . . . .	70	<code>\Arrownot</code> (⊄) . . . . .	98	<code>\asteriscus</code> (✱) . . . . .	213
<code>\apprle</code> (≤) . . . . .	70	<code>\arrownot</code> (⊄) . . . . .	98	<code>\Asterisk</code> (*) . . . . .	34
<code>\approx</code> (≈) . . . . .	54	<code>\ArrowOver</code> (⤴) . . . . .	26	<code>\Asterisk</code> (✱) . . . . .	154
<code>\approx</code> (≈) . . . . .	60	<code>\arrowover</code> (⤴) . . . . .	26	<code>\asterisk</code> (*) . . . . .	34
<code>\approx</code> (≈) . . . . .	57	arrows . . . . .	78–80, 84, 89–95, 117–123, 140, 141, 146–148, 164, 169, 205, 219, 250–257, 273, 280	<code>\AsteriskBold</code> (✱) . . . . .	154
<code>\approx</code> (≈) . . . . .	63	diagonal, for reducing subexpressions . . . . .	117	<code>\AsteriskCenterOpen</code> (✱) . . . . .	154
<code>\approxcolon</code> (≈:) . . . . .	67	dotted . . . . .	122	<code>\AsteriskRoundedEnds</code> (✱) . . . . .	154
<code>\approxcoloncolon</code> (≈::) . . . . .	67	double-headed, diagonal . . . . .	284	asterisks . . . . .	34, 154, 155
<code>\approxeq</code> (≈) . . . . .	55	extensible . . . . .	117–123	<code>\AsteriskThin</code> (✱) . . . . .	154
<code>\approxeq</code> (≈) . . . . .	62	fletched . . . . .	94, 146	<code>\AsteriskThinCenterOpen</code> (✱) . . . . .	154
<code>\approxeq</code> (≈) . . . . .	60	negated . . . . .	78, 79, 82, 86	<code>\asterism</code> (✱) . . . . .	281
<code>\approxeq</code> (≈) . . . . .	57	arrows (boisik package option) . . . . .	90	asteroids . . . . .	140
<code>\approxeq</code> (≈) . . . . .	63	<code>\Arrowvert</code> (  ) . . . . .	108	astonished face (😲) . . . . .	233
<code>\approxeqq</code> (≐) . . . . .	63	<code>\Arrowvert</code> (    ) . . . . .	109	astrological symbols . . . . .	137–140, 257–260
<code>\approxident</code> (≈) . . . . .	60	<code>\Arrowvert</code> (    ) . . . . .	111	astronaut (🚀) . . . . .	233
<code>\approxident</code> (≈) . . . . .	63	<code>\arrowvert</code> (   ) . . . . .	108	astronomical symbols . . . . .	137–140, 216, 217, 257–260
<code>\Aqoph</code> (∞) . . . . .	164	<code>\arrowvert</code> (   ) . . . . .	109	<code>\astrosun</code> (☉) . . . . .	138
<code>\Aquarius</code> (♊) . . . . .	138	<code>\arccos</code> (arccos) . . . . .	99	<code>\astrosun</code> (☉) . . . . .	137
<code>\Aquarius</code> (♊) . . . . .	140			astrosym (package) . . . . .	257, 298
Aquarius (♊) . . . . .	233			asymmetric braces . . . . .	120
<code>\aquarius</code> (≈) . . . . .	137				
<code>\AR</code> (ℜ) . . . . .	136				
ar (package) . . . . .	136, 298, 299				
<code>\arafamily</code> . . . . .	173				
arc (⌒) . . . . .	<i>see</i> accents				
<code>\arccos</code> (arccos) . . . . .	99				
















<code>\asymp</code> ( $\asymp$ )	54
<code>\asympt</code> ( $\asymp$ )	60, 98
<code>\asymp</code> ( $\asymp$ )	97
<code>\asymp</code> ( $\asymp$ )	63
asymptotic notation	100
<code>\atan</code> (atan)	291
<code>\ataribox</code> ( $\text{\textcircled{A}}$ )	202
<code>\Atav</code> (+)	164
<code>\Ateth</code> ( $\text{\textcircled{A}}$ )	164
<code>\AtForty</code> ( $\text{\textcircled{40}}$ )	205
ATM sign ( $\text{\textcircled{ATM}}$ )	233
<code>\AtNinetyFive</code> ( $\text{\textcircled{95}}$ )	205
<code>\atom</code> ( $\text{\textcircled{A}}$ )	145
atom symbol ( $\text{\textcircled{A}}$ )	233
atomic math objects	99, 100, 291
<code>\AtSixty</code> ( $\text{\textcircled{60}}$ )	205
<code>\aunderbrace</code> ( $\underbrace{\quad}$ )	120
<code>\Austria</code> ( $\text{\textcircled{A}}$ )	219
<code>\Aut</code> (Aut)	100
auto rickshaw ( $\text{\textcircled{A}}$ )	203
<code>\autoleftarrow</code> ( $\leftarrow$ )	122
<code>\autoleftrightarpoons</code>	
( $\longleftrightarrow$ )	122
automobile ( $\text{\textcircled{A}}$ )	203
automobiles	202–203, 250–254
<code>\autorightarrow</code> ( $\rightarrow$ )	122
<code>\autorightleftharpoons</code>	
( $\longleftrightarrow$ )	122
<code>\Autumntree</code> ( $\text{\textcircled{A}}$ )	231
<code>\Avav</code> ( $\text{\textcircled{A}}$ )	164
average	31
avocado ( $\text{\textcircled{A}}$ )	210
<code>\awint</code> ( $\int$ )	52
<code>\awint</code> ( $\int$ )	49
<code>\awint</code> ( $\int$ )	49
<code>\awintsl</code> ( $\int$ )	51
<code>\awintup</code> ( $\int$ )	51
axe ( $\text{\textcircled{A}}$ )	233
<code>\Ayn</code> ( $\text{\textcircled{A}}$ )	21
<code>\Ayod</code> ( $\text{\textcircled{A}}$ )	164
<code>\Azayin</code> (=)	164











## B




























B ( $\text{\textcircled{B}}$ )	173
<code>\B</code>	17
<code>\B</code> ( $\text{\textcircled{B}}$ )	213
b (esvect package option)	120
<code>\b</code> ( $\text{\textcircled{B}}$ )	22
<code>\b</code> ( $\text{\textcircled{B}}$ )	213
b ( $\text{\textcircled{B}}$ )	173
B button (blood type) ( $\text{\textcircled{B}}$ )	233
<code>\Ba</code> ( $\text{\textcircled{B}}$ )	168
babel (package)	17, 101, 102, 170


















































baby ( $\text{\textcircled{B}}$ )	233
baby angel ( $\text{\textcircled{B}}$ )	233
baby bottle ( $\text{\textcircled{B}}$ )	233
baby chick ( $\text{\textcircled{B}}$ )	209
baby symbol ( $\text{\textcircled{B}}$ )	233
<code>\babygamma</code> ( $\text{\textcircled{B}}$ )	20
Bachmann–Landau notation	100
BACK arrow ( $\overleftarrow{\quad}$ )	233
<code>\backapprox</code> ( $\approx$ )	57
<code>\backapproxseq</code> ( $\approx$ )	57
<code>\Backblech</code> ( $\text{\textcircled{B}}$ )	229
<code>\backcong</code> ( $\cong$ )	60
<code>\backcong</code> ( $\cong$ )	57
<code>\backcong</code> ( $\cong$ )	63
<code>\backdprime</code> ( $\text{\textcircled{B}}$ )	128
<code>\backepsilon</code> ( $\epsilon$ )	55
<code>\backepsilon</code> ( $\epsilon$ )	132
<code>\backepsilon</code> ( $\epsilon$ )	103
<code>\backeqsim</code> ( $\approx$ )	57
backhand index pointing down	
( $\text{\textcircled{B}}$ )	234
backhand index pointing left	
( $\text{\textcircled{B}}$ )	234
backhand index pointing right	
( $\text{\textcircled{B}}$ )	234
backhand index pointing up	
( $\text{\textcircled{B}}$ )	234
<code>\backneg</code> ( $\neg$ )	131
<code>\backneg</code> ( $\neg$ )	131
backpack ( $\text{\textcircled{B}}$ )	234
<code>\backprime</code> ( $\text{\textcircled{B}}$ )	130
<code>\backprime</code> ( $\text{\textcircled{B}}$ )	132
<code>\backprime</code> ( $\text{\textcircled{B}}$ )	131
<code>\backprime</code> ( $\text{\textcircled{B}}$ )	131
<code>\backprime</code> ( $\text{\textcircled{B}}$ )	128
<code>\backpropto</code> ( $\propto$ )	60
<code>\backsim</code> ( $\sim$ )	55
<code>\backsim</code> ( $\sim$ )	62
<code>\backsim</code> ( $\sim$ )	60
<code>\backsim</code> ( $\sim$ )	57
<code>\backsim</code> ( $\sim$ )	63
<code>\backsimeq</code> ( $\simeq$ )	55
<code>\backsimeq</code> ( $\simeq$ )	62
<code>\backsimeq</code> ( $\simeq$ )	60
<code>\backsimeq</code> ( $\simeq$ )	57
<code>\backsimeq</code> ( $\simeq$ )	63
<code>\backsimeqq</code> ( $\simeq$ )	61
<code>\backslash</code> ( $\backslash$ )	107, 130
<code>\backslash</code> ( $\backslash$ )	110
<code>\backslash</code> ( $\backslash$ )	109
<code>\backslash</code> ( $\backslash$ )	132
<code>\backslash</code> ( $\backslash$ )	111
<code>\backslash</code> ( $\backslash$ )	34
<code>\backtriplesim</code> ( $\approx$ )	57

<code>\backtrprime</code> ( $\text{\textcircled{B}}$ )	128
<code>\backturn</code> ( $\text{\textcircled{B}}$ )	175
bacon ( $\text{\textcircled{B}}$ )	210
badger ( $\text{\textcircled{B}}$ )	209
badminton ( $\text{\textcircled{B}}$ )	234
bagel ( $\text{\textcircled{B}}$ )	210
baggage claim ( $\text{\textcircled{B}}$ )	203
<code>\bagmember</code> ( $\text{\textcircled{B}}$ )	62
<code>\bagmember</code> ( $\text{\textcircled{B}}$ )	63
baguette bread ( $\text{\textcircled{B}}$ )	210
<code>\Baii</code> ( $\text{\textcircled{B}}$ )	168
<code>\Baiii</code> ( $\text{\textcircled{B}}$ )	168
<code>\bakingplate</code> ( $\text{\textcircled{B}}$ )	229
balance scale ( $\text{\textcircled{B}}$ )	234
bald ( $\text{\textcircled{B}}$ )	234
ballet shoes ( $\text{\textcircled{B}}$ )	234
balloon ( $\text{\textcircled{B}}$ )	234
ballot box with ballot ( $\text{\textcircled{B}}$ )	234
<code>\ballotcheck</code> ( $\checkmark$ )	152
<code>\ballotx</code> ( $\text{\textcircled{B}}$ )	152
banana ( $\text{\textcircled{B}}$ )	210
banana brackets	
<i>see</i> <code>\llparenthesis</code> <i>and</i>	
<i>\rrparenthesis</i>	
<code>\banceps</code> ( $\text{\textcircled{B}}$ )	214
banjo ( $\text{\textcircled{B}}$ )	234
bank ( $\text{\textcircled{B}}$ )	234
<code>\bar</code> ( $\bar{\quad}$ )	115
<code>\bar</code> ( $\bar{\quad}$ )	114
<code>\bar</code> ( $\bar{\quad}$ )	173
bar chart ( $\text{\textcircled{B}}$ )	234
<code>\barb</code> ( $\text{\textcircled{B}}$ )	20
<code>\barbbrevis</code> ( $\text{\textcircled{B}}$ )	214
barber pole ( $\text{\textcircled{B}}$ )	234
<code>\barbrevis</code> ( $\text{\textcircled{B}}$ )	214
<code>\barcap</code> ( $\bar{\cap}$ )	37
<code>\barcirc</code> ( $\text{\textcircled{B}}$ )	282
<code>\barcup</code> ( $\bar{\cup}$ )	37
<code>\bard</code> ( $\text{\textcircled{B}}$ )	20
<code>\bardownharpoonleft</code> ( $\text{\textcircled{B}}$ )	93
<code>\bardownharpoonright</code> ( $\text{\textcircled{B}}$ )	93
<code>\bari</code> ( $\text{\textcircled{B}}$ )	20
<code>\barin</code> ( $\text{\textcircled{B}}$ )	104
<code>\barint</code> ( $\int$ )	52
<code>\barj</code> ( $\text{\textcircled{B}}$ )	21
<code>\barl</code> ( $\text{\textcircled{B}}$ )	20
<code>\barlambda</code> ( $\text{\textcircled{B}}$ )	21
<code>\barleftarrow</code> ( $\overleftarrow{\quad}$ )	89
<code>\barleftarrow</code> ( $\overleftarrow{\quad}$ )	90
<code>\barleftarrowrightarrowbar</code>	
( $\text{\textcircled{B}}$ )	89
<code>\barleftarrowrightarrowbar</code>	
( $\text{\textcircled{B}}$ )	90
<code>\barleftharpoon</code> ( $\overleftarrow{\quad}$ )	80
<code>\barleftharpoondown</code> ( $\overleftarrow{\quad}$ )	93
<code>\barleftharpoonup</code> ( $\overleftarrow{\quad}$ )	93
<code>\baro</code> ( $\phi$ )	33
<code>\baro</code> ( $\phi$ vs. $\theta$ )	278

<code>\baro</code> ( $\phi$ )	36
<code>\baro</code> ( $e$ )	20
<code>\BarOver</code> ( $\bar{\phantom{a}}$ )	26
<code>\barOver</code> ( $\bar{\phantom{a}}$ )	26
<code>\barovernorthwestarrow</code> ( $\overleftarrow{\phantom{a}}$ )	89
<code>\barovernorthwestarrow</code> ( $\overleftarrow{\phantom{a}}$ )	158
<code>\barop</code> ( $\wp$ )	20
barred letters	281
<code>\barrightrightarrow</code> ( $\leftrightarrow$ )	90
<code>\barrightharpoon</code> ( $\rightrightarrows$ )	80
<code>\barrightharpoondown</code> ( $\rightrightarrows$ )	93
<code>\barrightharpoonup</code> ( $\rightrightarrows$ )	93
<code>\barsci</code> ( $\ddagger$ )	20
<code>\barscu</code> ( $\text{€}$ )	20
<code>\Bart</code> (  )	214
bartel-chess-fonts (package)	275, 276, 298
<code>\baru</code> ( $\text{#}$ )	20
<code>\baruparrow</code> ( $\bar{\uparrow}$ )	90
<code>\barupharpoonleft</code> ( $\bar{\uparrow}$ )	93
<code>\barupharpoonright</code> ( $\bar{\uparrow}$ )	93
<code>\Barv</code> ( $\bar{\vee}$ )	60
<code>\BarV</code> ( $\bar{\vee}$ )	63
<code>\barV</code> ( $\bar{\vee}$ )	60
<code>\barV</code> ( $\bar{\vee}$ )	63
<code>\barvee</code> ( $\bar{\vee}$ )	37
<code>\barwedge</code> ( $\bar{\wedge}$ )	34
<code>\barwedge</code> ( $\bar{\wedge}$ )	32
<code>\barwedge</code> ( $\bar{\wedge}$ )	36
<code>\barwedge</code> ( $\bar{\wedge}$ )	35
<code>\barwedge</code> ( $\bar{\wedge}$ )	37
base twelve numerals	128
base twelve tally markers	212
baseball (  )	234
<code>\BasicTree</code>	231
basket (  )	234
basketball (  )	234
<code>\bassclef</code> (  )	175
<code>\Bat</code> (  )	205
bat (  )	209
bathtub (  )	234
bats	41, 124
battery (  )	234
<code>\Bau</code> (  )	168
<code>\baucircle</code> (  )	160
<code>\baufoms</code> (  )	205
<code>\bauhead</code> (  )	205
<code>\bausquare</code> (  )	160
<code>\bautriangle</code> (  )	160
<code>\BB</code> ( $\omega$ )	213

<code>\Bb</code> ( $\omega$ )	213
<code>\bB</code> ( $\omega$ )	213
<code>\bb</code> ( $\omega$ )	213
<code>\bba</code> ( $\omega$ )	213
<code>\bbalpha</code> ( $\alpha$ )	135
<code>\bbar</code> ( $\bar{b}$ )	281
<code>\bbb</code> ( $\omega$ )	213
<code>\bbbeta</code> ( $\beta$ )	135
<code>\Bbbk</code> ( $\mathbb{k}$ )	104
<code>\Bbk</code> ( $\mathbb{k}$ )	105
<code>\Bbk</code> ( $\mathbb{k}$ )	105
<code>\Bbsum</code> ( $\sum$ )	49
bbding (package)	146, 149–152, 154, 160, 163, 278, 298, 299
<code>\bbdollar</code> ( $\mathbb{\$}$ )	135
<code>\bbetter</code> ( $\mathbb{\text{€}}$ )	199
<code>\bbeuro</code> ( $\mathbb{\text{€}}$ )	135
<code>\bbfinalnun</code> ( $\mathbb{\text{¶}}$ )	135
<code>\bbgamma</code> ( $\mathbb{\gamma}$ )	135
bbgreekl (mathbbol package option)	135
<code>\BBm</code> ( $\omega$ )	213
<code>\Bm</code> ( $\omega$ )	213
<code>\bM</code> ( $\omega$ )	213
bbm (package)	134, 298
<code>\bbm</code> ( $\omega$ )	213
<code>\bbmb</code> ( $\omega$ )	213
<code>\bbmx</code> ( $\omega$ )	213
<code>\bbnabla</code> ( $\nabla$ )	135
bbold (package)	134, 298
<code>\bbpe</code> ( $\mathbb{P}$ )	135
<code>\bbqof</code> ( $\mathbb{Q}$ )	135
<code>\bbrevis</code> ( $\omega$ )	214
<code>\bbrktbrk</code> ( $\mathbb{\{ \}}$ )	132
<code>\bbslash</code> ( $\mathbb{\backslash}$ )	33
<code>\bbslash</code> ( $\mathbb{\backslash}$ )	36
<code>\bbyod</code> ( $\text{°}$ )	135
<code>\bcattention</code> (  )	246
<code>\bcbombe</code> (  )	246
<code>\bcbook</code> (  )	246
<code>\bccalendrier</code> (  )	246
<code>\bccle</code> (  )	246
<code>\bcclefa</code> (  )	246
<code>\bcclesol</code> (  )	246
<code>\bccoeur</code> (  )	246
<code>\bccrayon</code> (  )	246
<code>\bccube</code> (  )	246

<code>\bcdallemagne</code> (  )	246
<code>\bcdanger</code> (  )	246
<code>\bcdautriche</code> (  )	246
<code>\bcdbelgique</code> (  )	246
<code>\bcdbulgarie</code> (  )	246
<code>\bcdfrance</code> (  )	246
<code>\bcditalie</code> (  )	246
<code>\bcdluxembourg</code> (  )	246
<code>\bcdodecaedre</code> (  )	246
<code>\bcdpaysbas</code> (  )	246
<code>\bcdz</code> (  )	246
<code>\bceclaircie</code> (  )	246
<code>\bcetoile</code> (  )	246
<code>\bcfemme</code> (  )	246
<code>\bcfeujaune</code> (  )	246
<code>\bcfeurouge</code> (  )	246
<code>\bcfeutricolore</code> (  )	246
<code>\bcfeuert</code> (  )	246
<code>\bcfleur</code> (  )	246
<code>\bchomme</code> (  )	246
<code>\bchorloge</code> (  )	246
<code>\bcicosaedre</code> (  )	246
<code>\bcinfo</code> (  )	246
<code>\bcinterdit</code> (  )	246
<code>\bclampe</code> (  )	246
bclogo (package)	246, 298, 299
<code>\bcloupe</code> (  )	246
<code>\bcneige</code> (  )	246

<code>\bcnote</code> (  ) . . . . . 246	<code>\bdleftarccarrow</code> (  ) . . . . . 84	<code>\between</code> ( $\bowtie$ ) . . . . . 63
<code>\bcnucleaire</code> (  ) . . . . . 246	<code>\bdnearccarrow</code> (  ) . . . . . 84	beverage box (  ) . . . . . 210
<code>\bcocetaedre</code> (  ) . . . . . 246	<code>\bdnwarccarrow</code> (  ) . . . . . 84	<code>\BGassert</code> ( $\perp$ ) . . . . . 127
<code>\bcoeil</code> (  ) . . . . . 246	<code>\Bdo</code> ( $\text{\textcircled{D}}$ ) . . . . . 168	<code>\BGconditional</code> ( $\text{\textcircled{\textperp}}\text{\textcircled{\textperp}}$ ) . . . . . 127
<code>\bcontraction</code> . . . . . 287	<code>\bdoverarccarrow</code> (  ) . . . . . 84	<code>\BGcontent</code> (.) . . . . . 127
<code>\bcorne</code> (  ) . . . . . 246	<code>\bdrigharccarrow</code> (  ) . . . . . 84	<code>\BGnot</code> ( $\text{\textcircled{\textperp}}$ ) . . . . . 127
<code>\bcours</code> (  ) . . . . . 246	<code>\bdsearccarrow</code> (  ) . . . . . 84	<code>\BGquant</code> ( $\text{\textcircled{\textperp}}$ ) . . . . . 127
<code>\bcoutil</code> (  ) . . . . . 246	<code>\bdswarccarrow</code> (  ) . . . . . 84	<code>\Bi</code> ( $\text{\textcircled{B}}$ ) . . . . . 168
<code>\bcpanchant</code> (  ) . . . . . 246	<code>\Bdu</code> ( $\text{\textcircled{U}}$ ) . . . . . 168	<code>\bibridge</code> ( $\text{\textcircled{B}}$ ) . . . . . 24
<code>\bcpeaceandlove</code> (  ) . . . . . 246	<code>\Bdwe</code> ( $\text{\textcircled{W}}$ ) . . . . . 168	biconditional . . . . .
<code>\bcpluie</code> (  ) . . . . . 246	<code>\Bdwo</code> ( $\text{\textcircled{O}}$ ) . . . . . 168	<i>see \leftrightharrow and</i>
<code>\bcplume</code> (  ) . . . . . 246	<code>\Be</code> ( $\text{\textcircled{E}}$ ) . . . . . 168	<i>\equiv</i>
<code>\bcpoisson</code> (  ) . . . . . 246	beach with umbrella (  ) . . . . . 234	<code>\Bicycle</code> (  ) . . . . . 205
<code>\bcquestion</code> (  ) . . . . . 246	<code>\Beam</code> ( $\text{\textcircled{=}}$ ) . . . . . 143	bicycle (  ) . . . . . 203
<code>\bcrecyclage</code> (  ) . . . . . 246	beaming face with smiling eyes (  ) . . . . . 234	bicycles . . . . . 202–203, 250–254
<code>\bcrosevents</code> (  ) . . . . . 246	bear (  ) . . . . . 209	<code>\Big</code> . . . . . 277, 279
<code>\bcsembh</code> (  ) . . . . . 246	<code>\Bearing</code> ( $\Delta$ ) . . . . . 143	<code>\big</code> . . . . . 277, 279
<code>\bcsmmh</code> (  ) . . . . . 246	beating heart (  ) . . . . . 234	big O ( $\mathcal{O}$ ) <i>see</i> alphabets, math
<code>\bcsoleil</code> (  ) . . . . . 246	beaver (  ) . . . . . 209	big O notation . . . . . 100
<code>\bcspadesuit</code> (  ) . . . . . 246	<code>\because</code> ( $\because$ ) . . . . . 55, 125	<code>\Bigassumption</code> ( $\star$ ) . . . . . 145
<code>\bcstop</code> (  ) . . . . . 246	<code>\because</code> ( $\because$ ) . . . . . 62	<code>\bigast</code> ( $\ast$ ) . . . . . 34
<code>\bctakecare</code> (  ) . . . . . 246	<code>\because</code> ( $\because$ ) . . . . . 126	<code>\bigblacktriangledown</code> ( $\blacktriangledown$ ) . . . . .
<code>\bctetraedre</code> (  ) . . . . . 246	<code>\because</code> ( $\because$ ) . . . . . 126	<i>158</i>
<code>\bctrefle</code> (  ) . . . . . 246	<code>\Bed</code> ( $\text{\textcircled{B}}$ ) . . . . . 231	<code>\bigblacktriangleup</code> ( $\blacktriangleup$ ) 158
<code>\bctrombone</code> (  ) . . . . . 246	beer mug (  ) . . . . . 210	<code>\bigbosonloop</code> ( $\text{\textcircled{\textcircled{B}}}$ ) . . . . . 144
<code>\bcvaletcoeur</code> (  ) . . . . . 246	beetle (  ) . . . . . 209	<code>\bigbosonloopA</code> ( $\text{\textcircled{\textcircled{A}}}$ ) . . . . . 144
<code>\bcvelo</code> (  ) . . . . . 246	begriff (package) . . . . . 127, 298	<code>\bigbosonloopV</code> ( $\text{\textcircled{\textcircled{V}}}$ ) . . . . . 144
<code>\bcyin</code> (  ) . . . . . 246	Begriffsschrift symbols . . . . . 127	<code>\bigbot</code> ( $\perp$ ) . . . . . 132
<code>\Bda</code> ( $\text{\textcircled{D}}$ ) . . . . . 168	<code>\BEL</code> ( $\bullet$ ) . . . . . 142	<code>\bigbox</code> ( $\square$ ) . . . . . 43
<code>\Bde</code> ( $\text{\textcircled{E}}$ ) . . . . . 168	<code>\Belarus</code> ( $\text{\textcircled{B}}$ ) . . . . . 219	<code>\bigboxasterisk</code> ( $\text{\textcircled{\ast}}$ ) . . . . . 44
<code>\bdecisive</code> ( $\text{\textcircled{+}}$ ) . . . . . 199	<code>\Belgium</code> ( $\text{\textcircled{B}}$ ) . . . . . 220	<code>\bigboxbackslash</code> ( $\text{\textcircled{\backslash}}$ ) . . . . . 44
<code>\Bdi</code> ( $\text{\textcircled{I}}$ ) . . . . . 168	<code>\bell</code> ( $\text{\textcircled{B}}$ ) . . . . . 202	<code>\bigboxbot</code> ( $\text{\textcircled{\textperp}}$ ) . . . . . 44
	bell (  ) . . . . . 234	<code>\bigboxcirc</code> ( $\text{\textcircled{\textcircled{O}}}$ ) . . . . . 44
	bell pepper (  ) . . . . . 210	<code>\bigboxcoasterisk</code> ( $\text{\textcircled{\ast}}$ ) . . . . . 44
	bell with slash (  ) . . . . . 234	<code>\bigboxdiv</code> ( $\text{\textcircled{\textdiv}}$ ) . . . . . 44
	bellhop bell (  ) . . . . . 234	<code>\bigboxdot</code> ( $\text{\textcircled{\textdot}}$ ) . . . . . 44
	bento box (  ) . . . . . 210	<code>\bigboxleft</code> ( $\text{\textcircled{\textleftarrow}}$ ) . . . . . 45
	<code>\benzenr</code> ( $\text{\textcircled{B}}$ ) . . . . . 158	<code>\bigboxminus</code> ( $\text{\textcircled{\textminus}}$ ) . . . . . 45
	beret . . . . . 116	<code>\bigboxplus</code> ( $\text{\textcircled{\textplus}}$ ) . . . . . 45
	Berry, Karl . . . . . 300	<code>\bigboxright</code> ( $\text{\textcircled{\textrightarrow}}$ ) . . . . . 45
	<code>\Beta</code> ( $\text{\textcircled{B}}$ ) . . . . . 101	<code>\bigboxslash</code> ( $\text{\textcircled{\textbackslash}}$ ) . . . . . 44
	<code>\beta</code> ( $\beta$ ) . . . . . 101	<code>\bigboxtimes</code> ( $\text{\textcircled{\texttimes}}$ ) . . . . . 44
	<code>\beta</code> ( $\beta$ ) . . . . . 102	<code>\bigboxtop</code> ( $\text{\textcircled{\texttop}}$ ) . . . . . 44
	<code>\beth</code> ( $\beth$ ) . . . . . 103	<code>\bigboxtriangleup</code> ( $\text{\textcircled{\blacktriangleup}}$ ) . . . . . 44
	<code>\beth</code> ( $\beth$ ) . . . . . 104	<code>\bigboxvoid</code> ( $\square$ ) . . . . . 44
	<code>\beth</code> ( $\beth$ ) . . . . . 103	<code>\bigcap</code> ( $\cap$ ) . . . . . 43
	<code>\beth</code> ( $\beth$ ) . . . . . 103	<code>\bigcap</code> ( $\cap$ ) . . . . . 48
	<code>\beth</code> ( $\beth$ ) . . . . . 104	<code>\bigcap</code> ( $\cap$ ) . . . . . 47
	better . . . . . <i>see \triangleleft</i>	<code>\bigcap</code> ( $\cap$ ) . . . . . 49
	<code>\betteris</code> ( $\text{\textcircled{\texttriangleleft}}$ ) . . . . . 199	<code>\bigcapdot</code> ( $\text{\textcircled{\cap}}$ ) . . . . . 48
	<code>\between</code> ( $\bowtie$ ) . . . . . 56	<code>\bigcapdot</code> ( $\text{\textcircled{\cap}}$ ) . . . . . 47
	<code>\between</code> ( $\bowtie$ ) . . . . . 55	<code>\bigcapplus</code> ( $\text{\textcircled{\cap}}$ ) . . . . . 48
	<code>\between</code> ( $\bowtie$ ) . . . . . 62	<code>\bigcapplus</code> ( $\text{\textcircled{\cap}}$ ) . . . . . 47
	<code>\between</code> ( $\bowtie$ ) . . . . . 60	<code>\bigcirc</code> ( $\circ$ ) . . . . . 32
	<code>\between</code> ( $\bowtie$ ) . . . . . 57	

<code>\bigcirc</code> (○) .....	157	<code>\bigoplus</code> (⊕) .....	48	<code>\bigsqcapdot</code> (⊒) .....	49
<code>\bigcirc</code> (○) .....	157	<code>\bigodot</code> (⊙) .....	44	<code>\bigsqcapdot</code> (⊒) .....	47
<code>\bigcirc</code> (○) .....	159	<code>\bigoslash</code> (⊘) .....	44	<code>\bigsqcapplus</code> (⊒+) .....	45
<code>\BigCircle</code> (○) .....	159	<code>\bigoslash</code> (⊘) .....	48	<code>\bigsqcapplus</code> (⊒+) .....	49
<code>\BigCircle</code> (○) .....	160	<code>\bigoplus</code> (⊕) .....	44	<code>\bigsqcapplus</code> (⊒+) .....	47
<code>\bigcircle</code> (○) .....	47	<code>\bigocirc</code> (⊙) .....	44	<code>\bigsqcup</code> (⊔) .....	43
<code>\bigcoast</code> (⊛) .....	34	<code>\bigocirc</code> (⊙) .....	48	<code>\bigsqcup</code> (⊔) .....	48
<code>\bigcomplementtop</code> (⊃) .....	44	<code>\bigocoasterisk</code> (⊛) .....	45	<code>\bigsqcup</code> (⊔) .....	47
<code>\BigCross</code> (⊗) .....	159	<code>\bigodiv</code> (⊕) .....	45	<code>\bigsqcup</code> (⊔) .....	50
<code>\bigcup</code> (∪) .....	43	<code>\bigodot</code> (⊙) .....	43	<code>\bigsqcupdot</code> (⊔) .....	48
<code>\bigcup</code> (∪) .....	48	<code>\bigodot</code> (⊙) .....	48	<code>\bigsqcupdot</code> (⊔) .....	47
<code>\bigcup</code> (∪) .....	47	<code>\bigodot</code> (⊙) .....	48	<code>\bigsqcupplus</code> (⊔+) .....	45
<code>\bigcup</code> (∪) .....	49	<code>\bigodot</code> (⊙) .....	50	<code>\bigsqcupplus</code> (⊔+) .....	48
<code>\bigcupdot</code> (⊔) .....	48	<code>\bigoint</code> (∮) .....	47	<code>\bigsqcupplus</code> (⊔+) .....	48
<code>\bigcupdot</code> (⊔) .....	47	<code>\bigoints</code> (∮) .....	47	<code>\BigSquare</code> (□) .....	159
<code>\bigcupdot</code> (⊔) .....	50	<code>\bigointss</code> (∮) .....	47	<code>\bigsqplus</code> (⊔+) .....	44
<code>\bigcupplus</code> (⊔+) .....	48, 49	<code>\bigointsss</code> (∮) .....	47	<code>\bigstar</code> (★) .....	34
<code>\bigcupplus</code> (⊔+) .....	47, 48	<code>\bigointssss</code> (∮) .....	47	<code>\bigstar</code> (★) .....	130
<code>\bigcurlyvee</code> (∨) .....	44	<code>\bigoleft</code> (⊕) .....	45	<code>\bigstar</code> (★) .....	157
<code>\bigcurlyvee</code> (∨) .....	43	<code>\bigominus</code> (⊖) .....	45	<code>\bigstar</code> (★) .....	157
<code>\bigcurlyvee</code> (∨) .....	48	<code>\bigominus</code> (⊖) .....	47	<code>\bigstar</code> (★) .....	157
<code>\bigcurlyvee</code> (∨) .....	47	<code>\bigoplus</code> (⊕) .....	43	<code>\bigstar</code> (★) .....	157
<code>\bigcurlyveedot</code> (∨) .....	47	<code>\bigoplus</code> (⊕) .....	48	<code>\bigstar</code> (★) .....	158
<code>\bigcurlywedge</code> (∧) .....	44	<code>\bigoplus</code> (⊕) .....	47	<code>\bigtalloblong</code> (⏏) .....	50
<code>\bigcurlywedge</code> (∧) .....	43	<code>\bigoplus</code> (⊕) .....	50	<code>\bigtimes</code> (×) .....	44
<code>\bigcurlywedge</code> (∧) .....	48	<code>\bigoright</code> (⊕) .....	44	<code>\bigtimes</code> (⊗) .....	48
<code>\bigcurlywedge</code> (∧) .....	47	<code>\bigoslash</code> (⊘) .....	44	<code>\bigtimes</code> (⊗) .....	48
<code>\bigcurlywedgedot</code> (∧) .....	47	<code>\bigoslash</code> (⊘) .....	47	<code>\bigtimes</code> (⊗) .....	50
<code>\BigDiamondshape</code> (◇) .....	159	<code>\bigostar</code> (⊗) .....	47	<code>\bigtop</code> (⊤) .....	132
<code>\bigdoublecurlyvee</code> (⨆) .....	47	<code>\bigotimes</code> (⊗) .....	43	<code>\BigTriangleDown</code> (▽) .....	159
<code>\bigdoublecurlywedge</code> (⨆) .....	47	<code>\bigotimes</code> (⊗) .....	49	<code>\bigtriangledown</code> (▽) .....	43
<code>\bigdoublevee</code> (⨆) .....	48, 49	<code>\bigotimes</code> (⊗) .....	47	<code>\bigtriangledown</code> (▽ vs. ▽) .....	278
<code>\bigdoublevee</code> (⨆) .....	48	<code>\bigotimes</code> (⊗) .....	50	<code>\bigtriangledown</code> (▽) .....	32
<code>\bigdoublewedge</code> (⨆) .....	48, 49	<code>\bigotop</code> (⊕) .....	44	<code>\bigtriangledown</code> (▽) .....	77, 157
<code>\bigdoublewedge</code> (⨆) .....	48	<code>\bigotriangle</code> (⊕) .....	47	<code>\bigtriangledown</code> (▽) .....	76
<code>\Bigg</code> .....	277, 279	<code>\bigotriangleup</code> (⊕) .....	44	<code>\bigtriangledown</code> (▽) .....	158, 159
<code>\bigg</code> .....	277, 279	<code>\bigoverv</code> (⊕) .....	47	<code>\BigTriangleLeft</code> (◁) .....	159
<code>\biggassumption</code> (★) .....	145	<code>\bigovoid</code> (○) .....	44	<code>\bigtriangleleft</code> (◁) .....	158
<code>\BigHBar</code> (⎯) .....	159	<code>\bigparallel</code> (  ) .....	43	<code>\BigTriangleRight</code> (▷) .....	159
<code>\bigint</code> (∫) .....	47	<code>\bigparr</code> (⌘) .....	54	<code>\BigTriangleUp</code> (△) .....	159
<code>\biginterleave</code> (   ) .....	43	<code>\bigplus</code> (+) .....	44	<code>\bigtriangleup</code> (△) .....	43
<code>\biginterleave</code> (   ) .....	132	<code>\bigplus</code> (+) .....	49	<code>\bigtriangleup</code> (△ vs. Δ) .....	278
<code>bigints</code> (package) .....	47, 298, 299	<code>\bigplus</code> (+) .....	47	<code>\bigtriangleup</code> (△) .....	13, 32
<code>\bigints</code> (∫) .....	47	<code>\bigpumpkin</code> (🎃) .....	41	<code>\bigtriangleup</code> (△) .....	77, 157
<code>\bigintss</code> (∫) .....	47	<code>\BigRightDiamond</code> (◆) .....	159	<code>\bigtriangleup</code> (△) .....	76
<code>\bigintsss</code> (∫) .....	47	<code>\bigskull</code> (☠) .....	41	<code>\bigtriangleup</code> (△) .....	158, 159
<code>\bigintssss</code> (∫) .....	47	<code>\bigslopedvee</code> (∨) .....	37	<code>\biguplus</code> (⊕) .....	43
<code>\biginvamp</code> (⌘) .....	54	<code>\bigslopedwedge</code> (∧) .....	37	<code>\biguplus</code> (⊕) .....	49
<code>\BigLowerDiamond</code> (◆) .....	159	<code>\bigsqcap</code> (⊒) .....	44	<code>\biguplus</code> (⊕) .....	48
<code>\bignplus</code> (⊕) .....	43	<code>\bigsqcap</code> (⊒) .....	43	<code>\biguplus</code> (⊕) .....	50
<code>\bigO</code> (○) .....	100	<code>\bigsqcap</code> (⊒) .....	49	<code>\bigvarstar</code> (★) .....	34
<code>\bigO</code> (○) .....	100	<code>\bigsqcap</code> (⊒) .....	47	<code>\BigVBar</code> ( ) .....	159
<code>\bigoast</code> (⊛) .....	48	<code>\bigsqcap</code> (⊒) .....	50	<code>\bigvee</code> (∨) .....	43
				<code>\bigvee</code> (∨) .....	48
				<code>\bigvee</code> (∨) .....	48
				<code>\bigvee</code> (∨) .....	50
				<code>\bigveedot</code> (∨) .....	48
				<code>\bigveedot</code> (∨) .....	48

<code>\bigwedge</code> ( $\bigwedge$ )	43	blackboard bold	<i>see</i> alphabets, math	<code>\blacktriangle</code> ( $\blacktriangle$ )	40, 157
<code>\bigwedge</code> ( $\bigwedge$ )	48	<code>\blackbowtie</code> ( $\blackbowtie$ )	36	<code>\blacktriangle</code> ( $\blacktriangle$ )	40, 77
<code>\bigwedge</code> ( $\bigwedge$ )	48	<code>\blackcircledownarrow</code> ( $\blackcircledownarrow$ )	158	<code>\blacktriangle</code> ( $\blacktriangle$ )	76
<code>\bigwedge</code> ( $\bigwedge$ )	50	<code>\blackcircledrightdot</code> ( $\blackcircledrightdot$ )	158	<code>\blacktriangle</code> ( $\blacktriangle$ )	158
<code>\bigwedgedot</code> ( $\bigwedgedot$ )	48	<code>\blackcircledtwodots</code> ( $\blackcircledtwodots$ )	158	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	38
<code>\bigwedgedot</code> ( $\bigwedgedot$ )	48	<code>\blackcircleulquadwhite</code> ( $\blackcircleulquadwhite$ )	158	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	130
<code>\bigwhitestar</code> ( $\bigwhitestar$ )	158	<code>\blackdiamond</code> ( $\blackdiamond$ )	34	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	40, 157
<code>\bigwith</code> ( $\bigwith$ )	54	<code>\blackdiamond</code> ( $\blackdiamond$ )	40	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	40, 77
bikini ( $\bikini$ )	234	<code>\blackdiamonddownarrow</code> ( $\blackdiamonddownarrow$ )	158	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	76
billed cap ( $\billedcap$ )	234	<code>\BlackEmptySquare</code> ( $\BlackEmptySquare$ )	200	<code>\blacktriangledown</code> ( $\blacktriangledown$ )	158
<code>\binampersand</code> ( $\binampersand$ )	33	<code>\blackhourglass</code> ( $\blackhourglass$ )	41	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	38
<code>\binampersand</code> ( $\binampersand$ )	36	<code>\blackinwhitediamond</code> ( $\blackinwhitediamond$ )	158	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	75
binary operators	32–41	<code>\blackinwhitesquare</code> ( $\blackinwhitesquare$ )	158	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	40
binary relations	55–58, 60, 62–75, 96–98	<code>\BlackKingOnBlack</code> ( $\BlackKingOnBlack$ )	200	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	40, 77
negated	55–59, 61, 63, 65	<code>\BlackKingOnWhite</code> ( $\BlackKingOnWhite$ )	200	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	76
<code>\bindnasrepma</code> ( $\bindnasrepma$ )	33	<code>\BlackKnightOnBlack</code> ( $\BlackKnightOnBlack$ )	200	<code>\blacktriangleleft</code> ( $\blacktriangleleft$ )	158
<code>\bindnasrepma</code> ( $\bindnasrepma$ )	36	<code>\BlackKnightOnWhite</code> ( $\BlackKnightOnWhite$ )	200	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	38
<code>\Biohazard</code> ( $\Biohazard$ )	144	<code>\BlackKnightOnBlack</code> ( $\BlackKnightOnBlack$ )	200	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	75
<code>\biohazard</code> ( $\biohazard$ )	229	<code>\BlackKnightOnWhite</code> ( $\BlackKnightOnWhite$ )	200	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	40
biohazard ( $\biohazard$ )	234	<code>\blacklefthalfcircle</code> ( $\blacklefthalfcircle$ )	158	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	40, 77
biological symbols	143, 144	<code>\blacklozenge</code> ( $\blacklozenge$ )	130	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	76
bird ( $\bird$ )	209	<code>\blacklozenge</code> ( $\blacklozenge$ )	40, 157	<code>\blacktriangleright</code> ( $\blacktriangleright$ )	158
birds	165	<code>\blacklozenge</code> ( $\blacklozenge$ )	157	<code>\blacktriangleup</code> ( $\blacktriangleup$ )	38
birthday cake ( $\birthdaycake$ )	234	<code>\blacklozenge</code> ( $\blacklozenge$ )	157	<code>\blackwhitespoon</code> ( $\blackwhitespoon$ )	97
bishop	199, 200, 275–277	<code>\blacklozenge</code> ( $\blacklozenge$ )	159	blank	<i>see</i> <code>\text{blank}</code>
<code>\bishoppair</code> ( $\bishoppair$ )	199	<code>\BlackPawnOnBlack</code> ( $\BlackPawnOnBlack$ )	200	<code>\Bleech</code> ( $\Bleech$ )	205
bison ( $\bison$ )	234	<code>\BlackPawnOnWhite</code> ( $\BlackPawnOnWhite$ )	200	<code>\blender</code> ( $\blender$ )	229
<code>\Bja</code> ( $\Bja$ )	168	<code>\blackpointerleft</code> ( $\blackpointerleft$ )	158	<code>\blitza</code> ( $\blitza$ )	98
<code>\Bje</code> ( $\Bje$ )	168	<code>\blackpointerright</code> ( $\blackpointerright$ )	158	<code>\blitza</code> ( $\blitza$ )	31
<code>\Bjo</code> ( $\Bjo$ )	168	<code>\BlackQueenOnBlack</code> ( $\BlackQueenOnBlack$ )	200	<code>\blitzb</code> ( $\blitzb$ )	98
<code>\Bju</code> ( $\Bju$ )	168	<code>\BlackQueenOnWhite</code> ( $\BlackQueenOnWhite$ )	200	<code>\blitzc</code> ( $\blitzc$ )	98
<code>\Bka</code> ( $\Bka$ )	168	<code>\blackrighthalfcircle</code> ( $\blackrighthalfcircle$ )	158	<code>\blitzd</code> ( $\blitzd$ )	98
<code>\Bke</code> ( $\Bke$ )	168	<code>\BlackRookOnBlack</code> ( $\BlackRookOnBlack$ )	200	<code>\blitze</code> ( $\blitze$ )	98
<code>\Bki</code> ( $\Bki$ )	168	<code>\BlackRookOnWhite</code> ( $\BlackRookOnWhite$ )	200	<code>\blkhorzoval</code> ( $\blkhorzoval$ )	158
<code>\Bko</code> ( $\Bko$ )	168	<code>\blacksmiley</code> ( $\blacksmiley$ )	132	<code>\blkvertoval</code> ( $\blkvertoval$ )	158
<code>\Bku</code> ( $\Bku$ )	168	<code>\blacksmiley</code> ( $\blacksmiley$ )	202	block-element symbols	215
<code>\BL</code> ( $\BL$ )	141	<code>\blacksquare</code> ( $\blacksquare$ )	130	blossom ( $\blossom$ )	234
<code>\black</code>	201	<code>\blacksquare</code> ( $\blacksquare$ )	40, 157	blowfish ( $\blowfish$ )	209
black cat ( $\blackcat$ )	209	<code>\blacksquare</code> ( $\blacksquare$ )	39	blue book ( $\bluebook$ )	235
black circle ( $\blackcircle$ )	234	<code>\blackstone</code>	200	blue circle ( $\bluecircle$ )	235
black flag ( $\blackflag$ )	234	<code>\blacktriangle</code> ( $\blacktriangle$ )	130	blue heart ( $\blueheart$ )	235
black heart ( $\blackheart$ )	234			blue square ( $\bluesquare$ )	235
black large square ( $\blacklargesquare$ )	234			blueberries ( $\blueberries$ )	210
black medium square ( $\blackmediumsquare$ )	234			<code>\Bm</code> ( $\Bm$ )	213
black medium-small square ( $\blackmediumsmallsquare$ )	234			bm (package)	292, 298, 299
black nib ( $\blacknib$ )	234			<code>\bm</code>	292
black small square ( $\blacksmallsquare$ )	234			<code>\bm</code> ( $\bm$ )	213
black square button ( $\blacksquarebutton$ )	234			<code>\Bma</code> ( $\Bma$ )	168
<code>\BlackBishopOnBlack</code> ( $\BlackBishopOnBlack$ )	200			<code>\Bme</code> ( $\Bme$ )	168
<code>\BlackBishopOnWhite</code> ( $\BlackBishopOnWhite$ )	200			<code>\Bmesonminus</code> ( $B^-$ )	145
				<code>\Bmesonnull</code> ( $B^0$ )	145
				<code>\Bmesonplus</code> ( $B^+$ )	145
				<code>\Bmi</code> ( $\Bmi$ )	168
				<code>\Bmo</code> ( $\Bmo$ )	168
				<code>\bmod</code>	99
				<code>\Bmu</code> ( $\Bmu$ )	168

$\backslash\text{Bna}$ ( $\bar{Y}$ )	168	$\backslash\text{bond}$ ( $\text{—}$ )	145	$\backslash\text{boxbot}$ ( $\boxminus$ )	40
$\backslash\text{BNc}$ ( $\overset{\circ}{\circ}$ )	168	bone ( $\text{☞}$ )	235	$\backslash\text{boxbox}$ ( $\boxtimes$ )	33
$\backslash\text{BNcc}$ ( $\overset{\circ}{\circ}$ )	168	bookmark ( $\text{🔖}$ )	235	$\backslash\text{boxbox}$ ( $\boxtimes$ )	40
$\backslash\text{BNccc}$ ( $\overset{\circ\circ}{\circ}$ )	168	bookmark tabs ( $\text{🔖}$ )	235	$\backslash\text{boxbox}$ ( $\boxtimes$ )	39
$\backslash\text{BNcd}$ ( $\overset{\circ\circ}{\circ\circ}$ )	168	books ( $\text{📖}$ )	235	$\backslash\text{boxbox}$ ( $\boxtimes$ )	39
$\backslash\text{BNcm}$ ( $\overset{\circ\circ\circ\circ}{\circ\circ\circ\circ}$ )	168	Boolean domain ( $\mathbb{B}$ )	<i>see</i>	$\backslash\text{boxbox}$ ( $\boxtimes$ )	41
$\backslash\text{BNd}$ ( $\overset{\circ\circ\circ}{\circ}$ )	168	alphabets, math		$\backslash\text{boxbslash}$ ( $\boxslash$ )	33
$\backslash\text{BNdc}$ ( $\overset{\circ\circ\circ}{\circ\circ\circ}$ )	168	Boolean logic gates	142	$\backslash\text{boxbslash}$ ( $\boxslash$ )	40
$\backslash\text{BNdcc}$ ( $\overset{\circ\circ\circ\circ}{\circ\circ\circ\circ}$ )	168	boomerang ( $\text{🌀}$ )	235	$\backslash\text{boxbslash}$ ( $\boxslash$ )	40
$\backslash\text{BNdccc}$ ( $\overset{\circ\circ\circ\circ\circ}{\circ\circ\circ\circ\circ}$ )	168	boondox (emf package option)		$\backslash\text{boxbslash}$ ( $\boxslash$ )	41
$\backslash\text{Bne}$ ( $\text{⌞}$ )	168	..... 137		$\backslash\text{boxcirc}$ ( $\boxcirc$ )	38
$\backslash\text{Bni}$ ( $\text{'}^{\prime}$ )	168	borders	260–268	$\backslash\text{boxcircle}$ ( $\boxcircle$ )	33
$\backslash\text{Bni}$ ( $\text{Y}$ )	168	born	<i>see</i> $\backslash\text{textborn}$	$\backslash\text{boxcircle}$ ( $\boxcircle$ )	40
$\backslash\text{BNii}$ ( $\text{''}$ )	168	$\backslash\text{boseDistrib}$ ( $\text{℘}$ )	145	$\backslash\text{boxcircle}$ ( $\boxcircle$ )	41
$\backslash\text{BNiii}$ ( $\text{'''}$ )	168	$\backslash\text{Bosnia}$ ( $\text{⬤}$ )	220	$\backslash\text{boxcoasterisk}$ ( $\boxtimes$ )	38
$\backslash\text{BNiv}$ ( $\text{''''}$ )	168	$\backslash\text{boson}$ ( $\text{♯}$ )	145	$\backslash\text{boxdiag}$ ( $\boxtimes$ )	40
$\backslash\text{BNix}$ ( $\text{''''''}$ )	168	bosons	144	$\backslash\text{boxdiag}$ ( $\boxtimes$ )	41
$\backslash\text{BNl}$ ( $\text{≡}$ )	168	$\backslash\text{Bot}$ ( $\perp$ )	106	$\backslash\text{boxdiv}$ ( $\boxdiv$ )	38
$\backslash\text{BNlx}$ ( $\text{≡≡}$ )	168	$\backslash\text{bot}$ ( $\perp$ )	31, 104, 283	$\backslash\text{boxdivision}$ ( $\boxdiv$ )	40
$\backslash\text{BNlxx}$ ( $\text{≡≡≡}$ )	168	$\backslash\text{bot}$ ( $\perp$ )	105	$\backslash\text{boxdot}$ ( $\boxdot$ )	38
$\backslash\text{BNlxxx}$ ( $\text{≡≡≡≡}$ )	168	$\backslash\text{bot}$ ( $\perp$ )	104	$\backslash\text{boxdot}$ ( $\boxdot$ )	32, 33
$\backslash\text{BNm}$ ( $\text{⊖}$ )	168	$\backslash\text{bot}$ ( $\perp$ )	105	$\backslash\text{boxdot}$ ( $\boxdot$ )	40
$\backslash\text{Bno}$ ( $\text{⌌}$ )	168	$\backslash\text{botborder}$ ( $\text{⊥}$ )	201	$\backslash\text{boxdot}$ ( $\boxdot$ )	39
$\backslash\text{bNot}$ ( $\text{=}$ )	63	$\backslash\text{botdoteq}$ ( $\text{=}$ )	56	$\backslash\text{boxdot}$ ( $\boxdot$ )	39
$\backslash\text{Bnu}$ ( $\text{⌌}$ )	168	$\backslash\text{botsemicircle}$ ( $\text{⏟}$ )	158	$\backslash\text{boxdot}$ ( $\boxdot$ )	41
$\backslash\text{BNv}$ ( $\text{''}$ )	168	$\backslash\text{bottle}$ ( $\text{♫}$ )	229	$\backslash\text{boxdotLeft}$ ( $\boxleftarrow$ )	79
$\backslash\text{BNvi}$ ( $\text{''''}$ )	168	bottle with popping cork ( $\text{🍷}$ )	210	$\backslash\text{boxdotleft}$ ( $\boxleftarrow$ )	79
$\backslash\text{BNvii}$ ( $\text{''''''}$ )	168	$\backslash\text{Bottomheat}$ ( $\text{⊠}$ )	229	$\backslash\text{boxdotRight}$ ( $\boxrightarrow$ )	79
$\backslash\text{BNviii}$ ( $\text{''''''''}$ )	168	$\backslash\text{Bouquet}$ ( $\text{🌸}$ )	205	$\backslash\text{boxdotright}$ ( $\boxrightarrow$ )	79
$\backslash\text{Bnwa}$ ( $\text{⌌}$ )	168	bouquet ( $\text{🌸}$ )	235	$\backslash\text{boxempty}$ ( $\square$ )	33
$\backslash\text{BNx}$ ( $\text{̄}$ )	168	bow and arrow ( $\text{↔}$ )	235	boxing glove ( $\text{🥊}$ )	235
$\backslash\text{BNxc}$ ( $\text{≡≡≡}$ )	168	$\backslash\text{bowl}$ ( $\text{⌒}$ )	229	$\backslash\text{boxLeft}$ ( $\boxleftarrow$ )	79
$\backslash\text{BNxl}$ ( $\text{≡≡}$ )	168	bowl with spoon ( $\text{🥣}$ )	210	$\backslash\text{boxleft}$ ( $\boxleftarrow$ )	38
$\backslash\text{BNxx}$ ( $\text{̄}$ )	168	bowling ( $\text{🎳}$ )	235	$\backslash\text{boxleft}$ ( $\boxleftarrow$ )	79
$\backslash\text{BNxxx}$ ( $\text{̄}$ )	168	$\backslash\text{Bowtie}$ ( $\boxtimes$ )	202	$\backslash\text{boxleft}$ ( $\boxleftarrow$ )	40
$\backslash\text{Bo}$ ( $\text{⊠}$ )	168	$\backslash\text{bowtie}$ ( $\boxtimes$ )	54	$\backslash\text{boxminus}$ ( $\boxminus$ )	38
boar ( $\text{🐷}$ )	209	$\backslash\text{bowtie}$ ( $\boxtimes$ )	36	$\backslash\text{boxminus}$ ( $\boxminus$ )	32
boats	202–203	$\backslash\text{bowtie}$ ( $\boxtimes$ )	35, 36, 60	$\backslash\text{boxminus}$ ( $\boxminus$ )	40
body-text symbols	15–30	$\backslash\text{bowtie}$ ( $\boxtimes$ )	34, 35	$\backslash\text{boxminus}$ ( $\boxminus$ )	39
boisik (package)	36, 40, 49, 62, 63, 69, 74, 77, 89, 90, 103–106, 115, 129, 132, 157, 170, 174, 194, 298, 299	$\backslash\text{bowtie}$ ( $\boxtimes$ )	63	$\backslash\text{boxminus}$ ( $\boxminus$ )	41
bold symbols	292	$\backslash\text{Box}$ ( $\square$ )	130	$\backslash\text{boxonbox}$ ( $\boxplus$ )	158
$\backslash\text{boldmath}$	292	$\backslash\text{Box}$ ( $\square$ )	130	$\backslash\text{boxplus}$ ( $\boxplus$ )	38
$\backslash\text{boldsymbol}$	292	$\backslash\text{Box}$ ( $\square$ )	40	$\backslash\text{boxplus}$ ( $\boxplus$ )	32
$\backslash\text{BOLogo}$ ( $\text{⊠}$ )	205	$\backslash\text{Box}$ ( $\square$ )	39	$\backslash\text{boxplus}$ ( $\boxplus$ )	40
$\backslash\text{BOLogoL}$ ( $\text{⊠}$ )	205	$\backslash\text{Box}$ ( $\square$ )	159	$\backslash\text{boxplus}$ ( $\boxplus$ )	39
$\backslash\text{BOLogoP}$ ( $\text{⊠}$ )	205	box-drawing symbols	215	$\backslash\text{boxplus}$ ( $\boxplus$ )	39
bomb	246	$\backslash\text{boxast}$ ( $\boxast$ )	33	$\backslash\text{boxplus}$ ( $\boxplus$ )	41
$\backslash\text{bomb}$ ( $\text{💣}$ )	205	$\backslash\text{boxast}$ ( $\boxast$ )	40	$\backslash\text{boxRight}$ ( $\boxrightarrow$ )	79
bomb ( $\text{💣}$ )	235	$\backslash\text{boxast}$ ( $\boxast$ )	41	$\backslash\text{boxright}$ ( $\boxrightarrow$ )	38
		$\backslash\text{boxasterisk}$ ( $\boxast$ )	38	$\backslash\text{boxright}$ ( $\boxrightarrow$ )	79
		$\backslash\text{boxbackslash}$ ( $\boxbackslash$ )	38	$\backslash\text{boxright}$ ( $\boxrightarrow$ )	40
		$\backslash\text{boxbackslash}$ ( $\boxbackslash$ )	39	$\backslash\text{boxslash}$ ( $\boxslash$ )	38
		$\backslash\text{boxbackslash}$ ( $\boxbackslash$ )	39	$\backslash\text{boxslash}$ ( $\boxslash$ )	33
		$\backslash\text{boxbar}$ ( $\boxbar$ )	33	$\backslash\text{boxslash}$ ( $\boxslash$ )	40
		$\backslash\text{boxbar}$ ( $\boxbar$ )	40	$\backslash\text{boxslash}$ ( $\boxslash$ )	39
		$\backslash\text{boxbar}$ ( $\boxbar$ )	40	$\backslash\text{boxslash}$ ( $\boxslash$ )	39
		$\backslash\text{boxbar}$ ( $\boxbar$ )	41	$\backslash\text{boxtimes}$ ( $\boxtimes$ )	38
		$\backslash\text{boxbot}$ ( $\boxminus$ )	38	$\backslash\text{boxtimes}$ ( $\boxtimes$ )	32

<code>\boxtimes</code> (⊠) .....	40	<code>\Bpuii</code> (𐄱) .....	168	bright button (☀) .....	235
<code>\boxtimes</code> (⊠) .....	39	<code>\BPvola</code> (☾) .....	168	<code>\Bro</code> (†) .....	168
<code>\boxtimes</code> (⊠) .....	39	<code>\BPvolb</code> (♯) .....	168	broccoli (🥦) .....	210
<code>\boxtimes</code> (⊠) .....	41	<code>\BPvolcd</code> (⤴) .....	168	<code>\Broii</code> (♠) .....	168
<code>\boxtop</code> (⊠) .....	38	<code>\BPvolcf</code> (↶) .....	168	broken heart (💔) .....	235
<code>\boxtop</code> (⊠) .....	40	<code>\BPwheat</code> (🌾) .....	169	<code>\brokenvert</code> (⋮) .....	202
<code>\boxtriangle</code> (⊠) .....	40	<code>\BPwheel</code> (⊗) .....	169	Bronger, Torsten .....	283
<code>\boxtriangleup</code> (⊠) .....	38	<code>\BPwine</code> (🍷) .....	169	broom (🧹) .....	235
<code>\boxvert</code> (⊠) .....	39	<code>\BPwineiih</code> (🍷) .....	169	brooms .....	98, 123, 124
<code>\boxvert</code> (⊠) .....	39	<code>\BPwineiiih</code> (🍷) .....	169	brown circle (●) .....	235
<code>\boxvoid</code> (□) .....	38	<code>\BPwineivh</code> (🍷) .....	169	brown heart (♥) .....	235
<code>\boy</code> (👦) .....	138	<code>\BPwoman</code> (👩) .....	169	brown square (■) .....	235
boy (👦) .....	235	<code>\BPwool</code> (🐑) .....	169	<code>\Bru</code> (♯) .....	168
<code>\Bpa</code> (♯) .....	168	<code>\BPwta</code> (♯) .....	168	<code>\BS</code> (♠) .....	142
<code>\Bpaiii</code> (𐄱) .....	168	<code>\BPwtb</code> (♯) .....	168	<code>\Bsa</code> (♯) .....	168
<code>\BPamphora</code> (🏺) .....	169	<code>\BPwtc</code> (♯) .....	168	<code>\Bse</code> (♯) .....	168
<code>\BParrow</code> (➡) .....	169	<code>\BPwtd</code> (♯) .....	168	<code>\BSEfree</code> (☹) .....	144
<code>\BPbarley</code> (🌾) .....	169	<code>\Bqa</code> (♯) .....	168	<code>\Bsi</code> (♯) .....	168
<code>\BPbilly</code> (🐑) .....	169	<code>\Bqe</code> (♯) .....	168	<code>\bsimilarleftarrow</code> (↔) ..	90
<code>\BPboar</code> (🐷) .....	169	<code>\Bqi</code> (♯) .....	168	<code>\bsimilarrightarrow</code> (↔) ..	90
<code>\BPbronze</code> (🥉) .....	169	<code>\Bqo</code> (♯) .....	168	<code>\Bso</code> (♯) .....	168
<code>\BPbull</code> (🐮) .....	169	<code>\Bra</code> (♯) .....	168	<code>\bsolhsub</code> (ℳ) .....	69
<code>\BPcauldroni</code> (👹) .....	169	bra .....	107	<code>\BSpace</code> (⏏) .....	141
<code>\BPcauldronii</code> (👹) .....	169	<code>\braceld</code> (⌋) .....	287	<code>\Bsu</code> (♯) .....	168
<code>\BPchariot</code> (🏍) .....	169	<code>\bracerd</code> (⌋) .....	287	<code>\Bswa</code> (♯) .....	168
<code>\BPchassis</code> (🚗) .....	169	braces ... 15, 108–111, 117–120		<code>\Bswi</code> (♯) .....	168
<code>\BPcloth</code> (👚) .....	169	asymmetric .....	120	<code>\Bta</code> (♯) .....	168
<code>\BPcow</code> (🐮) .....	169	extensible .....	117–120	<code>\Btaii</code> (♯) .....	168
<code>\BPcup</code> (🍵) .....	169	multiline .....	120	<code>\Bte</code> (♯) .....	168
<code>\Bpe</code> (♯) .....	168	<code>\bracevert</code> (⌋) .....	108	<code>\Bti</code> (♯) .....	168
<code>\BPewe</code> (♯) .....	169	<code>\bracevert</code> (⌋) .....	109	<code>\btimes</code> (⊠) .....	36
<code>\BPfoal</code> (🐎) .....	169	<code>\bracevert</code> (⌋) .....	132	<code>\btimes</code> (⊠) .....	37
<code>\BPgoat</code> (🐐) .....	169	brackets .....	<i>see delimiters</i>	<code>\Bto</code> (♯) .....	168
<code>\BPgoblet</code> (🍷) .....	169	<code>\Brai</code> (𐄱) .....	168	<code>\Btu</code> (♯) .....	168
<code>\BPgold</code> (🥇) .....	169	<code>\Brai</code> (𐄱) .....	168	<code>\Btwe</code> (♯) .....	169
<code>\BPhorse</code> (🐎) .....	169	brain (🧠) .....	235	<code>\Btwo</code> (♯) .....	168
<code>\Bpi</code> (♯) .....	168	braket (package) .....	107	<code>\Bu</code> (♯) .....	168
<code>\BPman</code> (♯) .....	169	<code>\Bratpfanne</code> (🍳) .....	229	bubble tea (🧋) .....	210
<code>\BPnanny</code> (👩) .....	169	<code>\Bre</code> (♯) .....	168	Bucharest .....	223
<code>\Bpo</code> (♯) .....	168	bread (🍞) .....	210	bucket (🪣) .....	235
<code>\BPolive</code> (🫒) .....	169	<code>\Break</code> (⏏) .....	141	<code>\BUFd</code> (▽) .....	142
<code>\BPox</code> (♯) .....	169	breast-feeding (👶) .....	235	buffers .....	142
<code>\BPpig</code> (🐷) .....	169	<code>\breve</code> (˘) .....	115	<code>\BUFl</code> (◁) .....	142
<code>\BPram</code> (♯) .....	169	<code>\breve</code> (˘) .....	114	<code>\BUFr</code> (▷) .....	142
<code>\BPsheep</code> (🐑) .....	169	<code>\breve</code> (˘) .....	25	<code>\BUFu</code> (△) .....	142
<code>\BPsoy</code> (🥛) .....	169	breve (˘) .....	<i>see accents</i>	bug (🐛) .....	209
<code>\BPspear</code> (♯) .....	169	<code>\brevis</code> (˘) .....	214	<code>\BUi</code> (♯) .....	169
<code>\BPsword</code> (♯) .....	169	<code>\Bri</code> (♯) .....	168	<code>\BUii</code> (♯) .....	169
<code>\BPtalent</code> (♯) .....	168	bricks (🧱) .....	235	<code>\BUiii</code> (♯) .....	169
<code>\Bpte</code> (♯) .....	168	bridge at night (🌉) .....	235	building construction (🏗) ..	235
<code>\Bpu</code> (♯) .....	168	briefcase (👜) .....	235		
		briefs (👉) .....	235		



<code>\BUiv</code> (☉)	169
<code>\BUix</code> (☉)	169
<code>\Bulgaria</code> (⚡)	220
<code>bullet</code> (package)	212, 298, 299
<code>\bulletctr{⟨1⟩}</code> (•)	212
<code>\bulletctr{⟨2⟩}</code> (••)	212
<code>\bulletctr{⟨3⟩}</code> (•••)	212
<code>\bulletctr{⟨4⟩}</code> (••••)	212
<code>\bulletctr{⟨5⟩}</code> (•••••)	212
<code>\bulletctr{⟨6⟩}</code> (••••••)	212
<code>\bulletctr{⟨7⟩}</code> (•••••••)	212
<code>\bulletctr{⟨8⟩}</code> (••••••••)	212
<code>\bulletctr{⟨9⟩}</code> (•••••••••)	212
<code>bulldenum</code> (package)	212
<code>bulldenum</code>	212
<code>\bullet</code> (•)	32
<code>\bullet</code> (•)	40
<code>\bullet</code> (•)	34
<code>\bullet</code> (•)	41
<code>bullet train</code> (🚂)	203
<code>bullseye</code>	<i>see</i> <code>\textbullseye</code>
<code>\bullseye</code> (◎)	158
<code>bullseye</code> (◎)	235
<code>\Bumpedeq</code> (⇔)	56
<code>\bumpedeq</code> (⇔)	56
<code>\Bumpeq</code> (≈)	55
<code>\Bumpeq</code> (≈)	62
<code>\Bumpeq</code> (≈)	60
<code>\Bumpeq</code> (≈)	57
<code>\Bumpeq</code> (≈)	63
<code>\bumpeq</code> (≈)	55
<code>\bumpeq</code> (≈)	62
<code>\bumpeq</code> (≈)	60
<code>\bumpeq</code> (≈)	57
<code>\bumpeq</code> (≈)	63
<code>\bumpeqq</code> (≐)	60
<code>\bumpeqq</code> (≐)	63
<code>\bupperhand</code> (☞)	199

<code>\Burns</code> (👤)	214
<code>burrito</code> (🌮)	210
<code>bus</code> (🚌)	203
<code>bus stop</code> (🛑)	203
<code>buses</code>	202–203, 250–254
<code>bust in silhouette</code> (👤)	235
<code>busts in silhouette</code> (👤)	235
<code>\BusWidth</code> (↙)	142
<code>butter</code> (🧈)	210
<code>butterfly</code> (🦋)	209
<code>\BUv</code> (♁)	169
<code>\BUvi</code> (♁)	169
<code>\BUvii</code> (♁)	169
<code>\BUviii</code> (♁)	169
<code>\BUx</code> (♁)	169
<code>\BUxi</code> (♁)	169
<code>\BUxii</code> (♁)	169

<code>\Bwa</code> (♁)	168
<code>\Bwe</code> (♁)	168
<code>\Bwi</code> (♁)	168
<code>\Bwo</code> (♁)	168
<code>\BX</code> (□)	141
<code>\Bza</code> (♁)	168
<code>\Bze</code> (♁)	168
<code>\Bzo</code> (♁)	168

## C

































<code>\C</code> (♁)	22
<code>\C</code> ( )	213
<code>c</code> (esvect package option)	120
<code>\c</code> (♁)	22, 295
<code>\c</code> ( )	213
<code>\Ca</code> (♁)	169
<code>cactus</code> (🌵)	235
<code>\caesura</code> ( )	175





<code>cal</code> (emf package option)	137
<code>call me hand</code> (👉)	235
<code>calligra</code> (package)	134, 298, 299
<code>calligra</code> (emf package option)	137
<code>Calligra</code> (font)	134
<code>callouts</code>	247–250
<code>calrsfs</code> (package)	134
<code>camera</code> (📷)	235
<code>camera with flash</code> (📷)	235
<code>camping</code> (🏕️)	235
<code>\CAN</code> (†)	142
<code>cancel</code> (package)	117
<code>\Cancer</code> (☹️)	138
<code>\Cancer</code> (☹️)	140
<code>Cancer</code> (☹️)	235
<code>\cancer</code> (☹️)	137
<code>\Candle</code> (🕯️)	231
<code>candle</code> (🕯️)	235
<code>\candra</code> (♁)	115
<code>candy</code> (🍬)	210
<code>canned food</code> (🥫)	210
<code>canoe</code> (🚣)	203
<code>\Cap</code> (♁)	32
<code>\Cap</code> (♁)	36
<code>\Cap</code> (♁)	36
<code>\Cap</code> (♁)	35
<code>\Cap</code> (♁)	37
<code>\cap</code> (∩)	34
<code>\cap</code> (∩)	32
<code>\cap</code> (∩)	36
<code>\cap</code> (∩)	35
<code>\cap</code> (∩)	34
<code>\cap</code> (∩)	37
<code>\capbarcup</code> (∩)	37
<code>\capdot</code> (∩)	35
<code>\capdot</code> (∩)	34
<code>\capdot</code> (∩)	37
<code>\capovercup</code> (∩)	37

<code>\capplus</code> (∩)	35
<code>\capplus</code> (∩)	34
<code>\Capricorn</code> (♈)	138
<code>\Capricorn</code> (♈)	140
<code>Capricorn</code> (♈)	235
<code>\capricornus</code> (♈)	137
<code>\capturesymbol</code> (×)	199
<code>\capwedge</code> (∩)	37
<code>card file box</code> (🗄️)	235
<code>card index</code> (🗂️)	235
<code>card index dividers</code> (🗂️)	235
<code>card suits</code>	163, 194, 195, 246
<code>cardinality</code>	<i>see</i> <code>\aleph</code>
<code>care of</code> (c/o)	133
<code>caret</code>	<i>see</i> <code>\^</code>
<code>\caretinsert</code> (^)	132
<code>Carlisle, David</code>	1, 297, 298
<code>caron</code> (̂)	<i>see</i> <code>accents</code>
<code>carousel horse</code> (🎠)	235
<code>carp streamer</code> (🚣)	235
<code>carpentry saw</code> (🪚)	235
<code>carriage return</code>	235
<code>carriage return</code>	89–92, 141, 142, 162, 280, <i>see also</i>
<code>\hookleftarrow</code>	
<code>\carriagereturn</code> (↵)	89
<code>\carriagereturn</code> (↵)	90
<code>\carriagereturn</code> (↵)	162
<code>carrot</code> (🥕)	210
<code>cars</code>	202–203, 250–254
<code>Cartesian product</code>	<i>see</i> <code>\times</code>
<code>castle</code>	199, 200, 275–277
<code>castle</code> (🏰)	235
<code>\castlingchar</code> (O)	199
<code>\castlinghyphen</code> (-)	199
<code>\Cat</code> (🐱)	230
<code>cat face</code> (🐱)	209
<code>cat with tears of joy</code> (😹)	235
<code>cat with wry smile</code> (😼)	236
<code>cat2</code> (🐱)	209
<code>\catal</code> (∧)	214
<code>\Catalexis</code> (∧)	213
<code>\catalexis</code> (∧)	213
<code>catamorphism</code>	<i>see</i> <code>\llparenthesis</code> <i>and</i> <code>\rrparenthesis</code>
<code>\CB</code> (A)	141
<code>\cb</code> (A)	26
<code>\Cc</code> (  )	213
<code>\cc</code> (©)	29
<code>\cc</code> (  )	213
<code>\ccAttribution</code> (©)	29
<code>\ccby</code> (BY)	29
<code>\ccbyncnd</code> (©)(f)(S)(=)	29
<code>\Ccc</code> (  )	213
<code>\ccCopy</code> (©)	29
<code>\cChangey</code> (👉)	230
<code>ccicons</code> (package)	29, 298, 299
<code>ccllicenses</code> (package)	29, 298, 299

<code>\ccLogo</code> (©) . . . . .	29	chart decreasing (↘) . . . . .	236	cigarette (→) . . . . .	236
<code>\ccnc</code> (☹) . . . . .	29	chart increasing (↗) . . . . .	236	cinema (🎬) . . . . .	236
<code>\ccnd</code> (☹) . . . . .	29	chart increasing with yen (🇺🇸) 236		cipher symbols . . . . .	216
<code>\ccNoDerivatives</code> (⊖) . . . . .	29	Charter (font) . . . . .	27, 54	<code>\cirbot</code> (👤) . . . . .	63
<code>\ccNonCommercial</code> (Ⓜ) . . . . .	29	<code>\check</code> (☑) . . . . .	115	<code>\circ</code> (o) . . . . .	32, 133, 282
<code>\ccNonCommercialEU</code> (Ⓜ) . . . . .	29	<code>\check</code> (☑) . . . . .	114	<code>\circ</code> (o) . . . . .	40
<code>\ccNonCommercialJP</code> (Ⓜ) . . . . .	29	check box with check (☑) . . . . .	236	<code>\circ</code> (o) . . . . .	34
<code>\ccPublicDomain</code> (Ⓜ) . . . . .	29	check mark (✓) . . . . .	236	<code>\circ</code> (o) . . . . .	158, 159
<code>\ccRemix</code> (♻) . . . . .	29	check mark button (✓) . . . . .	236	<code>\circeq</code> (≐) . . . . .	56
<code>\ccsa</code> (♻) . . . . .	29	check marks . . . . .	16, 131–132, 152, 153, 162, 202, 205, 250–254, 278	<code>\circeq</code> (≐) . . . . .	55
<code>\ccSampling</code> (Ⓜ) . . . . .	29	<code>\checked</code> (✓) . . . . .	202	<code>\circeq</code> (≐) . . . . .	62
<code>\ccShare</code> (Ⓜ) . . . . .	29	<code>\CheckedBox</code> (☑) . . . . .	152	<code>\circeq</code> (≐) . . . . .	60
<code>\ccShareAlike</code> (Ⓜ) . . . . .	29	<code>\Checkedbox</code> (☑) . . . . .	152	<code>\circeq</code> (≐) . . . . .	57
<code>\ccwundercurvearrow</code> (↷) . . . . .	90	<code>\Checkmark</code> (✓) . . . . .	152	<code>\circeq</code> (≐) . . . . .	63
<code>\ccZero</code> (Ⓜ) . . . . .	29	<code>\checkmark</code> (✓) . . . . .	16	<code>\CIRCLE</code> (●) . . . . .	156
<code>\cdot</code> (·) . . . . .	32, 281	<code>\checkmark</code> (✓) . . . . .	162	<code>\Circle</code> (○) . . . . .	156
<code>\cdot</code> (·) . . . . .	36	<code>\checkmark</code> (✓) . . . . .	132	<code>\Circle</code> (○) . . . . .	159
<code>\cdot</code> (·) . . . . .	35, 126	<code>\checkmark</code> (✓) . . . . .	131	<code>\Circle</code> (○ vs. ○) . . . . .	278
<code>\cdot</code> (·) . . . . .	126	<code>\checkmark</code> (✓) . . . . .	131	<code>\circlearrowleft</code> (↶) . . . . .	79
<code>\cdot</code> (·) . . . . .	34, 126	<code>\checkmark</code> (✓) . . . . .	132	<code>\circlearrowleft</code> (↶) . . . . .	78
<code>\cdot</code> (·) . . . . .	126	<code>\checkmark</code> (✓ vs. ✓) . . . . .	278	<code>\circlearrowleft</code> (↶) . . . . .	89
<code>\cdottp</code> (·) . . . . .	125	<code>\CheckmarkBold</code> (✓) . . . . .	152	<code>\circlearrowleft</code> (↶) . . . . .	85
<code>\cdottp</code> (·) . . . . .	126	<code>\checksymbol</code> (+) . . . . .	199	<code>\circlearrowleft</code> (↶) . . . . .	81
<code>\cdottp</code> (·) . . . . .	126	cheese wedge (🧀) . . . . .	210	<code>\circlearrowright</code> (↷) . . . . .	90, 92
<code>\dots</code> (⋯) . . . . .	125	chemarr (package) . . . . .	121, 298, 299	<code>\circlearrowright</code> (↷) . . . . .	79
<code>\dots</code> (⋯) . . . . .	126	chemarrow (package) . . . . .	94, 122, 298	<code>\circlearrowright</code> (↷) . . . . .	78
<code>\dots</code> (⋯) . . . . .	126	<code>\chemarrow</code> (→) . . . . .	94	<code>\circlearrowright</code> (↷) . . . . .	89
<code>\CE</code> (Γ) . . . . .	141	Chen, Raymond . . . . .	300	<code>\circlearrowright</code> (↷) . . . . .	85
<code>\Ce</code> (✳) . . . . .	169	chequered flag (⚑) . . . . .	236	<code>\circlearrowright</code> (↷) . . . . .	81
Cedi . . . . .	<i>see</i> <code>\textcolonmonetary</code>	cherries (🍒) . . . . .	210	<code>\circlebottomhalfblack</code> (◐) . . . . .	158
cedilla (¸) . . . . .	<i>see</i> accents	cherry blossom (🌸) . . . . .	236	circled M (Ⓜ) . . . . .	236
celestial bodies . . . . .	137–140, 216, 217, 257–260	chess pawn (♟) . . . . .	236	circled numerals . . . . .	153, 154, 200, 201, 275
<code>\celsius</code> (°C) . . . . .	136	chess symbols . . . . .	199, 200, 275–277	<code>\CircledA</code> (Ⓐ) . . . . .	205
<code>\Celtcross</code> (☩) . . . . .	205	<code>\chesscomment</code> (RR) . . . . .	199	<code>\circledast</code> (⊛) . . . . .	32
Celtic knots . . . . .	264–268	<code>\chessetc</code> (  ) . . . . .	199	<code>\circledast</code> (⊛) . . . . .	40
<code>\cent</code> (¢) . . . . .	27	<code>\chesssee</code> (—) . . . . .	199	<code>\circledast</code> (⊛) . . . . .	40
<code>\centerdot</code> (▪) . . . . .	34	chestnut (🌰) . . . . .	236	<code>\circledast</code> (⊛) . . . . .	39
<code>\centerdot</code> (·) . . . . .	35	chevrons . . . . .	148	<code>\circledast</code> (⊛) . . . . .	41
<code>\centerdot</code> (·) . . . . .	32	<code>\Chi</code> (X) . . . . .	101	<code>\circledbar</code> (⊞) . . . . .	33
<code>\centerdot</code> (·) . . . . .	36	<code>\chi</code> (χ) . . . . .	101	<code>\circledbslash</code> (⊟) . . . . .	33
<code>\centerdot</code> (·) . . . . .	126	chicken (🐔) . . . . .	209	<code>\circledbullet</code> (●) . . . . .	158
centernot (package) . . . . .	283	child (👦) . . . . .	236	<code>\circledcirc</code> (⊙) . . . . .	32
<code>\centernot</code> . . . . .	283	children crossing (🚶) . . . . .	236	<code>\circledcirc</code> (⊙) . . . . .	40
centigrade . . . . .	<i>see</i> <code>\textcelsius</code>	<code>\GfNA2e</code> (package) . . . . .	27, 100, 135, 216–218	<code>\circledcirc</code> (⊙) . . . . .	40
<code>\centre</code> (⊞) . . . . .	199	china2e (package) . . . . .	134, 298, 299	<code>\circledcirc</code> (⊙) . . . . .	39
cents . . . . .	<i>see</i> <code>\textcent</code>	chipmunk (🐿) . . . . .	209	<code>\circledcirc</code> (⊙) . . . . .	41
<code>\Ceres</code> (♃) . . . . .	140	<code>\Chiron</code> (♄) . . . . .	140	<code>\circleddash</code> (⊖) . . . . .	32
<code>\CEsign</code> (€) . . . . .	144	<code>\chiup</code> (χ) . . . . .	102	<code>\circleddash</code> (⊖) . . . . .	40
<code>\Cga</code> (⌘) . . . . .	169	chocolate bar (🍫) . . . . .	210	<code>\circleddash</code> (⊖) . . . . .	40
chains (🔗) . . . . .	236	chopsticks (🥢) . . . . .	210	<code>\circleddash</code> (⊖) . . . . .	39
<code>\Chair</code> (🪑) . . . . .	231	chorus (emf package option) . . . . .	137	<code>\circleddash</code> (⊖) . . . . .	41
chair (🪑) . . . . .	236	Christmas tree (🎄) . . . . .	236	<code>\circleddot</code> . . . . .	<i>see</i> <code>\odot</code>
chancery (package) . . . . .	298	church (🏪) . . . . .	236	<code>\circleddotleft</code> (↵) . . . . .	79
<code>\changenotsign</code> . . . . .	57	<code>\Ci</code> (✳) . . . . .	169	<code>\circleddotright</code> (↶) . . . . .	79
<code>\Changey</code> (☺) . . . . .	230			<code>\CircledEq</code> (⊜) . . . . .	62
<code>\char</code> . . . . .	13, 280, 290, 293, 297				

<code>\circledequal</code> (⊖) . . . . .	40	<code>circumflex</code> (̂) . . . . .	<i>see</i> accents	<code>\ClockFrametrue</code> . . . . .	208
<code>\circledequal</code> (⊖) . . . . .	41	<code>\circumflexus</code> (̂) . . . . .	25	<code>\ClockLogo</code> (⌚) . . . . .	205
<code>\circledgtr</code> (⊗) . . . . .	56	circus tent (🎪) . . . . .	236	<code>\ClockStyle</code> . . . . .	208
<code>\circledless</code> (⊗) . . . . .	56	<code>\cirE</code> (⊖) . . . . .	159	<code>\clocktime</code> . . . . .	208
<code>\circledminus</code> . . . . .	<i>see</i> <code>\ominus</code>	<code>\cirfnint</code> (∫) . . . . .	52	clockwise vertical arrows (⌚) 236	
<code>\circledotleft</code> . . . . .	<i>see</i>	<code>\cirfnint</code> (∫) . . . . .	50	closed book (📖) . . . . .	236
<code>\circleddotleft</code>		<code>\cirfnintsl</code> (∫) . . . . .	51	closed mailbox with lowered flag	
<code>\circleddotright</code> . . . . .	<i>see</i>	<code>\cirfnintup</code> (∫) . . . . .	51	(📧) . . . . .	236
<code>\circleddotright</code>		<code>\cirmid</code> (∩) . . . . .	97	closed mailbox with raised flag	
<code>\circleddotright</code>		<code>\cirmid</code> (∩) . . . . .	63	(📧) . . . . .	236
<code>\circleddownarrow</code> (⊖) . . . . .	158	<code>\cirscir</code> (⊖) . . . . .	159	closed umbrella (☂) . . . . .	236
<code>\circledparallel</code> (⊖) . . . . .	41	cityscape (🏙) . . . . .	236	<code>\closedcurlyvee</code> (∇) . . . . .	34
<code>\circledplus</code> . . . . .	<i>see</i> <code>\oplus</code>	cityscape at dusk (🌃) . . . . .	236	<code>\closedcurlywedge</code> (∧) . . . . .	34
<code>\circledR</code> (®) . . . . .	16, 104	<code>\Cja</code> (∅) . . . . .	169	<code>\closedequal</code> (≡) . . . . .	57
<code>\circledR</code> (®) . . . . .	105	<code>\Cjo</code> (∨) . . . . .	169	<code>\closedniomega</code> (ω) . . . . .	20
<code>\circledrightrightdot</code> (⊖) . . . . .	158	<code>\Cka</code> (⊥) . . . . .	169	<code>\closedprec</code> (≺) . . . . .	57
<code>\circledS</code> (Ⓢ) . . . . .	104	<code>\Cke</code> (×) . . . . .	169	<code>\closedrepspsilon</code> (ε) . . . . .	20
<code>\circledS</code> (Ⓢ) . . . . .	105	<code>\Cki</code> (∫) . . . . .	169	<code>\closedsucc</code> (≻) . . . . .	57
<code>\circledslash</code> . . . . .	<i>see</i> <code>\oslash</code>	<code>\Cko</code> (∩) . . . . .	169	<code>\closedvarcap</code> (∩) . . . . .	37
<code>\circledstar</code> (⊛) . . . . .	158	<code>\Cku</code> (×) . . . . .	169	<code>\closedvarcup</code> (∪) . . . . .	37
<code>\circledtimes</code> . . . . .	<i>see</i> <code>\otimes</code>	CL button (🔘) . . . . .	236	<code>\closedvarcupsmashprod</code> (∩) 37	
<code>\circledtwodots</code> (⊖) . . . . .	158	<code>\Cla</code> (∨) . . . . .	169	<code>\closure</code> (⊖) . . . . .	114
<code>\circledvee</code> (∨) . . . . .	33	clamp (🔧) . . . . .	236	<code>\closure</code> (⊖) . . . . .	60, 98
<code>\circledvert</code> (∅) . . . . .	40	clapper board (🎬) . . . . .	236	<code>\closure</code> (⊖) . . . . .	63
<code>\circledvert</code> (∅) . . . . .	41	clapping hands (👐) . . . . .	236	<code>\Cloud</code> (☁) . . . . .	206
<code>\circledwedge</code> (∅) . . . . .	33	classical building (🏛) . . . . .	236	cloud (☁) . . . . .	206
<code>\circledwhitebullet</code> (⊖) . . . . .	158	<code>\Cle</code> (∅) . . . . .	169	cloud with lightning (⚡) . . . . .	206
<code>\circlehbar</code> (⊖) . . . . .	41	<code>\CleaningA</code> (ⓐ) . . . . .	205	cloud with lightning and rain (⚡☁)	
<code>\circleleft</code> (←○) . . . . .	79	<code>\CleaningF</code> (ⓕ) . . . . .	205	. . . . .	206
<code>\circlelefthalfblack</code> (◐) . . . . .	158	<code>\CleaningFF</code> (ⓕ) . . . . .	205	cloud with rain (☔) . . . . .	206
<code>\circlellquad</code> (⊖) . . . . .	158	<code>\CleaningP</code> (ⓖ) . . . . .	205	cloud with snow (❄) . . . . .	206
<code>\circlelrquad</code> (⊖) . . . . .	158	<code>\CleaningPP</code> (ⓖ) . . . . .	205	clouds . . . . .	41
<code>\circleonleftarrow</code> (↔) . . . . .	91	<code>\clefC</code> (♩) . . . . .	179	clovers . . . . .	154, 155
<code>\circleonrightarrow</code> (↔) . . . . .	91	<code>\clefCInline</code> . . . . .	179	clown face (🤡) . . . . .	236
<code>\circletright</code> (○→) . . . . .	79	<code>\clefF</code> (♭) . . . . .	179	<code>\Clu</code> (♠) . . . . .	169
<code>\circletrighthalfblack</code> (◑) . . . . .	158	<code>\clefFInline</code> . . . . .	179	club suit (♣) . . . . .	195
circles . . . . .	140, 156–163, 200, 201, 219, 255–257, 261–262, 273	<code>\clefG</code> (♩) . . . . .	179	clubs . . . . .	163, 194, 195
<code>\CircleShadow</code> (○) . . . . .	160	<code>\clefGInline</code> . . . . .	179	<code>\clubsuit</code> (♣) . . . . .	194
<code>\CircleSolid</code> (●) . . . . .	160	clefs . . . . .	175–176, 179, 185, 246	<code>\clubsuit</code> (♣) . . . . .	194
<code>\circlet</code> (○) . . . . .	161	<code>\Cli</code> (≦) . . . . .	169	<code>\clubsuit</code> (♣) . . . . .	194
<code>\circletcross</code> (⊗) . . . . .	161	<code>\clickb</code> (⊖) . . . . .	20	<code>\clubsuit</code> (♣) . . . . .	194
<code>\circletdot</code> (⊖) . . . . .	161	<code>\clickc</code> (C) . . . . .	20	<code>\clubsuit</code> (♣) . . . . .	194
<code>\circletfill</code> (●) . . . . .	161	<code>\clickt</code> (t) . . . . .	20	clutch bag (👛) . . . . .	236
<code>\circletfillha</code> (◐) . . . . .	161	clinking beer mugs (🍻) . . . . .	211	<code>\Cma</code> (×) . . . . .	169
<code>\circletfillhb</code> (◑) . . . . .	161	clinking glasses (🍷) . . . . .	211	<code>\Cme</code> (×) . . . . .	169
<code>\circletfillhl</code> (◐) . . . . .	161	clipboard (📄) . . . . .	236	<code>\Cmi</code> (∨) . . . . .	169
<code>\circletfillhr</code> (◐) . . . . .	161	<code>\Clo</code> (+) . . . . .	169	cmll (package) . . . . .	31, 38, 54, 67, 106, 298
<code>\circletlineh</code> (⊖) . . . . .	161	clock (package) . . . . .	208, 298, 299	<code>\Cmo</code> (∅) . . . . .	169
<code>\circletlinev</code> (∅) . . . . .	161	<code>\clock</code> (⊖) . . . . .	202	cmr (emf package option) . . . . .	137
<code>\circletlinevh</code> (⊖) . . . . .	161	<code>\clock</code> (⌚) . . . . .	208	<code>\Cmu</code> (×) . . . . .	169
<code>\circletophalfblack</code> (◑) . . . . .	158	clock symbols . . . . .	202, 205, 207, 208, 246	cmupint (package) . . . . .	52, 53, 298, 299
<code>\circleulquad</code> (⊖) . . . . .	158	<code>\ClockFramefalse</code> . . . . .	208	<code>\Cna</code> (↑) . . . . .	169
<code>\circleurquad</code> (⊖) . . . . .	158			<code>\Cne</code> (↑) . . . . .	169
<code>\circleurquadblack</code> (⊖) . . . . .	158			<code>\Cni</code> (∫) . . . . .	169
<code>\circlevertfill</code> (⊖) . . . . .	158			<code>\Cno</code> (∫) . . . . .	169
<code>\Circpipe</code> (⊖) . . . . .	143				
<code>\cirplus</code> (‡) . . . . .	34				
<code>\cirplus</code> (‡) . . . . .	36				
<code>\Circsteel</code> (●) . . . . .	143				

<code>\Cnu</code> ( $\nu$ )	169	<code>\Colonsim</code> ( $::\sim$ )	65	<code>\Congruent</code> ( $\equiv$ )	128
<code>\CD</code> ( $\curvearrowright$ )	141	<code>\colonsim</code> ( $:\sim$ )	67	congruent	<i>see</i> <code>\equiv</code>
<code>\Co</code> ( $\curvearrowright$ )	169	<code>\colonsim</code> ( $:\sim$ )	65	<code>\conictaper</code> ( $\triangleright$ )	132
<code>\coAsterisk</code> ( $*$ )	34	<code>\colonsim</code> ( $:\sim$ )	56	<code>\conjquant</code> ( $\bigwedge$ )	49
<code>\coAsterisk</code> ( $*$ )	36	combelow (package)	26, 298, 299	<code>\conjquant</code> ( $\bigwedge$ )	50
<code>\coasterisk</code> ( $*$ )	34	combinatorial logic gates	142	<code>\Conjunction</code> ( $\sigma$ )	140
coat (  )	236	comet (  )	236	<code>\conjunction</code> ( $\sigma$ )	137
cockroach (  )	209	comma-below accent ( $\underset{\sim}{,}$ )	<i>see</i> accents	conjunction, logical	<i>see</i> <code>\wedge</code>
cocktail glass (  )	211	<code>\commaminus</code> ( $\pm$ )	37	<i>and</i> <code>\&amp;</code>	
coconut (  )	211	communication symbols	143	consequence relations	65
<code>\Coda</code> (  )	175	commutative diagrams	284	construction (  )	203
<code>\coda</code> (  )	175	<code>comp.text.tex</code> (newsgroup)	14, 31, 32, 280–284, 286	construction worker (  )	237
code page 1252	294	compass	255–257	contradiction symbols	31, 98
table	296	compass (  )	236	control characters	142
code page 437	142, 215, 293	<code>\compensation</code> ( $\overline{\infty}$ )	199	control knobs ( $\otimes$ )	237
<code>\Coffeecup</code> (  )	205, 231	<code>\complement</code> ( $\complement$ )	104	<code>\Conv</code> (Conv)	100
coffin (  )	236	<code>\complement</code> ( $\complement$ )	104	convenience store (  )	237
<code>\coh</code> ( $\subset$ )	67	<code>\complement</code> ( $\complement$ )	105	converse implication	<i>see</i>
coin (  )	236	<code>\complement</code> ( $\complement$ )	105	<code>\leftarrow</code> <i>and</i> <code>\subset</code>	
coins, ancient	28	<code>\complement</code> ( $\complement$ )	105	converse nonimplication	<i>see</i>
cold face (  )	236	<code>\complement</code> ( $\complement$ )	47	<code>\nleftarrow</code> <i>and</i> <code>\nsubset</code>	
collision (  )	236	<code>\complement</code> ( $\complement$ )	105	<code>\convolution</code> ( $*$ )	34
<code>\Colon</code> ( $::$ )	126	complete shuffle product ( $\boxplus$ )	38	<code>\convolution</code> ( $*$ )	36
<code>\Colon</code> ( $::$ )	126	<code>\COMPLEX</code> ( $\mathbb{C}$ )	100	cook (  )	237
<code>\colon</code>	125	<code>\Complex</code> ( $\mathbb{C}$ )	100	cooked rice (  )	211
<code>\colon</code> ( $:$ )	125	complex numbers ( $\mathbb{C}$ )	<i>see</i> alphabets, math	<code>\cooker</code> (  )	229
<code>\colon</code> ( $:$ )	126	composited accents	22	cookie (  )	211
<code>\colon</code> ( $:$ )	126	Comprehensive T <sub>E</sub> X Archive Network	1, 13, 117, 135, 142, 277, 294, 297, 298	cooking (  )	211
<code>\Colonapprox</code> ( $::\approx$ )	56	work		cooking symbols	229, 250–254
<code>\Colonapprox</code> ( $::\approx$ )	65	computer (  )	236	cookingsymbols (package)	229, 298, 299
<code>\colonapprox</code> ( $:\approx$ )	67	computer disk (  )	236	COOL button (  )	237
<code>\colonapprox</code> ( $\approx$ )	65	computer hardware symbols	141, 232–245, 247–250	<code>\Cooley</code> (  )	230
<code>\colonapprox</code> ( $\approx$ )	56	computer keys	141	<code>\Coppa</code> ( $\wp$ )	170
<code>\coloncolon</code> ( $::$ )	67	Computer Modern (font)	95, 277, 279, 293	<code>\coppa</code> ( $\wp$ )	170
<code>\coloncolonapprox</code> ( $::\approx$ )	67	computer mouse (  )	236	<code>\coprod</code> ( $\coprod$ )	31, 43
<code>\coloncolonequals</code> ( $::=$ )	67	computer symbols	250–254	<code>\coprod</code> ( $\coprod$ )	48
<code>\coloncolonminus</code> ( $::-$ )	67	<code>\ComputerMouse</code> (  )	141	<code>\coprod</code> ( $\coprod$ )	47
<code>\coloncolonsim</code> ( $::\sim$ )	67	<code>\concavediamond</code> ( $\diamond$ )	41	<code>\coprod</code> ( $\coprod$ )	49
<code>\Coloneq</code> ( $::=-$ )	56	<code>\concavediamondtickleft</code> ( $\diamond$ )	41	copyright	15, 16, 28, 29, 295
<code>\Coloneq</code> ( $::-$ )	65	<code>\concavediamondtickright</code> ( $\diamond$ )	41	<code>\copyright</code> ( $\copyright$ )	16
<code>\Coloneq</code> ( $\#=-$ )	63	<code>\Conclusion</code> ( $\Rightarrow$ )	128	<code>\copyright</code> ( $\copyright$ )	16
<code>\coloneq</code> ( $\#=-$ )	31, 56	<code>\conductivity</code> ( $\otimes$ )	145	copyright ( $\copyright$ )	237
<code>\coloneq</code> ( $:-$ )	65	confetti ball (  )	237	<code>\corner</code> ( $\ulcorner$ )	26
<code>\coloneq</code> ( $:-$ )	56	confounded face (  )	237	corners, box	215
<code>\coloneq</code> ( $:=$ )	60	confused face (  )	237	<code>\corona</code> ( $\curvearrowright$ )	214
<code>\coloneq</code> ( $:=$ )	57	<code>\cong</code> ( $\cong$ )	54	<code>\coronainv</code> ( $\curvearrowleft$ )	214
<code>\coloneq</code> ( $:=$ )	64	<code>\cong</code> ( $\cong$ )	62	<code>\Corresponds</code> ( $\cong$ )	128
<code>\Coloneqq</code> ( $::=$ )	56	<code>\cong</code> ( $\cong$ )	60	<code>\corresponds</code> ( $\cong$ )	56
<code>\Coloneqq</code> ( $::=$ )	65	<code>\cong</code> ( $\cong$ )	60	<code>\corresponds</code> ( $\cong$ )	62
<code>\coloneqq</code> ( $:=$ )	65	<code>\cong</code> ( $\cong$ )	57	<code>\cos</code> (cos)	99, 291
<code>\coloneqq</code> ( $:=$ )	31, 56	<code>\cong</code> ( $\cong$ )	64	<code>\cosh</code> (cosh)	99
<code>\coloneqq</code> ( $:=$ )	60	<code>\congdot</code> ( $\cong\dot{\phantom{x}}$ )	64	<code>\cot</code> (cot)	99
colonequals (package)	31, 67, 298, 299			<code>\coth</code> (coth)	99
<code>\colonequals</code> ( $:=$ )	31, 67			couch and lamp (  )	237
<code>\colonminus</code> ( $:-$ )	67			counterclockwise arrows button	237
<code>\Colonsim</code> ( $::\sim$ )	56			(  )	237
				<code>\counterplay</code> ( $\Leftrightarrow$ )	199




















































counties	222	<code>\crossd</code> (ḁ)	20	<code>\Ctrl</code> (  )	141
Romanian	222	crossed fingers (✌)	237	<code>\Ctu</code> (  )	169
countries	219	crossed flags (✠)	237	<code>\Cu</code> (  )	169
European	219	crossed swords (⚔)	237	<code>\Cube</code> (  )	197, 280
<code>\countriesofeuropa</code> (package)	219, 298, 299	<code>\CrossedBox</code> (⌘)	152	cube root	<i>see</i> <code>\sqrt</code>
<code>\countriesofeuropfamily</code>	221	<code>\CrossedBox</code> (⌘)	152	cube rotations	254
couple with heart (💞)	237	<code>\Crossedbox</code> (⌘)	152	cucumber (🥒)	211
couplekiss (💏)	237	crosses	151, 152, 162, 186–191, 200, 201, 205, 255–257	<code>\Cup</code> (☉)	32
Courier (font)	27	<code>\crossh</code> (h)	20	<code>\Cup</code> (☉)	36
<code>\Cov</code> (Cov)	100	<code>\crossing</code> (x)	60	<code>\Cup</code> (☉)	36
<code>\cov</code> (cov)	100	<code>\CrossMaltese</code> (⌘)	151	<code>\Cup</code> (☉)	35
<code>\covbond</code> (⊕)	145	<code>\crossnilambda</code> (λ)	20	<code>\Cup</code> (☉)	37
cow face (🐮)	209	<code>\CrossOpenShadow</code> (†)	151	<code>\cup</code> (∪)	34
cow2 (🐮)	209	<code>\CrossOutline</code> (†)	151	<code>\cup</code> (∪)	32, 281, 291
cowboy hat	116	crotchet	<i>see</i> musical symbols	<code>\cup</code> (∪)	36
cowboy hat face (👨)	237	<code>\crotchet</code> (♩)	178	<code>\cup</code> (∪)	35
CP1252	<i>see</i> code page 1252	<code>\crotchetDotted</code> (♩)	178	<code>\cup</code> (∪)	34
CP437	<i>see</i> code page 437	<code>\crotchetDottedDouble</code> (♩)	178	<code>\cup</code> (∪)	37
<code>\Cpa</code> (†)	169	<code>\crotchetDottedDoubleDown</code> (♩)	179	cup with straw (🥛)	211
<code>\Cpe</code> (♩)	169	<code>\crotchetDottedDown</code> (♩)	179	<code>\cupbarcap</code> (∪̄)	37
<code>\Cpi</code> (∩)	169	<code>\crotchetDown</code> (♩)	179	cupcake (🍰)	211
<code>\Cpo</code> (♩)	169	<code>\crotchetRest</code> (♩)	180	<code>\cupdot</code> (∪)	35
<code>\Cpu</code> (∩)	169	<code>\crotchetRestDotted</code> (♩)	180	<code>\cupdot</code> (∪)	34
<code>\CR</code> (∅)	141, 142	crone	116	<code>\Cupido</code> (♄)	140
<code>\cr</code>	282	crone (👵)	237	<code>\cupleftarrow</code> (∪)	36, 89
<code>\Cra</code> (∩)	169	<code>\crtilde</code> (ã)	24	<code>\cupleftarrow</code> (∪)	37
crab (🦀)	209	<code>\Cru</code> (∩)	169	<code>\cupovercap</code> (∪̄)	37
crayon (🖍)	237	crucifixes	151, 152, 205, 255–257	<code>\cupplus</code> (∪)	35, 36
<code>\Cre</code> (↑)	169	<code>\Crux</code> (†)	114	<code>\cupplus</code> (∪)	34, 35
Creative Commons licenses	28, 29	<code>\crux</code> (†)	114	<code>\cupvee</code> (∪)	37
credit card (💳)	237	crying cat (😹)	237	<code>\curl</code> (↪)	100
crescent (fge package option)	115	crying face (😓)	237	curling stone (🥱)	237
crescent moon (🌙)	217	cryst (package)	273, 298	curly hair (👩)	237
<code>\crescHairpin</code> (≪)	180	crystal ball (🔮)	237	curly loop (∮)	237
<code>\Cri</code> (✓)	169	crystallography symbols	273	<code>\curlyc</code> (€)	20
cricket (🏏)	209	<code>\CS</code> (∕)	141	<code>\curlyeqprec</code> (≪)	56
cricket game (🏏)	237	<code>\Csa</code> (∨)	169	<code>\curlyeqprec</code> (≪)	55
<code>\Cro</code> (∩)	169	<code>\csc</code> (csc)	99	<code>\curlyeqprec</code> (≪)	62
<code>\Croatia</code> (☞)	220	<code>\csch</code> (csch)	100	<code>\curlyeqprec</code> (≪)	60
crocodile (🐊)	209	<code>\Cse</code> (∩)	169	<code>\curlyeqprec</code> (≪)	57
croissant (🥐)	211	<code>\cshuffle</code> (⊞)	38	<code>\curlyeqprec</code> (≪)	64
<code>\Cross</code> (†)	205	<code>\Csi</code> (↑)	169	<code>\curlyeqsucc</code> (≻)	56
<code>\Cross</code> (†)	151	<code>\Cso</code> (≡)	169	<code>\curlyeqsucc</code> (≻)	55
<code>\Cross</code> (X)	159	<code>\Csu</code> (⋈)	169	<code>\curlyeqsucc</code> (≻)	62
<code>\Cross</code> (X)	160	<code>\csub</code> (⊂)	69	<code>\curlyeqsucc</code> (≻)	60
<code>\Cross</code> († vs. † vs. X)	278	<code>\csube</code> (⊆)	69	<code>\curlyeqsucc</code> (≻)	57
<code>\cross</code> (*)	173	<code>\csup</code> (⊃)	69	<code>\curlyeqsucc</code> (≻)	64
cross mark (✖)	237	<code>\csupe</code> (⊇)	69	<code>\curlyesh</code> (ƒ)	20
cross mark button (⊗)	237	<code>\Cta</code> (†)	169	<code>\curlyvee</code> (∨)	34
cross ratio	<i>see</i> <code>\textrecipe</code>	CTAN	<i>see</i> Comprehensive T <sub>E</sub> X Archive Network	<code>\curlyvee</code> (∨)	32
<code>\crossb</code> (b)	20	<code>\Cte</code> (↓)	169	<code>\curlyvee</code> (∨)	36
<code>\CrossBoldOutline</code> (†)	151	<code>\Cti</code> (↑)	169	<code>\curlyvee</code> (∨)	35
<code>\CrossClowerTips</code> (♣)	151	<code>\Cto</code> (F)	169	<code>\curlyvee</code> (∨)	34

<code>\curlyveedownarrow</code> ( $\Downarrow$ )	33	<code>\CutLeft</code> ( $\times$ )	148	<code>\dalambert</code> ( $\square$ )	132
<code>\curlyveedownarrow</code> ( $\Downarrow$ )	89	cutoff subtraction	<i>see</i> <code>\dotdiv</code>	<code>\daleth</code> ( $\beth$ )	103
<code>\curlyveeuparrow</code> ( $\Uparrow$ )	33	<code>\CutRight</code> ( $\times$ )	148	<code>\daleth</code> ( $\beth$ )	104
<code>\curlyveeuparrow</code> ( $\Uparrow$ )	89	<code>\CuttingLine</code> ( $\dashv$ )	148	<code>\daleth</code> ( $\beth$ )	103
<code>\curlywedge</code> ( $\curlywedge$ )	34	<code>\Cwa</code> ( $\curlywedge$ )	169	<code>\daleth</code> ( $\beth$ )	103
<code>\curlywedge</code> ( $\curlywedge$ )	32	<code>\cwcirclearrow</code> ( $\circlearrowleft$ )	91	<code>\daleth</code> ( $\beth$ )	104
<code>\curlywedge</code> ( $\curlywedge$ )	36	<code>\cwcirclearrowdown</code> ( $\circlearrowleft$ )	84	dancers (package)	268, 298
<code>\curlywedge</code> ( $\curlywedge$ )	35	<code>\cwcirclearrowleft</code> ( $\circlearrowleft$ )	84	dancing men	268–271
<code>\curlywedge</code> ( $\curlywedge$ )	34	<code>\cwcirclearrowright</code> ( $\circlearrowleft$ )	84	<code>\danger</code> ( $\mathcal{Z}$ )	132
<code>\curlywedge</code> ( $\curlywedge$ )	37	<code>\cwcirclearrowup</code> ( $\circlearrowleft$ )	84	dangerous bend symbols	204
<code>\curlywedgedot</code> ( $\curlywedge$ )	34	<code>\Cwe</code> ( $\curlywedge$ )	169	dango ( $\curlywedge$ )	211
<code>\curlywedgedownarrow</code> ( $\curlywedge$ )	33	<code>\cwgapcirclearrow</code> ( $\circlearrowleft$ )	85	Danish runes	<i>see</i> normal runes
<code>\curlywedgedownarrow</code> ( $\curlywedge$ )	89	<code>\cwgapcirclearrow</code> ( $\circlearrowleft$ )	91	<code>\dAnnoey</code> ( $\curlywedge$ )	230
<code>\curlywedgeuparrow</code> ( $\curlywedge$ )	33	<code>\Cwi</code> ( $\curlywedge$ )	169	dark skin tone ( $\curlywedge$ )	237
<code>\curlywedgeuparrow</code> ( $\curlywedge$ )	89	<code>\cwleftarccarrow</code> ( $\curlywedge$ )	84	<code>\Darrow</code> ( $\curlywedge$ )	141
<code>\curlyyogh</code> ( $\curlywedge$ )	20	<code>\cwnearccarrow</code> ( $\curlywedge$ )	84	<code>\dasharrow</code>	<i>see</i>
<code>\curlyz</code> ( $\curlywedge$ )	21	<code>\cwnwarccarrow</code> ( $\curlywedge$ )	85	<code>\dashrightarrow</code>	
<code>\currency</code> ( $\curlywedge$ )	27	<code>\Cwo</code> ( $\curlywedge$ )	169	<code>\dasharrow</code> ( $\rightarrow$ )	85
currency exchange ( $\curlywedge$ )	237	<code>\cwopencirclearrow</code> ( $\circlearrowleft$ )	85	<code>\dasharrow</code> ( $\rightarrow$ )	92
currency symbols	27, 28, 132, 135, 232–245, 247–250	<code>\cwopencirclearrow</code> ( $\circlearrowleft$ )	92, 159	<code>\dashcolon</code> ( $\rightarrow$ )	64
curry rice ( $\curlywedge$ )	211	<code>\cwoverarccarrow</code> ( $\curlywedge$ )	85	<code>\dasheddownarrow</code> ( $\downarrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	79	<code>\cwrightarccarrow</code> ( $\curlywedge$ )	85	<code>\dashedleftarrow</code> ( $\leftarrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	89	<code>\cwrightarccarrow</code> ( $\curlywedge$ )	91	<code>\dashednearrow</code> ( $\nearrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	79	<code>\cwsearccarrow</code> ( $\curlywedge$ )	85	<code>\dashednwarrow</code> ( $\nwarrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	89	<code>\cswarccarrow</code> ( $\curlywedge$ )	85	<code>\dashedrightarrow</code> ( $\rightarrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	81	<code>\cwunderarccarrow</code> ( $\curlywedge$ )	85	<code>\dashedsearrow</code> ( $\searrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	<code>\cwundercurvearrow</code> ( $\curlywedge$ )	91	<code>\dashedswarrow</code> ( $\swarrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	<code>\Cxa</code> ( $\curlywedge$ )	169	<code>\dasheduparrow</code> ( $\uparrow$ )	80
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	<code>\Cxe</code> ( $\curlywedge$ )	169	dashing away ( $\curlywedge$ )	237
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	<code>\Cya</code> ( $\curlywedge$ )	169	<code>\dashint</code> ( $f$ )	283
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	79	cyclone ( $\curlywedge$ )	237	<code>\dashleftarrow</code> ( $\leftarrow$ )	78
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	89	<code>\Cyo</code> ( $\curlywedge$ )	169	<code>\dashleftarrow</code> ( $\leftarrow$ )	85
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	85	<code>\cypfamily</code>	169	<code>\dashleftarrow</code> ( $\leftarrow$ )	81
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	81	Cypriot	169	<code>\dashleftarrow</code> ( $\leftarrow$ )	92
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	Cypriot (package)	169, 298, 299	<code>\dashleftarrow</code> ( $\leftarrow$ )	92
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	91	<code>\CYRSH</code> (III)	280	<code>\dashleftarrow</code> ( $\leftarrow$ )	93
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	79	<code>\Cza</code> ( $\curlywedge$ )	169	<code>\dashleftarrow</code> ( $\leftarrow$ )	79
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	89	<code>\Czechia</code> ( $\curlywedge$ )	220	<code>\dashrightarrow</code> ( $\rightarrow$ )	78
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	80	<code>\Czo</code> ( $\curlywedge$ )	169	<code>\dashrightarrow</code> ( $\rightarrow$ )	85
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	80			<code>\dashrightarrow</code> ( $\rightarrow$ )	81
<code>\curvearrowleft</code> ( $\curvearrowleft$ )	80			<code>\dashrightarrow</code> ( $\rightarrow$ )	92
<code>\curvearrowright</code> ( $\curvearrowright$ )	79			<code>\dashrightarrow</code> ( $\rightarrow$ )	93
<code>\curvearrowright</code> ( $\curvearrowright$ )	78			<code>\DashV</code> ( $\dashv$ )	56
<code>\curvearrowright</code> ( $\curvearrowright$ )	89			<code>\DashV</code> ( $\dashv$ )	62
<code>\curvearrowright</code> ( $\curvearrowright$ )	85			<code>\DashV</code> ( $\dashv$ )	61
<code>\curvearrowright</code> ( $\curvearrowright$ )	81			<code>\DashV</code> ( $\dashv$ )	64
<code>\curvearrowright</code> ( $\curvearrowright$ )	91			<code>\DashV</code> ( $\dashv$ )	61
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	64
<code>\curvearrowright</code> ( $\curvearrowright$ )	91			<code>\DashV</code> ( $\dashv$ )	60
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	64
<code>\curvearrowright</code> ( $\curvearrowright$ )	91			<code>\DashV</code> ( $\dashv$ )	64
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	54
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	61
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	58
<code>\curvearrowright</code> ( $\curvearrowright$ )	80			<code>\DashV</code> ( $\dashv$ )	64
<code>\curvestar</code> ( $\curlywedge$ )	211			<code>\DashV</code> ( $\dashv$ )	64
customs ( $\curlywedge$ )	203			<code>\DashV</code> ( $\dashv$ )	64
customs control	202–203			<code>\DashV</code> ( $\dashv$ )	64
cut of meat ( $\curlywedge$ )	211			<code>\dashVdash</code> ( $\dashv$ )	64
cut time	175–179, 181			<code>\dashVdash</code> ( $\dashv$ )	56
				<code>\dashVdash</code> ( $\dashv$ )	62

<code>\dashVv</code> (—  ) . . . . .	60	deaf person (👤) . . . . .	237	department store (🏬) . . . . .	237
database symbols . . . . .	132	deaf woman (👩) . . . . .	237	derelict house (🏚️) . . . . .	237
<code>date</code> (📅) . . . . .	237	deciduous tree (🌳) . . . . .	237	derivative, partial <i>see</i> <code>\partial</code>	
<code>\davidstar</code> (☆) . . . . .	154	<code>\DeclareFontFamily</code> . . . . .	276, 290	Descartes's equal sign (∞) . . . . .	<i>see</i> <code>\rightpropto</code> and <code>\backpropto</code>
<code>\DavidStar</code> (☆☆) . . . . .	154	<code>\DeclareFontShape</code> . . . . .	276, 290	<code>\descnode</code> (⤵) . . . . .	137
<code>\DavidStarSolid</code> (★) . . . . .	154	<code>\DeclareMathOperator</code> . . . . .	291	desert (🌵) . . . . .	237
<code>\dBar</code> (  ) . . . . .	214	<code>\DeclareMathOperator*</code> . . . . .	291	desert island (🏝️) . . . . .	237
<code>\dbar</code> (đ) . . . . .	281	<code>\declareslashed</code> . . . . .	282, 283	desktop computer (💻) . . . . .	237
<code>\dbend</code> (↷) . . . . .	204	<code>\DeclareUnicodeCharacter</code> . . . . .	296	<code>\det</code> (det) . . . . .	99
<code>\dbkarow</code> (↔) . . . . .	91, 92	<code>\decofourleft</code> (↻) . . . . .	156	detective (🕵️) . . . . .	237
<code>dblacnt</code> (package) . . . . .	285	<code>\decofourright</code> (↻) . . . . .	156	<code>\devadvantage</code> (Ⓒ) . . . . .	199
<code>\dblcolon</code> (::) . . . . .	65	<code>\decoone</code> (✂️) . . . . .	156	<code>\Dfourier</code> (∩) . . . . .	67
<code>\DCa</code> (↵) . . . . .	142	decorative borders . . . . .	260–268	<code>\Dfourier</code> (∩) . . . . .	62
<code>\DCb</code> (‡) . . . . .	142	<code>\decosix</code> (↔) . . . . .	156	<code>\dfourier</code> (∩) . . . . .	67
<code>\DCc</code> (‡) . . . . .	142	<code>\decothreeleft</code> (↻) . . . . .	156	<code>\dfourier</code> (∩) . . . . .	62
<code>\dcChangey</code> (👤) . . . . .	230	<code>\decothreeright</code> (↻) . . . . .	156	<code>\DFT</code> (— ) . . . . .	123
<code>\DCd</code> (‡) . . . . .	142	<code>\decotwo</code> (↻) . . . . .	156	<code>\dft</code> (— ) . . . . .	123
<code>\dChangey</code> (👤) . . . . .	230	<code>\decreshairpin</code> (⤵) . . . . .	180	<code>\DH</code> (D) . . . . .	21
<code>\dCooley</code> (👤) . . . . .	230	Dedekind, Richard . . . . .	280	<code>\DH</code> (D) . . . . .	16, 295
<code>\DD</code> (") . . . . .	141, 176	deer (🦌) . . . . .	209	<code>\dh</code> (ð) . . . . .	21
<code>\ddag</code> (‡) . . . . .	16, 296	definite-description operator (ι) . . . . .	280	<code>\dh</code> (ð) . . . . .	16, 295
<code>\ddag</code> (‡) . . . . .	16	definition symbols . . . . .	31, 286	diacritics . . . . .	<i>see</i> accents
<code>\ddagger</code> (‡) . . . . .	32	<code>\deg</code> (deg) . . . . .	99	<code>\diaeresis</code> (ü) . . . . .	25
<code>\ddagger</code> (‡) . . . . .	36	<code>\degree</code> (°) . . . . .	130	diæresis (ü) . . . . .	<i>see</i> accents
<code>\ddagger</code> (‡) . . . . .	37	<code>\degree</code> (°) . . . . .	136	<code>\diagdown</code> (↘) . . . . .	130
<code>\ddashint</code> (f) . . . . .	283	degrees . . . . .	<i>see</i> <code>\textdegree</code>	<code>\diagdown</code> (↘) . . . . .	130
<code>\Ddashv</code> (≡) . . . . .	60	<code>\DEL</code> (Δ) . . . . .	142	<code>\diagdown</code> (↘) . . . . .	132
<code>\ddddot</code> (⋯) . . . . .	115	<code>\DEL</code> (Δ) . . . . .	142	<code>\diagdown</code> (↘) . . . . .	58
<code>\ddddot</code> (⋯) . . . . .	114	<code>\Del</code> (⧫) . . . . .	141	<code>\diagdown</code> (↘) . . . . .	132
<code>\dddote</code> (⋯) . . . . .	115	<code>\Del</code> (⧫) . . . . .	141	<code>\diagonal</code> (↗) . . . . .	199
<code>\dddote</code> (⋯) . . . . .	114	<code>\Deleatur</code> . . . . .	<i>see</i> <code>\Denarius</code>	<code>\diagonal</code> (↗) . . . . .	130
<code>\dddtstile</code> (   ) . . . . .	65	delimiters . . . . .	106–114	<code>\diagup</code> (↗) . . . . .	130
<code>\ddigamma</code> (F) . . . . .	170	text-mode . . . . .	114	<code>\diagup</code> (↗) . . . . .	130
<code>\DDohne</code> (D) . . . . .	176	variable-sized . . . . .	107–113	<code>\diagup</code> (↗) . . . . .	132
<code>\ddot</code> (¨) . . . . .	115	wavy-line . . . . .	108–112	<code>\diagup</code> (↗) . . . . .	58
<code>\ddot</code> (¨) . . . . .	114	delivery truck (🚚) . . . . .	203	<code>\diagup</code> (↗) . . . . .	132
<code>\ddotdot</code> (⋅) . . . . .	35, 126	<code>\Delta</code> (Δ) . . . . .	101	<code>\diameter</code> (∅) . . . . .	130
<code>\ddotdot</code> (⋅) . . . . .	34, 126	<code>\delta</code> (δ) . . . . .	101	<code>\diameter</code> (∅) . . . . .	31
<code>\ddots</code> (⋮) . . . . .	126	<code>\deltaup</code> (δ) . . . . .	102	<code>\diameter</code> (∅) . . . . .	131
<code>\ddots</code> (⋮) . . . . .	125, 285	deminutum . . . . .	<i>see</i> <code>musixgre</code>	<code>\diameter</code> (∅) . . . . .	131
<code>\ddots</code> (⋮) . . . . .	126	demisemiquaver . . . . .	<i>see</i> musical symbols	<code>\diameter</code> (∅) . . . . .	132
<code>\ddots</code> (⋮) . . . . .	126	<code>\demisemiquaver</code> (♩) . . . . .	179	<code>\diameter</code> (∅) . . . . .	202
<code>\ddots</code> (⋮) . . . . .	126	<code>\demisemiquaverDotted</code> (♩.) . . . . .	179	<code>\Diamond</code> (◇) . . . . .	130
<code>\ddotseq</code> (≐) . . . . .	64	<code>\demisemiquaverDottedDouble</code> (♩.) . . . . .	179	<code>\Diamond</code> (◇) . . . . .	130
<code>\DDownarrow</code> (⇩) . . . . .	91	<code>\demisemiquaverDottedDoubleDown</code> (♩.) . . . . .	179	<code>\Diamond</code> (◇) . . . . .	40
<code>\DDownarrow</code> (⇩) . . . . .	111	<code>\demisemiquaverDottedDoubleDownDown</code> (♩.) . . . . .	179	<code>\Diamond</code> (◇) . . . . .	39
<code>\DDownarrow</code> (⇩) . . . . .	85	<code>\demisemiquaverDottedDown</code> (♩.) . . . . .	179	<code>\Diamond</code> (◇) . . . . .	159
<code>\DDownarrow</code> (⇩) . . . . .	91	<code>\demisemiquaverDown</code> (♩) . . . . .	179	<code>\diamond</code> (◊) . . . . .	32
<code>\Ddownarrow</code> (⇩) . . . . .	111	<code>\Denarius</code> (S) . . . . .	27	<code>\diamond</code> (◊) . . . . .	40, 157
<code>\ddstile</code> (  ) . . . . .	65	<code>\denarius</code> (×) . . . . .	28	<code>\diamond</code> (◊) . . . . .	40
<code>\ddtstile</code> (  ) . . . . .	65	<code>\Denmark</code> (.) . . . . .	220	<code>\diamond</code> (◊) . . . . .	39
<code>\ddttstile</code> (   ) . . . . .	65	<code>\dental</code> (♯) . . . . .	24	<code>\diamond</code> (◊) . . . . .	41, 159
<code>\DE</code> (⊥) . . . . .	141	<code>\Dep</code> (⌘) . . . . .	175	diamond suit (♠) . . . . .	195
deaf man (👤) . . . . .	237			diamond with a dot (♠) . . . . .	237
				<code>\diamondbackslash</code> (◊) . . . . .	39
				<code>\diamondbackslash</code> (◊) . . . . .	39
				<code>\diamondbar</code> (◊) . . . . .	40

<code>\Diamondblack</code> (◆) . . . . .	130	<code>\diceiii</code> (☐) . . . . .	197	<code>\ding{72}</code> (★) . . . . .	155
<code>\diamondbotblack</code> (◊) . . . . .	159	<code>\diceiv</code> (☐) . . . . .	197	<code>\ding{73}</code> (☆) . . . . .	155
<code>\diamondbslash</code> (◊) . . . . .	40	<code>\dicev</code> (☐) . . . . .	197	<code>\ding{74}</code> (♣) . . . . .	155
<code>\diamondcdot</code> (◊) . . . . .	40	<code>\dicevi</code> (☐) . . . . .	197	<code>\ding{75}</code> (☆) . . . . .	155
<code>\diamondcdot</code> (◊) . . . . .	159	dictionary symbols . . . . .	18–21, 214	<code>\ding{76}</code> (★) . . . . .	155
<code>\diamondcircle</code> (◊) . . . . .	40	dictsym (package) . . . . .	214, 298, 299	<code>\ding{77}</code> (★) . . . . .	155
<code>\diamonddiamond</code> (◊) . . . . .	39	died . . . . .	<i>see</i> <code>\textdied</code>	<code>\ding{78}</code> (★) . . . . .	155
<code>\diamonddiamond</code> (◊) . . . . .	39	differential, inexact . . . . .	<i>see</i> <code>\dbar</code>	<code>\ding{79}</code> (★) . . . . .	155
<code>\Diamonddot</code> (◊) . . . . .	130	<code>\Digamma</code> (F) . . . . .	170	<code>\ding{80}</code> (☆) . . . . .	155
<code>\diamonddot</code> (◊) . . . . .	39	<code>\Digamma</code> (F) . . . . .	170	<code>\ding{81}</code> (★) . . . . .	155
<code>\diamonddot</code> (◊) . . . . .	39	<code>\digamma</code> (F) . . . . .	101, 170	<code>\ding{82}</code> (★) . . . . .	155
<code>\DiamonddotLeft</code> (◊) . . . . .	79	<code>\digamma</code> (F) . . . . .	170	<code>\ding{83}</code> (★) . . . . .	155
<code>\DiamonddotLeft</code> (◊) . . . . .	79	<code>\digamma</code> (F) . . . . .	105	<code>\ding{84}</code> (★) . . . . .	155
<code>\DiamonddotRight</code> (◊) . . . . .	79	<code>\digamma</code> (F) . . . . .	170	<code>\ding{85}</code> (★) . . . . .	155
<code>\Diamonddotright</code> (◊) . . . . .	79	digital logic gates . . . . .	142	<code>\ding{86}</code> (★) . . . . .	155
<code>\diamonddots</code> (∴) . . . . .	34, 126	digits . . . . .	<i>see</i> numerals	<code>\ding{87}</code> (★) . . . . .	155
<code>\DiamondLeft</code> (◊) . . . . .	79	<code>\dim</code> (dim) . . . . .	99	<code>\ding{88}</code> (★) . . . . .	155
<code>\Diamondleft</code> (◊) . . . . .	79	dim button (☞) . . . . .	237	<code>\ding{89}</code> (★) . . . . .	155
<code>\diamondleftarrow</code> (◊) . . . . .	91	<code>\ding</code> . . . . .	18, 146, 149–153, 155,	<code>\ding{90}</code> (★) . . . . .	155
<code>\diamondleftarrowbar</code> (◊) . . . . .	91	160, 163		<code>\ding{91}</code> (★) . . . . .	155
<code>\diamondleftblack</code> (◊) . . . . .	159	<code>\ding{33}</code> (☞) . . . . .	149	<code>\ding{92}</code> (★) . . . . .	155
<code>\diamondminus</code> (◊) . . . . .	40	<code>\ding{34}</code> (☞) . . . . .	149	<code>\ding{93}</code> (★) . . . . .	155
<code>\diamondminus</code> (◊) . . . . .	39	<code>\ding{35}</code> (☞) . . . . .	149	<code>\ding{94}</code> (★) . . . . .	155
<code>\diamondminus</code> (◊) . . . . .	39	<code>\ding{36}</code> (☞) . . . . .	149	<code>\ding{95}</code> (♣) . . . . .	155
<code>\diamondop</code> (◊) . . . . .	40	<code>\ding{37}</code> (☞) . . . . .	163	<code>\ding{96}</code> (♣) . . . . .	155
<code>\diamondplus</code> (◊) . . . . .	40	<code>\ding{38}</code> (☞) . . . . .	163	<code>\ding{97}</code> (♣) . . . . .	155
<code>\diamondplus</code> (◊) . . . . .	39	<code>\ding{39}</code> (☞) . . . . .	163	<code>\ding{98}</code> (♣) . . . . .	155
<code>\diamondplus</code> (◊) . . . . .	39	<code>\ding{40}</code> (☞) . . . . .	163	<code>\ding{99}</code> (★) . . . . .	155
<code>\DiamondRight</code> (◊) . . . . .	79	<code>\ding{41}</code> (☞) . . . . .	163	<code>\ding{100}</code> (★) . . . . .	155
<code>\Diamondright</code> (◊) . . . . .	79	<code>\ding{42}</code> (☞) . . . . .	150	<code>\ding{101}</code> (★) . . . . .	155
<code>\diamondrightblack</code> (◊) . . . . .	159	<code>\ding{43}</code> (☞) . . . . .	150	<code>\ding{102}</code> (★) . . . . .	155
diamonds . . . . .	<i>see</i> rhombuses	<code>\ding{44}</code> (☞) . . . . .	150	<code>\ding{103}</code> (★) . . . . .	155
<code>\DiamondShadowA</code> (◊) . . . . .	159	<code>\ding{45}</code> (☞) . . . . .	150	<code>\ding{104}</code> (★) . . . . .	155
<code>\DiamondShadowB</code> (◊) . . . . .	159	<code>\ding{46}</code> (☞) . . . . .	150	<code>\ding{105}</code> (★) . . . . .	155
<code>\DiamondShadowC</code> (◊) . . . . .	159	<code>\ding{47}</code> (☞) . . . . .	150	<code>\ding{106}</code> (★) . . . . .	155
<code>\Diamondshape</code> (◊) . . . . .	159	<code>\ding{48}</code> (☞) . . . . .	150	<code>\ding{107}</code> (★) . . . . .	155
<code>\diamondslash</code> (◊) . . . . .	39	<code>\ding{49}</code> (☞) . . . . .	150	<code>\ding{108}</code> (●) . . . . .	160
<code>\diamondslash</code> (◊) . . . . .	39	<code>\ding{50}</code> (☞) . . . . .	150	<code>\ding{109}</code> (○) . . . . .	160
<code>\DiamondSolid</code> (◆) . . . . .	160	<code>\ding{51}</code> (✓) . . . . .	152	<code>\ding{110}</code> (■) . . . . .	160
<code>\diamondsuit</code> (◊) . . . . .	194	<code>\ding{52}</code> (✓) . . . . .	152	<code>\ding{111}</code> (□) . . . . .	160
<code>\diamondsuit</code> (◊) . . . . .	194	<code>\ding{53}</code> (×) . . . . .	152	<code>\ding{112}</code> (□) . . . . .	160
<code>\diamondsuit</code> (◊) . . . . .	194	<code>\ding{54}</code> (✕) . . . . .	152	<code>\ding{113}</code> (□) . . . . .	160
<code>\diamondsuit</code> (◊) . . . . .	194	<code>\ding{55}</code> (✕) . . . . .	152	<code>\ding{114}</code> (□) . . . . .	160
<code>\diamondsuit</code> (◊) . . . . .	194	<code>\ding{56}</code> (✕) . . . . .	152	<code>\ding{115}</code> (▲) . . . . .	160
<code>\diamondtimes</code> (◊) . . . . .	40	<code>\ding{57}</code> (⊕) . . . . .	151	<code>\ding{116}</code> (▼) . . . . .	160
<code>\diamondtimes</code> (◊) . . . . .	39	<code>\ding{58}</code> (⊕) . . . . .	151	<code>\ding{117}</code> (◆) . . . . .	160
<code>\diamondtimes</code> (◊) . . . . .	39	<code>\ding{59}</code> (⊕) . . . . .	151	<code>\ding{118}</code> (◇) . . . . .	163
<code>\diamondtopblack</code> (◊) . . . . .	159	<code>\ding{60}</code> (♣) . . . . .	151	<code>\ding{119}</code> (♣) . . . . .	160
<code>\diamondtriangle</code> (◊) . . . . .	40	<code>\ding{61}</code> (†) . . . . .	151	<code>\ding{120}</code> (l) . . . . .	160
<code>\diamondvert</code> (◊) . . . . .	39	<code>\ding{62}</code> (†) . . . . .	151	<code>\ding{121}</code> (l) . . . . .	160
<code>\diamondvert</code> (◊) . . . . .	39	<code>\ding{63}</code> (†) . . . . .	151	<code>\ding{122}</code> (l) . . . . .	160
<code>\diatop</code> . . . . .	26, 285	<code>\ding{64}</code> (✕) . . . . .	151	<code>\ding{123}</code> (●) . . . . .	18
<code>\diaunder</code> . . . . .	26, 285	<code>\ding{65}</code> (✕) . . . . .	155	<code>\ding{124}</code> (●) . . . . .	18
dice . . . . .	196, 197, 274, 280	<code>\ding{66}</code> (⊕) . . . . .	155	<code>\ding{125}</code> (♣) . . . . .	18
3D . . . . .	197, 274	<code>\ding{67}</code> (♣) . . . . .	155	<code>\ding{126}</code> (♣) . . . . .	18
dice (package) . . . . .	274, 298	<code>\ding{68}</code> (♣) . . . . .	155	<code>\ding{161}</code> (♣) . . . . .	18
<code>\dicei</code> (☐) . . . . .	197	<code>\ding{69}</code> (♣) . . . . .	155	<code>\ding{162}</code> (♣) . . . . .	18
<code>\diceii</code> (☐) . . . . .	197	<code>\ding{70}</code> (♣) . . . . .	155	<code>\ding{163}</code> (♣) . . . . .	18
		<code>\ding{71}</code> (♣) . . . . .	155	<code>\ding{164}</code> (♣) . . . . .	163

















<code>\ding{165}</code>		163	<code>\ding{224}</code>		146	<code>\div</code>	$\div$	35
<code>\ding{166}</code>		163	<code>\ding{225}</code>		146	<code>\div</code>	$\div$	34
<code>\ding{167}</code>		163	<code>\ding{226}</code>		146	<code>\div</code>	$\div$	37
<code>\ding{168}</code>		163	<code>\ding{227}</code>		146	<code>\divdot</code>	$\div$	34
<code>\ding{169}</code>		163	<code>\ding{228}</code>		146	<code>\divg</code>	(div)	100
<code>\ding{170}</code>		163	<code>\ding{229}</code>		146	<code>divide</code>	$\div$	238
<code>\ding{171}</code>		163	<code>\ding{230}</code>		146	<code>\divideontimes</code>	$\ast$	34
<code>\ding{172}</code>	①	153	<code>\ding{231}</code>		146	<code>\divideontimes</code>	$\ast$	32
<code>\ding{173}</code>	②	153	<code>\ding{232}</code>		146	<code>\divideontimes</code>	$\ast$	36
<code>\ding{174}</code>	③	153	<code>\ding{233}</code>		146	<code>\divideontimes</code>	$\ast$	35
<code>\ding{175}</code>	④	153	<code>\ding{234}</code>		146	<code>\divideontimes</code>	$\ast$	37
<code>\ding{176}</code>	⑤	153	<code>\ding{235}</code>		146	<code>\Divides</code>	$\diagup$	128
<code>\ding{177}</code>	⑥	153	<code>\ding{236}</code>		146	<code>\divides</code>	( )	56
<code>\ding{178}</code>	⑦	153	<code>\ding{237}</code>		146	<code>\divides</code>	$\diagdown$	58
<code>\ding{179}</code>	⑧	153	<code>\ding{238}</code>		146	<code>\DividesNot</code>	$\cancel{\diagup}$	128
<code>\ding{180}</code>	⑨	153	<code>\ding{239}</code>		146	<code>diving mask</code>		238
<code>\ding{181}</code>	⑩	153	<code>\ding{241}</code>		146	<code>division</code>		32, 117, 119, 125
<code>\ding{182}</code>	⑪	153	<code>\ding{242}</code>		146	long		117, 119
<code>\ding{183}</code>	⑫	153	<code>\ding{243}</code>		146	non-commutative		125
<code>\ding{184}</code>	⑬	153	<code>\ding{244}</code>		146	polynomial		117
<code>\ding{185}</code>	⑭	153	<code>\ding{245}</code>		146	<code>division times</code>		<i>see</i>
<code>\ding{186}</code>	⑮	153	<code>\ding{246}</code>		146	<code>\divideontimes</code>		
<code>\ding{187}</code>	⑯	153	<code>\ding{247}</code>		146	<code>divorced</code>		<i>see</i> <code>\textdivorced</code>
<code>\ding{188}</code>	⑰	153	<code>\ding{248}</code>		146	<code>\divslash</code>	(/)	35
<code>\ding{189}</code>	⑱	153	<code>\ding{249}</code>		146	<code>diya lamp</code>		238
<code>\ding{190}</code>	⑲	153	<code>\ding{250}</code>		146	<code>dizzy</code>		238
<code>\ding{191}</code>	⑳	153	<code>\ding{251}</code>		146	<code>\DJ</code>	(Ð)	16
<code>\ding{192}</code>	㉑	153	<code>\ding{252}</code>		146	<code>\dj</code>	(đ)	16
<code>\ding{193}</code>	㉒	153	<code>\ding{253}</code>		146	<code>\DL</code>	(∇)	141
<code>\ding{194}</code>	㉓	153	<code>\ding{254}</code>		146	<code>\dLaughey</code>		230
<code>\ding{195}</code>	㉔	153	<code>\dingasterisk</code>	$\ast$	132	<code>\dlbari</code>	(‡)	21
<code>\ding{196}</code>	㉕	153	<code>dingautolist</code>		153	<code>\DLE</code>	(▶)	142
<code>\ding{197}</code>	㉖	153	<code>dingbat</code>	(package)	149, 150, 162, 264, 278, 298, 299	<code>\dlsh</code>	(↵)	79
<code>\ding{198}</code>	㉗	153	<code>dingbat symbols</code>		146–163	<code>\dlsh</code>	(↵)	89
<code>\ding{199}</code>	㉘	153	<code>\dInnocey</code>		230	<code>\DM</code>	(◇)	141
<code>\ding{200}</code>	㉙	153	<code>\Diple</code>	(>)	213	<code>\Dmesonminus</code>	( $D^-$ )	145
<code>\ding{201}</code>	㉚	153	<code>\diple</code>	(>)	213	<code>\Dmesonnull</code>	( $D^0$ )	145
<code>\ding{202}</code>	㉛	153	<code>\Diple*</code>	(>)	213	<code>\Dmesonplus</code>	( $D^+$ )	145
<code>\ding{203}</code>	㉜	153	<code>\diple*</code>	(>)	213	<code>dna</code>	(♯)	238
<code>\ding{204}</code>	㉝	153	<code>\dipole</code>	( $d^p$ )	145	<code>\dndtstile</code>	(  ▣  )	65
<code>\ding{205}</code>	㉞	153	<code>Dirac notation</code>		107	<code>\dNeutrey</code>		230
<code>\ding{206}</code>	㉟	153	<code>\Direct</code>	(D <sub>i</sub> )	140	<code>\dNinja</code>		230
<code>\ding{207}</code>	㊱	153	<code>disappointed face</code>		237	<code>\dnststile</code>	(  ▣  )	66
<code>\ding{208}</code>	㊲	153	<code>discount</code>		<i>see</i> <code>\textdiscount</code>	<code>\dntstile</code>	(  ▣  )	66
<code>\ding{209}</code>	㊳	153	<code>discretionary hyphen</code>		294	<code>\dnttstile</code>	(  ▣   )	66
<code>\ding{210}</code>	㊴	153	<code>disguised face</code>		238	<code>\dNursey</code>		230
<code>\ding{211}</code>	㊵	153	<code>\Dish</code>	(◎)	229	<code>do not enter</code>		<i>see</i> <code>\noway</code>
<code>\ding{212}</code>	➔	146	<code>\disin</code>	(€)	62	<code>dodo</code>		209
<code>\ding{213}</code>	➔	146	<code>\disin</code>	(€)	64	<code>does not divide</code>		<i>see</i> <code>\nmid</code>
<code>\ding{214}</code>	↔	146	<code>disjoint union</code>		31	<code>does not exist</code>		<i>see</i> <code>\nexists</code>
<code>\ding{215}</code>	↑	146	<code>\disjquant</code>	( $\bigvee$ )	49	<code>does not imply</code>		283
<code>\ding{216}</code>	↘	146	<code>\disjquant</code>	( $\bigvee$ )	49	<code>dog face</code>		209
<code>\ding{217}</code>	➔	146	<code>disjunction</code>		<i>see</i> <code>\vee</code>	<code>dog2</code>		209
<code>\ding{218}</code>	↗	146	<code>\displaystyle</code>		283, 284, 286, 291	<code>\Dohne</code>	(∅)	176
<code>\ding{219}</code>	➔	146	<code>ditto marks</code>		<i>see</i> <code>\textquotedbl</code>	<code>Dohse, Max</code>		284
<code>\ding{220}</code>	➔	146	<code>\div</code>	$\div$	32	<code>dollar</code>		<i>see</i> <code>\textdollar</code>
<code>\ding{221}</code>	➔	146	<code>\div</code>	$\div$	36	<code>dollar banknote</code>		238
<code>\ding{222}</code>	➔	146	<code>\div</code>	$\div$	36	<code>dollar sign</code>		<i>see</i> <code>\\$</code>
<code>\ding{223}</code>	➔	146						



<code>\downfootline</code> (↓) . . . . .	57	<code>\downupharpoonsleftright</code> (⚡) . . . . .	88	<code>\dsdtstile</code> (⌋⌋⌋) . . . . .	66
<code>\downfree</code> (↓) . . . . .	58	<code>\downupharpoonsleftright</code> (⚡) . . . . .	93	<code>\dSey</code> (☹) . . . . .	230
<code>\downharpoonccw</code> (↓) . . . . .	83	<code>\downupsquigarrow</code> (⤿) . . . . .	85	<code>dsfont</code> (package) . . . . .	134, 298
<code>\downharpooncw</code> (↓) . . . . .	83	<code>\downVDash</code> (⏏) . . . . .	60	<code>\dsheraldical</code> (⊘) . . . . .	214
<code>\downharpoonleft</code> (↓) . . . . .	80	<code>\downVdash</code> (⏏) . . . . .	60	<code>\dsjuridical</code> (⚖) . . . . .	214
<code>\downharpoonleft</code> (↓) . . . . .	79	<code>\downVdash</code> (⏏) . . . . .	58	<code>\dSleepey</code> (🐼) . . . . .	230
<code>\downharpoonleft</code> (↓) . . . . .	90	<code>\downvDash</code> (⏏) . . . . .	60	<code>\dsliterary</code> (⌚) . . . . .	214
<code>\downharpoonleft</code> (↓) . . . . .	88	<code>\downvdash</code> (⏏) . . . . .	60	<code>\dsmathematical</code> (⚗) . . . . .	214
<code>\downharpoonleft</code> (↓) . . . . .	93	<code>\downvdash</code> (⏏) . . . . .	58	<code>\dsmedical</code> (🏥) . . . . .	214
<code>\downharpoonleftbar</code> (↓) . . . . .	93	<code>downwards button</code> (⏏) . . . . .	238	<code>\dSmiley</code> (☺) . . . . .	230
<code>\downharpoonright</code> (↓) . . . . .	80	<code>\downwavyarrow</code> (⤿) . . . . .	85	<code>\dsmilitary</code> (⊗) . . . . .	214
<code>\downharpoonright</code> (↓) . . . . .	79	<code>\downwhitearrow</code> (↓) . . . . .	89	<code>\dsol</code> (7) . . . . .	37
<code>\downharpoonright</code> (↓) . . . . .	90	<code>\downwhitearrow</code> (↓) . . . . .	91	<code>\dsrailways</code> (🚆) . . . . .	214
<code>\downharpoonright</code> (↓) . . . . .	88	<code>\downY</code> (Υ) . . . . .	35	<code>ds serif</code> (package) . . . . .	134, 298
<code>\downharpoonright</code> (↓) . . . . .	93	<code>\downY</code> (ϒ) . . . . .	34	<code>\dsststile</code> (⌋⌋) . . . . .	66
<code>\downharpoonrightbar</code> (↓) . . . . .	93	<code>\downzigzagarrow</code> (⤿) . . . . .	89	<code>\dstechnical</code> (⊕) . . . . .	214
<code>\downharpoonsleftright</code> (⚡) . . . . .	93	<code>\downzigzagarrow</code> (⤿) . . . . .	85	<code>\dststile</code> (⌋⌋) . . . . .	66
<code>\downint</code> (∫) . . . . .	53	<code>\downzigzagarrow</code> (⤿) . . . . .	91	<code>\dsttstile</code> (⌋⌋⌋) . . . . .	66
<code>\downlcurvearrow</code> (↙) . . . . .	85	Doyle, Sir Arthur Conan . . . . .	271	<code>\dsub</code> (◀) . . . . .	41
<code>\downleftcurvedarrow</code> (↙) . . . . .	85	<code>dozenal</code> (package) . . . . .	128, 212, 298, 299	<code>\dtdtstile</code> (⌋⌋⌋) . . . . .	66
<code>\downlsquigarrow</code> (⤿) . . . . .	85	<code>dozenal</code> (base 12) . . . . .	128	<code>\dtimes</code> (×) . . . . .	35, 36
<code>\downlsquigarrow</code> (⤿) . . . . .	80	numerals . . . . .	128	<code>\dtimes</code> (×) . . . . .	38
<code>\Downmapsto</code> (⤵) . . . . .	85	tally markers . . . . .	212	<code>\dtimes</code> (×) . . . . .	34
<code>\downmapsto</code> (↓) . . . . .	85	<code>\dprime</code> (′) . . . . .	128	<code>\dTongey</code> (☺) . . . . .	230
<code>\downmapsto</code> (↓) . . . . .	80	<code>\DQ</code> (⊞) . . . . .	141	<code>\dtststile</code> (⌋⌋⌋) . . . . .	66
<code>\downModels</code> (⏏) . . . . .	58	<code>\dracma</code> (₺) . . . . .	28	<code>\dttstile</code> (⌋⌋⌋) . . . . .	66
<code>\downmodels</code> (⏏) . . . . .	60	<code>\draftingarrow</code> (→) . . . . .	91	<code>\DU</code> (n) . . . . .	141
<code>\downmodels</code> (⏏) . . . . .	58	<code>dragon</code> (🐉) . . . . .	209	<code>\dualmap</code> (↔) . . . . .	97
<code>\downp</code> (˘) . . . . .	26	<code>dragon face</code> (🐉) . . . . .	209	<code>\dualmap</code> (↔) . . . . .	64
<code>\downparentfill</code> . . . . .	287	<code>\drbkarow</code> (→→) . . . . .	91	<code>duck</code> (🦆) . . . . .	209
<code>\downpitchfork</code> (Ψ) . . . . .	98	<code>\Dreizack</code> (‡) . . . . .	229	<code>\duevolte</code> (👉) . . . . .	175
<code>\downpitchfork</code> (Ψ) . . . . .	96	<code>dress</code> (👗) . . . . .	238	<code>dumpling</code> (🥟) . . . . .	211
<code>\downpropto</code> (∝) . . . . .	58	<code>\droang</code> (⊞) . . . . .	115	<code>dunce cap</code> . . . . .	116
<code>\downrcurvearrow</code> (↘) . . . . .	85	<code>dromedary_camel</code> (🐪) . . . . .	209	<code>duodecimal</code> (base 12) . . . . .	128
<code>\downrightcurvedarrow</code> (↘) . . . . .	85	<code>drooling face</code> (😓) . . . . .	238	numerals . . . . .	128
<code>\downrightcurvedarrow</code> (↘) . . . . .	91	<code>drop of blood</code> (🩸) . . . . .	238	tally markers . . . . .	212
<code>\downrsquigarrow</code> (⤿) . . . . .	85	<code>droplet</code> (💧) . . . . .	238	<code>dvd</code> (📀) . . . . .	238
<code>\downrsquigarrow</code> (⤿) . . . . .	80	<code>\drsh</code> (↳) . . . . .	79	<code>DVI</code> . . . . .	29, 141, 288
<code>\downslice</code> (∇) . . . . .	39	<code>\drsh</code> (↳) . . . . .	89	<code>.dvi files</code> . . . . .	294
<code>\downspoon</code> (↓) . . . . .	97	<code>drum</code> (🥁) . . . . .	238	<code>\dVomey</code> (👉) . . . . .	230
<code>\downspoon</code> (↓) . . . . .	96	<code>\drumclef</code> (⏏) . . . . .	176	<code>\dWalley</code> (🐟) . . . . .	230
<code>\downt</code> (τ) . . . . .	26	<code>\drWalley</code> (🐟) . . . . .	230	<code>\dWinkey</code> (👉) . . . . .	230
<code>\downtherefore</code> (∴) . . . . .	126	<code>\DS</code> (⊞) . . . . .	176	<code>\dXey</code> (☺) . . . . .	230
<code>\downtherefore</code> (∴) . . . . .	34, 126	<code>\Ds</code> (⊞) . . . . .	176	<code>\dz</code> (dz) . . . . .	21
<code>\downtouparrow</code> (↗) . . . . .	79	<code>\ds</code> ( ) . . . . .	175	<b>E</b>	
<code>\downtouparrow</code> (↗) . . . . .	89	<code>\dSadey</code> (☹) . . . . .	230	<code>E</code> (Π) . . . . .	173
<code>\downtriangleleftblack</code> (◀) . . . . .	159	<code>\dsaeronautical</code> (✈) . . . . .	214	<code>e</code> (esvect package option) . . . . .	120
<code>\downtrianglerightblack</code> (▶) . . . . .	159	<code>\dsagricultural</code> (🌾) . . . . .	214	<code>\e</code> (e) . . . . .	105
<code>\downuparrows</code> (↕) . . . . .	79	<code>\dsarchitectural</code> (🏛) . . . . .	214	<code>\e</code> (ε) . . . . .	128
<code>\downuparrows</code> (↕) . . . . .	85	<code>\dsbiological</code> (🧬) . . . . .	214	<code>e</code> (M) . . . . .	173
<code>\downuparrows</code> (↕) . . . . .	80	<code>\DSC</code> (D <sup>SC</sup> ) . . . . .	140	<code>e-mail</code> (✉) . . . . .	238
<code>\downuparrows</code> (↕) . . . . .	91	<code>\dschemical</code> (🧪) . . . . .	214	<code>ε-TeX</code> . . . . .	107
<code>\downupcurvearrow</code> (↗) . . . . .	85	<code>\dscommercial</code> (🏪) . . . . .	214	<code>e50a</code> (🏪) . . . . .	238
<code>\downupharpoons</code> (⚡) . . . . .	80				
<code>\downupharpoons</code> (⚡) . . . . .	88				
<code>\downupharpoons</code> (⚡) . . . . .	83				

eagle (🦅)	209	<code>\Ellipse</code> (○)	160	<code>enumerate</code>	212
ear (👂)	238	ellipses (dots)	15, 16, 125–127, 130, 285	<code>\Envelope</code> (✉)	163
ear of corn (🌽)	238	ellipses (ovals)	160, 186–191, 255–257, 261–262, 273	envelope (✉)	238
ear with hearing aid (👂👉)	238	<code>\EllipseShadow</code> (○)	160	envelope with arrow (✉)	238
Earth	137, 138, 140, 247–250	<code>\EllipseSolid</code> (●)	160	envelopes	163, 218, 247–250
<code>\Earth</code> (⊕)	138	<code>\elsdot</code> (⊲)	74	<code>\enya</code> (յ)	21
<code>\Earth</code> (♁)	138	<code>\EM</code> (↓)	142	<code>\EOafter</code> (👉)	171
<code>\Earth</code> (♁)	140	<code>\Email</code> (✉)	143	<code>\EOandThen</code> (👉👉)	171
<code>\earth</code> (♁)	137	<code>\EmailCT</code> (👉)	143	<code>\EOAppear</code> (👉)	171
<code>\eastcross</code> (✚)	152	emf (package)	137, 298, 299	<code>\EOBeardMask</code> (👤)	171
<code>\EastPoint</code> (E <sup>P</sup> )	140	<code>\emf</code> (ℰ)	137	<code>\EOBedeck</code> (👉)	171
<code>\Ecommerce</code> (€)	27	<code>\emf</code> (ℰ)	137	<code>\EOBlood</code> (👉)	171
egg (🥚)	211	<code>\emf</code> (ℰ)	137	<code>\EObrace</code> (👉)	171
<code>\eggbeater</code> (♪)	229	<code>\emf</code> (ℰ)	137	<code>\EObuilding</code> (🏠)	171
eggplant (🍆)	211	<code>\emf</code> (ℰ)	137	<code>\EOBundle</code> (👉)	171
<code>\egsdot</code> (⊳)	74	<code>\emf</code> (ℰ)	137	<code>\EOChop</code> (👉)	171
eight o'clock (🕒)	208	<code>\emf</code> (ℰ)	137	<code>\EOChronI</code> (👉)	171
eight-pointed star (✳)	238	<code>\emf</code> (ℰ)	137	<code>\EOCloth</code> (👉)	171
eight-spoked asterisk (✳)	238	<code>\emf</code> (ℰ)	137	<code>\EODealWith</code> (👉)	171
eight-thirty (🕒)	208	<code>\emf</code> (ℰ)	137	<code>\EODeer</code> (👉)	171
<code>\EightAsterisk</code> (✳)	154	<code>\emf</code> (ℰ)	137	<code>\EOeat</code> (👉)	171
<code>\EightFlowerPetal</code> (🌸)	154	<code>\emgma</code> (η)	21	<code>\EOflint</code> (👉)	171
<code>\EightFlowerPetalRemoved</code> (✳)	154	Emmentaler (font)	180	<code>\EOflower</code> (👉)	171
eight note	<i>see</i> musical symbols	emoji	195, 203–204, 206, 208–211, 217, 226–245	<code>\EOFold</code> (👉)	171
<code>\eighthNote</code> (♩)	178	3D	230	<code>\EOGod</code> (👉)	171
<code>\eighthnote</code> (♩)	175	<code>\empty</code> (⊕)	201	<code>\EOGoUp</code> (👉)	171
<code>\eighthnote</code> (♩)	174	empty set	129–132	<code>\EOgovernor</code> (👉)	171
<code>\eighthnote</code> (♩)	174	<code>\emptyset</code> (∅)	130	<code>\EOGuise</code> (👉)	171
<code>\eighthNoteDotted</code> (♩.)	178	<code>\emptyset</code> (∅)	131	<code>\EOHallow</code> (👉)	171
<code>\eighthNoteDottedDouble</code> (♩..)	178	<code>\emptyset</code> (∅)	131	<code>\EOi</code> (◦)	172
<code>\eighthNoteDottedDoubleDown</code> (♩..)	178	<code>\emptyset</code> (∅)	129	<code>\EOii</code> (◦ ◦)	172
<code>\eighthNoteDottedDown</code> (♩.)	178	<code>\emptysettoarr</code> (∅)	129	<code>\EOiii</code> (◦ ◦ ◦)	172
<code>\eighthNoteDown</code> (♩)	178	<code>\emptysettoarrl</code> (∅)	129	<code>\EOiv</code> (◦ ◦ ◦ ◦)	172
<code>\EightStar</code> (✳)	154	<code>\emptysettoar</code> (∅)	129	<code>\EOix</code> (◦ ◦ ◦ ◦ ◦)	172
<code>\EightStarBold</code> (✳)	154	<code>\EN</code> (τ)	141	<code>\EOja</code> (👉)	171
<code>\EightStarConvex</code> (✳)	154	<code>\enclosecircle</code> (⊙)	158	<code>\EOjaguar</code> (👉)	171
<code>\EightStarTaper</code> (✳)	154	<code>\enclosediamond</code> (◊)	158	<code>\EOje</code> (👉)	171
eject button (👉)	238	<code>\enclosesquare</code> (◻)	158	<code>\EOJI</code> (👉)	171
<code>\ejective</code> (ɾ)	21	<code>\enclosetriangle</code> (⚠)	158	<code>\EOji</code> (👉)	171
electric plug (👉)	238	<code>\End</code> (End)	100	<code>\EOjo</code> (👉)	172
electrical impulse	136	<code>\End</code> (End)	141	<code>\EOju</code> (👉)	172
electrical symbols	136	END arrow (↪)	238	<code>\EOkak</code> (👉)	172
electromotive force	137	end of proof	130, 132	<code>\EOke</code> (👉)	172
<code>\electron</code> (e <sup>-</sup> )	145	<code>\ending</code> (⊥)	199	<code>\EOki</code> (👉)	172
element of	<i>see</i> <code>\in</code>	endofproofwd (package)	132, 298		
elements	140	<code>\eng</code> (η)	20		
elephant (🐘)	209	engineering symbols	132, 136, 143		
elevator (👉)	238	<code>\engma</code> (η)	21		
eleven o'clock (🕒)	208	<code>\enleadertwodots</code> (..)	126		
eleven-thirty (🕒)	208	<code>\ENQ</code> (♣)	142		
elf (👉)	238	entails	<i>see</i> <code>\models</code>		
<code>\elinters</code> (✳)	132	<code>\Enter</code> (Enter)	141		
<code>\ell</code> (ℓ)	104	enter	141, <i>see also</i> carriage return		
<code>\ell</code> (ℓ)	105				

\EOkij (𑄎𑄑)	172	\EOPlay (𑄎𑄑)	171	\EOtime (𑄎𑄑)	171
\EOKing (𑄎𑄑)	172	\EOpo (𑄎𑄑)	171	\EOTitle (𑄎𑄑)	171
\EOknottedCloth (𑄎𑄑)	172	\EOpriest (𑄎𑄑)	171	\EOTitleII (𑄎𑄑)	171
\EOknottedClothStraps (𑄎𑄑)	172	\EOPrince (𑄎𑄑)	171	\EOTitleIV (𑄎𑄑)	171
		\EOpu (𑄎𑄑)	171	\EOto (𑄎𑄑)	171
\EOko (𑄎𑄑)	172	\EOpuu (𑄎𑄑)	172	\EOtu (𑄎𑄑)	171
\EOku (𑄎𑄑)	172	\EOpuuk (𑄎𑄑)	172	\EOtuki (𑄎𑄑)	171
\EOkuu (𑄎𑄑)	172	\EORain (𑄎𑄑)	172	\EOtukpa (𑄎𑄑)	171
\EOLetBlood (𑄎𑄑)	172	\EOSa (𑄎𑄑)	172	\EOturtle (𑄎𑄑)	171
\EOLoinCloth (𑄎𑄑)	172	\EOSa (𑄎𑄑)	172	\EOtuu (𑄎𑄑)	171
\EOLongLipII (𑄎𑄑)	172	\EOSa (𑄎𑄑)	172	\EOtza (𑄎𑄑)	171
\EOLord (𑄎𑄑)	172	\EOSacrifice (𑄎𑄑)	172	\EOtze (𑄎𑄑)	171
\EOLose (𑄎𑄑)	172	\EOSaw (𑄎𑄑)	172	\EOtzetze (𑄎𑄑)	171
\EOma (𑄎𑄑)	172	\EOScorpius (𑄎𑄑)	172	\EOtzi (𑄎𑄑)	171
\EOmacaw (𑄎𑄑)	172	\EOSet (𑄎𑄑)	172	\EOtzu (𑄎𑄑)	171
\EOmacawI (𑄎𑄑)	172	\EOSi (𑄎𑄑)	172	\EOtzuu (𑄎𑄑)	171
\EOme (𑄎𑄑)	172	\EOSi (𑄎𑄑)	172	\EOundef (𑄎𑄑)	172
\EOMexNew (𑄎𑄑)	172	\EOSing (𑄎𑄑)	172	\EOv (𑄎𑄑)	172
\EOMi (𑄎𑄑)	172	\EOSini (𑄎𑄑)	172	\EOvarBeardMask (𑄎𑄑)	172
\EOMiddle (𑄎𑄑)	171	\EOSkin (𑄎𑄑)	172	\EOvarja (𑄎𑄑)	172
		\EOSky (𑄎𑄑)	172	\EOvarji (𑄎𑄑)	172
\EOMonster (𑄎𑄑)	171	\EOSkyAnimal (𑄎𑄑)	172	\EOvarki (𑄎𑄑)	172
\EOMountain (𑄎𑄑)	171	\EOSkyPillar (𑄎𑄑)	172	\EOvarkuu (𑄎𑄑)	172
\EOMuu (𑄎𑄑)	171	\EOSnake (𑄎𑄑)	172	\EOvarni (𑄎𑄑)	172
\EONA (𑄎𑄑)	171	\EOSo (𑄎𑄑)	172	\EOvarpa (𑄎𑄑)	172
\EOne (𑄎𑄑)	171	\EOSpan (𑄎𑄑)	172	\EOvarSi (𑄎𑄑)	172
\EOni (𑄎𑄑)	171	\EOSprinkle (𑄎𑄑)	172	\EOvarsi (𑄎𑄑)	172
\EOnow (𑄎𑄑)	171	\EOstar (𑄎𑄑)	172	\EOvartza (𑄎𑄑)	172
\EOnu (𑄎𑄑)	171	\EOStarWarrior (𑄎𑄑)	171	\EOvarwuu (𑄎𑄑)	172
\EOnuu (𑄎𑄑)	171	\EOStarWarrior (𑄎𑄑)	172	\EOvarYear (𑄎𑄑)	172
		\EOstep (𑄎𑄑)	171	\EOvi (𑄎𑄑)	172
\EOofficerI (𑄎𑄑)	171	\EOSu (𑄎𑄑)	171	\EOvii (𑄎𑄑)	172
\EOofficerII (𑄎𑄑)	171	\EOSu (𑄎𑄑)	171	\EOviii (𑄎𑄑)	172
\EOofficerIII (𑄎𑄑)	171	\EOSu (𑄎𑄑)	171	\EOwa (𑄎𑄑)	172
\EOofficerIV (𑄎𑄑)	171	\EOSun (𑄎𑄑)	171	\EOwe (𑄎𑄑)	172
\EOpa (𑄎𑄑)	171	\EOSuu (𑄎𑄑)	171	\EOwi (𑄎𑄑)	172
\EOpak (𑄎𑄑)	171	\EOSuu (𑄎𑄑)	171	\EOwo (𑄎𑄑)	172
\EOPatron (𑄎𑄑)	171	\EOSuu (𑄎𑄑)	171	\EOwuu (𑄎𑄑)	172
\EOPatronII (𑄎𑄑)	171	\EOT (𑄎𑄑)	142	\EOx (𑄎𑄑)	172
\EOpe (𑄎𑄑)	171	\EOTA (𑄎𑄑)	171	\EOxi (𑄎𑄑)	172
\EOpenis (𑄎𑄑)	171	\EOTE (𑄎𑄑)	171	\EOxii (𑄎𑄑)	172
		\EOTHrone (𑄎𑄑)	171	\EOxiii (𑄎𑄑)	172
\EOpi (𑄎𑄑)	171	\EOTi (𑄎𑄑)	171	\EOxiv (𑄎𑄑)	172
\EOPierce (𑄎𑄑)	171	\EOTime (𑄎𑄑)	171	\EOxix (𑄎𑄑)	172
\EOPlant (𑄎𑄑)	171			\EOxv (𑄎𑄑)	172

<code>\EOxvi</code> (  )	172	<code>\eqqslantgtr</code> ( $\cong$ )	74	<code>\ESC</code> ( $\text{\ESC}$ )	142
<code>\EOxvii</code> (  )	172	<code>\eqqslantless</code> ( $\cong$ )	74	<code>\Esc</code> ( $\text{\Esc}$ )	141
<code>\EOxviii</code> (  )	172	<code>\eqsim</code> ( $\approx$ )	56	escapable characters	15
<code>\EOxx</code> (  )	172	<code>\eqsim</code> ( $\approx$ )	62	<code>\esh</code> ( $\text{\esh}$ )	21
<code>\EOya</code> (  )	172	<code>\eqsim</code> ( $\approx$ )	60	<code>\esh</code> ( $\text{\esh}$ )	20
<code>\EOyaj</code> (  )	172	<code>\eqsim</code> ( $\approx$ )	58	<code>esint</code> (package)	46, 298
<code>\EOye</code> (  )	172	<code>\eqsim</code> ( $\approx$ )	64	<code>esrelation</code> (package)	95, 123, 298
<code>\EOYear</code> (  )	172	<code>\eqslantgtr</code> ( $\supseteq$ )	71	<code>\Estatically</code> ( $\text{\Estatically}$ )	144
<code>\EOyuu</code> (  )	172	<code>\eqslantgtr</code> ( $\supseteq$ )	70	estimated <i>see</i> <code>\textestimated</code>	
<code>\EOzero</code> (  )	172	<code>\eqslantgtr</code> ( $\supseteq$ )	74	<code>\Estonia</code> ( $\text{\Estonia}$ )	220
<code>\EP</code> ( $\text{\EP}$ )	141	<code>\eqslantgtr</code> ( $\supseteq$ )	74	<code>esvect</code> (package)	120, 298
<code>\eparsl</code> ( $\text{\eparsl}$ )	64	<code>\eqslantgtr</code> ( $\supseteq$ )	73	<code>\Eta</code> ( $\text{\Eta}$ )	101
Epi-Olmec script	171–172	<code>\eqslantgtr</code> ( $\supseteq$ )	72	<code>\eta</code> ( $\text{\eta}$ )	101
epiomec (package)	171, 172, 298, 299	<code>\eqslantgtr</code> ( $\supseteq$ )	74	<code>\etameson</code> ( $\text{\etameson}$ )	145
<code>epsdice</code> (package)	196, 298, 299	<code>\eqslantless</code> ( $\leq$ )	71	<code>\etamesonprime</code> ( $\text{\etamesonprime}$ )	145
<code>\epsdice</code> (  )	196	<code>\eqslantless</code> ( $\leq$ )	70	<code>\etaup</code> ( $\text{\etaup}$ )	102
<code>\epsi</code> ( $\text{\epsi}$ )	21	<code>\eqslantless</code> ( $\leq$ )	74	<code>\ETB</code> ( $\text{\ETB}$ )	142
<code>\Epsilon</code> ( $\text{\Epsilon}$ )	101	<code>\eqslantless</code> ( $\leq$ )	73	<code>\eth</code> ( $\text{\eth}$ )	130
<code>\epsilon</code> ( $\text{\epsilon}$ )	101	<code>\eqslantless</code> ( $\leq$ )	72	<code>\eth</code> ( $\text{\eth}$ )	21
<code>\epsilonup</code> ( $\text{\epsilonup}$ )	102	<code>\eqslantless</code> ( $\leq$ )	74	<code>\eth</code> ( $\text{\eth}$ )	132
<code>\eqbump</code> ( $\text{\eqbump}$ )	58	<code>\eqsmile</code> ( $\text{\eqsmile}$ )	97	<code>\eth</code> ( $\text{\eth}$ )	20
<code>\eqbumped</code> ( $\text{\eqbumped}$ )	56	<code>\equal</code> ( $\text{\equal}$ )	60	<code>\ETX</code> ( $\text{\ETX}$ )	142
<code>\eqbumped</code> ( $\text{\eqbumped}$ )	62	<code>\equal</code> ( $\text{\equal}$ )	58	<code>euflag</code> (package)	223, 298, 299
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	56	<code>\equal</code> ( $\text{\equal}$ )	199	<code>\euflag</code> (  )	223
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	55	<code>\equalclosed</code> ( $\text{\equalclosed}$ )	58	<code>eufrak</code> (package)	134
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	62	<code>\equalleftarrow</code> ( $\text{\equalleftarrow}$ )	91	Euler Roman	102
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	60	<code>\equalparallel</code> ( $\text{\equalparallel}$ )	62	<code>\Eulerconst</code> ( $\text{\Eulerconst}$ )	105
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	58	<code>\equalparallel</code> ( $\text{\equalparallel}$ )	64	<code>\EUR</code> ( $\text{\EUR}$ )	27
<code>\eqcirc</code> ( $\text{\eqcirc}$ )	64	<code>\equalrightarrow</code> ( $\text{\equalrightarrow}$ )	91	<code>\EURcr</code> ( $\text{\EURcr}$ )	27
<code>\Eqcolon</code> ( $\text{\Eqcolon}$ )	56	<code>\equalscolon</code> ( $\text{\equalscolon}$ )	67	<code>\EURdig</code> ( $\text{\EURdig}$ )	27
<code>\Eqcolon</code> ( $\text{\Eqcolon}$ )	65	<code>\equalscoloncolon</code> ( $\text{\equalscoloncolon}$ )	67	<code>\EURhiv</code> ( $\text{\EURhiv}$ )	27
<code>\eqcolon</code> ( $\text{\eqcolon}$ )	56	<code>\equalsfill</code>	31, 286	<code>\Euro</code> ( $\text{\Euro}$ )	27
<code>\eqcolon</code> ( $\text{\eqcolon}$ )	65	<code>equidecomposable</code>	281	<code>\euro</code>	28
<code>\eqcolon</code> ( $\text{\eqcolon}$ )	56	<code>equilibrium</code>	<i>see</i>	<code>\euro</code> ( $\text{\euro}$ )	27
<code>\eqcolon</code> ( $\text{\eqcolon}$ )	60	<code>\rightleftharpoons</code>		euro banknote (  )	238
<code>\eqcolon</code> ( $\text{\eqcolon}$ )	64	<code>\Equiv</code> ( $\text{\Equiv}$ )	64	euro signs	27, 28
<code>\eqdef</code> ( $\text{\eqdef}$ )	64	<code>\equiv</code> ( $\text{\equiv}$ )	31, 54	blackboard bold	135
<code>\eqdot</code> ( $\text{\eqdot}$ )	60	<code>\equiv</code> ( $\text{\equiv}$ )	60	<code>\eurologo</code> ( $\text{\eurologo}$ )	28
<code>\eqdot</code> ( $\text{\eqdot}$ )	58	<code>\equiv</code> ( $\text{\equiv}$ )	58	European countries	219
<code>\eqdot</code> ( $\text{\eqdot}$ )	64	<code>\equiv</code> ( $\text{\equiv}$ )	64	<code>eurosym</code> (package)	28, 298, 299
<code>\eqeq</code> ( $\text{\eqeq}$ )	64	<code>\Equivalence</code> ( $\text{\Equivalence}$ )	128	<code>\EURtm</code> ( $\text{\EURtm}$ )	27
<code>\eqeqeq</code> ( $\text{\eqeqeq}$ )	64	equivalence	<i>see</i>	<code>euscript</code> (package)	134, 298, 299
<code>\eqfrown</code> ( $\text{\eqfrown}$ )	97	<code>\equiv</code> , <code>\leftrightarrow</code> , <code>and</code> <code>\threesim</code>		evaluated at	<i>see</i> <code>\vert</code>
<code>\eqgtr</code> ( $\text{\eqgtr}$ )	74	<code>\equivclosed</code> ( $\text{\equivclosed}$ )	58	evergreen tree (  )	238
<code>\eqleftrightarrow</code> ( $\text{\eqleftrightarrow}$ )	89	<code>\equivDD</code> ( $\text{\equivDD}$ )	64	evil spirits	216
<code>\eqless</code> ( $\text{\eqless}$ )	74	<code>\equivVert</code> ( $\text{\equivVert}$ )	64	<code>\exciton</code> ( $\text{\exciton}$ )	145
<code>\Eqqcolon</code> ( $\text{\Eqqcolon}$ )	56	<code>\eqvpar</code> ( $\text{\eqvpar}$ )	63	<code>\Exclam</code> ( $\text{\Exclam}$ )	132
<code>\Eqqcolon</code> ( $\text{\Eqqcolon}$ )	65	<code>\er</code> ( $\text{\er}$ )	20	exclamation question mark ( $\text{\Exclam}$ )	238
<code>\eqqcolon</code> ( $\text{\eqqcolon}$ )	65	<code>\erf</code> ( $\text{\erf}$ )	100	exclusive disjunction	
<code>\eqqcolon</code> ( $\text{\eqqcolon}$ )	56	<code>\Eros</code> ( $\text{\Eros}$ )	140	<i>see</i> <code>\leftrightarrow</code>	
<code>\eqqcolon</code> ( $\text{\eqqcolon}$ )	60	<code>\errbarblackcircle</code> ( $\text{\errbarblackcircle}$ )	158	<code>\nequiv</code> , <i>and</i> <code>\oplus</code>	
<code>\eqqgtr</code> ( $\text{\eqqgtr}$ )	74	<code>\errbarblackdiamond</code> ( $\text{\errbarblackdiamond}$ )	158	exclusive or	280
<code>\eqqlless</code> ( $\text{\eqqlless}$ )	74	<code>\errbarblacksquare</code> ( $\text{\errbarblacksquare}$ )	158	<code>\exists</code> ( $\text{\exists}$ )	104
<code>\eqqplus</code> ( $\text{\eqqplus}$ )	37	<code>\errbarcircle</code> ( $\text{\errbarcircle}$ )	158	<code>\exists</code> ( $\text{\exists}$ )	104
<code>\eqqsim</code> ( $\text{\eqqsim}$ )	64	<code>\errbardiamond</code> ( $\text{\errbardiamond}$ )	158	<code>\exists</code> ( $\text{\exists}$ )	105
		<code>\errbarsquare</code> ( $\text{\errbarsquare}$ )	158	<code>\exists</code> ( $\text{\exists}$ )	104
		<code>\errorsym</code> ( $\text{\errorsym}$ )	145	<code>\exists</code> ( $\text{\exists}$ )	105
		<code>es-zet</code>	<i>see</i> <code>\ss</code>		

`\exp` (exp) ..... 99  
`\experimentalsym` (X) ... 145  
 exploding head (💣) ..... 238  
`\Explosionsafe` (💣) ..... 144  
 expressionless face (😐) ..... 238  
 extarrows (package) .. 122, 298,  
 299  
 extensible accents 117–121, 125,  
 286–287  
 extensible arrows .... 117–123  
 extensible braces .... 117–120  
 extensible symbols, creating 286–  
 287  
 extensible tildes ..... 117, 120  
 extension characters ... 98, 99  
`\externalsym` (▣) ..... 145  
 extpfeil (package) . 122, 298, 299  
 extraipa (package) .... 24, 298  
`\eye` (·) ..... 173  
`\eye` (👁) ..... 162  
 eye (👁) ..... 238  
 eye in speech bubble (🗨) .. 238  
 eyeglasses (👓) ..... 238  
 eyes (\*\*) ..... 238  
`\EyesDollar` (\$) ..... 27  
 ezh ..... *see* `\roundz`

## F

`F` (ℱ) ..... 173  
`f` (esvect package option) .. 120  
`\f` (♠) ..... 22  
`f` (ℱ) ..... 173  
`\fa` (♠) ..... 250  
`\faAdjust` (⬇) ..... 250  
`\faAdn` (♣) ..... 250  
`\faAlignCenter` (≡) ..... 250  
`\faAlignJustify` (≡) ..... 250  
`\faAlignLeft` (≡) ..... 250  
`\faAlignRight` (≡) ..... 250  
`\faAmazon` (a) ..... 250  
`\faAmbulance` (🚑) ..... 250  
`\faAnchor` (⚓) ..... 250  
`\faAndroid` (🤖) ..... 250  
`\faAngellist` (👋) ..... 250  
`\faAngleDoubleDown` (⋈) .. 250  
`\faAngleDoubleLeft` (⋈) .. 250  
`\faAngleDoubleRight` (⋈) . 250  
`\faAngleDoubleUp` (⋈) .... 250  
`\faAngleDown` (∨) ..... 251  
`\faAngleLeft` (◁) ..... 251  
`\faAngleRight` (▷) ..... 251  
`\faAngleUp` (∧) ..... 251  
`\faApple` (🍏) ..... 251  
`\faArchive` (🗳) ..... 251  
`\faAreaChart` (📊) ..... 251  
`\faArrowCircleDown` (⬇) .. 148  
`\faArrowCircleLeft` (⬅) .. 148  
`\faArrowCircleODown` (⬇) .. 148  
`\faArrowCircleOLeft` (⬅) . 148

`\faArrowCircleORight` (➡) 148  
`\faArrowCircleOUp` (⬆) ... 148  
`\faArrowCircleRight` (➡) . 148  
`\faArrowCircleUp` (⬆) ... 148  
`\faArrowDown` (↓) ..... 148  
`\faArrowLeft` (←) ..... 148  
`\faArrowRight` (→) ..... 148  
`\faArrows` (↔) ..... 148  
`\faArrowsAlt` (↔) ..... 148  
`\faArrowsH` (↔) ..... 148  
`\faArrowsV` (↕) ..... 148  
`\faArrowUp` (↑) ..... 148  
`\faAsterisk` (\*) ..... 251  
`\faAt` (@) ..... 251  
`\faAutomobile` (🚗) ..... 254  
`\faBackward` (⏪) ..... 251  
`\faBalanceScale` (⚖) ..... 251  
`\faBan` (🚫) ..... 251  
`\faBank` (🏦) ..... 254  
`\faBarChart` (📊) ..... 251  
`\faBarChart0` (📊) ..... 254  
`\faBarcode` (📊) ..... 251  
`\faBars` (≡) ..... 251  
`\faBattery0` (🔋) ..... 254  
`\faBattery1` (🔋) ..... 254  
`\faBattery2` (🔋) ..... 254  
`\faBattery3` (🔋) ..... 254  
`\faBattery4` (🔋) ..... 254  
`\faBatteryEmpty` (🔋) .... 251  
`\faBatteryFull` (🔋) .... 251  
`\faBatteryHalf` (🔋) .... 251  
`\faBatteryQuarter` (🔋) .. 251  
`\faBatteryThreeQuarters` (🔋)  
 ..... 251  
`\faBed` (🛏) ..... 251  
`\faBeer` (🍺) ..... 251  
`\faBehance` (Bē) ..... 251  
`\faBehanceSquare` (Be) ... 251  
`\faBell` (🔔) ..... 251  
`\faBell10` (🔔) ..... 251  
`\faBellSlash` (🔕) ..... 251  
`\faBellSlash0` (🔕) ..... 251  
`\faBicycle` (🚲) ..... 251  
`\faBinoculars` (🔭) ..... 251  
`\faBirthdayCake` (🎂) .... 251  
`\faBitbucket` (🔑) ..... 251  
`\faBitbucketSquare` (🔑) .. 251  
`\faBitcoin` (₿) ..... 27  
`\faBlackTie` (👔) ..... 251  
`\faBold` (B) ..... 251  
`\faBolt` (⚡) ..... 251  
`\faBomb` (💣) ..... 251  
`\faBook` (📖) ..... 251  
`\faBookmark` (🔖) ..... 251  
`\faBookmark0` (🔖) ..... 251  
`\faBriefcase` (💼) ..... 251  
`\faBtc` (₿) ..... 27  
`\faBtc` (₿) ..... 27

`\faBug` (🐛) ..... 251  
`\faBuilding` (🏢) ..... 251  
`\faBuilding0` (🏢) ..... 251  
`\faBullhorn` (📣) ..... 251  
`\faBullseye` (🎯) ..... 251  
`\faBus` (🚌) ..... 251  
`\faBuysellads` (A) ..... 251  
`\faCab` (🚕) ..... 254  
`\faCalculator` (🧮) ..... 251  
`\faCalendar` (📅) ..... 252  
`\faCalendarCheck0` (📅) .. 252  
`\faCalendarMinus0` (📅) .. 252  
`\faCalendar0` (📅) ..... 252  
`\faCalendarPlus0` (📅) ... 252  
`\faCalendarTimes0` (📅) .. 252  
`\faCamera` (📷) ..... 252  
`\faCameraRetro` (📷) ..... 252  
`\faCar` (🚗) ..... 252  
`\faCaretDown` (▼) ..... 252  
`\faCaretLeft` (◀) ..... 252  
`\faCaretRight` (▶) ..... 252  
`\faCaretSquareODown` (▣) . 252  
`\faCaretSquareOLeft` (▣) . 252  
`\faCaretSquareORight` (▣) 252  
`\faCaretSquareOUp` (▣) ... 252  
`\faCaretUp` (▲) ..... 252  
`\faCartArrowDown` (🛒) ... 252  
`\faCartPlus` (🛒) ..... 252  
`\faCc` (CC) ..... 252  
`\faCcAmex` (🏠) ..... 252  
`\faCcDinersClub` (D) ..... 252  
`\faCcDiscover` (Discover) ..... 252  
`\faCcJcb` (JCB) ..... 252  
`\faCcMastercard` (🏠) .... 252  
`\faCcPaypal` (PayPal) ..... 252  
`\faCcStripe` (stripe) ..... 252  
`\faCcVisa` (VISA) ..... 252  
 face blowing a kiss (😘) .... 238  
 face savoring food (😋) .... 238  
 face screaming in fear (😱) . 239  
 face vomiting (🤮) ..... 239  
 face with hand over mouth (🙊) .  
 ..... 239  
 face with head-bandage (🤕) 239  
 face with medical mask (🤒) 239  
 face with monocle (👁) .... 239  
 face with open mouth (👄) . 239  
 face with raised eyebrow (🙄) 239  
 face with rolling eyes (🙄) .. 239  
 face with steam from nose (👃) .  
 ..... 239  
 face with symbols on mouth (👤)  
 ..... 239  
 face with tears of joy (😄) .. 239  
 face with thermometer (🤒) . 239  
 face with tongue (👅) .... 239  
 face without mouth (👤) ... 239  
`\faCertificate` (📜) ..... 252

faces	132, 142, 164, 202, 205, 214, 216, 217, 229–254, 257–260
\faChain	254
\faChainBroken	252
\faCheck	153
\faCheckCircle	153
\faCheckCircle0	153
\faCheckSquare	153
\faCheckSquare0	153
\faChevronCircleDown	148
\faChevronCircleLeft	148
\faChevronCircleRight	148
\faChevronCircleUp	148
\faChevronDown	148
\faChevronLeft	148
\faChevronRight	148
\faChevronUp	148
\faChild	252
\faChrome	252
\faCircle	161
\faCircle0	161
\faCircle0Notch	161
\faCircleThin	161
\faClipboard	252
\faClock0	252
\faClone	252
\faClose	153
\faCloud	252
\faCloudDownload	252
\faCloudUpload	252
\faCny	27
\faCode	252
\faCodeFork	252
\faCodepen	252
\faCoffee	252
\faCog	252
\faCogs	252
\faColumns	252
\faComment	252
\faCommenting	252
\faCommenting0	252
\faComment0	252
\faComments	253
\faComments0	253
\faCompass	253
\faCompress	253
\faConnectdevelop	253
\faContao	253
\faContent	127
\faCopy	254
\faCopyright	28
\faCreativeCommons	28
\faCreditCard	253
\faCrop	253
\faCrosshairs	253
\faCss3	253
factory	239
factory worker	239
\faCube	253
\faCubes	253
\faCut	254
\faCutlery	253
\faDashboard	254
\faDashcube	253
\faDatabase	253
\faDedent	254
\faDelicious	253
\faDesktop	253
\faDeviantart	253
\faDiamond	253
\faDigg	253
\faDollar	27
\faDotCircle0	161
\faDownload	253
\faDribbble	253
\faDropbox	253
\faDrupal	253
\faEdit	254
\faEject	253
\faEllipsisH	253
\faEllipsisV	253
\faEmpire	253
\faEnvelope	253
\faEnvelope0	253
\faEnvelopeSquare	253
\faEraser	253
\faEur	27
\faEuro	27
\faExchange	253
\faExclamation	253
\faExclamationCircle	253
\faExclamationTriangle	253
\faExpand	253
\faExpeditedssl	253
\faExternalLink	253
\faExternalLinkSquare	253
\faEye	253
\faEyedropper	253
\faEyeSlash	253
\faFacebook	253
\faFacebookF	254
\faFacebookOfficial	253
\faFacebookSquare	253
\faFastBackward	253
\faFastForward	253
\faFax	253
\faFeed	254
\faFemale	250
\faFighterJet	250
\faFile	250
\faFileArchive0	250
\faFileAudio0	250
\faFileCode0	250
\faFileExcel0	250
\faFileImage0	250
\faFileMovie0	254
\faFile0	250
\faFilePdf0	250
\faFilePhoto0	254
\faFilePicture0	254
\faFilePowerpoint0	250
\faFiles0	250
\faFileSound0	254
\faFileText	250
\faFileText0	250
\faFileVideo0	250
\faFileWord0	250
\faFileZip0	254
\faFilm	251
\faFilter	251
\faFire	251
\faFireExtinguisher	251
\faFirefox	251
\faFlag	251
\faFlagCheckered	251
\faFlag0	251
\faFlash	254
\faFlask	251
\faFlickr	251
\faFloppy0	251
\faFolder	251
\faFolder0	251
\faFolderOpen	251
\faFolderOpen0	251
\faFont	251
\faFonticons	251
\faForumbee	251
\faForward	251
\faFoursquare	251
\faFrown0	251
\faFutbol0	251
\faGamepad	251
\faGavel	251
\faGbp	27
\faGe	254
\faGear	254
\faGears	254
\faGenderless	144
\faGetPocket	251
\faGg	251
\faGgCircle	251
\faGift	251
\faGit	251
\faGithub	251
\faGithubAlt	251
\faGithubSquare	251
\faGitSquare	251
\faGittip	254
\faGlass	251
\faGlobe	251
\faGoogle	251
\faGooglePlus	251



<code>\faGooglePlusSquare</code> (G+) . 251	<code>\faJpy</code> (¥) . . . . . 27	<code>\faMarsDouble</code> (♁) . . . . . 144
<code>\faGoogleWallet</code> (W) . . . . . 251	<code>\faJpy</code> (¥) . . . . . 27	<code>\faMarsStroke</code> (♂) . . . . . 144
<code>\faGraduationCap</code> (🎓) . . . 251	<code>\faJsfiddle</code> (JS) . . . . . 252	<code>\faMarsStrokeH</code> (♂) . . . . . 144
<code>\faGratipay</code> (G) . . . . . 251	<code>\faKey</code> (🔑) . . . . . 252	<code>\faMarsStrokeV</code> (♁) . . . . . 144
<code>\faGroup</code> (👥) . . . . . 254	<code>\faKeyboardO</code> (🗂) . . . . . 252	<code>\faMaxcdn</code> (M) . . . . . 253
<code>\faHackerNews</code> (Y) . . . . . 251	<code>\faKrw</code> (₩) . . . . . 27	<code>\faMeanpath</code> (M) . . . . . 253
<code>\faHandGrabO</code> (👉) . . . . . 151	<code>\faKrw</code> (₩) . . . . . 27	<code>\faMedium</code> (M) . . . . . 253
<code>\faHandLizardO</code> (🦎) . . . . . 151	<code>falafel</code> (🥙) . . . . . 211	<code>\faMedkit</code> (🏠) . . . . . 253
<code>\faHandODown</code> (👇) . . . . . 151	<code>\faLanguage</code> (🗨) . . . . . 252	<code>\faMehO</code> (☹) . . . . . 253
<code>\faHandOLeft</code> (👈) . . . . . 151	<code>\faLaptop</code> (💻) . . . . . 252	<code>\faMercury</code> (♁) . . . . . 138
<code>\faHandORight</code> (👉) . . . . . 151	<code>\faLastfm</code> (OS) . . . . . 252	<code>\faMicrophone</code> (🎤) . . . . . 253
<code>\faHandOUp</code> (👆) . . . . . 151	<code>\faLastfmSquare</code> (OS) . . . . . 252	<code>\faMicrophoneSlash</code> (🎤) . . 253
<code>\faHandPaperO</code> (👏) . . . . . 151	<code>\faLeaf</code> (🍃) . . . . . 252	<code>family</code> (👨) . . . . . 239
<code>\faHandPaperO</code> (👏) . . . . . 151	<code>\faLeanpub</code> (M) . . . . . 252	<code>\faMinus</code> (−) . . . . . 253
<code>\faHandPeaceO</code> (👊) . . . . . 151	<code>\faLegal</code> (⚖) . . . . . 254	<code>\faMinusCircle</code> (⊖) . . . . . 253
<code>\faHandPointerO</code> (👉) . . . . . 151	<code>\faLemonO</code> (🍋) . . . . . 252	<code>\faMinusSquare</code> (◻) . . . . . 253
<code>\faHandRockO</code> (👊) . . . . . 151	<code>\faLevelDown</code> (⬇) . . . . . 252	<code>\faMinusSquareO</code> (◻) . . . . . 253
<code>\faHandRockO</code> (👊) . . . . . 151	<code>\faLevelUp</code> (⬆) . . . . . 252	<code>\faMobile</code> (📱) . . . . . 253
<code>\faHandScissorsO</code> (✂) . . . . . 151	<code>\faLifeBouy</code> (🚫) . . . . . 254	<code>\faMobilePhone</code> (📱) . . . . . 254
<code>\faHandSpockO</code> (🖖) . . . . . 151	<code>\faLifeRing</code> (🚫) . . . . . 252	<code>\faMoney</code> (💰) . . . . . 253
<code>\faHandStopO</code> (👊) . . . . . 151	<code>\faLifeSaver</code> (🚫) . . . . . 254	<code>\faMoonO</code> (🌙) . . . . . 138
<code>\faHddO</code> (📀) . . . . . 251	<code>\faLightbulbO</code> (💡) . . . . . 252	<code>\faMortarBoard</code> (🎓) . . . . . 254
<code>\faHeader</code> (H) . . . . . 251	<code>\faLineChart</code> (📈) . . . . . 252	<code>\faMotorcycle</code> (🏍) . . . . . 253
<code>\faHeadphones</code> (🎧) . . . . . 251	<code>\faLink</code> (🔗) . . . . . 252	<code>\faMousePointer</code> (🖱) . . . . . 253
<code>\faHeart</code> (♥) . . . . . 251	<code>\faLinkedin</code> (in) . . . . . 252	<code>\faMusic</code> (🎵) . . . . . 253
<code>\faHeartbeat</code> (💓) . . . . . 251	<code>\faLinkedinSquare</code> (in) . . . . . 252	<code>\faNavicon</code> (☰) . . . . . 254
<code>\faHeartO</code> (♥) . . . . . 251	<code>\faLinex</code> (L) . . . . . 252	<code>\Fancontent</code> (⌋) . . . . . 127
<code>\faHistory</code> (🕒) . . . . . 251	<code>\faList</code> (☰) . . . . . 252	<code>fancy borders</code> . . . . . 260-268
<code>\faHome</code> (🏠) . . . . . 252	<code>\faListAlt</code> (☰) . . . . . 252	<code>\faNeuter</code> (♁) . . . . . 144
<code>\faHospitalO</code> (🏥) . . . . . 252	<code>\faListO1</code> (☰) . . . . . 252	<code>\faNewspaperO</code> (📰) . . . . . 253
<code>\faHotel</code> (🏨) . . . . . 254	<code>\faListUl</code> (☰) . . . . . 252	<code>\Fanncontent</code> (⌋) . . . . . 127
<code>\faHourglass</code> (🕒) . . . . . 252	<code>fallen leaf</code> (🍂) . . . . . 239	<code>\Fannquant</code> (⌋) . . . . . 127
<code>\faHourglassEnd</code> (🕒) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 56	<code>\Fannquantn</code> (⌋) . . . . . 127
<code>\faHourglassHalf</code> (🕒) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 55	<code>\Fannquantnn</code> (⌋) . . . . . 127
<code>\faHourglassO</code> (🕒) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 63	<code>\Fanoven</code> (🔥) . . . . . 229
<code>\faHourglassStart</code> (🕒) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 60	<code>\Fanquant</code> (⌋) . . . . . 127
<code>\faHouzz</code> (H) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 58	<code>\Fanquantn</code> (⌋) . . . . . 127
<code>\faHSquare</code> (H) . . . . . 252	<code>\fallingdotseq</code> (≐) . . . . . 63	<code>\Fanquantnn</code> (⌋) . . . . . 127
<code>\faHtml5</code> (H) . . . . . 252	<code>\FallingEdge</code> (⌋) . . . . . 136	<code>\faObjectGroup</code> (🗂) . . . . . 253
<code>\faICursor</code> (I) . . . . . 252	<code>\faLocationArrow</code> (📍) . . . . . 252	<code>\faObjectUngroup</code> (🗂) . . . . . 253
<code>\faIls</code> (₺) . . . . . 27	<code>\faLock</code> (🔒) . . . . . 252	<code>\faOdnoklassniki</code> (OK) . . . . . 253
<code>\faIls</code> (₺) . . . . . 27	<code>\faLongArrowDown</code> (⬇) . . . . . 148	<code>\faOdnoklassnikiSquare</code> (OK) . . . . . 253
<code>\faImage</code> (🖼) . . . . . 254	<code>\faLongArrowLeft</code> (⬅) . . . . . 148	
<code>\faInbox</code> (📧) . . . . . 252	<code>\faLongArrowRight</code> (➡) . . . . . 148	
<code>\faIndent</code> (☰) . . . . . 252	<code>\faLongArrowUp</code> (⬆) . . . . . 148	
<code>\faIndustry</code> (🏭) . . . . . 252	<code>falsum</code> . . . . . <i>see</i> \bot	
<code>\faInfo</code> (i) . . . . . 252	<code>\faMagic</code> (🪄) . . . . . 252	<code>\faOpencart</code> (🛒) . . . . . 253
<code>\faInfoCircle</code> (i) . . . . . 252	<code>\faMagnet</code> (🧲) . . . . . 252	<code>\faOpenid</code> (🔗) . . . . . 253
<code>\faInr</code> (₹) . . . . . 27	<code>\faMailForward</code> (➡) . . . . . 254	<code>\faOpera</code> (O) . . . . . 253
<code>\faInr</code> (₹) . . . . . 27	<code>\faMailReply</code> (↩) . . . . . 254	<code>\faOptinMonster</code> (OM) . . . . . 253
<code>\faInstagram</code> (IG) . . . . . 252	<code>\faMailReplyAll</code> (↩) . . . . . 254	<code>\faOutdent</code> (☰) . . . . . 253
<code>\faInstitution</code> (🏛) . . . . . 254	<code>\faMale</code> (♂) . . . . . 252	<code>\faPagelines</code> (P) . . . . . 253
<code>\faInternetExplorer</code> (e) . . . . . 252	<code>\faMap</code> (M) . . . . . 253	<code>\faPaintBrush</code> (🖌) . . . . . 253
<code>\faIntersex</code> (♁) . . . . . 144	<code>\faMapMarker</code> (📍) . . . . . 253	<code>\faPaperclip</code> (📎) . . . . . 253
<code>\faIoxhost</code> (IO) . . . . . 252	<code>\faMapO</code> (M) . . . . . 253	<code>\faPaperPlane</code> (✉) . . . . . 253
<code>\faIoxhost</code> (IO) . . . . . 252	<code>\faMapPin</code> (📍) . . . . . 253	<code>\faPaperPlaneO</code> (✉) . . . . . 253
<code>fairy</code> (🧚) . . . . . 239	<code>\faMapSigns</code> (🗺) . . . . . 253	<code>\faParagraph</code> (¶) . . . . . 253
<code>\faItalic</code> (I) . . . . . 252	<code>\faMars</code> (♂) . . . . . 138, 144	<code>\faPaste</code> (📋) . . . . . 254
<code>\faJoomla</code> (J) . . . . . 252		<code>\faPause</code> (⏸) . . . . . 253
		<code>\faPaw</code> (🐾) . . . . . 253

<code>\faPaypal</code> (P)	253	<code>\faRss</code> (RSS)	251	fast reverse button (↩)	239
<code>\faPencil</code> (✎)	149	<code>\faRssSquare</code> (RSS)	251	fast up button (⏮)	239
<code>\faPencilSquare</code> (✎)	149	<code>\faRub</code> (₰)	27	fast-forward button (⏭)	239
<code>\faPencilSquare0</code> (✎)	149	<code>\faRub</code> (₰)	27	<code>\faStackExchange</code> (SE)	252
<code>\faPhone</code> (☎)	253	<code>\faRuble</code> (₽)	27	<code>\faStackOverflow</code> (SO)	252
<code>\faPhoneSquare</code> (☎)	253	<code>\faRupee</code> (₹)	27	<code>\faStar</code> (★)	156
<code>\faPhoto</code> (📷)	254	<code>\faSafari</code> (🍏)	251	<code>\faStarHalf</code> (★)	156
<code>\faPicture0</code> (📷)	253	<code>\faSave</code> (💾)	254	<code>\faStarHalfEmpty</code> (★)	156
<code>\faPieChart</code> (📊)	253	<code>\faScissors</code> (✂)	251	<code>\faStarHalfFull</code> (★)	156
<code>\faPiedPiper</code> (👤)	253	<code>\faSearch</code> (🔍)	251	<code>\faStarHalf0</code> (★)	156
<code>\faPiedPiperAlt</code> (👤)	253	<code>\faSearchMinus</code> (🔍)	251	<code>\faStarHalf0</code> (★)	156
<code>\faPinterest</code> (📌)	253	<code>\faSearchPlus</code> (🔍)	251	<code>\faStar0</code> (☆)	156
<code>\faPinterestP</code> (📌)	253	<code>\faSellsy</code> (👤)	251	<code>\faSteam</code> (🎮)	252
<code>\faPinterestSquare</code> (📌)	253	<code>\faSend</code> (✉)	254	<code>\faSteamSquare</code> (🎮)	252
<code>\faPlane</code> (✈)	250	<code>\faSend0</code> (✉)	254	<code>\faStepBackward</code> (⏮)	252
<code>\faPlay</code> (▶)	250	<code>\faServer</code> (🖨)	251	<code>\faStepForward</code> (⏭)	252
<code>\faPlayCircle</code> (▶)	250	<code>\faShare</code> (↗)	251	<code>\faStethoscope</code> (👂)	252
<code>\faPlayCircle0</code> (▶)	250	<code>\faShareAlt</code> (↗)	251	<code>\faStickyNote</code> (📌)	252
<code>\faPlug</code> (🔌)	250	<code>\faShareAltSquare</code> (↗)	251	<code>\faStickyNote0</code> (📌)	252
<code>\faPlus</code> (+)	250	<code>\faShareSquare</code> (↗)	251	<code>\faStop</code> (■)	252
<code>\faPlusCircle</code> (+)	250	<code>\faShareSquare0</code> (↗)	251	<code>\faStreetView</code> (📍)	252
<code>\faPlusSquare</code> (+)	250	<code>\faShekel</code> (₪)	27	<code>\faStrikethrough</code> (ABC)	252
<code>\faPlusSquare0</code> (+)	250	<code>\faSheqel</code> (₪)	27	<code>\faStumbleupon</code> (SU)	252
<code>\faPowerOff</code> (🔌)	250	<code>\faShield</code> (🛡)	251	<code>\faStumbleuponCircle</code> (SU)	252
<code>\faPrint</code> (🖨)	250	<code>\faShip</code> (🚢)	251	<code>\faSubscript</code> (x <sub>2</sub> )	252
<code>\faPuzzlePiece</code> (🧩)	250	<code>\faShirtsinbulk</code> (👕)	251	<code>\faSubway</code> (🚇)	252
<code>\faQq</code> (👤)	250	<code>\faShoppingCart</code> (🛒)	251	<code>\faSuitcase</code> (🧳)	252
<code>\faQrcode</code> (QR)	250	<code>\faSignal</code> (📶)	251	<code>\faSun0</code> (☀)	138
<code>\Faquant</code> (H)	127	<code>\faSignIn</code> (👤)	251	<code>\faSuperscript</code> (x <sup>2</sup> )	252
<code>\Faquantn</code> (H)	127	<code>\faSignOut</code> (👤)	251	<code>\faSupport</code> (🛎)	254
<code>\Faquantnn</code> (H)	127	<code>\faSimplybuilt</code> (🏠)	251	<code>\faTable</code> (📊)	252
<code>\faQuestion</code> (?)	250	<code>\faSitemap</code> (🗺)	251	<code>\faTablet</code> (📱)	252
<code>\faQuestionCircle</code> (❓)	250	<code>\faSkyatlas</code> (🌌)	251	<code>\faTachometer</code> (📊)	252
<code>\faQuoteLeft</code> (“)	251	<code>\faSkype</code> (S)	251	<code>\faTag</code> (🏷)	252
<code>\faQuoteRight</code> (”)	251	<code>\faSlack</code> (Z)	251	<code>\faTags</code> (🏷)	252
<code>\faRa</code> (🏴)	254	<code>\faSliders</code> (🎛)	251	<code>\faTasks</code> (📋)	252
<code>\faRandom</code> (🎲)	251	<code>\faSlideshare</code> (📺)	251	<code>\faTaxi</code> (🚕)	252
<code>\faRebel</code> (🏴)	251	<code>\faSmile0</code> (😊)	251	<code>\fatbslash</code> (\)	33
<code>\faRecycle</code> (♻)	251	<code>\faSoccerBall0</code> (⚽)	254	<code>\fatbslash</code> (\)	63
<code>\faReddit</code> (👍)	251	<code>\faSort</code> (↕)	251	<code>\faTelevision</code> (📺)	252
<code>\faRedditSquare</code> (👍)	251	<code>\faSortAlphaAsc</code> (A-Z)	251	<code>\faTencentWeibo</code> (P)	252
<code>\faRefresh</code> (🔄)	251	<code>\faSortAlphaDesc</code> (Z-A)	251	<code>\faTerminal</code> (>_)	252
<code>\faRegistered</code> (®)	28	<code>\faSortAmountAsc</code> (1-2)	251	<code>\faTextHeight</code> (T)	252
<code>\faRemove</code> (✖)	153	<code>\faSortAmountDesc</code> (2-1)	251	<code>\faTextWidth</code> (T)	252
<code>\faRenren</code> (人)	251	<code>\faSortAsc</code> (▲)	251	<code>\faTh</code> (☰)	252
<code>\faReorder</code> (☰)	254	<code>\faSortDesc</code> (▼)	252	<code>\faThLarge</code> (☳)	252
<code>\faRepeat</code> (C)	148	<code>\faSortDown</code> (▼)	254	<code>\faThList</code> (☰)	252
<code>\faRepeat</code> (C)	148	<code>\faSortNumericAsc</code> (1-9)	252	<code>\faThumbsDown</code> (👎)	151
<code>\faReply</code> (↩)	251	<code>\faSortNumericDesc</code> (9-1)	252	<code>\faThumbsODown</code> (👎)	151
<code>\faReplyAll</code> (↩)	251	<code>\faSortUp</code> (▲)	254	<code>\faThumbsOUp</code> (👍)	151
<code>\faRetweet</code> (🔄)	251	<code>\faSoundcloud</code> (🎵)	252	<code>\faThumbsUp</code> (👍)	151
<code>\faRmb</code> (¥)	27	<code>\faSpaceShuttle</code> (🚀)	252	<code>\faThumbTack</code> (📌)	252
farmer (👨)	239	<code>\faSpinner</code> (⌛)	252	<code>\faTicket</code> (🎫)	252
<code>\faRoad</code> (A)	251	<code>\faSpoon</code> (🥄)	252	<code>\faTimes</code> (✖)	153
<code>\faRocket</code> (🚀)	251	<code>\faSpotify</code> (🎵)	252	<code>\faTimes</code> (✖)	153
<code>\faRotateLeft</code> (↶)	148	<code>\faSquare</code> (■)	161	<code>\faTimesCircle</code> (⊗)	153
<code>\faRotateRight</code> (↷)	148	<code>\faSquare0</code> (□)	161	<code>\faTimesCircle0</code> (⊗)	153
<code>\faRouble</code> (₽)	27	fast down button (⏴)	239	<code>\faTint</code> (💧)	252

<code>\faToggleDown</code> (▣)	254	<code>\faVk</code> (⚡)	253	<code>\FemaleMale</code> (♀)	143
<code>\faToggleLeft</code> (◀)	254	<code>\faVolumeDown</code> (🔊)	253	<code>\Ferli</code> (♁)	178
<code>\faToggleOff</code> (⊖)	252	<code>\faVolumeOff</code> (🔇)	253	<code>\fermata</code>	182
<code>\faToggleOn</code> (⊕)	252	<code>\faVolumeUp</code> (🔊)	253	<code>\fermataDown</code> (⤵)	176
<code>\faToggleRight</code> (▶)	254	<code>\faWarning</code> (⚠)	254	<code>\fermataup</code> (⤴)	176
<code>\faToggleUp</code> (⬆)	254	<code>\faWechat</code> (☞)	254	<code>\Fermi</code> (♁)	178
<code>\faTrademark</code> (™)	28	<code>\faWeibo</code> (微)	253	<code>\fermiDistrib</code> (ℱ)	145
<code>\faTrain</code> (🚂)	252	<code>\faWeixin</code> (☞)	253	<code>\fermion</code> (ℱ)	145
<code>\faTransgender</code> (♂)	144	<code>\faWhatsapp</code> (📞)	253	fermions	144–145
<code>\faTransgender</code> (♀)	144	<code>\faWheelchair</code> (♿)	253	ferris wheel (🎡)	239
<code>\faTransgenderAlt</code> (♿)	144	<code>\faWifi</code> (📶)	253	ferry (🚢)	239
<code>\faTrash</code> (🗑)	252	<code>\faWikipediaW</code> (W)	253	feyn (package)	144, 298, 299
<code>\faTrash0</code> (🗑)	252	<code>\faWindows</code> (🪟)	253	Feynman slashed character notation	282
<code>\faTree</code> (🌲)	253	<code>\faWon</code> (₩)	27	Feynman-diagram symbols	144
<code>\faTrello</code> (📌)	253	<code>\faWordpress</code> (W)	253	<code>\feyn{a}</code> (a)	144
<code>\faTripadvisor</code> (📍)	253	<code>\faWrench</code> (🔧)	253	<code>\feyn{c}</code> (c)	144
<code>\faTrophy</code> (🏆)	253	<code>\FAX</code> (FAX)	143	<code>\feyn{fd}</code> (fd)	144
<code>\faTruck</code> (🚚)	253	<code>\fax</code> (📠)	143	<code>\feyn{fLS}</code> (fLS)	144
<code>\faTry</code> (📄)	27	<code>\fax machine</code> (📠)	239	<code>\feyn{fL}</code> (fL)	144
<code>\faTry</code> (📄)	27	<code>\faXing</code> (✂)	253	<code>\feyn{fs}</code> (fs)	144
<code>\fatsemi</code> (½)	33	<code>\faXingSquare</code> (🗲)	253	<code>\feyn{fu}</code> (fu)	144
<code>\fatsemi</code> (½)	36	<code>\Faxmachine</code> (📠)	143	<code>\feyn{fv}</code> (fv)	144
<code>\fatslash</code> (//)	33	<code>\faYahoo</code> (Y)	253	<code>\feyn{f}</code> (f)	144
<code>\fatslash</code> (//)	62	<code>\faYc</code> (¥)	254	<code>\feyn{gl}</code> (gl)	144
<code>\faTty</code> (TTY)	253	<code>\faYCombinator</code> (Y)	253	<code>\feyn{glB}</code> (glB)	144
<code>\faTumblr</code> (t)	253	<code>\faYCombinatorSquare</code> (Y)	254	<code>\feyn{glS}</code> (glS)	144
<code>\faTumblrSquare</code> (t)	253	<code>\faYcSquare</code> (¥)	254	<code>\feyn{glu}</code> (glu)	144
<code>\faTurkishLira</code> (₺)	27	<code>\faYelp</code> (🍴)	253	<code>\feyn{gl}</code> (gl)	144
<code>\faTv</code> (📺)	254	<code>\faYen</code> (¥)	27	<code>\feyn{gu}</code> (gu)	144
<code>\faTwitch</code> (📺)	253	<code>\faYoutube</code> (📺)	253	<code>\feyn{gvs}</code> (gvs)	144
<code>\faTwitter</code> (🐦)	253	<code>\faYoutubePlay</code> (📺)	253	<code>\feyn{gv}</code> (gv)	144
<code>\faTwitterSquare</code> (🐦)	253	<code>\faYoutubeSquare</code> (📺)	253	<code>\feyn{g}</code> (g)	144
<code>\faUmbrella</code> (☂)	253	<code>\fbowtie</code> (🎀)	63	<code>\feyn{hd}</code> (hd)	144
<code>\faUnderline</code> (U)	253	fc (package)	17, 22	<code>\feyn{hs}</code> (hs)	144
<code>\faUndo</code> (↶)	148	<code>\fcdice</code> (🎲)	196	<code>\feyn{hu}</code> (hu)	144
<code>\faUndo</code> (↶)	148	fclfont (package)	298	<code>\feyn{h}</code> (h)	144
<code>\faUniversity</code> (🎓)	253	<code>\fcmp</code> (;) )	37	<code>\feyn{ms}</code> (ms)	144
<code>\faUnlink</code> (🔗)	254	<code>\Fcontent</code> (—)	127	<code>\feyn{m}</code> (m)	144
<code>\faUnlock</code> (🔓)	253	<code>\fcscore</code> (     )	211	<code>\feyn{P}</code> (P)	144
<code>\faUnlockAlt</code> (🔓)	253	.fd files	13, 290, 297	<code>\feyn{p}</code> (p)	144
<code>\faUnsorted</code> (⇅)	254	<code>\fdiagovnearrow</code> (↗)	91	<code>\feyn{x}</code> (x)	144
<code>\faUpload</code> (⬆)	253	<code>\fdiagovrdiag</code> (↘)	132	fez	116
<code>\faUsd</code> (\$) )	27	fdsymbol (package)	35, 36, 39, 40, 48, 49, 60, 61, 69, 73, 77, 84–88, 97, 98, 103, 105, 110, 111, 115, 118, 126, 129, 131, 157, 174, 194, 298, 299	<code>\FF</code> (♀)	142
<code>\faUsd</code> (\$) )	27	fearful face (😨)	239	fge (package)	94, 106, 115, 128, 133, 298, 299
<code>\faUser</code> (👤)	253	feather (🪶)	239	<code>\fgeA</code> (v)	106
<code>\faUserMd</code> (👤)	253	feet	<i>see</i> <code>\prime</code> and <code>\textquotesingle</code>	<code>\fgebackslash</code> (\\)	133
<code>\faUserPlus</code> (👤+)	253	<code>\FEMALE</code> (♀)	143	<code>\fgebaracute</code> (´)	133
<code>\faUsers</code> (👥)	253	<code>\Female</code> (♀)	143	<code>\fgebarcap</code> (ˆ)	133
<code>\faUserSecret</code> (👤)	253	female	19, 137, 138, 140, 143, 144, 246, 250–254, 257–260	<code>\fgec</code> (ç)	106
<code>\faUserTimes</code> (👤x)	253	<code>\female</code> (♀)	143	<code>\fgecap</code> (ˆ)	133
<code>\faVenus</code> (♀)	138, 144	<code>\female</code> (♀)	143	<code>\fgecapbar</code> (ˆ)	133
<code>\faVenusDouble</code> (♁)	144	<code>\female sign</code> (♀)	239	<code>\fgecup</code> (v)	133
<code>\faVenusMars</code> (♁)	144	<code>\FemaleFemale</code> (♀)	143		
<code>\faViacoin</code> (¥)	27				
<code>\faVideoCamera</code> (📹)	253				
<code>\faVimeo</code> (v)	253				
<code>\faVimeoSquare</code> (v)	253				
<code>\faVine</code> (v)	253				

<code>\fgcupacute</code> (◡) . . . . .	133	<code>\FilledDiamondshape</code> (◆) .	159	<code>\finpartvoice</code> (◡) . . . . .	24
<code>\fgcupbar</code> (≃) . . . . .	133	<code>\FilledHut</code> (♣) . . . . .	207	<code>\finpartvoiceless</code> (◡) . . . . .	24
<code>\fged</code> (Ƴ) . . . . .	106	<code>\filledlargestar</code> (★) . . . . .	157	<code>\fint</code> (f) . . . . .	45
<code>\fgee</code> (ð) . . . . .	106	<code>\filledlozenge</code> (◊) . . . . .	157	<code>\fint</code> (f) . . . . .	53
<code>\fgeeszett</code> (g) . . . . .	106	<code>\filledmedlozenge</code> (◈) . . . . .	157	<code>\fint</code> (f) . . . . .	46
<code>\fgeeta</code> (ȥ) . . . . .	106	<code>\filledmedsquare</code> (■) . . . . .	39	<code>\fint</code> (f) . . . . .	48
<code>\fgeF</code> (ɹ) . . . . .	106	<code>\filledmedtriangledown</code> (▼) .	39, 76	<code>\fint</code> (f) . . . . .	49
<code>\fgef</code> (ȷ) . . . . .	106	. . . . .	39, 76	<code>\fintsl</code> (f) . . . . .	51
<code>\fgeinfty</code> (∞) . . . . .	133	<code>\filledmedtriangleleft</code> (◄) .	39, 76	<code>\fintup</code> (f) . . . . .	51
<code>\fgelangle</code> (⋈) . . . . .	133	. . . . .	39, 76	<code>\Finv</code> (∩) . . . . .	104
<code>\fgelb</code> . . . . .	106	<code>\filledmedtriangleright</code> (►) .	39, 76	<code>\Finv</code> (∩) . . . . .	104
<code>\fgelb</code> (ȥ) . . . . .	106	. . . . .	39, 76	<code>\Finv</code> (∩) . . . . .	105
<code>\fgeleftB</code> (Ⓜ) . . . . .	106	<code>\filledmedtriangleup</code> (▲) . . . . .	39, 76	<code>\Finv</code> (∩) . . . . .	105
<code>\fgeleftC</code> (⊖) . . . . .	106	<code>\FilledRainCloud</code> (☁) . . . . .	206	<code>\Fire</code> (♁) . . . . .	213, 231
<code>\fgeN</code> (ȥ) . . . . .	106	<code>\FilledSectioningDiamond</code> (⬠) . . . . .	213	<code>\Fire</code> (Δ) . . . . .	140
<code>\fgeoverU</code> (ȥ) . . . . .	106	<code>\FilledSmallCircle</code> (●) . . . . .	159	<code>fire</code> (🔥) . . . . .	239
<code>\fgerightarrow</code> (⇒) . . . . .	94	<code>\FilledSmallCircle</code> (●) . . . . .	160	<code>fire engine</code> (🚒) . . . . .	203
<code>\fgerightB</code> (Ⓜ) . . . . .	106	<code>\FilledSmallDiamondshape</code> (◆) . . . . .	159	<code>fire extinguisher</code> (🧯) . . . . .	239
<code>\fges</code> (f) . . . . .	106	<code>\FilledSmallSquare</code> (■) . . . . .	159	<code>firecracker</code> (🧨) . . . . .	239
<code>\fgestruckone</code> (1̄) . . . . .	128	<code>\FilledSmallTriangleDown</code> (▼) . . . . .	159	<code>firefighter</code> (👨‍🚒) . . . . .	239
<code>\fgestruckzero</code> (0̄) . . . . .	128	. . . . .	159	<code>fireworks</code> (🎆) . . . . .	239
<code>\fgeU</code> (ȥ) . . . . .	106	<code>\FilledSmallTriangleLeft</code> (◄) . . . . .	159	<code>first quarter moon</code> (☾) . . . . .	217
<code>\fgeuparrow</code> (↑) . . . . .	94	. . . . .	159	<code>first quarter moon face</code> (🌔) . . . . .	217
<code>\fgeupbracket</code> (⌊) . . . . .	133	<code>\FilledSmallTriangleRight</code> (►) . . . . .	159	<code>fish</code> . . . . .	261–262
<code>field</code> (ℱ) . . . . .	<i>see</i> alphabets, math	<code>\FilledSmallTriangleUp</code> (▲) . . . . .	159	<code>fish</code> (🐟) . . . . .	209
<code>field hockey</code> (🏒) . . . . .	239	<code>\FilledSnowCloud</code> (☁) . . . . .	206	<code>fish cake with swirl</code> (🐟) . . . . .	211
<code>\file</code> (⇔) . . . . .	199	<code>\FilledSquare</code> (■) . . . . .	159	<code>fish hook</code> . . . . .	<i>see</i> \strictif
<code>file cabinet</code> (🗄) . . . . .	239	<code>\filledsquare</code> (■) . . . . .	39	<code>\fisheye</code> (👁) . . . . .	158
<code>file extensions</code>		<code>\FilledSquareShadowA</code> (■) . . . . .	159	<code>fishing pole</code> (🎣) . . . . .	239
<code>.dvi</code> . . . . .	294	<code>\FilledSquareShadowC</code> (■) . . . . .	159	<code>fists</code> . . . . .	150, 151, 255
<code>.fd</code> . . . . .	13, 290, 297	<code>\filledsquarewithdots</code> ( ) . . . . .	162	<code>five o'clock</code> (🕒) . . . . .	208
<code>.mf</code> . . . . .	13, 255, 288	<code>\filledstar</code> (★) . . . . .	39	<code>five-thirty</code> (🕒) . . . . .	208
<code>.otf</code> . . . . .	174	<code>\FilledSunCloud</code> (☁) . . . . .	206	<code>\fivedots</code> (⋮) . . . . .	34, 126
<code>.pdf</code> . . . . .	294	<code>\filledtriangleup</code> (▲) . . . . .	39	<code>\FiveFlowerOpen</code> (🌸) . . . . .	154
<code>.sty</code> . . . . .	13	<code>\FilledTriangleDown</code> (▼) . . . . .	159	<code>\FiveFlowerPetal</code> (🌸) . . . . .	154
<code>.tex</code> . . . . .	294, 296	<code>\filledtriangledown</code> (▼) . . . . .	39, 76	<code>\FiveStar</code> (★) . . . . .	154
<code>.tfm</code> . . . . .	13, 134, 255, 277, 297	<code>\filledtriangleleft</code> (◄) . . . . .	159	<code>\FiveStarCenterOpen</code> (☆) . . . . .	154
<code>file folder</code> (📁) . . . . .	239	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarConvex</code> (☆) . . . . .	154
<code>file symbols</code> . . . . .	250–254	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarLines</code> (☆) . . . . .	154
<code>\FilledBigCircle</code> (●) . . . . .	160	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarOpen</code> (☆) . . . . .	154
<code>\FilledBigDiamondshape</code> (◆) . . . . .	160	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarOpenCircled</code> (🌟) . . . . .	154
<code>\FilledBigSquare</code> (■) . . . . .	160	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarOpenDotted</code> (☆) . . . . .	154
<code>\FilledBigTriangleDown</code> (▼) . . . . .	160	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarOutline</code> (☆) . . . . .	154
<code>\FilledBigTriangleLeft</code> (◄) . . . . .	160	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarOutlineHeavy</code> (☆) . . . . .	154
<code>\FilledBigTriangleRight</code> (►) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	. . . . .	154
<code>\FilledBigTriangleUp</code> (▲) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FiveStarShadow</code> (☆) . . . . .	154
<code>\FilledCircle</code> (●) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\Fixedbearing</code> (♁) . . . . .	143
<code>\FilledCloud</code> (☁) . . . . .	206	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\fixedddots</code> (⋯) . . . . .	125
<code>\filledddiamond</code> (◆) . . . . .	39	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\fixedvdots</code> (⋮) . . . . .	125
<code>\FilledDiamondShadowA</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>fixmath</code> (package) . . . . .	292
<code>\FilledDiamondShadowC</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\fj</code> (fj) . . . . .	21
<code>\FilledDiamondShadowD</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\FL</code> (L) . . . . .	141
<code>\FilledDiamondShadowE</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76	<code>\fl</code> (b) . . . . .	177
<code>\FilledDiamondShadowF</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowG</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowH</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowI</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowJ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowK</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowL</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowM</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowN</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowO</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowP</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowQ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowR</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowS</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowT</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowU</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowV</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowW</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowX</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowY</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowZ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAA</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAB</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAC</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAD</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAE</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAF</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAG</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAH</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAI</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAJ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAK</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAL</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAM</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAN</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAO</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAP</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAQ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAR</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAS</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAT</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAU</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAV</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAW</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAX</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAY</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAZ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAA</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAB</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAC</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAD</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAE</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAF</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAG</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAH</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAI</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAJ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAK</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAL</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAM</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAN</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAO</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAP</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAQ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAR</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAS</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAT</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAU</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAV</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAW</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAX</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAZ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAA</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAB</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAC</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAD</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAE</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAF</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAG</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAH</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAI</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAJ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAAK</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAL</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAM</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAN</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAO</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAP</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAQ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAR</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAS</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAT</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAU</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAV</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAW</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		
<code>\FilledDiamondShadowAAZ</code> (◆) . . . . .	159	<code>\filledtriangleleft</code> (◄) . . . . .	39, 76		

<code>\Flag ( )</code> . . . . .	207	flag: Cocos (Keeling) Islands ( )	227	flag: Hong Kong SAR China ( )	228
flag in hole ( )	239	flag: Colombia ( )	227	flag: Hungary ( )	228
flag: Afghanistan ( )	226	flag: Comoros ( )	227	flag: Iceland ( )	228
flag: Albania ( )	226	flag: Congo - Brazzaville ( )	227	flag: India ( )	228
flag: Algeria ( )	226	flag: Congo - Kinshasa ( )	227	flag: Indonesia ( )	228
flag: American Samoa ( )	226	flag: Cook Islands ( )	227	flag: Iran ( )	228
flag: Andorra ( )	226	flag: Costa Rica ( )	227	flag: Iraq ( )	228
flag: Angola ( )	226	flag: Croatia ( )	227	flag: Ireland ( )	228
flag: Anguilla ( )	226	flag: Cuba ( )	227	flag: Isle of Man ( )	228
flag: Antarctica ( )	226	flag: Curaçao ( )	227	flag: Israel ( )	228
flag: Antigua & Barbuda ( )	226	flag: Cyprus ( )	227	flag: Italy ( )	228
flag: Argentina ( )	226	flag: Czechia ( )	227	flag: Jamaica ( )	228
flag: Armenia ( )	226	flag: Côte d'Ivoire ( )	227	flag: Japan ( )	228
flag: Aruba ( )	226	flag: Denmark ( )	227	flag: Jersey ( )	228
flag: Ascension Island ( )	226	flag: Diego Garcia ( )	227	flag: Jordan ( )	228
flag: Australia ( )	226	flag: Djibouti ( )	227	flag: Kazakhstan ( )	228
flag: Austria ( )	226	flag: Dominica ( )	227	flag: Kenya ( )	228
flag: Azerbaijan ( )	226	flag: Dominican Republic ( )	227	flag: Kiribati ( )	228
flag: Bahamas ( )	226	flag: Ecuador ( )	227	flag: Kosovo ( )	228
flag: Bahrain ( )	226	flag: Egypt ( )	227	flag: Kuwait ( )	228
flag: Bangladesh ( )	226	flag: El Salvador ( )	227	flag: Kyrgyzstan ( )	228
flag: Barbados ( )	226	flag: England ( )	227	flag: Laos ( )	228
flag: Belarus ( )	226	flag: Equatorial Guinea ( )	227	flag: Latvia ( )	228
flag: Belgium ( )	226	flag: Eritrea ( )	227	flag: Lebanon ( )	229
flag: Belize ( )	226	flag: Estonia ( )	227	flag: Lesotho ( )	229
flag: Benin ( )	226	flag: Eswatini ( )	227	flag: Liberia ( )	229
flag: Bermuda ( )	226	flag: Ethiopia ( )	227	flag: Libya ( )	226
flag: Bhutan ( )	226	flag: European Union ( )	227	flag: Liechtenstein ( )	226
flag: Bolivia ( )	226	flag: Falkland Islands ( )	227	flag: Lithuania ( )	226
flag: Bosnia & Herzegovina ( )	226	flag: Faroe Islands ( )	227	flag: Luxembourg ( )	226
flag: Botswana ( )	226	flag: Fiji ( )	227	flag: Macao SAR China ( )	226
flag: Bouvet Island ( )	226	flag: Finland ( )	227	flag: Madagascar ( )	226
flag: Brazil ( )	226	flag: France ( )	227	flag: Malawi ( )	226
flag: British Indian Ocean Territory ( )	226	flag: French Guiana ( )	227	flag: Malaysia ( )	226
flag: British Virgin Islands ( )	226	flag: French Polynesia ( )	227	flag: Maldives ( )	226
flag: Brunei ( )	226	flag: French Southern Territories ( )	228	flag: Mali ( )	226
flag: Bulgaria ( )	226	flag: Gabon ( )	228	flag: Malta ( )	226
flag: Burkina Faso ( )	226	flag: Gambia ( )	228	flag: Marshall Islands ( )	226
flag: Burundi ( )	226	flag: Georgia ( )	228	flag: Martinique ( )	226
flag: Cambodia ( )	226	flag: Germany ( )	228	flag: Mauritania ( )	226
flag: Cameroon ( )	226	flag: Ghana ( )	228	flag: Mauritius ( )	226
flag: Canada ( )	226	flag: Gibraltar ( )	228	flag: Mayotte ( )	226
flag: Canary Islands ( )	226	flag: Greece ( )	228	flag: Mexico ( )	226
flag: Cape Verde ( )	226	flag: Greenland ( )	228	flag: Micronesia ( )	226
flag: Caribbean Netherlands ( )	226	flag: Grenada ( )	228	flag: Moldova ( )	226
flag: Cayman Islands ( )	227	flag: Guadeloupe ( )	228	flag: Monaco ( )	226
flag: Central African Republic ( )	227	flag: Guam ( )	228	flag: Mongolia ( )	226
flag: Ceuta & Melilla ( )	227	flag: Guatemala ( )	228	flag: Montenegro ( )	226
flag: Chad ( )	227	flag: Guernsey ( )	228	flag: Montserrat ( )	226
flag: Chile ( )	227	flag: Guinea ( )	228	flag: Morocco ( )	226
flag: China ( )	227	flag: Guinea-Bissau ( )	228	flag: Mozambique ( )	226
flag: Christmas Island ( )	227	flag: Guyana ( )	228	flag: Myanmar (Burma) ( )	226
flag: Clipperton Island ( )	227	flag: Haiti ( )	228	flag: Namibia ( )	226
		flag: Heard & McDonald Islands ( )	228	flag: Nauru ( )	226
		flag: Honduras ( )	228	flag: Nepal ( )	226
				flag: Netherlands ( )	226
				flag: New Caledonia ( )	226
				flag: New Zealand ( )	226





























































flag: Nicaragua (🇳🇮) . . . . .	226	flag: Sudan (🇸🇩) . . . . .	228	<code>\flat</code> (♭) . . . . .	180
flag: Niger (🇳🇪) . . . . .	226	flag: Suriname (🇸🇷) . . . . .	228	<code>\flat</code> (b) . . . . .	174
flag: Nigeria (🇳🇮) . . . . .	226	flag: Svalbard & Jan Mayen (🇳🇮) . . . . .	228	<code>\flat</code> (b) . . . . .	174
flag: Niue (🇳🇮) . . . . .	226	flag: Sweden (🇸🇪) . . . . .	228	flat shoe (👞) . . . . .	240
flag: Norfolk Island (🇳🇮) . . . . .	226	flag: Switzerland (🇨🇭) . . . . .	228	flatbread (🍞) . . . . .	211
flag: North Korea (🇰🇵) . . . . .	226	flag: Syria (🇸🇾) . . . . .	228	<code>\flatflat</code> (♭♭) . . . . .	180
flag: North Macedonia (🇲🇰) . . . . .	226	flag: São Tomé & Príncipe (🇸🇹) . . . . .	228	<code>\Flatsteel</code> (←) . . . . .	143
flag: Northern Mariana Islands (🇵🇷) . . . . .	226	flag: Taiwan (🇹🇼) . . . . .	228	fetched arrows . . . . .	94, 146
flag: Norway (🇳🇴) . . . . .	226	flag: Tajikistan (🇹🇯) . . . . .	228	fleur-de-lis (♣) . . . . .	240
flag: Oman (🇴🇲) . . . . .	226	flag: Tanzania (🇹🇿) . . . . .	228	fleurons . . . . .	156, 163, 260–261
flag: Pakistan (🇵🇰) . . . . .	226	flag: Thailand (🇹🇭) . . . . .	228	flexed biceps (💪) . . . . .	240
flag: Palau (🇵🇼) . . . . .	227	flag: Timor-Leste (🇹🇱) . . . . .	228	floppy disk (💾) . . . . .	240
flag: Palestinian Territories (🇵🇸) . . . . .	227	flag: Togo (🇹🇬) . . . . .	228	<code>\Florin</code> (ℳ) . . . . .	27
flag: Panama (🇵🇦) . . . . .	227	flag: Tokelau (🇹🇰) . . . . .	228	florin . . . . .	<i>see</i> <code>\textflorin</code>
flag: Papua New Guinea (🇵🇬) . . . . .	227	flag: Tonga (🇹🇴) . . . . .	228	flourishes . . . . .	162, 163, 264
flag: Paraguay (🇵🇾) . . . . .	227	flag: Trinidad & Tobago (🇹🇩) . . . . .	228	flower playing cards (♣) . . . . .	240
flag: Peru (🇵🇪) . . . . .	227	flag: Tristan da Cunha (🇹🇨) . . . . .	228	<code>\floweroneleft</code> (♣) . . . . .	156
flag: Philippines (🇵🇭) . . . . .	227	flag: Tunisia (🇹🇺) . . . . .	228	<code>\floweroneright</code> (♣) . . . . .	156
flag: Pitcairn Islands (🇵🇰) . . . . .	227	flag: Turkey (🇹🇷) . . . . .	228	flowers . . . . .	154–156, 246–250, 260–262
flag: Poland (🇵🇱) . . . . .	227	flag: Turkmenistan (🇹🇲) . . . . .	228	<code>\fltns</code> (∟) . . . . .	158
flag: Portugal (🇵🇹) . . . . .	227	flag: Turks & Caicos Islands (🇹🇨) . . . . .	228	flushed face (😬) . . . . .	240
flag: Puerto Rico (🇵🇷) . . . . .	227	flag: Tuvalu (🇹🇺) . . . . .	228	fly (🪰) . . . . .	209
flag: Qatar (🇶🇦) . . . . .	227	flag: U.S. Outlying Islands (🇺🇲) . . . . .	228	flying disc (🏹) . . . . .	240
flag: Romania (🇷🇴) . . . . .	227	flag: U.S. Virgin Islands (🇺🇲) . . . . .	228	flying saucer (🛸) . . . . .	204
flag: Russia (🇷🇺) . . . . .	227	flag: Uganda (🇺🇬) . . . . .	228	Flynn, Peter . . . . .	281
flag: Rwanda (🇷🇼) . . . . .	227	flag: Ukraine (🇺🇦) . . . . .	228	<code>\FM</code> (₣) . . . . .	141
flag: Réunion (🇷🇪) . . . . .	227	flag: United Arab Emirates (🇸🇪) . . . . .	228	<code>\Fncontent</code> (⏏) . . . . .	127
flag: Samoa (🇵🇸) . . . . .	227	flag: United Kingdom (🇬🇧) . . . . .	228	<code>\Fnncontent</code> (⏏) . . . . .	127
flag: San Marino (🇸🇲) . . . . .	227	flag: United Nations (🇺🇳) . . . . .	228	<code>\Fnnquant</code> (π♣) . . . . .	127
flag: Saudi Arabia (🇸🇦) . . . . .	227	flag: United States (🇺🇸) . . . . .	228	<code>\Fnnquantn</code> (π♣π) . . . . .	127
flag: Scotland (🇸🇬) . . . . .	227	flag: Uruguay (🇺🇾) . . . . .	228	<code>\Fnnquantnn</code> (π♣ππ) . . . . .	127
flag: Senegal (🇸🇳) . . . . .	227	flag: Uzbekistan (🇺🇿) . . . . .	228	<code>\Fnquant</code> (π♣) . . . . .	127
flag: Serbia (🇷🇸) . . . . .	227	flag: Vanuatu (🇻🇺) . . . . .	228	<code>\Fnquantn</code> (π♣π) . . . . .	127
flag: Seychelles (🇸🇨) . . . . .	227	flag: Vatican City (🇻🇦) . . . . .	228	<code>\Fnquantnn</code> (π♣ππ) . . . . .	127
flag: Sierra Leone (🇸🇮) . . . . .	227	flag: Venezuela (🇻🇪) . . . . .	228	<code>\fnsymbol</code> . . . . .	212
flag: Singapore (🇸🇬) . . . . .	227	flag: Vietnam (🇻🇳) . . . . .	228	<code>\Fog</code> (☁) . . . . .	206
flag: Sint Maarten (🇵🇸) . . . . .	227	flag: Wales (🇨🇾) . . . . .	228	fog (☁) . . . . .	206
flag: Slovakia (🇸🇰) . . . . .	227	flag: Wallis & Futuna (🇼🇫) . . . . .	228	foggy (🌫) . . . . .	240
flag: Slovenia (🇸🇮) . . . . .	227	flag: Western Sahara (🇲🇷) . . . . .	228	folded hands (🙌) . . . . .	240
flag: Solomon Islands (🇸🇯) . . . . .	227	flag: Yemen (🇾🇲) . . . . .	228	fondue (🍲) . . . . .	211
flag: Somalia (🇸🇴) . . . . .	227	flag: Zambia (🇿🇲) . . . . .	228	<code>\font</code> . . . . .	13
flag: South Africa (🇿🇦) . . . . .	227	flag: Zimbabwe (🇿🇼) . . . . .	228	font encodings . . . . .	13, 15–18, 21, 22, 25, 223, 280, 285, 292–294, 298
flag: South Georgia & South Sandwich Islands (🇵🇸) . . . . .	227	flag: Åland Islands (🇫🇮) . . . . .	228	7-bit . . . . .	13
flag: South Korea (🇰🇷) . . . . .	227	<code>\flageolett</code> (ſ) . . . . .	176	8-bit . . . . .	13
flag: South Sudan (🇸🇩) . . . . .	227	flags . . . . .	207, 223–229, 246, 250–254, 271–272	ASCII . . . . .	298
flag: Spain (🇪🇸) . . . . .	227	flamingo (🦩) . . . . .	209	Cyrillic . . . . .	22
flag: Sri Lanka (🇱🇰) . . . . .	227	<code>\flap</code> (r) . . . . .	21	document . . . . .	294
flag: St. Barthélemy (🇲🇫) . . . . .	227	<code>\flapr</code> (r) . . . . .	20	Latin 1 . . . . .	298
flag: St. Helena (🇸🇭) . . . . .	227	<code>\Flasche</code> (l) . . . . .	229	limiting scope of . . . . .	13
flag: St. Kitts & Nevis (🇰🇳) . . . . .	227	flashlight (🔦) . . . . .	239	LY1 . . . . .	13
flag: St. Lucia (🇱🇨) . . . . .	227	<code>\flat</code> (b) . . . . .	174	OT1 . . . . .	13, 16, 22, 285, 292–294
flag: St. Martin (🇲🇫) . . . . .	227	<code>\flat</code> (b) . . . . .	174	OT2 . . . . .	280
flag: St. Pierre & Miquelon (🇲🇫) . . . . .	227	<code>\flat</code> (b) . . . . .	174		
flag: St. Vincent & Grenadines (🇻🇨) . . . . .	227				

T1	. 13, 15, 16, 18, 22, 293, 294
T2A	..... 22, 280
T2B	..... 22
T2C	..... 22
T4	..... 17, 21, 22, 25
T5	..... 17, 22
TS1	..... 280, 294
TU	..... 223
U	..... 280
X2	..... 22
font families	221, 223, 255, 277, 280, 290
bulb	..... 290
CountriesOfEurope	.. 221
psy	..... 280
rojud	..... 223
fontawesome (package)	. 27, 28, 138, 144, 148, 149, 151, 153, 156, 161, 250, 253, 298, 299
fontdef.dtx (file)	... 281, 285
fontenc (package)	13, 16, 18, 22, 294
\fontencoding	..... 13
fonts	
Calligra	..... 134
Charter	..... 27, 54
Computer Modern	95, 277, 279, 293
Courier	..... 27
Emmentaler	..... 180
Garamond	..... 27, 54
Helvetica	..... 27
“pi”	..... 280
Soyombo	..... 218
Symbol	..... 102, 280
Times Roman	... 27, 279
Type 1	..... 290, 291
Utopia	..... 27, 54
Zapf Chancery	..... 134
Zapf Dingbats	.. 146, 153
\fontsize	..... 277, 279
fontspec (package)	... 174, 297
food	..... 210–211
foot (👣)	..... 240
\Football (⚽)	..... 205
footprints (👣)	..... 240
\forall (∀)	..... 104
\forall (∇)	..... 105
\forall (∩)	..... 104
\forall (∪)	..... 105
\Force (↓)	..... 143
\Fork (t)	..... 229
fork and knife (🔪)	..... 211
fork and knife with plate (🍴)	211
\forks (🔪)	..... 65
\forksnot (ψ)	..... 63
\forkv (m)	..... 62
\forkv (m)	..... 63
forte ( <b>f</b> )	..... 180, 192
\Fortune (⊗)	..... 140
fortune cookie (🍪)	..... 211
\Forward (▶)	..... 205
\ForwardToEnd (▶ )	..... 205
\ForwardToIndex (▶▶ )	... 205
fountain (🚰)	..... 240
fountain pen (🖋)	..... 240
four leaf clover (♣)	..... 240
four o'clock (🕒)	..... 208
four-thirty (🕒)	..... 208
\FourAsterisk (✱)	..... 154
\FourCloverOpen (♣)	.... 154
\FourCloverSolid (♣)	... 154
\Fourier (—○)	..... 67
fourier (package)	..... 28, 67, 102, 106, 113, 120, 150, 156, 205, 298
fourier (emf package option)	137
\fourier (○—)	..... 67
Fourier transform ( $\mathcal{F}$ )	... <i>see</i> alphabets, math
\FourStar (◆)	..... 154
\FourStarOpen (◇)	..... 154
\fourth (////)	..... 130
\fourvdots (:)	..... 126
fox (🦊)	..... 209
\Fquantn (— $\frac{\pi}{2}$ )	..... 127
\Fquantnn (— $\frac{\pi}{4}$ )	..... 127
\fracslash (/)	..... 37
fractions	..... 133
fraktur	.. <i>see</i> alphabets, math
framed picture (🖼)	..... 240
\France (🇫🇷)	..... 220
frcurvsive (emf package option)	... 137
FREE button (🔑)	..... 240
Freemason’s cipher	..... 216
frege (package)	.. 127, 298, 299
Frege logic symbols	94, 106, 127, 128, 133
Frege, Gottlob	..... 127
french fries (🍟)	..... 211
fried shrimp (🍤)	..... 211
frog (🐸)	..... 209
front-facing baby chick (🐣)	209
\frown (˘)	..... 54
\frown (˘)	..... 62
\frown (˘)	..... 60, 98
\frown (˘)	..... 97
\frown (˘)	..... 63
frown symbols	..... 97, 98
\frowneq (≅)	..... 60, 98
\frowneq (≈)	..... 97
\frowneqsmile (≅)	..... 97
\frownie (☹)	..... 202
frowning face (☹)	..... 240
frowning face with open mouth (☹)	..... 240
\frownsmile (☹)	..... 60, 98
\frownsmile (☹)	..... 97
\frownsmileeq (≈)	..... 97
\Frowny (☹)	..... 205
frowny faces	... 142, 202, 205, 229–246, 250–254
fruits	..... 247–250
\fryingpan (—🍳)	..... 229
\FS (L)	..... 142
fuel pump (🚰)	..... 240
full moon (🌕)	..... 217
full moon face (😊)	..... 217
\fullmoon (O)	..... 138
\fullmoon (O)	..... 137
\fullnote (♩)	..... 174
\fullouterjoin (⋈)	.... 132
funeral urn (👼)	..... 240
<b>G</b>	
\G (♠)	..... 22
g (esvect package option)	.. 120
g (X)	..... 173
gaffing hook	... <i>see</i> \strictif
\Game (⊖)	..... 104
\Game (⊖)	..... 104
\Game (⊖)	..... 105
\Game (⊖)	..... 105
\Game (⊖)	..... 105
game die (🎲)	..... 240
game-related symbols	. 194–201, 250–254, 274–277
\Gamma (Γ)	..... 101
\gamma (γ)	..... 101
\gammaup (γ)	..... 102
\Ganz (o)	..... 176
\GaPa (—)	..... 176
Garamond (font)	..... 27, 54
garlic (🧄)	..... 211
\garlicpress (🍷)	..... 229
\Gasstove (🔥)	..... 229
\gcd (gcd)	..... 99
\GD (∇)	..... 141
\GE (≥)	..... 141
\ge	..... <i>see</i> \geq
\ge (≥)	..... 73
\ge (≥)	..... 75
gear (⚙)	..... 240
gem stone (💎)	..... 240
\Gemini (♊)	..... 138
\Gemini (♊)	..... 138
\Gemini (♊)	..... 140
Gemini (♊)	..... 240
\gemini (♊)	..... 137
genealogical symbols	..... 202
\geneuro (€)	..... 28
\geneuronarrow (€)	..... 28
\geneurowide (€)	..... 28

genie (♁)	240	<code>\gggtr</code>	<i>see</i> <code>\ggg</code>	<code>\gnsim</code> ( $\gtrsim$ )	75
gensymb (package)	136	<code>\gggtr</code> ( $\gggtr$ )	73	<code>\GO</code> ( $\rightarrow$ )	141
<code>\Gentsroom</code> (♠)	205	<code>\gggtr</code> ( $\gggtr$ )	72	go (package)	201, 298
geometric shapes	140, 156–162, 186–191, 200, 201, 250–257, 273	<code>\gggtr</code> ( $\gggtr$ )	75	Go boards	200, 201
<code>\geq</code> ( $\geq$ )	71	ghost (☠)	240	Go stones	200, 201
<code>\geq</code> ( $\geq$ )	70, 71	ghosts	41, 124, 216	goal net (⚽)	240
<code>\geq</code> ( $\geq$ )	73	Gibbons, Jeremy	300	goat (🐐)	209
<code>\geq</code> ( $\geq$ )	72	<code>\gimel</code> (ג)	103	goban	200, 201
<code>\geq</code> ( $\geq$ )	74, 75	<code>\gimel</code> (ג)	104	goblin (👺)	240
<code>\geqclosed</code> ( $\geq$ )	73, 77	<code>\gimel</code> (ג)	103	goggles (🕶)	240
<code>\geqclosed</code> ( $\geq$ )	72, 76	<code>\gimel</code> (ג)	104	<code>\Goofy</code>	214
<code>\geqdot</code> ( $\geq$ )	73	giraffe (🦒)	209	gorilla (🦍)	209
<code>\geqdot</code> ( $\geq$ )	72	<code>\girl</code> (♀)	138	<code>\grad</code> ( $\overrightarrow{\text{grad}}$ )	100
<code>\geqq</code> ( $\geq$ )	71	girl (👧)	240	graduation cap (🎓)	240
<code>\geqq</code> ( $\geq$ )	70	<code>\gla</code> ( $\times$ )	75	grapes (🍇)	211
<code>\geqq</code> ( $\geq$ )	74	glass of milk (🥛)	211	<code>\graphene</code> (⬭)	145
<code>\geqq</code> ( $\geq$ )	73	<code>\glE</code> ( $\cong$ )	75	graphics (package)	94, 280
<code>\geqq</code> ( $\geq$ )	72	<code>\gleichstark</code> (⚖)	63	graphicx (package)	25, 277, 280, 285
<code>\geqq</code> ( $\geq$ )	74	<code>\glj</code> ( $\times$ )	74	<code>\grater</code> (🧂)	229
<code>\geqslant</code> ( $\geq$ )	75	<code>\glj</code> ( $\times$ )	75	<code>\grave</code> (̀)	115
<code>\geqslant</code> ( $\geq$ )	70, 285	globe	205	<code>\grave</code> (̀)	114
<code>\geqslant</code> ( $\geq$ )	74	globe showing Americas (🌎)	240	grave (⚰)	<i>see</i> accents
<code>\geqslant</code> ( $\geq$ )	73	globe showing Asia-Australia (🌏)	240	<code>\gravis</code> (̀)	25
<code>\geqslant</code> ( $\geq$ )	72	globe showing Europe-Africa (🌐)	240	<code>\graviton</code> (g)	145
<code>\geqslant</code> ( $\geq$ )	75	globe with meridians (🌐)	240	<code>\GreatBritain</code> (🇬🇧)	220
<code>\geqslantdot</code> ( $\geq$ )	73	globes	247–250	greater-than signs	<i>see</i> inequalities
<code>\geqslantdot</code> ( $\geq$ )	72	<code>\glotstop</code> (ʔ)	20	greatest lower bound	<i>see</i> <code>\sqcap</code>
<code>\geqslcc</code> ( $\geq$ )	73	<code>\glottal</code> (ʔ)	21	<code>\greatpumpkin</code> (🎃)	41
german (keystroke package option)	141	<code>\Gloves</code> (🧤)	229	<code>\Greece</code> (€)	221
Germanic runes	173	gloves (🧤)	240	Greek	17, 101, 102
<code>\Germany</code> (🇩🇪)	220	glowing star (🌟)	240	blackboard bold	135
<code>\gescc</code> ( $\geq$ )	73	<code>\Gluon</code> (g)	145	bold	101, 292
<code>\gescc</code> ( $\geq$ )	75	<code>\gluon</code> (g)	136	coins	28
<code>\gesdot</code> ( $\geq$ )	73	gluons	144	letters	17, 101, 102, 135, 170, 292
<code>\gesdot</code> ( $\geq$ )	75	<code>\gnapprox</code> ( $\gtrsim$ )	71	numerals	170
<code>\gesdoto</code> ( $\geq$ )	75	<code>\gnapprox</code> ( $\gtrsim$ )	70	polytonic	17, 101, 102
<code>\gesdoto1</code> ( $\geq$ )	75	<code>\gnapprox</code> ( $\gtrsim$ )	74	upright	17, 102
<code>\gesl</code> ( $\gtrsim$ )	73	<code>\gnapprox</code> ( $\gtrsim$ )	73	<code>\greek</code> (babel package option)	17, 101, 102, 170
<code>\gesles</code> ( $\gtrsim$ )	75	<code>\gnapprox</code> ( $\gtrsim$ )	72	green apple (🍏)	211
<code>\gets</code>	<i>see</i> <code>\leftarrow</code>	<code>\gnapprox</code> ( $\gtrsim$ )	75	green book (📖)	240
<code>\gets</code> ( $\leftarrow$ )	86	<code>\gneq</code> ( $\gtrsim$ )	71	green circle (🟢)	240
<code>\gg</code> ( $\gg$ )	71	<code>\gneq</code> ( $\gtrsim$ )	70	Green Dot	<i>see</i> <code>\Greenpoint</code> and <code>\PackingWaste</code>
<code>\gg</code> ( $\gg$ )	70	<code>\gneq</code> ( $\gtrsim$ )	74	green heart (♥)	240
<code>\gg</code> ( $\gg$ )	73	<code>\gneq</code> ( $\gtrsim$ )	73	green salad (🥗)	211
<code>\gg</code> ( $\gg$ )	72	<code>\gneq</code> ( $\gtrsim$ )	75	green square (■)	240
<code>\gg</code> ( $\gg$ )	75	<code>\gneqq</code> ( $\gtrsim$ )	71	<code>\Greenpoint</code> (🟢)	217
<code>\ggcurly</code> ( $\gg$ )	56	<code>\gneqq</code> ( $\gtrsim$ )	70	greenpoint (package)	255, 298
<code>\ggcurly</code> ( $\gg$ )	62	<code>\gneqq</code> ( $\gtrsim$ )	74	Gregorian music	176
<code>\ggg</code> ( $\ggg$ )	71	<code>\gneqq</code> ( $\gtrsim$ )	73	<code>\gregorianCclef</code> (🎵)	176
<code>\ggg</code> ( $\ggg$ )	70	<code>\gneqq</code> ( $\gtrsim$ )	72	<code>\gregorianFclef</code> (🎵)	176
<code>\ggg</code> ( $\ggg$ ) vs. $\gg$	278	<code>\gneqq</code> ( $\gtrsim$ )	75	Gregorio, Enrico	114, 282
<code>\ggg</code> ( $\ggg$ )	74	<code>\gnsim</code> ( $\gtrsim$ )	71		
<code>\ggg</code> ( $\ggg$ )	73	<code>\gnsim</code> ( $\gtrsim$ )	70		
<code>\ggg</code> ( $\ggg$ )	72	<code>\gnsim</code> ( $\gtrsim$ )	74		
<code>\ggg</code> ( $\ggg$ )	75	<code>\gnsim</code> ( $\gtrsim$ )	73		
<code>\gggnest</code> ( $\ggg$ )	75	<code>\gnsim</code> ( $\gtrsim$ )	72		





<code>\hat[sombrero]</code> (  )	116	<code>\heavyqleft</code> (⚡)	229	<code>hieroglf</code> (package)	165, 298, 299
<code>\hat[tophat]</code> (  )	116	<code>\heavyqright</code> (⚡)	229	<code>hieroglyphics</code>	165
<code>\hat[witch]</code> (  )	116	Hebrew	103, 104, 135	<code>\Higgsboson</code> (  )	145
<code>\hatapprox</code> ( $\hat{\approx}$ )	63	hedgehog (  )	209	high voltage (  )	241
hatching chick (  )	209	helicopter (  )	204	high-heeled shoe (  )	241
<code>\hateq</code> ( $\hat{=}$ )	60	helicopters	202–203	high-speed train (  )	204
<code>\hateq</code> ( $\hat{=}$ )	57	Helvetica (font)	27	hiking boot (  )	241
<code>\hausA</code> (B)	21	<code>\hemibelion</code> (c)	28	Hilbert space ( $\mathcal{H}$ ) <i>see</i> alphabets, math	
<code>\hausab</code> (b)	21	herb (  )	241	<code>\hill</code> (  )	24
<code>\hausAD</code> (D)	21	<code>\Herd</code> (  )	229	hindu temple (  )	241
<code>\hausad</code> (d)	21	<code>\HERMAPHRODITE</code> (♀)	143	hippopotamus (  )	210
<code>\hausAK</code> (K)	21	<code>\Hermaphrodite</code> (♀)	143	Hirst, Daniel	174
<code>\hausak</code> (k)	21	<code>\Hermaphrodite</code> (♂)	143	<code>\HJ</code> (  )	165
<code>\HB</code> (  )	165	<code>\hermitmatrix</code> (+)	132	<code>\Hj</code> (  )	165
<code>\Hb</code> (  )	165	<code>\hermitmatrix</code> (+)	132	<code>\HK</code> ( $\Delta$ )	165
<code>\HBar</code> (—)	160	<code>\Heta</code> ( $f$ )	170	<code>\Hk</code> (  )	165
<code>\hbar</code> ( $\hbar$ )	104, 281	<code>\heta</code> ( $\eta$ )	170	<code>\hknearrow</code> (  )	86
<code>\hbar</code> ( $\hbar$ )	105	<code>\hexago</code> (□)	161	<code>\hknearrow</code> (  )	91
<code>\hbar</code> ( $\hbar$ )	105	<code>\hexagocross</code> (⊗)	161	<code>\hknwarrow</code> (  )	86
<code>\hbar</code> ( $\hbar$ )	105	<code>\hexagodot</code> (⊙)	161	<code>\hknwarrow</code> (  )	91
<code>\hbiipropto</code> ( $\infty$ )	34	<code>\hexagofill</code> (●)	161	<code>\hksearrow</code> (  )	91
<code>\hbond</code> (H)	145	<code>\hexagofillha</code> (⊙)	161	<code>\hksearrow</code> (  )	86
<code>\HC</code> (⊖)	165	<code>\hexagofillhb</code> (⊙)	161	<code>\hksearrow</code> (  )	86
<code>\Hc</code> ( $\hbar$ )	165	<code>\hexagofillhl</code> (⊙)	161	<code>\hksqrt</code> ( $\sqrt{\square}$ )	284
<code>\hcrossing</code> (×)	57	<code>\hexagofillhr</code> (⊙)	161	<code>\hkswarrow</code> (  )	91
<code>\HCthousand</code> (  )	165	<code>\hexagolineh</code> (⊖)	161	<code>\hkswarrow</code> (  )	86
<code>\HD</code> (  )	165	<code>\hexagolinev</code> (⊕)	161	<code>\HL</code> ( $\mathcal{L}$ )	165
<code>\Hd</code> (  )	165	<code>\hexagolinevh</code> (⊕)	161	<code>\HL</code> (  )	165
<code>\hdotdot</code> (⋯)	35, 126	<code>\hexagon</code> (□)	158	<code>\HM</code> ( $\Leftarrow$ )	165
<code>\hdotdot</code> (⋯)	34, 126	<code>\hexagon</code> (○)	156	<code>\Hm</code> (  )	165
<code>\hdots</code> (⋯)	126	<code>\hexagonblack</code> (●)	158	<code>\Hman</code> (  )	165
<code>\hdots</code> (⋯)	126	hexagons	161–162	<code>\Hmillion</code> (  )	165
<code>\Hdual</code> ( $\aleph$ )	165	<code>\Hexasteel</code> (●)	143	<code>\hmleftpitchfork</code> ( $\leftarrow$ )	98
<code>\HE</code> (  )	165	<code>\hexstar</code> (✱)	154	<code>\hmrightpitchfork</code> ( $\rightarrow$ )	98
<code>\He</code> (  )	165	<code>\HF</code> ( $\approx$ )	136	<code>\Hms</code> (  )	165
headphones (  )	241	<code>\HF</code> (  )	165	<code>\HN</code> (  )	165
heads	<i>see</i> faces	<code>\Hf</code> (  )	165	<code>\Hn</code> (  )	165
headstone (  )	241	<code>\hfermion</code> (  )	144	<code>\HO</code> (o)	165
health worker (  )	241	<code>\hfil</code>	282	<code>\Ho</code> ( $\mathcal{H}$ )	165
hear-no-evil monkey (  )	241	<code>\HG</code> ( $\nabla$ )	165	<code>\hole</code> ( $h^*$ )	145
<code>\Heart</code> (♥)	205	<code>\Hg</code> ( $\boxplus$ )	165	hole ( $\ominus$ )	241
heart decoration (  )	241	<code>\HH</code>	178	hollow red circle (○)	241
heart exclamation (♥)	241	<code>\HH</code> ( $\lambda$ )	165	<code>\HollowBox</code> (□)	152
heart suit (♥)	195	<code>\Hh</code> ( $\square$ )	165	Holmes, Sherlock	271
heart with arrow (♥)	241	hhcount (package)	196, 211, 298, 299	Holt, Alexander	1, 297
heart with ribbon (♥)	241	<code>\Hhundred</code> (₹)	165	<code>\holter</code> (  )	125
heartctrbull (bullcntr package option)	212	<code>\HI</code> (  )	165	holtpolt (package)	125, 298
<code>\heartctrbull</code>	212	<code>\Hi</code> ( $\lambda$ )	165	<code>\hom</code> (hom)	99
hearts	140, 163, 194, 195, 246–254	<code>\hiatus</code> ( $H$ )	214	<code>\Home</code> (  )	141
<code>\heartsuit</code> (♥)	194	hibiscus (  )	241	<code>\Homer</code> (  )	214
<code>\heartsuit</code> (♥)	194	<code>\Hib1</code> (  )	165	<code>\Hone</code> (l)	165
<code>\heartsuit</code> (♥)	194	<code>\Hibp</code> (  )	165	honey pot (  )	211
<code>\heartsuit</code> (♥)	194	<code>\Hibs</code> (  )	165		
<code>\heartsuit</code> (♥)	194	<code>\Hibw</code> (  )	165		
heavy dollar sign (\$)	241	<code>\Hidalgo</code> (€)	140		

honeybee (🐝) ..... 210  
 hook (🪝) ..... 241  
 hook accent (🪝) ... *see accents*  
 \hookb (b) ..... 20  
 \hookd (d) ..... 21  
 \hookd (d) ..... 20  
 \hookdownarrow (↓) ..... 85  
 \hookdownminus (↘) ..... 131  
 \hookdownminus (↘) ..... 131  
 \hookg (g) ..... 20  
 \hookh (h) ..... 20  
 \hookheng (h) ..... 20  
 \hookleftarrow (↵) ..... 78  
 \hookleftarrow (↵) ..... 89  
 \hookleftarrow (↵) ..... 85  
 \hookleftarrow (↵) ..... 81  
 \hookleftarrow (↵) ..... 95  
 \hookleftarrow (↵) ..... 91  
 \hooknearrow (↗) ..... 85  
 \hooknwarrow (↖) ..... 85  
 \hookreveysilon (ϵ) ..... 20  
 \hookrightarrow (→) ..... 78  
 \hookrightarrow (→) ..... 89  
 \hookrightarrow (→) ..... 85  
 \hookrightarrow (→) ..... 81  
 \hookrightarrow (→) ..... 95  
 \hookrightarrow (→) ..... 91  
 \hooksearrow (↙) ..... 85  
 \hookswarrow (↘) ..... 85  
 \hookuparrow (↑) ..... 85  
 \hookupminus (↖) ..... 36, 131  
 \hookupminus (↖) ..... 131  
 horizontal traffic light (🚦) . 204  
 Horn, Berthold ..... 135  
 horse face (🐎) ..... 210  
 horse racing (🏇) ..... 241  
 \hoshi (🌸) ..... 201  
 hospital (🏥) ..... 241  
 hot beverage (☕) ..... 210  
 hot dog (🌭) ..... 210  
 hot face (🔥) ..... 241  
 hot pepper (🌶) ..... 210  
 hot springs (♨) ..... 241  
 hotel (🏨) ..... 241  
 \hourglass (⌚) ..... 36  
 \hourglass (⌚) ..... 41  
 hourglass done (🕒) ..... 208  
 hourglass not done (🕒) ... 208  
 \house (🏠) ..... 158  
 house (🏠) ..... 241  
 house with garden (🏡) ..... 241  
 houses (🏘) ..... 241  
 \HP (👉) ..... 165  
 \Hp (□) ..... 165  
 \hpause (⏸) ..... 176  
 \Hplural (⋮) ..... 165  
 \Hplus (⊕) ..... 165  
 \HQ (⊕) ..... 165











\Hq (⊕) ..... 165  
 \Hquery (⌋) ..... 165  
 \HR (🏠) ..... 165  
 \Hr (⊖) ..... 165  
 \hrectangle (▭) ..... 158  
 \hrectangleblack (■) ... 158  
 \HS (—) ..... 165  
 \Hs (♯) ..... 165  
 \hs (♯) ..... 176  
 \Hscribe (♯) ..... 165  
 \Hslash (⌋) ..... 165  
 \hslash (h) ..... 104  
 \hslash (h) ..... 105  
 \hslash (h) ..... 105  
 \hslash (h) ..... 105  
 \Hsv (↘) ..... 165  
 \HT (o) ..... 142  
 \HT (⇒) ..... 165  
 \Ht (△) ..... 165  
 \Hten (n) ..... 165  
 \Hthousand (♯) ..... 165  
 \Htongue (↘) ..... 165  
 \HU (♯) ..... 165  
 \Hu (♯) ..... 165  
 hugging face (😘) ..... 241  
 hundred points (💯) ..... 241  
 Hungarian umlaut (ü) ... *see accents*  
 \Hungary (🇭🇺) ..... 221  
 hushed face (😐) ..... 241  
 \Hut (🏠) ..... 207  
 hut (🏠) ..... 241  
 \HV (♯) ..... 165  
 \Hv (👉) ..... 165  
 \hv (hv) ..... 20  
 \Hvbar (i) ..... 165  
 \HW (e) ..... 165  
 \Hw (♯) ..... 165  
 \HX (σ) ..... 165  
 \Hx (♯) ..... 165  
 \HXthousand (♯) ..... 165  
 \HY (♯) ..... 165  
 \Hy (♯) ..... 165  
 \Hygiea (♯) ..... 140  
 hyphen, discretionary ..... 294  
 \hyphenbullet (⋈) ..... 132  
 \HZ (♯) ..... 165  
 \Hz (⇒) ..... 165  
 \hzigzag (⋈) ..... 132

I


I (↓) ..... 173







































ï ..... 22  
 \i (i) ..... 173  
 \i (i) ..... 22  
 i (l) ..... 173  
 \ialign ..... 282, 284, 286  
 \IB (I) ..... 141  
 \ibar (i) ..... 21  
 IBM PC ..... 142, 215, 293  
 \IC (I) ..... 140  
 ice (🧊) ..... 210  
 ice cream (🍦) ..... 210  
 ice hockey (🏒) ..... 241  
 ice skate (🛷) ..... 241  
 \Iceland (🇮🇸) ..... 221  
 Icelandic staves ..... 215  
 \IceMountain (⚙) ..... 207  
 \Id (Id) ..... 100  
 \id (id) ..... 100  
 ID button (ID) ..... 241  
 \iddots (⋯) ..... 126  
 \iddots (⋯) ..... 285  
 \idotsint (∫⋯∫) ..... 43  
 \idotsint (∫⋯∫) ..... 45  
 \idotsint (∫⋯∫) ..... 53  
 \idotsint (∫⋯∫) ..... 53  
 \idotsint (∫⋯∫) ..... 48, 49  
 \idotsint (∫⋯∫) ..... 47  
 \iff *see \Longlefttrightrightarrow*  
 ifsym (package) . 136, 159, 160,  
 197, 206, 207, 212, 213, 278,  
 280, 298, 299  
 igo (package) ..... 200, 298  
 \igocircle (⊙) ..... 200  
 \igocircle (⊙) ..... 200  
 \igocross (⊗) ..... 200  
 \igocross (⊗) ..... 200  
 \igonone (●) ..... 200  
 \igonone (○) ..... 200  
 \igosquare (⊠) ..... 200  
 \igosquare (⊠) ..... 200  
 \igotriangle (⊠) ..... 200  
 \igotriangle (⊠) ..... 200  
 \iiiint (∫∫∫) ..... 43  
 \iiiint (∫∫∫) ..... 45  
 \iiiint (∫∫∫) ..... 53  
 \iiiint (∫∫∫) ..... 46  
 \iiiint (∫∫∫) ..... 48  
 \iiiint (∫∫∫) ..... 47  
 \iiiint (∫∫∫) ..... 49  
 \iiiintsl (∫∫∫) ..... 51  
 \iiiintup (∫∫∫) ..... 51  
 \iiint (∫∫∫) ..... 44  
 \iiint (∫∫∫) ..... 43  
 \iiint (∫∫∫) ..... 44  
 \iiint (∫∫∫) ..... 45  
 \iiint (∫∫∫) ..... 53  
 \iiint (∫∫∫) ..... 46



































$\backslash$ iiint ( $\iiint$ )	48	infinity	128, 130, 131, 133, 283	$\backslash$ intcupsl ( $\psi$ )	52
$\backslash$ iiint ( $\iint$ )	47	infinity ( $\infty$ )	242	$\backslash$ intcupup ( $\psi$ )	52
$\backslash$ iiint ( $\iint$ )	50	$\backslash$ Info ( $\mathbb{I}$ )	205	$\backslash$ INTEGER ( $\mathbb{Z}$ )	100
$\backslash$ iiintsl ( $\iint$ )	51	$\backslash$ Info ( $\mathbb{I}$ )	218	$\backslash$ Integer ( $\mathbb{Z}$ )	100
$\backslash$ iiintup ( $\iint$ )	51	information ( $\mathbb{I}$ )	242	integers ( $\mathbb{Z}$ )	<i>see</i> alphabets, math
$\backslash$ iifin ( $\omega$ )	132	information symbols	205	integrals	42–54, 131, 283
$\backslash$ iifin ( $\omega$ )	128	informer symbols	199	product	54
$\backslash$ iint ( $\iint$ )	44	$\backslash$ infty ( $\infty$ )	130	integrals (wasysym package option)	44
$\backslash$ iint ( $\iint$ )	43	$\backslash$ infty ( $\infty$ )	130	$\backslash$ interaction ( $\mathfrak{C}$ )	145
$\backslash$ iint ( $\iint$ )	44	$\backslash$ infty ( $\infty$ )	131	$\backslash$ intercal ( $\top$ )	32
$\backslash$ iint ( $\iint$ )	45	$\backslash$ infty ( $\infty$ )	131	$\backslash$ intercal ( $\top$ )	36, 105
$\backslash$ iint ( $\iint$ )	53	$\backslash$ infty ( $\infty$ )	128	$\backslash$ intercal ( $\top$ )	35
$\backslash$ iint ( $\iint$ )	46	$\backslash$ ING ( $\phi$ )	173	$\backslash$ intercal ( $\top$ )	104
$\backslash$ iint ( $\iint$ )	49	$\backslash$ Ing ( $\phi$ )	173	$\backslash$ intercal ( $\top$ )	37, 105
$\backslash$ iint ( $\iint$ )	47	$\backslash$ ing ( $\phi$ )	173	interior	<i>see</i> $\backslash$ mathring
$\backslash$ iint ( $\iint$ )	50	$\backslash$ inipartvoice ( $\mathfrak{M}$ )	24	$\backslash$ interleave ( $\lll$ )	33
$\backslash$ iintsl ( $\iint$ )	51	$\backslash$ inipartvoiceless ( $\mathfrak{M}$ )	24	$\backslash$ interleave ( $\lll$ )	37
$\backslash$ iintup ( $\iint$ )	51	$\backslash$ injlim (injlim)	99	$\backslash$ internalsym ( $\square$ )	145
$\backslash$ IJ (IJ)	16	$\backslash$ Innocey ( $\mathfrak{C}$ )	230	intersection	<i>see</i> $\backslash$ cap
$\backslash$ ij (ij)	16	$\backslash$ inplus ( $\epsilon$ )	55	$\backslash$ Interval ( $\mathfrak{C}$ )	207
$\backslash$ Im ( $\mathfrak{I}$ )	100, 104	$\backslash$ inplus ( $\epsilon$ )	62	$\backslash$ intlarhk ( $\int$ )	53
$\backslash$ Im (Im)	100	input latin letters ( $\text{abc}$ )	242	$\backslash$ intlarhk ( $\int$ )	50
$\backslash$ Im ( $\mathfrak{I}$ )	105	input latin lowercase ( $\text{abc}$ )	242	$\backslash$ intlarhksl ( $\int$ )	52
$\backslash$ im (im)	100	input latin uppercase ( $\text{ABC}$ )	242	$\backslash$ intlarhkup ( $\int$ )	52
$\backslash$ im (j)	105	input numbers ( $\mathbb{Z}$ )	242	$\backslash$ intprod ( $\rightarrow$ )	35, 36, 131
$\backslash$ imageof ( $\bullet\rightarrow$ )	97	input symbols ( $\mathbb{Z}$ )	242	$\backslash$ intprod ( $\rightarrow$ )	37
$\backslash$ imageof ( $\bullet\rightarrow$ )	63	inputenc (package)	296	$\backslash$ intprodr ( $\rightarrow$ )	35, 36, 131
$\backslash$ imath ( $i$ )	104, 114	$\backslash$ Ins ( $\mathbb{I}$ )	141	$\backslash$ intprodr ( $\rightarrow$ )	37
$\backslash$ imath ( $i$ )	105	$\backslash$ int ( $\int$ )	45	$\backslash$ intsl ( $\int$ )	51
$\backslash$ imath ( $i$ )	105	$\backslash$ int ( $\int$ )	44	$\backslash$ intup ( $\int$ )	49
immigration	202–203	$\backslash$ int ( $\int$ )	44	$\backslash$ intup ( $\int$ )	51
$\backslash$ impliedby	<i>see</i> $\backslash$ Longleftarrow	$\backslash$ int ( $\int$ )	43	$\backslash$ intx ( $\int$ )	50
$\backslash$ implies	<i>see</i> $\backslash$ Longrightarrow	$\backslash$ int ( $\int$ )	53	$\backslash$ intxsl ( $\int$ )	52
and $\backslash$ vdash		$\backslash$ int ( $\int$ )	49	$\backslash$ intxup ( $\int$ )	52
impulse train	<i>see</i> sha	$\backslash$ int ( $\int$ )	49	$\backslash$ inva ( $\mathfrak{e}$ )	20
$\backslash$ in ( $\in$ )	104	$\backslash$ int ( $\int$ )	47	$\backslash$ invamp ( $\mathfrak{X}$ )	33
$\backslash$ in ( $\in$ )	104	$\backslash$ int ( $\int$ )	50	$\backslash$ invamp ( $\mathfrak{X}$ )	38
$\backslash$ in ( $\in$ )	60, 105	$\backslash$ intBar ( $\int$ )	49	$\backslash$ invbackneg ( $\leftarrow$ )	131
$\backslash$ in ( $\in$ )	105	$\backslash$ intBar ( $\int$ )	50	$\backslash$ INVD ( $\nabla$ )	142
$\backslash$ in ( $\in$ )	105	$\backslash$ intbar ( $\int$ )	49	$\backslash$ invdiameter ( $\mathfrak{Q}$ )	202
$\backslash$ in ( $\in$ )	104	$\backslash$ intbar ( $\int$ )	50	$\backslash$ inve ( $\mathfrak{a}$ )	21
$\backslash$ in ( $\in$ )	63	$\backslash$ intBarsl ( $\int$ )	51	inverse limit	<i>see</i> $\backslash$ varprojlim
inbox tray ( $\mathfrak{a}$ )	242	$\backslash$ intBarsl ( $\int$ )	51	$\backslash$ inversebullet ( $\blacksquare$ )	132
inches	<i>see</i> $\backslash$ second and $\backslash$ textquotedbl	$\backslash$ intbarsl ( $\int$ )	51	$\backslash$ inversewhitecircle ( $\odot$ )	158
$\backslash$ incoh ( $\asymp$ )	67	$\backslash$ intBarup ( $\int$ )	51	$\backslash$ InversTransformHoriz ( $\bullet\rightarrow$ )	66
incoming envelope ( $\mathfrak{X}$ )	242	$\backslash$ intbarup ( $\int$ )	51	$\backslash$ InversTransformVert ( $\updownarrow$ )	66
$\backslash$ increment ( $\Delta$ )	132	$\backslash$ intcap ( $\int$ )	53	inverted symbols	18–21, 25, 280–281
independence		$\backslash$ intcap ( $\int$ )	50	inverters	142
probabilistic	283	$\backslash$ intcapsl ( $\int$ )	52	$\backslash$ invf ( $\int$ )	20
statistical	283	$\backslash$ intcapup ( $\int$ )	52	$\backslash$ invglotstop ( $\flat$ )	20
stochastic	<i>see</i> $\backslash$ bot	$\backslash$ intclockwise ( $\int$ )	53	$\backslash$ invh ( $\eta$ )	20
$\backslash$ independent ( $\perp$ )	284	$\backslash$ intclockwise ( $\int$ )	49	$\backslash$ INV1 ( $\triangleleft$ )	142
index pointing up ( $\uparrow$ )	242	$\backslash$ intclockwise ( $\int$ )	54	$\backslash$ invlazys ( $\infty$ )	37
$\backslash$ Industry ( $\mathfrak{I}$ )	205	$\backslash$ intclockwise ( $\int$ )	50	$\backslash$ invlegr ( $\int$ )	20
inequalities	15, 70–75	$\backslash$ intclockwise ( $\int$ )	50		
inexact differential	<i>see</i> $\backslash$ dbar	$\backslash$ intclockwise ( $\int$ )	51		
$\backslash$ inf (inf)	99	$\backslash$ intclockwise ( $\int$ )	51		
infimum	<i>see</i> $\backslash$ inf and $\backslash$ sqcap	$\backslash$ intclockwiseup ( $\int$ )	51		
		$\backslash$ intctrclockwise ( $\int$ )	49		
		$\backslash$ intcup ( $\int$ )	53		
		$\backslash$ intcup ( $\int$ )	50		

<code>\invm</code> ( $\cup$ )	20
<code>\invneg</code> ( $\neg$ )	55
<code>\invneg</code> ( $\neg$ )	131
<code>\invneg</code> ( $\neg$ )	131
<code>\invnot</code> ( $\neg$ )	132
<code>\invnot</code> ( $\neg$ )	131
<code>\invnot</code> ( $\neg$ )	132
<code>\INVr</code> (  )	142
<code>\invr</code> ( $\imath$ )	20
<code>\invscr</code> ( $\mathcal{B}$ )	20
<code>\invscrip</code> ( $\mathfrak{v}$ )	20
<code>\invsmileface</code> (  )	229
<code>\INVu</code> (  )	142
<code>\invv</code> ( $\Lambda$ )	21
<code>\invw</code> ( $\mathcal{M}$ )	21
<code>\invwhitelowerhalfcircle</code> (  )	158
<code>\invwhiteupperhalfcircle</code> (  )	158
<code>\invy</code> ( $\lambda$ )	21
<code>\IO</code> ( $\mathcal{I}$ )	141
<code>\ion</code> ( $\ominus$ )	145
<code>\ionicbond</code> ( $\oplus$ )	145
<code>\Iota</code> ( $\mathcal{I}$ )	101
<code>\iota</code> ( $\iota$ )	101
<code>iota</code> , upside-down	280
<code>\iotaup</code> ( $\iota$ )	102
<code>\ipagamma</code> ( $\gamma$ )	21
<code>\ipercatal</code> ( $\dagger$ )	214
<code>\Ireland</code> ( $\mathcal{I}$ )	221
<code>\IroningI</code> (  )	205
<code>\IroningII</code> (  )	205
<code>\IroningIII</code> (  )	205
<code>irony mark</code> ( $\text{irony}$ )	280
<code>irrational numbers</code> ( $\mathbb{J}$ )	<i>see</i> alphabets, math
<code>\Irritant</code> (  )	213
<code>\isindot</code> ( $\acute{\epsilon}$ )	63
<code>\isinE</code> ( $\text{€}$ )	63
<code>\isinobar</code> ( $\bar{\epsilon}$ )	63
<code>\isins</code> ( $\text{€}$ )	63
<code>\isinvb</code> ( $\text{€}$ )	63
<code>\ismodeledby</code> ( $\text{=}$ )	281
<code>ISO character entities</code>	294
<code>isoent</code> (package)	294
<code>Isthmian script</code>	171–172
<code>italic</code>	15, 16, 28, 288, 290, 292, 294
<code>\Italy</code> (  )	221


## J

<code>J</code> ( $\mathfrak{h}$ )	173
<code>\j</code> ( $\mathfrak{h}$ )	173
<code>\j</code> ( $\mathfrak{h}$ )	22
<code>j</code> ( $\mathfrak{h}$ )	173
<code>\jAB</code> (  )	222

<code>jack-o-lantern</code> (  )	242
<code>\JackStar</code> (  )	154
<code>\JackStarBold</code> (  )	154
<code>\jAG</code> (  )	222
<code>Japanese “acceptable” button</code> (  )	242
<code>Japanese “application” button</code> (  )	242
<code>Japanese “bargain” button</code> (  )	242
<code>Japanese “congratulations” button</code> (  )	242
<code>Japanese “discount” button</code> (  )	242
<code>Japanese “free of charge” button</code> (  )	242
<code>Japanese “here” button</code> (  )	242
<code>Japanese “monthly amount” button</code> (  )	242
<code>Japanese “no vacancy” button</code> (  )	242
<code>Japanese “not free of charge” button</code> (  )	242
<code>Japanese “open for business” button</code> (  )	242
<code>Japanese “passing grade” button</code> (  )	242
<code>Japanese “prohibited” button</code> (  )	242
<code>Japanese “reserved” button</code> (  )	242
<code>Japanese “secret” button</code> (  )	242
<code>Japanese “service charge” button</code> (  )	242
<code>Japanese “vacancy” button</code> (  )	242
<code>Japanese castle</code> (  )	242
<code>Japanese dolls</code> (  )	242
<code>Japanese post office</code> (  )	242
<code>Japanese symbol for beginner</code> (  )	242
<code>\jAR</code> (  )	222
<code>\jBC</code> (  )	222
<code>\jBH</code> (  )	222
<code>\jBI</code> ( $\mathfrak{h}$ )	222
<code>\jBN</code> (  )	222
<code>\jBR</code> (  )	222
<code>\jBT</code> (  )	222
<code>\jBV</code> (  )	222
<code>\jBZ</code> (  )	223
<code>\jCJ</code> (  )	223
<code>\jCL</code> (  )	223
<code>\jCS</code> (  )	223
<code>\jCT</code> (  )	222
<code>\jCV</code> (  )	222

<code>\jDB</code> (  )	222
<code>\jDJ</code> (  )	222
<code>jeans</code> (  )	243
<code>Jewish star</code>	154, 155
<code>\jGJ</code> (  )	222
<code>\jGL</code> (  )	222
<code>\jGR</code> (  )	222
<code>\jHD</code> (  )	222
<code>\jHR</code> (  )	222
<code>\jIF</code> (  )	222
<code>\jIL</code> (  )	223
<code>\jIS</code> (  )	223
<code>\jmath</code> ( $\mathfrak{h}$ )	104, 114
<code>\jmath</code> ( $\mathfrak{h}$ )	105
<code>\jmath</code> ( $\mathfrak{h}$ )	105
<code>\jMH</code> (  )	223
<code>\jMM</code> (  )	223
<code>\jMS</code> (  )	222
<code>\jNT</code> (  )	222
<code>\Joch</code> ( $\mathfrak{h}$ )	207
<code>\Join</code> (  )	54, 55
<code>\Join</code> (  )	36, 60
<code>\Join</code> (  )	35
<code>\Join</code> (  )	132
<code>\joinrel</code>	281
<code>joint denial</code>	<i>see</i> <code>\downarrow</code>
<code>joker</code> (  )	243
<code>\jOT</code> (  )	222
<code>joystick</code> (  )	243
<code>\jPH</code> (  )	222
<code>\Jpsimeson</code> ( $\mathfrak{h}$ )	145
<code>\jSB</code> (  )	222
<code>\jSJ</code> (  )	222
<code>\jSM</code> (  )	222
<code>\jSV</code> (  )	222
<code>\jTL</code> (  )	222
<code>\jTM</code> (  )	222
<code>\jTR</code> (  )	223
<code>judge</code> (  )	243
<code>junicode</code> (package)	297, 298
<code>Junicode.ttf</code> (file)	297
<code>\Juno</code> ( $\mathfrak{h}$ )	140
<code>\Jupiter</code> ( $\mathfrak{h}$ )	138
<code>\Jupiter</code> ( $\mathfrak{h}$ )	138
<code>\Jupiter</code> ( $\mathfrak{h}$ )	140
<code>\jupiter</code> ( $\mathfrak{h}$ )	137
<code>\jVL</code> (  )	223
<code>\jVN</code> (  )	223
<code>\jVS</code> (  )	223

## K

<code>\K</code> ( $\mathfrak{h}$ )	173
<code>\k</code> ( $\mathfrak{h}$ )	173
<code>\k</code> (  )	25

<code>\k</code> (♣)	22
<code>k</code> (◁)	173
<code>kaaba</code> (👤)	243
<code>kangaroo</code> (🦘)	210
<code>\Kaonminus</code> ( $K^-$ )	145
<code>\Kaonnull</code> ( $K^0$ )	145
<code>\Kaonplus</code> ( $K^+$ )	145
<code>\Kappa</code> (Κ)	101
<code>\kappa</code> (κ)	101
<code>\kappaup</code> (κ)	102
<code>\ker</code> (ker)	99
<code>\kernelcontraction</code> (≈)	62
<code>\kernelcontraction</code> (≈)	63
<code>ket</code>	107
<code>key</code> (🔑)	243
<code>\Keyboard</code> (⌨)	141
<code>keyboard</code> (⌨)	243
<code>keyboard symbols</code>	141
<code>keycap: *</code> (✳)	243
<code>keycap: 0</code> (0)	243
<code>keycap: 1</code> (1)	243
<code>keycap: 10</code> (10)	243
<code>keycap: 2</code> (2)	243
<code>keycap: 3</code> (3)	243
<code>keycap: 4</code> (4)	243
<code>keycap: 5</code> (5)	243
<code>keycap: 6</code> (6)	243
<code>keycap: 7</code> (7)	243
<code>keycap: 8</code> (8)	243
<code>keycap: 9</code> (9)	243
<code>keycap: #</code> (🔢)	243
<code>keys</code>	247–250
<code>keys, computer</code>	141
<code>keystroke</code> (package)	141, 298, 299
<code>\keystroke</code> (⌨)	141
<code>kick scooter</code> (🛼)	204
<code>kimono</code> (👘)	243
<code>king</code>	199, 200, 275–277
<code>kiss</code> (💋)	243
<code>kissing cat</code> (🐱)	243
<code>kissing face</code> (😘)	243
<code>kissing face with closed eyes</code> (😚)	243
<code>kissing face with smiling eyes</code> (😙)	243
<code>kitchen knife</code> (🔪)	243
<code>kite</code> (🪁)	243
<code>kiwi fruit</code> (🥝)	210
<code>\Knife</code> (l)	229
<code>knight</code>	199, 200, 275–277
<code>knitting</code> (package)	219, 298, 299
<code>knitting symbols</code>	219
<code>\Knoblauchpresse</code> (🍷)	229
<code>knocked-out face</code> (😵)	243
<code>knot</code> (package)	264, 268, 298
<code>knot</code> (🎣)	243
<code>knots</code>	264–268
<code>Knuth, Donald E.</code>	13, 95, 292, 300

<code>symbols by</code>	204
<code>koala</code> (🦘)	210
<code>\Kochtopf</code> (🍲)	229
<code>\Koppa</code> (Ϟ)	170
<code>\koppa</code> (ϟ)	170
<code>\Kr</code> (⊙)	178
<code>\kreuz</code> (✳)	202
<code>Kronecker product</code>	<i>see</i> <code>\otimes</code>
<code>Kronecker sum</code>	<i>see</i> <code>\oplus</code>
<code>\Kronos</code> (♅)	140
<code>kroužek</code> (🍷)	<i>see</i> accents
<code>\kside</code> (≫)	199

## L

<code>\L</code> (L)	16
<code>\l</code> (l)	16
<code>l</code> (l)	173
<code>lab coat</code> (👤)	243
<code>\labdentalnas</code> (ŋ)	20
<code>label</code> (📍)	243
<code>\labvel</code>	24
<code>lacrosse</code> (🏑)	243
<code>ladder</code> (🪜)	243
<code>\Ladiesroom</code> (♀)	205
<code>lady beetle</code> (🐞)	210
<code>Lagrangian</code> (ℒ)	<i>see</i> alphabets, math
<code>\Lambda</code> (Λ)	101
<code>\lambda</code> (λ)	101
<code>\lambdabar</code> (λ̄)	130
<code>\lambdabar</code> (λ)	132
<code>\lambdaslash</code> (λ)	130
<code>\lambdaslash</code> (λ)	132
<code>\lambdaup</code> (λ)	102
<code>Lamport, Leslie</code>	297, 300
<code>\land</code>	<i>see</i> <code>\wedge</code>
<code>\land</code> (∧)	36
<code>\land</code> (∧)	37
<code>land masses</code>	219, 222, 247–250
<code>\landdownint</code> (∫)	53
<code>\landdownint</code> (∫)	46
<code>\landdownint</code> (∫)	49
<code>\landdownint</code> (∫)	47
<code>\landupint</code> (∫)	53
<code>\landupint</code> (∫)	46
<code>\landupint</code> (∫)	48, 49
<code>\landupint</code> (∫)	47
<code>\Langle</code> (⟨)	135
<code>\LAngle</code> (⟨⟨)	113
<code>\LAngle</code> (⟨⟨)	110
<code>\LAngle</code> (⟨⟨)	111
<code>\langle</code> (⟨)	31, 107
<code>\langle</code> (⟨)	110

<code>\langle</code> (⟨)	109
<code>\langle</code> (⟨)	112
<code>\langlebar</code> (⟨)	109
<code>\langedot</code> (⟨)	110
<code>\langedot</code> (⟨)	107
<code>\laplac</code> (□)	132
<code>\Laplace</code> (●—○)	67
<code>\laplace</code> (○—●)	67
<code>Laplace transform</code> (ℒ)	<i>see</i> alphabets, math
<code>Laplacian</code> (Δ)	<i>see</i> <code>\Delta</code>
<code>Laplacian</code> (∇ <sup>2</sup> )	<i>see</i> <code>\nabla</code>
<code>large blue diamond</code> (🔹)	243
<code>large orange diamond</code> (🔸)	243
<code>\largeblackcircle</code> (●)	157
<code>\largeblacksquare</code> (■)	157
<code>\largeblackstar</code> (★)	157
<code>\largecircle</code> (○)	157
<code>\largecircle</code> (○)	157
<code>largetrbull</code> (bullcntr package option)	212
<code>\largetrbull</code>	212
<code>\largediamond</code> (◇)	157
<code>\largelozenge</code> (◇)	157
<code>\largepencil</code> (🖋)	149
<code>\largepentagram</code> (☆)	157
<code>\LargerOrEqual</code> (≧)	128
<code>\largesquare</code> (□)	157
<code>\largesquare</code> (□)	157
<code>\largestar</code> (☆)	157
<code>\largestarofdavid</code> (⬠)	157
<code>\largetriangledown</code> (∇)	77, 157
<code>\largetriangledown</code> (∇)	76
<code>\largetriangleleft</code> (◁)	76
<code>\largetriangleright</code> (▷)	76
<code>\largetriangleup</code> (△)	77, 157
<code>\largetriangleup</code> (△)	76
<code>\largewhitestar</code> (☆)	157
<code>\LArrow</code> (↵)	141
<code>\larrowfill</code>	122
<code>\Laserbeam</code> (☀)	144
<code>last quarter moon</code> (🌖)	217
<code>last quarter moon face</code> (🌖)	217
<code>last track button</code> (⏮)	243
<code>\lat</code> (⋗)	74
<code>\late</code> (⋗)	74
<code>L<sup>A</sup>T<sub>E</sub>X</code>	1, 13, 18, 22, 54, 99, 107, 125, 130, 146, 212, 223, 255, 276, 277, 280–287, 291–294, 296–300

LaTeX 2 $\epsilon$ .....	1,				
	13, 15, 16, 28, 32, 54, 67,				
	78, 116, 125, 130, 135, 174,				
	194, 255, 276–278, 280, 281,				
	283, 285, 290, 292–296, 300				
latexsym (package) ..	32, 54, 67,				
	78, 130, 277, 298, 299				
$\backslash$ latfric (†) .....	20				
Latin 1 .....	13, 294–295, 298				
latin cross (⚡) .....	243				
$\backslash$ Latvia (♁) .....	219				
$\backslash$ Laughey (☉) .....	230				
laundry symbols .....	205				
$\backslash$ LB (f) .....	141				
$\backslash$ lb (lb) .....	100				
$\backslash$ Lbag (ℓ) .....	106				
$\backslash$ lbag (l) .....	106				
$\backslash$ lbag (l) .....	36				
$\backslash$ lbag (ℓ) .....	107				
$\backslash$ blackbowtie (⌘) .....	36				
$\backslash$ blkbrak (f) .....	107				
$\backslash$ lBrace ( { } ) .....	111				
$\backslash$ lbrace ( { } ) .....	110				
$\backslash$ lbrace ( { } ) .....	111				
$\backslash$ lbrace ( { } ) .....	109				
$\backslash$ lbrace ( { } ) .....	111				
$\backslash$ Lbrack (⌈) .....	135				
$\backslash$ lBrack (⌈) .....	113				
$\backslash$ lBrack (⌈) .....	110				
$\backslash$ lBrack (⌈) .....	111				
$\backslash$ lBrack (⌈) .....	111				
$\backslash$ lbrack ( [ ) .....	110				
$\backslash$ lbrack ( [ ) .....	111				
$\backslash$ lbrack ( [ ) .....	111				
$\backslash$ lbracklltick (⌌) .....	107				
$\backslash$ lbrackubar (⌊) .....	107				
$\backslash$ lbrackultick (⌊) .....	107				
$\backslash$ Lbrak (⌊) .....	107				
$\backslash$ lbrak (⌊) .....	111				
LCD numerals .....	136				
$\backslash$ lCeil (⌈) .....	113				
$\backslash$ lceil (⌈) .....	107				
$\backslash$ lceil (⌈) .....	110				
$\backslash$ lceil (⌈) .....	109				
$\backslash$ lceil (⌈) .....	111				
left arrow (↩) .....	243				
left arrow curving right (↪) .....	243				
left luggage (⚡) .....	204				
left speech bubble (💬) .....	243				
left-facing fist (✊) .....	243				
left-right arrow (↔) .....	244				
$\backslash$ LEFTarrow (⬅) .....	202				
$\backslash$ Leftarrow (⇐) .....	31, 78				
$\backslash$ lceil (⌈) .....	111				
$\backslash$ lcirclearrowdown (⤵) ..	80				
$\backslash$ lcirclearrowleft (⤴) ..	80				
$\backslash$ lcirclearrowright (⤶) ..	80				
$\backslash$ lcirclearrowup (⤵) ....	80				
$\backslash$ lcirclelefttint (⓪) ..	48, 49				
$\backslash$ lcirclelefttint (⓪) .....	47				
$\backslash$ lclerighttint (⓪) ..	48, 49				
$\backslash$ lclerighttint (⓪) .....	47				
$\backslash$ lcm (lcm) .....	100				
$\backslash$ lcm (lcm) .....	291				
$\backslash$ lcorners (⌋) .....	106				
$\backslash$ lcurvearrowdown (⤵) ....	80				
$\backslash$ lcurvearrowleft (↩) ....	80				
$\backslash$ lcurvearrowne (↗) .....	80				
$\backslash$ lcurvearrownw (↖) .....	80				
$\backslash$ lcurvearrowright (↪) ...	80				
$\backslash$ lcurvearrowse (↘) .....	81				
$\backslash$ lcurvearrowsw (↙) .....	81				
$\backslash$ lcurvearrowup (⤵) .....	81				
$\backslash$ lcurvyangle (⧹) .....	107				
$\backslash$ LD (Δ) .....	141				
$\backslash$ ldbrack (⌈) .....	108				
$\backslash$ ldotp (⋯) .....	125				
$\backslash$ ldotp (⋯) .....	126				
$\backslash$ ldots (⋯) .....	125				
$\backslash$ Ldsh (↵) .....	85				
$\backslash$ Ldsh (↵) .....	91				
$\backslash$ LE (≤) .....	141				
$\backslash$ le .....	<i>see</i> $\backslash$ leq				
$\backslash$ le (≤) .....	74				
$\backslash$ le (≤) .....	75				
$\backslash$ leadsto (↘) .....	55, 78				
$\backslash$ leadsto (↘) .....	86				
$\backslash$ leadsto (↘) .....	81				
$\backslash$ leadsto (↘) .....	92				
leaf .....	<i>see</i> $\backslash$ textleaf				
leaf fluttering in wind (🍃) ..	243				
$\backslash$ leafleft (☞) .....	156				
$\backslash$ leafNE (☞) .....	156				
$\backslash$ leafright (☜) .....	156				
leafy green (🌿) .....	210				
leaves .....	156, 163, 260–261				
ledger (📊) .....	243				
Lefschetz motive (ℒ) .....	<i>see</i> alphabets, math				
$\backslash$ Left .....	214				
$\backslash$ left ..	107, 108, 112, 113, 277, 279				
left arrow (↩) .....	243				
left arrow curving right (↪) ..	243				
left luggage (⚡) .....	204				
left speech bubble (💬) .....	243				
left-facing fist (✊) .....	243				
left-right arrow (↔) .....	244				
$\backslash$ LEFTarrow (⬅) .....	202				
$\backslash$ Leftarrow (⇐) .....	31, 78				
$\backslash$ Leftarrow (⇐) .....	85				
$\backslash$ Leftarrow (⇐) .....	81				
$\backslash$ Leftarrow (⇐) .....	91				
$\backslash$ leftarrow (↩) .....	79				
$\backslash$ leftarrow (↩) .....	78				
$\backslash$ leftarrow (↩) .....	84				
$\backslash$ leftarrow (↩) .....	81				
$\backslash$ leftarrow (↩) .....	95				
$\backslash$ leftarrow (↩) .....	91				
$\backslash$ leftarrowaccent (⤵) ....	115				
$\backslash$ leftarrowapprox (↔̃) ...	91				
$\backslash$ leftarrowbackapprox (↔̄) ..	91				
$\backslash$ leftarrowbsimilar (↔̂) ..	91				
$\backslash$ leftarrowless (↔̄) .....	74				
$\backslash$ leftarrowonoplus (⊕) ..	91				
$\backslash$ leftarrowplus (↔̄) .....	91				
$\backslash$ leftarrowshortrightarrow					
(↔̄) .....	91				
$\backslash$ leftarrowssimilar (↔̂) ..	91				
$\backslash$ leftarrowsubset (⊆) ...	69				
$\backslash$ leftarrowtail (↔̄) .....	78				
$\backslash$ leftarrowtail (↔̄) .....	89				
$\backslash$ leftarrowtail (↔̄) .....	84				
$\backslash$ leftarrowtail (↔̄) .....	81				
$\backslash$ leftarrowtail (↔̄) .....	91				
$\backslash$ leftarrowTriangle (↔̄) ..	89				
$\backslash$ leftarrowtriangle (↔̄) ..	79				
$\backslash$ leftarrowtriangle (↔̄) ..	89				
$\backslash$ leftarrowtriangle (↔̄) ..	91				
$\backslash$ leftarrowx (↔̄) .....	91				
$\backslash$ leftAssert (⊥) .....	60				
$\backslash$ leftassert (⊥) .....	60				
$\backslash$ leftbarharpoon (⇐) .....	80				
$\backslash$ leftbkarrow (↔̄) .....	84				
$\backslash$ leftbkarrow (↔̄) .....	92				
$\backslash$ leftblackarrow (⬅) .....	89				
$\backslash$ leftblackspoon (☞) .....	97				
$\backslash$ leftbroom (↔̄) .....	98				
$\backslash$ LEFTCIRCLE (⬅) .....	156				
$\backslash$ LEFTcircle (⬅) .....	156				
$\backslash$ Leftcircle (⬅) .....	156				
$\backslash$ leftcurvedarrow (↩) ...	86				
$\backslash$ leftcurvedarrow (↩) ...	92				
$\backslash$ leftdasharrow (↔̄) .....	89				
$\backslash$ leftdasharrow (↔̄) .....	92				
$\backslash$ leftdbkarrow (↔̄) .....	92				
$\backslash$ leftdbltail (↔̄) .....	63				
$\backslash$ leftdotarrow (↔̄) .....	92				
$\backslash$ leftdowncurvedarrow (↩) ..	86				
$\backslash$ leftdowncurvedarrow (↩) ..	92				
$\backslash$ leftevaw (⋈) .....	112				
$\backslash$ leftfilledspoon (☞) ...	96				
$\backslash$ leftfishtail (↔̄) .....	63				
$\backslash$ leftfootline (⊖) .....	60				
$\backslash$ leftfootline (⊖) .....	57				
$\backslash$ leftfree (↔̄) .....	57				
$\backslash$ lefthalfcap (⌒) .....	34				

<code>\lefthalfcup</code> ( $\cup$ ) . . . . .	34	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . .	79	<code>\leftspoon</code> ( $\ominus$ ) . . . . .	96
<code>\lefthand</code> ( $\text{\textcircled{S}}$ ) . . . . .	150	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	78	<code>\leftsquigarrow</code> ( $\leftarrow$ ) . . . . .	79
<code>\leftharpoonaccent</code> ( $\text{\textcircled{M}}$ ) . .	115	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	89	<code>\leftsquigarrow</code> ( $\leftarrow$ ) . . . . .	79
<code>\leftharpoonccw</code> ( $\curvearrowright$ ) . . . . .	83	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	84	<code>\leftsquigarrow</code> ( $\leftarrow$ ) . . . . .	89
<code>\leftharpooncw</code> ( $\curvearrowleft$ ) . . . . .	83	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	81	<code>\leftsquigarrow</code> ( $\leftarrow$ ) . . . . .	85
<code>\leftharpoondown</code> ( $\curvearrowright$ ) . . . . .	80	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	92	<code>\leftsquigarrow</code> ( $\leftarrow$ ) . . . . .	92
<code>\leftharpoondown</code> ( $\curvearrowleft$ ) . . . . .	78	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	92	<code>\leftt</code> ( $\dashrightarrow$ ) . . . . .	26
<code>\leftharpoondown</code> ( $\curvearrowright$ ) . . . . .	90	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	89	<code>\lefttail</code> ( $\dashrightarrow$ ) . . . . .	63
<code>\leftharpoondown</code> ( $\curvearrowleft$ ) . . . . .	88	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	79	<code>\lefttherefore</code> ( $\because$ ) . . . . .	126
<code>\leftharpoondown</code> ( $\curvearrowright$ ) . . . . .	93	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	79	<code>\lefttherefore</code> ( $\because$ ) . . . . .	34, 126
<code>\leftharpoondownbar</code> ( $\dashrightarrow$ ) . . .	93	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	89	<code>\leftthreearrows</code> ( $\Xi$ ) . . . . .	92
<code>\leftharpoonsupdown</code> ( $\Leftrightarrow$ ) . . .	93	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	92	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	130
<code>\leftharpoonup</code> ( $\curvearrowright$ ) . . . . .	80	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	92	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	32
<code>\leftharpoonup</code> ( $\curvearrowleft$ ) . . . . .	78	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	92	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	36
<code>\leftharpoonup</code> ( $\curvearrowright$ ) . . . . .	90	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	89	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	35
<code>\leftharpoonup</code> ( $\curvearrowleft$ ) . . . . .	88	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	97	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	34
<code>\leftharpoonup</code> ( $\curvearrowright$ ) . . . . .	93	<code>\leftrightharrows</code> ( $\Leftrightarrow$ ) . . .	86	<code>\leftthreetimes</code> ( $\times$ ) . . . . .	37
<code>\leftharpoonupbar</code> ( $\dashrightarrow$ ) . . . . .	93	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	80	<code>\leftthumbsdown</code> ( $\text{\textcircled{D}}$ ) . . . . .	150
<code>\leftharpoonupdash</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	94	<code>\leftthumbsup</code> ( $\text{\textcircled{U}}$ ) . . . . .	150
<code>\leftlcurvedarrow</code> ( $\curvearrowright$ ) . . . . .	86	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	94	<code>\lefttorightarrow</code> ( $\text{\textcircled{G}}$ ) . . . . .	79
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	79	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	88	<code>\lefttorightarrow</code> ( $\text{\textcircled{G}}$ ) . . . . .	89
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	78	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	83	<code>\Lefttorque</code> ( $\curvearrowright$ ) . . . . .	143
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	89	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	94	<code>\leftturn</code> ( $\text{\textcircled{U}}$ ) . . . . .	202
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	84	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	83	<code>\leftupcurvedarrow</code> ( $\curvearrowright$ ) . . . . .	85
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	81	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	94	<code>\leftVDash</code> ( $\dashv$ ) . . . . .	60
<code>\leftleftarrows</code> ( $\Leftrightarrow$ ) . . . . .	92	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	80	<code>\leftVdash</code> ( $\dashv$ ) . . . . .	60
<code>\leftleftharpoons</code> ( $\Leftrightarrow$ ) . . . . .	80	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	79	<code>\leftVDash</code> ( $\dashv$ ) . . . . .	57
<code>\leftlsquigarrow</code> ( $\leftarrow$ ) . . . . .	86	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	90	<code>\leftvDash</code> ( $\dashv$ ) . . . . .	60
<code>\leftlsquigarrow</code> ( $\leftarrow$ ) . . . . .	81	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	88	<code>\leftvdash</code> ( $\dashv$ ) . . . . .	60
<code>\Leftmapsto</code> ( $\Leftrightarrow$ ) . . . . .	84	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	83	<code>\leftvdash</code> ( $\dashv$ ) . . . . .	57
<code>\leftmapsto</code> ( $\dashrightarrow$ ) . . . . .	84	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftwave</code> ( $\text{\textcircled{W}}$ ) . . . . .	112
<code>\leftmapsto</code> ( $\dashrightarrow$ ) . . . . .	81	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	122	<code>\leftwavearrow</code> ( $\leftarrow$ ) . . . . .	84
<code>\leftModels</code> ( $\dashv$ ) . . . . .	57	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftwavearrow</code> ( $\leftarrow$ ) . . . . .	92
<code>\leftmodels</code> ( $\dashv$ ) . . . . .	60	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	88	<code>\leftwhitearrow</code> ( $\dashrightarrow$ ) . . . . .	89
<code>\leftmodels</code> ( $\dashv$ ) . . . . .	57	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	83	<code>\leftwhitearrow</code> ( $\dashrightarrow$ ) . . . . .	92
<code>\leftmoon</code> ( $\text{\textcircled{C}}$ ) . . . . .	138	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	83	<code>\leftwhiteroundarrow</code> ( $\dashrightarrow$ ) . . . . .	89
<code>\leftmoon</code> ( $\text{\textcircled{C}}$ ) . . . . .	138	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftY</code> ( $\dashrightarrow$ ) . . . . .	35
<code>\leftmoon</code> ( $\text{\textcircled{C}}$ ) . . . . .	137	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftY</code> ( $\dashrightarrow$ ) . . . . .	34
<code>\leftouterjoin</code> ( $\text{\textcircled{D}}$ ) . . . . .	132	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>\leftzigzagarrow</code> ( $\leftarrow$ ) . . . . .	89
<code>\leftp</code> ( $\text{\textcircled{C}}$ ) . . . . .	26	<code>\leftrightharpoons</code> ( $\Leftrightarrow$ ) . . . . .	93	<code>leg</code> ( $\text{\textcircled{S}}$ ) . . . . .	244
<code>\leftpitchfork</code> ( $\text{\textcircled{E}}$ ) . . . . .	98	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	93	<code>legal symbols</code> 15, 16, 28, 29, 295	
<code>\leftpitchfork</code> ( $\text{\textcircled{E}}$ ) . . . . .	96	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	57	<code>\legm</code> ( $\text{\textcircled{M}}$ ) . . . . .	20
<code>\leftpointright</code> ( $\text{\textcircled{R}}$ ) . . . . .	150	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	57	<code>\legr</code> ( $\text{\textcircled{R}}$ ) . . . . .	20
<code>\leftpropto</code> ( $\propto$ ) . . . . .	57	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	97	<code>lemon</code> ( $\text{\textcircled{L}}$ ) . . . . .	210
<code>\leftrcurvearrow</code> ( $\curvearrowright$ ) . . . . .	86	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	79	<code>\length</code> ( $\text{\textcircled{!}}$ ) . . . . .	26
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	78	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	78	<code>\Leo</code> ( $\text{\textcircled{L}}$ ) . . . . .	138
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	84	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	89	<code>\Leo</code> ( $\text{\textcircled{L}}$ ) . . . . .	140
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	81	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	85	<code>Leo</code> ( $\text{\textcircled{L}}$ ) . . . . .	244
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	92	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	81	<code>\leo</code> ( $\text{\textcircled{L}}$ ) . . . . .	137
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	92	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	92	<code>leopard</code> ( $\text{\textcircled{P}}$ ) . . . . .	210
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	79	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	84	<code>\leq</code> ( $\leq$ ) . . . . .	71
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	78	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	85	<code>\leq</code> ( $\leq$ ) . . . . .	70, 71
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	84	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	81	<code>\leq</code> ( $\leq$ ) . . . . .	73
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	81	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	81	<code>\leq</code> ( $\leq$ ) . . . . .	72
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	95	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	148	<code>\leq</code> ( $\leq$ ) . . . . .	75
<code>\Leftrightarrow</code> ( $\Leftrightarrow$ ) . . . . .	92	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	33	<code>\leqclosed</code> ( $\leq$ ) . . . . .	73, 77
<code>\leftrightharpoonaccent</code> ( $\text{\textcircled{M}}$ ) 115		<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	36	<code>\leqclosed</code> ( $\leq$ ) . . . . .	72, 76
<code>\leftrightharpooncircle</code> ( $\text{\textcircled{M}}$ ) 92		<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	57		
<code>\leftrightharpoonreq</code> ( $\Leftrightarrow$ ) . . . . .	79	<code>\leftightharpoonsup</code> ( $\dashrightarrow$ ) . . . . .	97		
<code>\leftrightharpoonreq</code> ( $\Leftrightarrow$ ) . . . . .	89				



<code>\leqdot</code> ( $\leq$ )	73	<code>\lesseqslantgtr</code> ( $\lesseqgtr$ )	73	<code>\lgroup</code> ( $\left($ )	110
<code>\leqdot</code> ( $\leq$ )	72	<code>\lessgtr</code> ( $\lesseqgtr$ )	71	<code>\lgroup</code> ( $\left($ )	109
<code>\leqq</code> ( $\leqq$ )	71	<code>\lessgtr</code> ( $\lesseqgtr$ )	70	<code>\lgroup</code> ( $\left. \right)$	111
<code>\leqq</code> ( $\leqq$ )	70	<code>\lessgtr</code> ( $\lesseqgtr$ )	74	<code>\lgwhtcircle</code> ( $\bigcirc$ )	157
<code>\leqq</code> ( $\leqq$ )	74	<code>\lessgtr</code> ( $\lesseqgtr$ )	73	<code>\lgwhtcircle</code> ( $\bigcirc$ )	158
<code>\leqq</code> ( $\leqq$ )	73	<code>\lessgtr</code> ( $\lesseqgtr$ )	72	<code>\lgwhtsquare</code> ( $\square$ )	157
<code>\leqq</code> ( $\leqq$ )	72	<code>\lessgtr</code> ( $\lesseqgtr$ )	75	<code>\lgwhtsquare</code> ( $\square$ )	158
<code>\leqq</code> ( $\leqq$ )	75	<code>\lessneqqgtr</code> ( $\lesseqgtr$ )	72	<code>\LHD</code> ( $\blacktriangleleft$ )	33
<code>\leqqslant</code> ( $\leqqslant$ )	75	<code>\LessOrEqual</code> ( $\leq$ )	128	<code>\lhd</code> ( $\triangleleft$ )	32, 33
<code>\leqslant</code> ( $\leqslant$ )	70	<code>\lessssim</code> ( $\lesssim$ )	71	<code>\lhd</code> ( $\triangleleft$ )	73
<code>\leqslant</code> ( $\leqslant$ )	74	<code>\lessssim</code> ( $\lesssim$ )	70, 285	<code>\lhd</code> ( $\triangleleft$ )	72, 76
<code>\leqslant</code> ( $\leqslant$ )	73	<code>\lessssim</code> ( $\lesssim$ )	74	<code>\lhd</code> ( $\triangleleft$ )	37, 159
<code>\leqslant</code> ( $\leqslant$ )	72	<code>\lessssim</code> ( $\lesssim$ )	73	<code>\lhdbend</code> ( $\curvearrowright$ )	204
<code>\leqslant</code> ( $\leqslant$ )	75	<code>\lessssim</code> ( $\lesssim$ )	72	<code>\lhook</code> ( $\hookrightarrow$ )	99
<code>\leqslantdot</code> ( $\leqslantdot$ )	73	<code>\lessssim</code> ( $\lesssim$ )	75	<code>\lhookdownarrow</code> ( $\Downarrow$ )	85
<code>\leqslantdot</code> ( $\leqslantdot$ )	72	<code>\lessssimslant</code> ( $\lesssim$ )	285	<code>\lhookdownarrow</code> ( $\Downarrow$ )	81
<code>\leqslcc</code> ( $\leqslcc$ )	73	<code>\Letter</code> ( $\boxtimes$ )	143	<code>\lhookleftarrow</code> ( $\leftarrow$ )	85
<code>\lescc</code> ( $\lescc$ )	74	<code>\Letter</code> ( $\boxtimes$ )	213	<code>\lhookleftarrow</code> ( $\leftarrow$ )	81
<code>\lescc</code> ( $\lescc$ )	75	<code>\Letter</code> ( $\boxtimes$ vs. $\boxtimes$ )	278	<code>\lhooknearrow</code> ( $\nearrow$ )	85
<code>\lesdot</code> ( $\lesdot$ )	73	letter-like symbols	104–106, 250–254	<code>\lhooknearrow</code> ( $\nearrow$ )	81
<code>\lesdot</code> ( $\lesdot$ )	75	letters	<i>see</i> alphabets, 281, 282	<code>\lhooknwarrow</code> ( $\nrightarrow$ )	85
<code>\lesdoto</code> ( $\lesdoto$ )	75	barred	281	<code>\lhooknwarrow</code> ( $\nrightarrow$ )	81
<code>\lesdotor</code> ( $\lesdotor$ )	75	non-ASCII	16	<code>\lhookrightarrow</code> ( $\rightarrow$ )	85
<code>\lesg</code> ( $\lesg$ )	73	slashed	282	<code>\lhookrightarrow</code> ( $\rightarrow$ )	81
<code>\lesges</code> ( $\lesges$ )	75	variant Greek	103	<code>\lhooksearrow</code> ( $\searrow$ )	85
<code>\less</code> ( $<$ )	73	variant Latin	103	<code>\lhooksearrow</code> ( $\searrow$ )	81
<code>\less</code> ( $<$ )	72	<code>\levaw</code> ( $\left. \right\}$ )	112	<code>\lhookswarrow</code> ( $\swarrow$ )	85
less-than signs	<i>see</i> inequalities	level slider ( $\#$ )	244	<code>\lhookswarrow</code> ( $\swarrow$ )	81
<code>\lessapprox</code> ( $\lesapprox$ )	71	<code>\LF</code> ( $\blacksquare$ )	142	<code>\lhookuparrow</code> ( $\Uparrow$ )	85
<code>\lessapprox</code> ( $\lesapprox$ )	70	<code>\lfbowtie</code> ( $\bowtie$ )	63	<code>\lhookuparrow</code> ( $\Uparrow$ )	81
<code>\lessapprox</code> ( $\lesapprox$ )	74	<code>\lfilet</code> ( $\left. \right\}$ )	108	<code>\Libra</code> ( $\mathcal{L}$ )	138
<code>\lessapprox</code> ( $\lesapprox$ )	73	<code>\lFloor</code> ( $\lfloor$ )	113	<code>\Libra</code> ( $\mathcal{L}$ )	140
<code>\lessapprox</code> ( $\lesapprox$ )	72	<code>\lfloor</code> ( $\lfloor$ )	107	<code>\Libra</code> ( $\mathcal{L}$ )	244
<code>\lessapprox</code> ( $\lesapprox$ )	75	<code>\lfloor</code> ( $\lfloor$ )	110	<code>\libra</code> ( $\mathcal{L}$ )	137
<code>\lesscc</code> ( $\lesscc$ )	73	<code>\lfloor</code> ( $\lfloor$ )	109	Lie derivative ( $\mathcal{L}$ )	<i>see</i> alphabets, math
<code>\lessclosed</code> ( $\lessclosed$ )	73, 77	<code>\lftborder</code> ( $\left $ )	201	<code>\Liechtenstein</code> ( $\mathcal{L}$ )	219
<code>\lessclosed</code> ( $\lessclosed$ )	72, 76	<code>\lftbotcorner</code> ( $\llcorner$ )	201	life-insurance symbols	121, 286
<code>\lessdot</code> ( $\lessdot$ )	71	<code>\lftimes</code> ( $\blacktimes$ )	63	light bulb ( $\text{\textcircled{A}}$ )	244
<code>\lessdot</code> ( $\lessdot$ )	70	<code>\lfttopcorner</code> ( $\ulcorner$ )	201	light rail ( $\text{\textcircled{B}}$ )	204
<code>\lessdot</code> ( $\lessdot$ )	36	<code>\LG</code> ( $\text{\textcircled{A}}$ )	141	light skin tone ( $\text{\textcircled{C}}$ )	244
<code>\lessdot</code> ( $\lessdot$ )	73	<code>\lg</code> ( $\lg$ )	99	<code>\lightbulb</code> ( $\text{\textcircled{D}}$ )	290
<code>\lessdot</code> ( $\lessdot$ )	72	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\lightbulb.mf</code> (file)	288, 289
<code>\lessdot</code> ( $\lessdot$ )	75	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\lightbulb.sty</code> (file)	290
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	71	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\lightbulb10.2602gf</code> (file)	288
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	70	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\lightbulb10.dvi</code> (file)	288
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	74	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\lightbulb10.mf</code> (file)	288–290
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	73	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\lightbulb10.tfm</code> (file)	290
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	75	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\Lightning</code> ( $\text{\textcircled{E}}$ )	143
<code>\lesseqgtrslant</code> ( $\lesseqgtrslant$ )	73	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\Lightning</code> ( $\text{\textcircled{F}}$ )	206
<code>\lesseqgtrslant</code> ( $\lesseqgtrslant$ )	72	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\Lightning</code> ( $\text{\textcircled{G}}$ vs. $\text{\textcircled{H}}$ )	278
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	71	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\lightning</code> ( $\text{\textcircled{I}}$ )	79
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	70	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\lightning</code> ( $\text{\textcircled{J}}$ vs. $\text{\textcircled{K}}$ )	278
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	74	<code>\lgblkcircle</code> ( $\bullet$ )	158	<code>\lightning</code> ( $\text{\textcircled{L}}$ )	84
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	73	<code>\lgblkcircle</code> ( $\bullet$ )	157	<code>\lightning</code> ( $\text{\textcircled{M}}$ )	81
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	72	<code>\lgE</code> ( $\lesseqgtr$ )	75	<code>\lightning</code> ( $\text{\textcircled{N}}$ )	
<code>\lesseqgtr</code> ( $\lesseqgtr$ )	75	<code>\lgroup</code> ( $\left($ )	108		















<code>\LinearACLVII</code> (𐀇) . . . . . 167	<code>\LinearACXLV</code> (→) . . . . . 166	<code>\LinearALXXIII</code> (𐀓) . . . . . 167
<code>\LinearACLVIII</code> (𐀈) . . . . . 167	<code>\LinearACXLVI</code> (𐀉) . . . . . 166	<code>\LinearALXXIV</code> (𐀔) . . . . . 167
<code>\LinearACLX</code> (𐀊) . . . . . 167	<code>\LinearACXLVII</code> (𐀋) . . . . . 166	<code>\LinearALXXIX</code> (𐀕) . . . . . 167
<code>\LinearACLXI</code> (𐀌) . . . . . 167	<code>\LinearACXLVIII</code> (𐀍) . . . . . 166	<code>\LinearALXXV</code> (𐀖) . . . . . 167
<code>\LinearACLXII</code> (𐀎) . . . . . 167	<code>\LinearACXV</code> (⊙) . . . . . 166	<code>\LinearALXXVI</code> (𐀗) . . . . . 167
<code>\LinearACLXIII</code> (𐀏) . . . . . 167	<code>\LinearACXVI</code> (⊕) . . . . . 166	<code>\LinearALXXVII</code> (𐀘) . . . . . 167
<code>\LinearACLXIV</code> (𐀑) . . . . . 167	<code>\LinearACXVII</code> (𐀒) . . . . . 166	<code>\LinearALXXVIII</code> (𐀙) . . . . . 167
<code>\LinearACLXIX</code> (𐀓) . . . . . 167	<code>\LinearACXVIII</code> (𐀔) . . . . . 166	<code>\LinearALXXX</code> (𐀚) . . . . . 167
<code>\LinearACLXV</code> (𐀕) . . . . . 167	<code>\LinearACXX</code> (𐀖) . . . . . 166	<code>\LinearALXXXI</code> (𐀛) . . . . . 167
<code>\LinearACLXVI</code> (𐀗) . . . . . 167	<code>\LinearACXXI</code> (𐀗) . . . . . 166	<code>\LinearALXXXII</code> (𐀜) . . . . . 167
<code>\LinearACLXVII</code> (𐀘) . . . . . 167	<code>\LinearACXXII</code> (𐀘) . . . . . 166	<code>\LinearALXXXIII</code> (𐀝) . . . . . 167
<code>\LinearACLXVIII</code> (𐀙) . . . . . 167	<code>\LinearACXXIII</code> (𐀙) . . . . . 166	<code>\LinearALXXXIV</code> (𐀞) . . . . . 167
<code>\LinearACLXX</code> (𐀛) . . . . . 167	<code>\LinearACXXIV</code> (𐀚) . . . . . 166	<code>\LinearALXXXIX</code> (𐀟) . . . . . 167
<code>\LinearACLXXI</code> (𐀜) . . . . . 167	<code>\LinearACXXIX</code> (𐀛) . . . . . 166	<code>\LinearALXXXV</code> (𐀠) . . . . . 167
<code>\LinearACLXXII</code> (𐀝) . . . . . 167	<code>\LinearACXXV</code> (𐀜) . . . . . 166	<code>\LinearALXXXVI</code> (𐀡) . . . . . 167
<code>\LinearACLXXIII</code> (𐀞) . . . . . 167	<code>\LinearACXXVI</code> (𐀝) . . . . . 166	<code>\LinearALXXXVII</code> (𐀢) . . . . . 167
<code>\LinearACLXXIV</code> (𐀟) . . . . . 167	<code>\LinearACXXVII</code> (𐀞) . . . . . 166	<code>\LinearALXXXVIII</code> (𐀣) . . . . . 167
<code>\LinearACLXXIX</code> (𐀡) . . . . . 167	<code>\LinearACXXVIII</code> (𐀟) . . . . . 166	<code>\LinearALXXXX</code> (𐀤) . . . . . 167
<code>\LinearACLXXV</code> (𐀣) . . . . . 167	<code>\LinearACXXX</code> (𐀠) . . . . . 166	<code>\LinearAV</code> (𐀥) . . . . . 165
<code>\LinearACLXXVI</code> (𐀤) . . . . . 167	<code>\LinearACXXXI</code> (𐀡) . . . . . 166	<code>\LinearAVI</code> (𐀦) . . . . . 165
<code>\LinearACLXXVII</code> (𐀥) . . . . . 167	<code>\LinearACXXXII</code> (𐀢) . . . . . 166	<code>\LinearAVII</code> (𐀧) . . . . . 165
<code>\LinearACLXXVIII</code> (𐀦) . . . . . 167	<code>\LinearACXXXIII</code> (𐀣) . . . . . 166	<code>\LinearAVIII</code> (𐀨) . . . . . 165
<code>\LinearACLXXX</code> (𐀧) . . . . . 167	<code>\LinearACXXXIV</code> (𐀤) . . . . . 166	<code>\LinearAX</code> (𐀩) . . . . . 166
<code>\LinearACLXXXI</code> (𐀨) . . . . . 167	<code>\LinearACXXXIX</code> (𐀩) . . . . . 166	<code>\LinearAXCI</code> (𐀪) . . . . . 167
<code>\LinearACLXXXII</code> (𐀩) . . . . . 167	<code>\LinearACXXXV</code> (𐀫) . . . . . 166	<code>\LinearAXCII</code> (𐀫) . . . . . 167
<code>\LinearACLXXXIII</code> (𐀪) . . . . . 167	<code>\LinearACXXXVI</code> (𐀬) . . . . . 166	<code>\LinearAXCIII</code> (𐀬) . . . . . 167
<code>\LinearACLXXXIV</code> (𐀫) . . . . . 167	<code>\LinearACXXXVII</code> (𐀭) . . . . . 166	<code>\LinearAXCIV</code> (𐀭) . . . . . 167
<code>\LinearACLXXXIX</code> (𐀮) . . . . . 167	<code>\LinearACXXXVIII</code> (𐀮) . . . . . 166	<code>\LinearAXCIX</code> (𐀯) . . . . . 165
<code>\LinearACLXXXV</code> (𐀰) . . . . . 167	<code>\LinearAI</code> (𐀱) . . . . . 165	<code>\LinearAXCV</code> (𐀰) . . . . . 167
<code>\LinearACLXXXVI</code> (𐀱) . . . . . 167	<code>\LinearAII</code> (𐀲) . . . . . 165	<code>\LinearAXCVI</code> (𐀱) . . . . . 167
<code>\LinearACLXXXVII</code> (𐀲) . . . . . 167	<code>\LinearAIII</code> (𐀳) . . . . . 165	<code>\LinearAXCVII</code> (𐀲) . . . . . 167
<code>\LinearACLXXXVIII</code> (𐀳) . . . . . 167	<code>\LinearAIV</code> (𐀴) . . . . . 165	<code>\LinearAXCVIII</code> (𐀳) . . . . . 167
<code>\LinearACLXXXX</code> (𐀴) . . . . . 167	<code>\LinearAIX</code> (𐀵) . . . . . 165	<code>\LinearAXI</code> (𐀴) . . . . . 166
<code>\LinearACV</code> (𐀶) . . . . . 165	<code>\LinearAL</code> (𐀶) . . . . . 166	<code>\LinearAXII</code> (𐀵) . . . . . 166
<code>\LinearACVI</code> (𐀷) . . . . . 165	<code>\LinearALI</code> (𐀷) . . . . . 166	<code>\LinearAXIII</code> (𐀶) . . . . . 166
<code>\LinearACVII</code> (𐀸) . . . . . 165	<code>\LinearALII</code> (𐀸) . . . . . 166	<code>\LinearAXIV</code> (𐀷) . . . . . 166
<code>\LinearACVIII</code> (𐀹) . . . . . 166	<code>\LinearALIII</code> (𐀹) . . . . . 166	<code>\LinearAXIX</code> (𐀸) . . . . . 166
<code>\LinearACX</code> (𐀺) . . . . . 166	<code>\LinearALIV</code> (𐀺) . . . . . 166	<code>\LinearAXL</code> (𐀹) . . . . . 166
<code>\LinearACXCI</code> (𐀻) . . . . . 167	<code>\LinearALIX</code> (𐀻) . . . . . 167	<code>\LinearAXLI</code> (𐀺) . . . . . 166
<code>\LinearACXCII</code> (𐀼) . . . . . 167	<code>\LinearALV</code> (𐀻) . . . . . 166	<code>\LinearAXLII</code> (𐀻) . . . . . 166
<code>\LinearACXCIII</code> (𐀽) . . . . . 167	<code>\LinearALVI</code> (𐀼) . . . . . 166	<code>\LinearAXLVII</code> (𐀼) . . . . . 166
<code>\LinearACXCIV</code> (𐀾) . . . . . 167	<code>\LinearALVII</code> (𐀽) . . . . . 166	<code>\LinearAXLIV</code> (𐀽) . . . . . 166
<code>\LinearACXCIX</code> (𐀿) . . . . . 165	<code>\LinearALVIII</code> (𐀾) . . . . . 166	<code>\LinearAXLIX</code> (𐀾) . . . . . 166
<code>\LinearACXCV</code> (𐀿) . . . . . 167	<code>\LinearALX</code> (𐀿) . . . . . 167	<code>\LinearAXLV</code> (𐀿) . . . . . 166
<code>\LinearACXCVI</code> (𐀿) . . . . . 167	<code>\LinearALXI</code> (𐀿) . . . . . 167	<code>\LinearAXLVI</code> (𐀿) . . . . . 166
<code>\LinearACXCVII</code> (𐀿) . . . . . 165	<code>\LinearALXII</code> (𐀿) . . . . . 167	<code>\LinearAXLVII</code> (𐀿) . . . . . 166
<code>\LinearACXCVIII</code> (𐀿) . . . . . 165	<code>\LinearALXIII</code> (𐀿) . . . . . 167	<code>\LinearAXLVIII</code> (𐀿) . . . . . 166
<code>\LinearACXI</code> (𐀿) . . . . . 166	<code>\LinearALXIV</code> (𐀿) . . . . . 167	<code>\LinearAXVI</code> (𐀿) . . . . . 166
<code>\LinearACXII</code> (𐀿) . . . . . 166	<code>\LinearALXIX</code> (𐀿) . . . . . 167	<code>\LinearAXVII</code> (𐀿) . . . . . 166
<code>\LinearACXIII</code> (𐀿) . . . . . 166	<code>\LinearALXV</code> (𐀿) . . . . . 167	<code>\LinearAXVIII</code> (𐀿) . . . . . 166
<code>\LinearACXIV</code> (𐀿) . . . . . 166	<code>\LinearALXVI</code> (𐀿) . . . . . 167	<code>\LinearAXX</code> (𐀿) . . . . . 166
<code>\LinearACXIX</code> (𐀿) . . . . . 166	<code>\LinearALXVII</code> (𐀿) . . . . . 167	<code>\LinearAXXI</code> (𐀿) . . . . . 166
<code>\LinearACXL</code> (𐀿) . . . . . 166	<code>\LinearALXVIII</code> (𐀿) . . . . . 167	<code>\LinearAXXII</code> (𐀿) . . . . . 166
<code>\LinearACXLI</code> (𐀿) . . . . . 166	<code>\LinearALXX</code> (𐀿) . . . . . 167	<code>\LinearAXXIII</code> (𐀿) . . . . . 166
<code>\LinearACXLII</code> (𐀿) . . . . . 166	<code>\LinearALXXI</code> (𐀿) . . . . . 167	<code>\LinearAXXIV</code> (𐀿) . . . . . 166
<code>\LinearACXLIII</code> (𐀿) . . . . . 166	<code>\LinearALXXII</code> (𐀿) . . . . . 167	
<code>\LinearACXLIV</code> (𐀿) . . . . . 166		
<code>\LinearACXLIX</code> (𐀿) . . . . . 166		


















<code>\longleftarrowharpoonup</code> ( $\longleftarrow$ )	95	<code>\looparrowleft</code> ( $\looparrowleft$ )	90	<code>\lsem</code> ( $\llbracket$ )	109
<code>\Longleftarrowrightarrow</code> ( $\Longleftrightarrow$ )	78	<code>\looparrowright</code> ( $\looparrowright$ )	79	<code>\lsemantic</code>	<i>see</i> <code>\ldbrack</code>
<code>\Longleftarrowrightarrow</code> ( $\Longleftrightarrow$ )	80	<code>\looparrowright</code> ( $\looparrowright$ )	78	<code>\lsf</code> ( $\blacktriangleright$ )	175
<code>\Longleftarrowrightarrow</code> ( $\Longleftrightarrow$ )	84	<code>\looparrowright</code> ( $\looparrowright$ )	90	<code>\lsfz</code> ( $\blacktriangledown$ )	175
<code>\Longleftarrowrightarrow</code> ( $\Longleftrightarrow$ )	92	<code>\looparrowright</code> ( $\looparrowright$ )	85	<code>\Lsh</code> ( $\leftarrow$ )	79
<code>\longleftarrowrightarrow</code> ( $\longleftrightarrow$ )	80	<code>\looparrowright</code> ( $\looparrowright$ )	80	<code>\Lsh</code> ( $\rightarrow$ )	78
<code>\longleftarrowrightarrow</code> ( $\longleftrightarrow$ )	78	<code>\looparrowright</code> ( $\looparrowright$ )	90	<code>\Lsh</code> ( $\rightarrow$ )	89
<code>\longleftarrowrightarrow</code> ( $\longleftrightarrow$ )	84	<code>\Loosebearing</code> ( $\triangle$ )	143	<code>\Lsh</code> ( $\rightarrow$ )	85
<code>\longleftarrowrightarrow</code> ( $\longleftrightarrow$ )	95	<code>\lor</code>	<i>see</i> <code>\vee</code>	<code>\Lsh</code> ( $\rightarrow$ )	80
<code>\longleftarrowrightarrow</code> ( $\longleftrightarrow$ )	92	<code>\lor</code> ( $\vee$ )	36	<code>\Lsh</code> ( $\rightarrow$ )	90
<code>\longleftsquigarrow</code> ( $\rightsquigarrow$ )	85	<code>\lor</code> ( $\vee$ )	37	<code>\lsime</code> ( $\lesssim$ )	74
<code>\longleftsquigarrow</code> ( $\rightsquigarrow$ )	92	lotion bottle ( $\text{🧴}$ )	244	<code>\lsing</code> ( $\lesgtr$ )	74
<code>\longleftwvearrow</code> ( $\rightsquigarrow$ )	84	loudly crying face ( $\text{😭}$ )	244	<code>\lsqhook</code> ( $\sqsubset$ )	63
<code>\Longmapsfrom</code> ( $\Leftrightarrow$ )	79	loudspeaker ( $\text{🔊}$ )	244	<code>\Lsteel</code> ( $\mathbf{L}$ )	143
<code>\Longmapsfrom</code> ( $\Leftrightarrow$ )	60, 84	love hotel ( $\text{🏨}$ )	244	<code>\Lt</code> ( $\ll$ )	74
<code>\Longmapsfrom</code> ( $\Leftrightarrow$ )	92	love letter ( $\text{💌}$ )	244	<code>\Lt</code> ( $\ll$ )	74
<code>\longmapsfrom</code> ( $\longleftrightarrow$ )	79	love-you gesture ( $\text{👉}$ )	244	<code>\ltcc</code> ( $\triangleleft$ )	74
<code>\longmapsfrom</code> ( $\longleftrightarrow$ )	60, 84	<code>\LowerDiamond</code> ( $\blacklozenge$ )	160	<code>\ltcc</code> ( $\triangleleft$ )	74
<code>\longmapsfrom</code> ( $\longleftrightarrow$ )	95	lowering	<i>see</i> <code>\text{textlowering}</code>	<code>\ltcir</code> ( $\triangleleft$ )	74
<code>\longmapsfrom</code> ( $\longleftrightarrow$ )	92	<code>\lowint</code> ( $\int$ )	50	<code>\ltcir</code> ( $\triangleleft$ )	74
<code>\Longmapsto</code> ( $\Longrightarrow$ )	79	<code>\lowintsl</code> ( $\int$ )	52	<code>\ltimes</code> ( $\ltimes$ )	34
<code>\Longmapsto</code> ( $\Longrightarrow$ )	84	<code>\lowintup</code> ( $\int$ )	52	<code>\ltimes</code> ( $\ltimes$ )	32
<code>\Longmapsto</code> ( $\Longrightarrow$ )	90	<code>\lozenge</code> ( $\lozenge$ )	130	<code>\ltimes</code> ( $\ltimes$ )	36
<code>\longmapsto</code> ( $\rightarrow$ )	80	<code>\lozenge</code> ( $\lozenge$ )	157	<code>\ltimes</code> ( $\ltimes$ )	35, 36
<code>\longmapsto</code> ( $\rightarrow$ )	78	<code>\lozenge</code> ( $\lozenge$ )	157	<code>\ltimes</code> ( $\ltimes$ )	34
<code>\longmapsto</code> ( $\rightarrow$ )	84	<code>\lozenge</code> ( $\lozenge$ )	157	<code>\ltimesblack</code> ( $\ltimes$ )	36
<code>\longmapsto</code> ( $\rightarrow$ )	95	<code>\lozenge</code> ( $\lozenge$ )	157	<code>\ltlarr</code> ( $\lesssim$ )	74
<code>\longmapsto</code> ( $\rightarrow$ )	90	<code>\lozenge</code> ( $\lozenge$ )	159	<code>\ltquest</code> ( $\lesgtr$ )	74
<code>\longoiint</code> ( $\oiint$ )	53	<code>\lozengedot</code> ( $\lozenge$ )	157	<code>\ltriple</code>	113
<code>\longoint</code> ( $\oint$ )	53	<code>\lozengeminus</code> ( $\lozenge$ )	157	<code>\ltrivb</code> ( $\triangleleft$ )	77
<code>\LongPulseHigh</code> ( $\ulcorner$ )	136	<code>\lozengeminus</code> ( $\lozenge$ )	41	<code>\LU</code> ( $\supset$ )	141
<code>\LongPulseLow</code> ( $\llcorner$ )	136	lozenges	<i>see</i> rhombuses	Lua $\LaTeX$	174
<code>\Longrightarrow</code> ( $\Longrightarrow$ )	78	<code>\Lparen</code> ( $\lparen$ )	135	Luecking, Dan	284
<code>\Longrightarrow</code> ( $\Longrightarrow$ )	80	<code>\lParen</code> ( $\lparen$ )	112	luggage ( $\text{🧳}$ )	244
<code>\Longrightarrow</code> ( $\Longrightarrow$ )	84	<code>\lparen</code> ( $\lparen$ )	111	lungs ( $\text{🫁}$ )	244
<code>\Longrightarrow</code> ( $\Longrightarrow$ )	90	<code>\lparen</code> ( $\lparen$ )	111	<code>\Luxembourg</code> ( $\text{}$ )	219
<code>\longrightarrow</code> ( $\rightarrow$ )	80	<code>\lparen</code> ( $\lparen$ )	107	<code>\lVert</code> ( $\lVert$ )	108
<code>\longrightarrow</code> ( $\rightarrow$ )	78	<code>\lparenless</code> ( $\leftarrow$ )	107	<code>\lVert</code> ( $\lVert$ )	113
<code>\longrightarrow</code> ( $\rightarrow$ )	84	<code>\lrcarc</code> ( $\frown$ )	132	<code>\lVert</code> ( $\lVert$ )	110
<code>\longrightarrow</code> ( $\rightarrow$ )	95	<code>\lrblacktriangle</code> ( $\blacktriangle$ )	158	<code>\lvert</code> ( $\lvert$ )	108
<code>\longrightarrow</code> ( $\rightarrow$ )	90	<code>\lrcorner</code> ( $\lrcorner$ )	106	<code>\lvert</code> ( $\lvert$ )	110
<code>\longrightfootline</code> ( $\rightarrow$ )	60	<code>\lrcorner</code> ( $\lrcorner$ )	106	<code>\lvertneqq</code> ( $\lesseqgtr$ )	71
<code>\longrightharpoondown</code> ( $\rightarrow$ )	95	<code>\lrcorner</code> ( $\lrcorner$ )	110	<code>\lvertneqq</code> ( $\lesseqgtr$ )	70
<code>\longrightharpoonup</code> ( $\rightarrow$ )	95	<code>\lrcorner</code> ( $\lrcorner$ )	109	<code>\lvertneqq</code> ( $\lesseqgtr$ )	74
<code>\longrightsquigarrow</code> ( $\rightsquigarrow$ )	85	<code>\lrcorner</code> ( $\lrcorner$ )	107	<code>\lvertneqq</code> ( $\lesseqgtr$ )	74
<code>\longrightsquigarrow</code> ( $\rightsquigarrow$ )	90	<code>\lrcorner</code> ( $\lrcorner$ )	107	<code>\lvertneqq</code> ( $\lesseqgtr$ )	72
<code>\longrightwvearrow</code> ( $\rightsquigarrow$ )	84	<code>\lrcorner</code> ( $\lrcorner$ )	106	<code>\lvertneqq</code> ( $\lesseqgtr$ )	74
<code>\longs</code> ( $f$ )	30, 280	<code>\lrcorner</code> ( $\lrcorner$ )	107	<code>\lVvert</code> ( $\lVert$ )	110
<code>\looparrowdownleft</code> ( $\looparrowleft$ )	79	<code>\lrcorner</code> ( $\lrcorner$ )	107	<code>\Lvzigzag</code> ( $\text{⋈}$ )	107
<code>\looparrowdownleft</code> ( $\looparrowleft$ )	90	<code>\lrcorner</code> ( $\lrcorner$ )	107	<code>\lvzigzag</code> ( $\text{⋈}$ )	107
<code>\looparrowdownright</code> ( $\looparrowright$ )	79	<code>\lrJoin</code>	<i>see</i> <code>\Join</code>	<code>\lwave</code> ( $\text{⋈}$ )	112
<code>\looparrowdownright</code> ( $\looparrowright$ )	90	<code>\lrtimes</code> ( $\rtimes$ )	56		
<code>\looparrowleft</code> ( $\looparrowleft$ )	79	<code>\lrtimes</code> ( $\rtimes$ )	36		
<code>\looparrowleft</code> ( $\looparrowleft$ )	78	<code>\lrtriangle</code> ( $\triangle$ )	158		
<code>\looparrowleft</code> ( $\looparrowleft$ )	90	<code>\lrtriangleleft</code> ( $\triangleleft$ )	77		
<code>\looparrowleft</code> ( $\looparrowleft$ )	84	<code>\lsem</code> ( $\llbracket$ )	111		
<code>\looparrowleft</code> ( $\looparrowleft$ )	80				
























<code>\lWavy</code> (  )	109
<code>\lwavy</code> (  )	109
lying face (  )	244
<code>\lz</code> (  )	20


























































## M




















































<code>\M</code>	17
<code>\M</code> (  )	213
<code>\m</code>	17
<code>\m</code> (  )	213
<code>m</code> (  )	173
<code>\ma</code> (  )	213
<code>\Macedonia</code> (  )	220
<code>\macron</code> (  )	25
macron (  )	<i>see accents</i>
mage (  )	244

<code>\Maggie</code> (  )	214
magic (package)	275, 298
magic wand (  )	244
<i>Magic: The Gathering</i> symbols	
.....	275

magical signs	215
magnet (  )	244
magnifying glass tilted left (  )	244
magnifying glass tilted right (  )	244

<code>\magnon</code> (  )	145
mahjong red dragon (  )	244
mahjong tiles	198
majuscles	101
<code>\makeatletter</code>	284
<code>\makeatother</code>	284
<code>\MALE</code> (  )	143
<code>\Male</code> (  )	143
male ..	137, 138, 140, 143, 144, 246, 250–254, 257–260
<code>\male</code> (  )	143
<code>\male</code> (  )	143
male sign (  )	244
<code>\MaleMale</code> (  )	143
<code>\Malta</code> (  )	220
<code>\maltese</code> (  )	16
<code>\maltese</code> (  )	132
<code>\maltese</code> (  )	131
<code>\maltese</code> (  )	131
<code>\maltese</code> (  )	132
mammoth (  )	210
man (  )	244
man artist (  )	244
man astronaut (  )	244
man biking (  )	204
man bouncing ball (  )	244
man bowling (  )	244
man cartwheeling (  )	244
man climbing (  )	244

man construction worker (  )	244
man cook (  )	244
man dancing (  )	244
man detective (  )	244
man elf (  )	244
man facepalming (  )	244
man factory worker (  )	244
man fairy (  )	244
man farmer (  )	244
man feeding baby (  )	245
man firefighter (  )	245
man frowning (  )	245
man genie (  )	245
man gesturing NO (  )	245
man gesturing OK (  )	245
man getting haircut (  )	245
man getting massage (  )	245
man golfing (  )	245
man guard (  )	245
man health worker (  )	245
man in lotus position (  )	232
man in manual wheelchair (  )	232
man in motorized wheelchair (  )	232
man in steamy room (  )	232
man in tuxedo (  )	232
man judge (  )	232
man juggling (  )	232
man kneeling (  )	232
man lifting weights (  )	232
man mage (  )	232
man mechanic (  )	232
man mountain biking (  )	204
man office worker (  )	232
man pilot (  )	232
man playing handball (  )	232
man playing water polo (  )	232
man police officer (  )	232
man pouting (  )	232
man raising hand (  )	232
man rowing boat (  )	204
man running (  )	232
man scientist (  )	232
man shrugging (  )	232
man singer (  )	232
man standing (  )	232
man student (  )	232
man superhero (  )	232
man supervillain (  )	232
man surfing (  )	232
man swimming (  )	232
man teacher (  )	232
man technologist (  )	232
man tipping hand (  )	232
man vampire (  )	232
man walking (  )	232
man wearing turban (  )	232
man with veil (  )	232

man with white cane (  )	232
man zombie (  )	232
man's shoe (  )	232
<code>\manboldkidney</code> (  )	204
<code>\manconcentriccircles</code> (  )	204
<code>\manconcentricdiamond</code> (  )	204
<code>\mancone</code> (  )	204
<code>\mancube</code> (  )	204
<code>\manerrarrow</code> (  )	204
<code>\ManFace</code> (  )	205
<code>\manfilledquartercircle</code> (  )	204
manfnt (package)	204, 298, 299
mango (  )	210
<code>\manhpennib</code> (  )	204
<code>\manimpossiblecube</code> (  )	204
<code>\mankidney</code> (  )	204
<code>\manlhpenkidney</code> (  )	204
<code>\manpenkidney</code> (  )	204
<code>\manquadrifolium</code> (  )	204
<code>\manquartercircle</code> (  )	204
<code>\manrotatedquadrifolium</code> (  )	204
<code>\manrotatedquartercircle</code> (  )	204
<code>\manstar</code> (  )	204
mantelpiece clock (  )	208
<code>\mantiltppennib</code> (  )	204
<code>\mantriangledown</code> (  )	204
<code>\mantriangleright</code> (  )	204
<code>\mantriangleup</code> (  )	204
manual wheelchair (  )	232
<code>\manvpennib</code> (  )	204
map of Japan (  )	232
map symbols	255–257
maple leaf (  )	232
<code>\Mappedfromchar</code> (  )	98
<code>\mappedfromchar</code> (  )	98
maps	219, 222, 247–250
<code>\Mapsdown</code> (  )	85
<code>\mapsdown</code> (  )	89
<code>\mapsdown</code> (  )	85
<code>\mapsdown</code> (  )	90
<code>\Mapsfrom</code> (  )	79
<code>\Mapsfrom</code> (  )	89
<code>\Mapsfrom</code> (  )	85
<code>\Mapsfrom</code> (  )	90
<code>\Mapsfrom</code> (  )	90
<code>\mapsfrom</code> (  )	79
<code>\mapsfrom</code> (  )	89
<code>\mapsfrom</code> (  )	85
<code>\mapsfrom</code> (  )	95
<code>\mapsfrom</code> (  )	90
<code>\Mapsfromchar</code> (  )	99
<code>\Mapsfromchar</code> (  )	98
<code>\mapsfromchar</code> (  )	99
<code>\mapsfromchar</code> (  )	98

<code>\mapsfromchar</code> (⊖) . . . . .	99	128, 130, 138, 213, 277, 278,	<code>\mathsection</code> (§) . . . . .	132
<code>\Mapsto</code> (⇒) . . . . .	79	298, 299	<code>\mathslash</code> (/) . . . . .	110
<code>\Mapsto</code> (⇒) . . . . .	89	<code>\mathaccent</code> . . . . .	<code>\mathslash</code> (/) . . . . .	111
<code>\Mapsto</code> (⇒) . . . . .	86	<code>\mathbat</code> (↔) . . . . .	<code>mathspec</code> (package) . . . . .	101
<code>\Mapsto</code> (⇒) . . . . .	90	<code>\mathbb</code> . . . . .	<code>mathspec.sty</code> (file) . . . . .	101
<code>\mapsto</code> (→) . . . . .	78	<code>\mathbbb</code> . . . . .	<code>\mathsterling</code> (£) . . . . .	104
<code>\mapsto</code> (→) . . . . .	89	<code>\mathbbm</code> . . . . .	<code>\mathsterling</code> (£) . . . . .	31
<code>\mapsto</code> (→) . . . . .	85	<code>\mathbbmss</code> . . . . .	<code>\mathsterling</code> (£) . . . . .	105
<code>\mapsto</code> (→) . . . . .	81	<code>\mathbbmtt</code> . . . . .	<code>mathtools</code> (package) . . . . .	31, 65, 95,
<code>\mapsto</code> (→) . . . . .	95	<code>\mathbbol</code> (package) . . . . .	119, 121, 298, 299	
<code>\mapsto</code> (→) . . . . .	90	<code>\mathbf</code> . . . . .	<code>\mathunderscore</code> (˘) . . . . .	31
<code>\Mapstochar</code> (⊖) . . . . .	99	<code>\mathbin</code> . . . . .	<code>\mathvisiblespace</code> (˘) . . . . .	132
<code>\Mapstochar</code> (⊖) . . . . .	98	<code>\mathbold</code> . . . . .	<code>\mathwitch</code> (↔) . . . . .	41
<code>\mapstochar</code> (⊖) . . . . .	99	<code>mathcal</code> (euscript package option)	<code>\mathwitch*</code> (↔) . . . . .	41
<code>\mapstochar</code> (⊖) . . . . .	99	. . . . .	<code>\max</code> (max) . . . . .	99
<code>\Mapsup</code> (⤴) . . . . .	86	. . . . .	<code>\maxima</code> (≡) . . . . .	175
<code>\mapsup</code> (↑) . . . . .	89	<code>\mathcal</code> . . . . .	Maxwell-Stefan diffusion coeffi-	
<code>\mapsup</code> (↑) . . . . .	86	<code>\mathcal</code> . . . . .	cient . . . . .	<i>see</i>
<code>\mapsup</code> (↑) . . . . .	90	<code>\mathcent</code> (¢) . . . . .	<code>\DH</code>	
<code>\marcato</code> (♩) . . . . .	180	<code>\mathchoice</code> . . . . .	<code>\maxwellDistrib</code> (M) . . . . .	145
<code>\marcatoDown</code> (♩) . . . . .	180	<code>\mathclose</code> . . . . .	<code>\maya</code> . . . . .	128
		<code>\mathcloud</code> (☁) . . . . .	Mayan numerals . . . . .	128
		<code>\mathcolon</code> (:) . . . . .	<code>\Mb</code> (♯) . . . . .	213
		<code>mathcomp</code> (package) . . . . .	<code>\mb</code> (∩) . . . . .	213
		<code>mathdesign</code> (package) 27, 38, 54,	<code>\Mbb</code> (↔) . . . . .	213
		105, 112, 133, 298	<code>\mBb</code> (↔) . . . . .	213
		<code>\mathdollar</code> (\$) . . . . .	<code>\mBB</code> (↔) . . . . .	213
		<code>\mathdollar</code> (\$) . . . . .	<code>\mbb</code> (∩) . . . . .	213
		<code>mathdots</code> (package) . . . . .	<code>mbboard</code> (package) 134, 135, 298	
		114, 125,	<code>\mbbx</code> (∩) . . . . .	213
		126, 285, 298, 299	<code>\mbox</code> . . . . .	283, 284
		<code>\mathds</code> . . . . .	<code>\MC</code> (M <sup>c</sup> ) . . . . .	140
		<code>\mathds</code> . . . . .	<code>\mdblkcircle</code> (●) . . . . .	158
		<code>\mathellipsis</code> (...) . . . . .	<code>\mdblkdiamond</code> (◆) . . . . .	40
		<code>\mathellipsis</code> (...) . . . . .	<code>\mdblkdiamond</code> (◆) . . . . .	158
		126	<code>\mdblklozenge</code> (◇) . . . . .	157
		mathematical symbols . . . . .	<code>\mdblklozenge</code> (◇) . . . . .	158
		31–135	<code>\mdblksquare</code> (■) . . . . .	40
		<code>\mathfrak</code> . . . . .	<code>\mdblksquare</code> (■) . . . . .	158
		<code>\mathghost</code> (⊖) . . . . .	<code>\mdlgbkcircle</code> (●) . . . . .	40
		<code>\mathhit</code> . . . . .	<code>\mdlgbkcircle</code> (●) . . . . .	158
		<code>\mathleftbat</code> (↔) . . . . .	<code>\mdlgbkdiamond</code> (◆) . . . . .	40
		<code>\mathleftghost</code> (⊖) . . . . .	<code>\mdlgbkdiamond</code> (◆) . . . . .	158
		<code>\mathnormal</code> . . . . .	<code>\mdlgbklozenge</code> (◇) . . . . .	157
		<code>\mathop</code> . . . . .	<code>\mdlgbklozenge</code> (◇) . . . . .	41, 158,
		<code>\mathopen</code> . . . . .	159	
		<code>\mathord</code> . . . . .	<code>\mdlgbklsquare</code> (■) . . . . .	40
		<code>\mathpalette</code> . . . . .	<code>\mdlgbklsquare</code> (■) . . . . .	158, 159
		283, 284	<code>\mdlgwhtcircle</code> (○) . . . . .	40
		<code>\mathparagraph</code> (¶) . . . . .	<code>\mdlgwhtcircle</code> (○) . . . . .	41, 159
		<code>\mathparagraph</code> (¶) . . . . .	<code>\mdlgwhtdiamond</code> (◇) . . . . .	40
		<code>\mathpunct</code> . . . . .	<code>\mdlgwhtdiamond</code> (◇) . . . . .	158
		291	<code>\mdlgwhtlozenge</code> (◇) . . . . .	157
		<code>\mathratio</code> (:) . . . . .	<code>\mdlgwhtlozenge</code> (◇) . . . . .	158, 159
		<code>\mathrel</code> . . . . .	<code>\mdlgwhtsquare</code> (□) . . . . .	40
		281, 291	<code>\mdlgwhtsquare</code> (□) . . . . .	158, 159
		<code>\mathrightbat</code> (↔) . . . . .	<code>\mdsmbkcircle</code> (●) . . . . .	158
		<code>\mathrightghost</code> (⊖) . . . . .		
		<code>\mathring</code> (◊) . . . . .		
		<code>\mathring</code> (◊) . . . . .		
		115		
		<code>\mathring</code> (◊) . . . . .		
		114, 116		
		<code>\mathrm</code> . . . . .		
		134		
		<code>mathrsfs</code> (package) . . . . .		
		134, 298		
		<code>mathscr</code> (euscript package option)		
		. . . . .		
		134		
		<code>mathscr</code> (urwchancal package op-		
		tion) . . . . .		
		134		
		<code>\mathscr</code> . . . . .		
		134		
		<code>\mathsection</code> (§) . . . . .		
		31		

<code>\Marge</code> ( ) . . . . .	214
<code>\markera</code> (X) . . . . .	199
<code>\markerb</code> (O) . . . . .	199
<code>married</code> . . . . .	<i>see</i> <code>\textmarried</code>
<code>\Mars</code> (♂) . . . . .	138
<code>\Mars</code> (♂) . . . . .	138
<code>\Mars</code> (♂) . . . . .	140
<code>\mars</code> (♂) . . . . .	137
<code>martial arts uniform</code> ( ) . . . . .	232
<code>marvosym</code> (package) . . . . .	26,
	27, 128, 138, 141, 143, 144,
	148, 152, 205, 217, 278
<code>masonic cipher</code> . . . . .	216
<code>\mate</code> (♠) . . . . .	199
<code>mate</code> (♠) . . . . .	210
<code>material biconditional</code> . . . . .	
	<i>see</i> <code>\leftrightharrow and</code>
	<code>\equiv</code>
<code>material conditional</code> . . . . .	<i>see</i>
	<code>\rightarrow and \supset</code>
<code>material equivalence</code> . . . . .	
	<i>see</i> <code>\leftrightharrow and</code>
	<code>\equiv</code>
<code>material implication</code> . . . . .	<i>see</i>
	<code>\rightarrow and \supset</code>
<code>material nonimplication</code> . . . . .	
	. . . . . <i>see</i> <code>\nrightarrow and</code>
	<code>\nsupset</code>
<code>math alphabets</code> . . . . .	134
<code>mathabx</code> (package) 31, 34, 38, 44,	
	56, 57, 68, 71, 76, 79, 80,
	99, 104, 106, 108, 114, 119,

<code>\mdsmbksquare</code> (■) . . . . .	158	<code>\meddiamond</code> (◇) . . . . .	39	<code>\meterCThreeTwo</code> (C <sub>2</sub> <sup>3</sup> ) . . . . .	177
<code>\mdsmwhtcircle</code> (○) . . . . .	158	<code>\meddiamond</code> (◇) . . . . .	39	<code>\meterCutC</code> (♯) . . . . .	177
<code>\mdsmwhtsquare</code> (□) . . . . .	158	media control symbols . . . . .	205, 250–254	<code>\meterCZ</code> (CZ) . . . . .	177
<code>\mdwhtcircle</code> (○) . . . . .	158	medical symbol (⚕) . . . . .	232	<code>\meterO</code> (○) . . . . .	177
<code>\mdwhtdiamond</code> (◇) . . . . .	40	medieval runes . . . . .	173	<code>\meterplus</code> (+) . . . . .	175
<code>\mdwhtdiamond</code> (◇) . . . . .	158	medium skin tone (■) . . . . .	233	<code>\method</code> (M) . . . . .	145
<code>\mdwhtlozenge</code> (◇) . . . . .	157	medium-dark skin tone (■) . . . . .	233	metre (package) . . . . .	25, 114, 213, 298, 299
<code>\mdwhtlozenge</code> (◇) . . . . .	158	medium-light skin tone (■) . . . . .	233	metre . . . . .	213
<code>\mdwhtsquare</code> (□) . . . . .	40	<code>\medlozenge</code> (◇) . . . . .	157	metrical symbols . . . . .	213, 214
<code>\mdwhtsquare</code> (□) . . . . .	158	<code>\medlozenge</code> (◇) . . . . .	157	metro (♻) . . . . .	204
mdwmath (package) . . . . .	121, 298, 299	<code>\medslash</code> (∕) . . . . .	35, 36, 39	mezzo (m) . . . . .	180, 192
<code>\measangledltosw</code> (A) . . . . .	129	<code>\medslash</code> (∕) . . . . .	34	.mf files . . . . .	13, 255, 288
<code>\measangledrtose</code> (A) . . . . .	129	<code>\medsquare</code> (□) . . . . .	39	<code>\mho</code> (Ω) . . . . .	130
<code>\measangleldtosw</code> (A) . . . . .	129	<code>\medsquare</code> (□) . . . . .	39	<code>\mho</code> (Ω) . . . . .	103
<code>\measangleluttonw</code> (A) . . . . .	129	<code>\medstar</code> (★) . . . . .	40	miaama (emf package option) . . . . .	137
<code>\measanglerdtose</code> (A) . . . . .	129	<code>\medstar</code> (☆) . . . . .	39	micro . . . . .	<i>see</i> <code>\textmu</code>
<code>\measanglerutone</code> (A) . . . . .	129	<code>\medstarofdavid</code> (☆) . . . . .	157	<code>\micro</code> (μ) . . . . .	136
<code>\measangleultonw</code> (A) . . . . .	129	<code>\medtriangledown</code> (▽) . . . . .	39, 77	microbe (🦠) . . . . .	209
<code>\measangleurtone</code> (A) . . . . .	129	<code>\medtriangledown</code> (▽) . . . . .	39, 76	microphone (🎤) . . . . .	233
<code>\measeq</code> (≡) . . . . .	63	<code>\medtriangleleft</code> (◁) . . . . .	39, 77	microscope (🔬) . . . . .	233
<code>\measuredangle</code> (∠) . . . . .	130	<code>\medtriangleleft</code> (◁) . . . . .	39, 76	Microsoft® Windows® . . . . .	294
<code>\measuredangle</code> (∠) . . . . .	129	<code>\medtriangleright</code> (▷) . . . . .	39, 77	<code>\mid</code> ( ) . . . . .	54, 109
<code>\measuredangle</code> (∠) . . . . .	129	<code>\medtriangleright</code> (▷) . . . . .	39, 76	<code>\mid</code> ( ) . . . . .	60
<code>\measuredangle</code> (∠) . . . . .	129	<code>\medtriangleup</code> (△) . . . . .	39, 77	<code>\mid</code> ( ) . . . . .	63
<code>\measuredangle</code> (∠) . . . . .	129	<code>\medtriangleup</code> (△) . . . . .	39, 76	<code>\midbarvee</code> (∨) . . . . .	37
<code>\measuredangleleft</code> (∠) . . . . .	129	<code>\medvert</code> ( ) . . . . .	34, 35	<code>\midbarwedge</code> (A) . . . . .	37
<code>\measuredangleleft</code> (∠) . . . . .	129	<code>\medvertdot</code> (⋮) . . . . .	34	<code>\midcir</code> (⊂) . . . . .	97
<code>\measuredrightangle</code> (⊥) . . . . .	129	<code>\medwhitestar</code> (★) . . . . .	39	<code>\midcir</code> (⊂) . . . . .	64
<code>\measuredrightangle</code> (⊥) . . . . .	129	<code>\medwhitestar</code> (☆) . . . . .	159	<code>\middle</code> . . . . .	107
<code>\measuredrightangle</code> (⊥) . . . . .	129	megaphone (📣) . . . . .	233	middle finger (👉) . . . . .	233
<code>\measuredrightangledot</code> (⊥) . . . . .	129	Mellin transform (M) . . . . .	<i>see</i> alphabets, math	<code>\middlebar</code> (≡) . . . . .	115
meat on bone (🍖) . . . . .	210	melon (🍈) . . . . .	210	<code>\middleslash</code> (≡) . . . . .	115
mechanic (🔧) . . . . .	232	membership . . . . .	<i>see</i> <code>\in</code>	<code>\midtilde</code> (˜) . . . . .	26
mechanical arm (👉) . . . . .	232	men . . . . .	164, 169, 202–203, 205, 231–245, 247–250, 255–257, 268–272	MIL-STD-806 . . . . .	142
mechanical leg (🦵) . . . . .	232	men holding hands (🤝) . . . . .	233	military helmet (🪖) . . . . .	233
mechanical scaling . . . . .	288, 290	men with bunny ears (🐰) . . . . .	233	military medal (🎖) . . . . .	233
<code>\medbackslash</code> (∖) . . . . .	35, 36	men wrestling (🤼) . . . . .	233	milky way (🌌) . . . . .	233
<code>\medbackslash</code> (∖) . . . . .	34, 35	men’s room (🚰) . . . . .	233	millesimal sign . . . . .	<i>see</i> <code>\textperthousand</code>
<code>\medblackcircle</code> (●) . . . . .	40	menorah (🕯) . . . . .	233	milstd (package) . . . . .	142, 298, 299
<code>\medblackdiamond</code> (◆) . . . . .	40	menorahs . . . . .	247–250	<code>\min</code> (min) . . . . .	99, 291
<code>\medblacklozenge</code> (◆) . . . . .	157	<code>\Mercury</code> (☿) . . . . .	138	<code>\MineSign</code> (⚡) . . . . .	205
<code>\medblacksquare</code> (■) . . . . .	40	<code>\Mercury</code> (♁) . . . . .	138	minibus (🚌) . . . . .	204
<code>\medblackstar</code> (★) . . . . .	40	<code>\Mercury</code> (♃) . . . . .	140	minim . . . . .	<i>see</i> musical symbols
<code>\medblackstar</code> (☆) . . . . .	159	<code>\mercury</code> (♃) . . . . .	137	<code>\minim</code> (j) . . . . .	179
<code>\medblacktriangledown</code> (▼) . . . . .	39, 77	<code>\merge</code> (⋈) . . . . .	33	<code>\minimDotted</code> (j̇) . . . . .	179
<code>\medblacktriangleleft</code> (◀) . . . . .	39, 77	<code>\merge</code> (⋈) . . . . .	36	<code>\minimDottedDouble</code> (j̈) . . . . .	179
<code>\medblacktriangleright</code> (▶) . . . . .	39, 77	mermaid (🧜) . . . . .	233	<code>\minimDottedDoubleDown</code> (j̈̇) . . . . .	179
<code>\medblacktriangleup</code> (▲) . . . . .	39, 77	merman (🧜) . . . . .	233	<code>\minimDottedDown</code> (j̇) . . . . .	178
<code>\medbullet</code> (●) . . . . .	33	merperson (🧜) . . . . .	233	<code>\minimDown</code> (j) . . . . .	178
<code>\medcirc</code> (○) . . . . .	33	METAFONT . . . . .	13, 135, 287–291	Minkowski space (M) . . . . .	<i>see</i> alphabets, math
<code>\medcircle</code> (○) . . . . .	39	METAFONTbook symbols . . . . .	204	minus . . . . .	<i>see</i> <code>\textminus</code>
<code>\medcircle</code> (○) . . . . .	34	<code>\metalbond</code> (⚗) . . . . .	145	<code>\minus</code> (−) . . . . .	35
		<code>\meterC</code> (C) . . . . .	177	<code>\minus</code> (−) . . . . .	34
		<code>\meterCThree</code> (C <sub>3</sub> ) . . . . .	177	<code>\minus</code> (−) . . . . .	233

minus, double-dotted ( $\ddot{-}$ )	<i>see</i> <code>\div</code>	<code>\moo</code> ( $\pm$ )	36	<code>\multimapdotboth</code> ( $\bullet\bullet$ )	62
<code>\minuscolon</code> ( $-:$ )	67	<code>\Moon</code> ( $\mathbb{C}$ )	138	<code>\multimapdotbothA</code> ( $\circ\rightarrow$ )	56
<code>\minuscoloncolon</code> ( $-::$ )	67	<code>\Moon</code> ( $\mathbb{D}$ )	138	<code>\multimapdotbothA</code> ( $\circ\leftrightarrow$ )	62
<code>\minusdot</code> ( $\dot{-}$ )	35	<code>\Moon</code> ( $\mathbb{D}$ )	140	<code>\multimapdotbothAvert</code> ( $\updownarrow$ )	56
<code>\minusdot</code> ( $\dot{-}$ )	34	moon cake ( $\text{🌕}$ )	210	<code>\multimapdotbothAvert</code> ( $\updownarrow$ )	62
<code>\minusdot</code> ( $\dot{-}$ )	37	moon viewing ceremony ( $\text{🌕}$ )	233	<code>\multimapdotbothB</code> ( $\bullet\circ$ )	56
<code>\minusfdots</code> ( $\dot{-}$ )	35	<code>\MoonPha</code>	216	<code>\multimapdotbothB</code> ( $\circ\bullet$ )	62
<code>\minusfdots</code> ( $\dot{-}$ )	37	moonphase (package)	257, 298	<code>\multimapdotbothBvert</code> ( $\updownarrow$ )	56
<code>\minushookdown</code> ( $\dot{-}$ )	131	moons	137–140, 216, 217, 257–260	<code>\multimapdotbothBvert</code> ( $\updownarrow$ )	62
<code>\minushookdown</code> ( $\dot{-}$ )	131	<code>\Mordent</code> ( $\text{🎵}$ )	175	<code>\multimapdotbothvert</code> ( $\updownarrow$ )	56
<code>\minushookup</code> ( $\dot{-}$ )	36, 131	<code>\mordent</code> ( $\text{🎵}$ )	175	<code>\multimapdotinv</code> ( $\bullet\leftarrow$ )	56
<code>\minushookup</code> ( $\dot{-}$ )	131	<code>\morepawns</code> ( $\triangleright$ )	199	<code>\multimapdotinv</code> ( $\bullet\leftarrow$ )	62
<code>\minuso</code> ( $\ominus$ )	33, 282	<code>\moreroom</code> ( $\circ$ )	199	<code>\multimapinv</code> ( $\circ\leftarrow$ )	56
<code>\minuso</code> ( $\ominus$ )	36	mosque ( $\text{🕌}$ )	233	<code>\multimapinv</code> ( $\circ\leftarrow$ )	62
<code>\minusrdots</code> ( $\dot{-}$ )	35	mosquito ( $\text{🦟}$ )	209	<code>\multimapinv</code> ( $\circ\leftarrow$ )	97
<code>\minusrdots</code> ( $\dot{-}$ )	37	motor boat ( $\text{🚤}$ )	204	<code>\multimapinv</code> ( $\circ\leftarrow$ )	64
minutes, angular	<i>see</i> <code>\prime</code>	motor scooter ( $\text{🛵}$ )	204	multiple accents per character	285
mirror ( $\text{🪞}$ )	233	motorcycle ( $\text{🏍}$ )	204	<code>\MultiplicationDot</code> ( $\cdot$ )	128
miscellaneous symbols	130–133, 162, 163, 202–250, 254	motorcycles	202–203	multiplicative disjunction	<i>see</i> <code>\bindnasrepma</code>
mismatch (package)	100, 298	motorized wheelchair ( $\text{🦽}$ )	233	<code>\invamp</code> , and <code>\parr</code>	
“Missing \$ inserted”	31	motorway ( $\text{🛣}$ )	204	multiply ( $\times$ )	233
<code>\mlcp</code> ( $\text{ℓ}$ )	64	mount fuji ( $\text{🗻}$ )	233	<code>\Mundus</code> ( $\text{🌐}$ )	205
<code>\Mmappedfromchar</code> ( $\#$ )	98	<code>\Mountain</code> ( $\blacktriangle$ )	207	<code>\muon</code> ( $\mu^-$ )	145
<code>\mmappedfromchar</code> ( $\#$ )	98	mountain ( $\blacktriangle$ )	233	<code>\musCorchea</code> ( $\text{♪}$ )	177
<code>\Mmapstochar</code> ( $\#$ )	98	mountain cableway ( $\text{🚠}$ )	204	<code>\musCorcheaDotted</code> ( $\text{♪}$ )	177
<code>\mmapstochar</code> ( $\#$ )	98	mountain railway ( $\text{🚝}$ )	203	<code>\musDoubleFlat</code> ( $\text{♭♭}$ )	177
<code>MnSymbol</code> (package)	31, 34, 35, 39, 47, 48, 57–59, 68, 72, 76, 80–84, 96, 97, 103, 104, 109, 115, 117, 118, 126, 129, 131, 157, 174, 194, 298, 299	mouse	<i>see</i> <code>\ComputerMouse</code>	<code>\musDoubleSharp</code> ( $\text{×}$ )	177
<code>\Moai</code> ( $\text{🗿}$ )	231	mouse face ( $\text{🐭}$ )	209	<code>\musEighth</code> ( $\text{♪}$ )	177
mobile phone ( $\text{📱}$ )	233	mouse trap ( $\text{🐭}$ )	233	<code>\musEighthDotted</code> ( $\text{♪}$ )	177
mobile phone off ( $\text{📱}$ )	233	mouse2 ( $\text{🐭}$ )	209	Museum of Icelandic Sorcery and Witchcraft	216
mobile phone with arrow ( $\text{📱}$ )	233	mouth ( $\text{👄}$ )	233	<code>\musFlat</code> ( $\text{♭}$ )	177
<code>\Mobilefone</code> ( $\text{📱}$ )	143	<code>\MoveDown</code> ( $\blacktriangledown$ )	205	<code>\musFusa</code> ( $\text{♪}$ )	177
<code>\mod</code>	99	<code>\moverlay</code>	284, 285	<code>\musFusaDotted</code> ( $\text{♪}$ )	177
<code>\models</code> ( $\models$ )	54, 281	<code>\MoveUp</code> ( $\blacktriangle$ )	205	<code>\musHalf</code> ( $\text{♩}$ )	177
<code>\models</code> ( $\models$ )	60	movie camera ( $\text{📷}$ )	233	<code>\musHalfDotted</code> ( $\text{♩}$ )	177
<code>\models</code> ( $\models$ )	58	moyai ( $\text{🗿}$ )	233	mushroom ( $\text{🍄}$ )	210
<code>\models</code> ( $\models$ )	64	<code>\mp</code> ( $\mp$ )	32	musical keyboard ( $\text{🎹}$ )	233
<code>\modtwosum</code> ( $\Sigma$ )	49	<code>\mp</code> ( $\mp$ )	36	musical note ( $\text{♪}$ )	233
<code>\modtwosum</code> ( $\Sigma$ )	50	<code>\mp</code> ( $\mp$ )	35	musical notes ( $\text{♪}$ )	233
moduli space	<i>see</i> alphabets, math	<code>\mp</code> ( $\mp$ )	35	musical score ( $\text{🎵}$ )	233
<code>\Moldova</code> ( $\text{🇲🇩}$ )	220	<code>\mp</code> ( $\mp$ )	37	musical symbols	174–193, 246, 250–254
monetary symbols	27, 28, 135, 232–245, 247–250	Mrs. Claus ( $\text{👶}$ )	233	musicography (package)	177, 298, 299
money bag ( $\text{💰}$ )	233	<code>\Mu</code> ( $M$ )	101	<code>\musixgre</code> (package)	176
money with wings ( $\text{🦋}$ )	233	<code>\mu</code> ( $\mu$ )	101	<code>\musixlit</code> (package)	176
money-mouth face ( $\text{👄}$ )	233	multiline braces	120	<code>\sixper</code> (package)	176
monkey ( $\text{🐵}$ )	209	<code>\multimap</code> ( $\rightarrow$ )	55, 56	MusiX $\text{T}_\text{E}_\text{X}$	175–178
monkey face ( $\text{🐵}$ )	209	<code>\multimap</code> ( $\rightarrow$ )	62	<code>\musixtex</code> (package)	298, 299
monorail ( $\text{🚆}$ )	204	<code>\multimap</code> ( $\rightarrow$ )	97	<code>\musMeter</code>	177
<code>\Montenegro</code> ( $\text{.}$ )	220	<code>\multimap</code> ( $\rightarrow$ )	96	<code>\musMinim</code> ( $\text{♩}$ )	177
monus	<i>see</i> <code>\dotdiv</code>	<code>\multimap</code> ( $\rightarrow$ )	64	<code>\musMinimDotted</code> ( $\text{♩}$ )	177
<code>\moo</code> ( $\pm$ )	33	<code>\multimapboth</code> ( $\circ\circ$ )	56	<code>\musNatural</code> ( $\text{♮}$ )	177
		<code>\multimapboth</code> ( $\circ\circ$ )	62	<code>\musNatural</code> ( <code>\musNatural</code> )	177
		<code>\multimapboth</code> ( $\circ\circ$ )	67		
		<code>\multimapbothvert</code> ( $\updownarrow$ )	56		
		<code>\multimapbothvert</code> ( $\updownarrow$ )	62		
		<code>\multimapdot</code> ( $\rightarrow$ )	56		
		<code>\multimapdot</code> ( $\bullet\rightarrow$ )	62		
		<code>\multimapdotboth</code> ( $\bullet\bullet$ )	56		

<code>\musQuarter</code> (♩) . . . . .	177
<code>\musQuarterDotted</code> (♩̣) . . . . .	177
<code>\musSegno</code> (♫) . . . . .	177
<code>\musSemibreve</code> (♭) . . . . .	177
<code>\musSemibreveDotted</code> (♭̣) . . . . .	177
<code>\musSemiminim</code> (♩) . . . . .	177
<code>\musSemiminimDotted</code> (♩̣) . . . . .	177
<code>\musSharp</code> (#) . . . . .	177
<code>\musSixteenth</code> (♯) . . . . .	177
<code>\musSixteenthDotted</code> (♯̣) . . . . .	177
<code>\musSixtyFourth</code> (♯) . . . . .	177
<code>\musSixtyFourthDotted</code> (♯̣) . . . . .	177
<code>\musThirtySecond</code> (♯) . . . . .	177
<code>\musThirtySecondDotted</code> (♯̣) . . . . .	177
<code>\musWhole</code> (♩) . . . . .	177
<code>\musWholeDotted</code> (♩̣) . . . . .	177
<code>-muted speaker</code> (🔇) . . . . .	233
<code>\muup</code> (μ) . . . . .	102
<code>\MVAt</code> (@) . . . . .	205
<code>\MVComma</code> (,) . . . . .	128
<code>\MVDivision</code> (/) . . . . .	128
<code>\MVEight</code> (8) . . . . .	128
<code>\MVFive</code> (5) . . . . .	128
<code>\MVFour</code> (4) . . . . .	128
<code>\MVLeftBracket</code> (()) . . . . .	128
<code>\MVMinus</code> (-) . . . . .	128
<code>\MVMultiplication</code> (×) . . . . .	128
<code>\MVNine</code> (9) . . . . .	128
<code>\MVOne</code> (1) . . . . .	128
<code>\MVPeriod</code> (.) . . . . .	128
<code>\MVPlus</code> (+) . . . . .	128
<code>\MVRightArrow</code> (→) . . . . .	128
<code>\MVRightBracket</code> (()) . . . . .	128
<code>\MVSeven</code> (7) . . . . .	128
<code>\MVSix</code> (6) . . . . .	128
<code>\MVThree</code> (3) . . . . .	128
<code>\MVTwo</code> (2) . . . . .	128
<code>\MVZero</code> (0) . . . . .	128
<code>mx claus</code> (🗑️) . . . . .	233

N

<code>n</code> (†) . . . . .	173
<code>\na</code> (‡) . . . . .	177
<code>\nabla</code> (∇) . . . . .	130
<code>\nabla</code> (∇) . . . . .	131
<code>\nabla</code> (∇) . . . . .	132
<code>\nacwcirclearrowdown</code> (⤵) . . . . .	86
<code>\nacwcirclearrowleft</code> (⤴) . . . . .	86
<code>\nacwcirclearrowright</code> (⤶) . . . . .	86
<code>\nacwcirclearrowup</code> (⤵) . . . . .	86
<code>\nacwgapcirclearrow</code> (⤵) . . . . .	87
<code>\nacwleftarrow</code> (↵) . . . . .	86
<code>\nacwnearrow</code> (↘) . . . . .	86
<code>\nacwnwarrow</code> (↙) . . . . .	86
<code>\nacwopencirclearrow</code> (⤵) . . . . .	87
<code>\nacwoverarrow</code> (↗) . . . . .	86

<code>\nacwrightarrow</code> (↗) . . . . .	86
<code>\nacwsearrow</code> (↘) . . . . .	86
<code>\nacwswarrow</code> (↙) . . . . .	86
<code>\nacwunderarrow</code> (↘) . . . . .	86
<code>nail polish</code> (💅) . . . . .	233
<code>\NAK</code> (§) . . . . .	142
<code>name badge</code> (📇) . . . . .	233
<code>NAND gates</code> . . . . .	142

<code>\NANDd</code> (⊞) . . . . .	142
<code>\NANDl</code> (⊞) . . . . .	142
<code>\NANDr</code> (⊞) . . . . .	142
<code>\NANDu</code> (⊞) . . . . .	142
<code>\napprox</code> (≈) . . . . .	57
<code>\napprox</code> (≉) . . . . .	61
<code>\napprox</code> (≇) . . . . .	58
<code>\napprox</code> (≆) . . . . .	65
<code>\napproxeq</code> (≈) . . . . .	56
<code>\napproxeq</code> (≉) . . . . .	61
<code>\napproxeq</code> (≇) . . . . .	58
<code>\napproxeq</code> (≆) . . . . .	65
<code>\napproxident</code> (≅) . . . . .	62
<code>\narceq</code> (≠) . . . . .	62, 98
<code>\nAssert</code> (‡) . . . . .	62
<code>\nassert</code> (‡) . . . . .	62
<code>\nasymp</code> (≍) . . . . .	56
<code>\nasymp</code> (≇) . . . . .	62, 98
<code>\nasymp</code> (≆) . . . . .	97
<code>\nasymp</code> (≅) . . . . .	65
<code>\Natal</code> (🇳🇱) . . . . .	140
<code>nath</code> (package) . . . . .	107, 113, 298
<code>national park</code> (🏞️) . . . . .	233
<code>\NATURAL</code> (N) . . . . .	100
<code>\Natural</code> (N) . . . . .	100
<code>\natural</code> (‡) . . . . .	174
<code>\natural</code> (‡) . . . . .	174
<code>\natural</code> (‡) . . . . .	174
<code>\natural</code> (‡) . . . . .	174
<code>\natural</code> (‡) . . . . .	180
<code>\natural</code> (‡) . . . . .	174
<code>\natural</code> (‡) . . . . .	174
<code>natural numbers</code> (ℕ) . . . . .	<i>see</i> alphabets, math
<code>nauseated face</code> (🤢) . . . . .	233
<code>nazar amulet</code> (📿) . . . . .	233
<code>\backapprox</code> (≍) . . . . .	58
<code>\backapproxeq</code> (≉) . . . . .	58
<code>\backcong</code> (≇) . . . . .	61
<code>\backcong</code> (≆) . . . . .	58
<code>\backeqsim</code> (≅) . . . . .	58
<code>\backsim</code> (≈) . . . . .	56
<code>\backsim</code> (≇) . . . . .	61
<code>\backsim</code> (≆) . . . . .	58

<code>\backsim</code> (≇) . . . . .	56
<code>\backsim</code> (≆) . . . . .	61
<code>\backsim</code> (≅) . . . . .	59
<code>\backtriplesim</code> (≅) . . . . .	59
<code>\nBarv</code> (⌈) . . . . .	62
<code>\nbarV</code> (⌈) . . . . .	62
<code>\nbdleftarrow</code> (↵) . . . . .	86
<code>\nbdnearrow</code> (↘) . . . . .	86
<code>\nbdnwarrow</code> (↙) . . . . .	86
<code>\nbdoverarrow</code> (↗) . . . . .	86
<code>\nbdrightarrow</code> (↵) . . . . .	86
<code>\nbdsearrow</code> (↘) . . . . .	86
<code>\nbdswarrow</code> (↙) . . . . .	86
<code>\nbdunderarrow</code> (↘) . . . . .	86
<code>\nblackwhitespoon</code> (☞) . . . . .	97
<code>\NBSP</code> (␣) . . . . .	142
<code>\NBSP</code> (␣) . . . . .	142
<code>\nBumpeq</code> (≍) . . . . .	56
<code>\nBumpeq</code> (≉) . . . . .	61
<code>\nBumpeq</code> (≇) . . . . .	59
<code>\nBumpeq</code> (≆) . . . . .	65
<code>\nbumpeq</code> (≍) . . . . .	56
<code>\nbumpeq</code> (≉) . . . . .	61
<code>\nbumpeq</code> (≇) . . . . .	59
<code>\nbumpeq</code> (≆) . . . . .	65
<code>\nbumpeqq</code> (≍) . . . . .	61
<code>\ncirceq</code> (≠) . . . . .	61
<code>\ncirceq</code> (≇) . . . . .	59
<code>\ncirclearrowleft</code> (⤴) . . . . .	87
<code>\ncirclearrowleft</code> (⤴) . . . . .	83
<code>\ncirclearrowright</code> (⤶) . . . . .	87
<code>\ncirclearrowright</code> (⤶) . . . . .	83
<code>\ncirmid</code> (≡) . . . . .	97
<code>\nclosedequal</code> (≐) . . . . .	59
<code>\nclosure</code> (≅) . . . . .	62, 98
<code>\ncong</code> (≇) . . . . .	57
<code>\ncong</code> (≆) . . . . .	55
<code>\ncong</code> (≅) . . . . .	63
<code>\ncong</code> (≉) . . . . .	61
<code>\ncong</code> (≇) . . . . .	59
<code>\ncong</code> (≆) . . . . .	65
<code>\ncongdot</code> (≇) . . . . .	65
<code>\ncurlyeqprec</code> (≍) . . . . .	57
<code>\ncurlyeqprec</code> (≉) . . . . .	61
<code>\ncurlyeqprec</code> (≇) . . . . .	59
<code>\ncurlyeqsucc</code> (≍) . . . . .	57
<code>\ncurlyeqsucc</code> (≉) . . . . .	61
<code>\ncurlyeqsucc</code> (≇) . . . . .	59
<code>\ncurvearrowdownup</code> (↕) . . . . .	82
<code>\ncurvearrowleft</code> (↵) . . . . .	87
<code>\ncurvearrowleft</code> (↵) . . . . .	83
<code>\ncurvearrowleft</code> (↵) . . . . .	82
<code>\ncurvearrownesw</code> (↙) . . . . .	82
<code>\ncurvearrownwse</code> (↘) . . . . .	82
<code>\ncurvearrowright</code> (↵) . . . . .	87
<code>\ncurvearrowright</code> (↵) . . . . .	83
<code>\ncurvearrowright</code> (↵) . . . . .	82
<code>\ncurvearrowright</code> (↵) . . . . .	82
<code>\ncurvearrowright</code> (↵) . . . . .	82
<code>\ncurvearrowright</code> (↵) . . . . .	82






























<code>\ncurvearrowupdown</code> ( $\Uparrow$ ) . . . . .	82	<code>\downarrowtail</code> ( $\Downarrow$ ) . . . . .	87	<code>\Nearrow</code> ( $\nearrow$ ) . . . . .	79
<code>\ncwcirclearrowdown</code> ( $\Downarrow$ ) . . . . .	86	<code>\downarrowtail</code> ( $\Downarrow$ ) . . . . .	82	<code>\Nearrow</code> ( $\nearrow$ ) . . . . .	89
<code>\ncwcirclearrowleft</code> ( $\Leftarrow$ ) . . . . .	86	<code>\downarrowAssert</code> ( $\Downarrow$ ) . . . . .	61	<code>\Nearrow</code> ( $\nearrow$ ) . . . . .	85
<code>\ncwcirclearrowright</code> ( $\Rightarrow$ ) . . . . .	86	<code>\downlassert</code> ( $\Downarrow$ ) . . . . .	61	<code>\Nearrow</code> ( $\nearrow$ ) . . . . .	80
<code>\ncwcirclearrowup</code> ( $\Uparrow$ ) . . . . .	86	<code>\downbkarrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\Nearrow</code> ( $\nearrow$ ) . . . . .	90
<code>\ncwgapcirclearrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	79
<code>\ncwleftarccarrow</code> ( $\curvearrowleft$ ) . . . . .	86	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	78, 284
<code>\ncwnearccarrow</code> ( $\curvearrowright$ ) . . . . .	86	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	85
<code>\ncwnwarccarrow</code> ( $\curvearrowright$ ) . . . . .	86	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	80
<code>\ncwopencirclearrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	95
<code>\ncwoverarccarrow</code> ( $\curvearrowright$ ) . . . . .	86	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrow</code> ( $\nearrow$ ) . . . . .	91
<code>\ncwrightarccarrow</code> ( $\curvearrowright$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrowcorner</code> ( $\nearrow$ ) . . . . .	89
<code>\ncwsearccarrow</code> ( $\curvearrowright$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrowtail</code> ( $\nearrow$ ) . . . . .	85
<code>\ncwswarccarrow</code> ( $\curvearrowright$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nearrowtail</code> ( $\nearrow$ ) . . . . .	80
<code>\ncwunderarccarrow</code> ( $\curvearrowright$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nebkarrow</code> ( $\nearrow$ ) . . . . .	85
<code>\ndasharrow</code> ( $\dashrightarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>necktie</code> ( $\text{\textcolor{red}{\text{\textcircled{!}}}}$ ) . . . . .	233
<code>\ndasharrow</code> ( $\dashrightarrow$ ) . . . . .	83	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nefilledspoon</code> ( $\Downarrow$ ) . . . . .	96
<code>\ndasheddownarrow</code> ( $\downdownarrows$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nefootline</code> ( $\nearrow$ ) . . . . .	57
<code>\ndashedleftarrow</code> ( $\dashleftarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nefree</code> ( $\nearrow$ ) . . . . .	57
<code>\ndashednearrow</code> ( $\dashrightarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neg</code> ( $\neg$ ) . . . . .	130
<code>\ndashednwarrow</code> ( $\dashrightarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neg</code> ( $\neg$ ) . . . . .	131
<code>\ndashedrightarrow</code> ( $\dashrightarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neg</code> ( $\neg$ ) . . . . .	131
<code>\ndashedsearrow</code> ( $\dashrightarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neg</code> ( $\neg$ ) . . . . .	132
<code>\ndashedswarrow</code> ( $\dashrightarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	negation . . . . . <i>see</i> <code>\neg</code> and <code>\sim</code>	
<code>\ndasheduparrow</code> ( $\downdownarrows$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neharpoonccw</code> ( $\nearrow$ ) . . . . .	83
<code>\ndashleftarrow</code> ( $\dashleftarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neharpooncw</code> ( $\nearrow$ ) . . . . .	83
<code>\ndashleftarrow</code> ( $\dashleftarrow$ ) . . . . .	83	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neharpoonnw</code> ( $\nearrow$ ) . . . . .	88
<code>\ndashrightarrow</code> ( $\dashrightarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neharpoonse</code> ( $\nearrow$ ) . . . . .	88
<code>\ndashrightarrow</code> ( $\dashrightarrow$ ) . . . . .	83	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nelcurvearrow</code> ( $\nearrow$ ) . . . . .	86
<code>\nDashV</code> ( $\#$ ) . . . . .	57	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nelsquigarrow</code> ( $\nearrow$ ) . . . . .	80
<code>\nDashV</code> ( $\#$ ) . . . . .	62	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nemapsto</code> ( $\nearrow$ ) . . . . .	80
<code>\nDashv</code> ( $\#$ ) . . . . .	57	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neModels</code> ( $\nearrow$ ) . . . . .	57
<code>\nDashv</code> ( $\#$ ) . . . . .	62	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nemodels</code> ( $\nearrow$ ) . . . . .	57
<code>\ndashV</code> ( $\#$ ) . . . . .	57	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nenearrows</code> ( $\nearrow$ ) . . . . .	85
<code>\ndashV</code> ( $\#$ ) . . . . .	62	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nenearrows</code> ( $\nearrow$ ) . . . . .	80
<code>\ndashv</code> ( $\#$ ) . . . . .	57	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neovnwarrow</code> ( $\nearrow$ ) . . . . .	91
<code>\ndashv</code> ( $\#$ ) . . . . .	62	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neovsearrow</code> ( $\nearrow$ ) . . . . .	91
<code>\ndashv</code> ( $\#$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\nepitchfork</code> ( $\nearrow$ ) . . . . .	96
<code>\ndashVv</code> ( $\#$ ) . . . . .	57	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\Neptune</code> ( $\Psi$ ) . . . . .	138
<code>\ndashVv</code> ( $\#$ ) . . . . .	61	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\Neptune</code> ( $\Psi$ ) . . . . .	138
<code>\nDdashv</code> ( $\#$ ) . . . . .	61	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\Neptune</code> ( $\Psi$ ) . . . . .	140
<code>\nDdownarrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neptune</code> ( $\text{\textcircled{O}}$ ) . . . . .	137
<code>\nddtstile</code> ( $\equiv$ ) . . . . .	66	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	57
<code>\ndiagdown</code> ( $\times$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	70
<code>\ndiagup</code> ( $\times$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	63
<code>\ndivides</code> ( $\dagger$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	62
<code>\nDoteq</code> ( $\doteq$ ) . . . . .	61	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	59
<code>\nDoteq</code> ( $\doteq$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neq</code> ( $\neq$ ) . . . . .	65
<code>\ndoteq</code> ( $\doteq$ ) . . . . .	61	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqbump</code> ( $\neq$ ) . . . . .	59
<code>\ndoteq</code> ( $\doteq$ ) . . . . .	59	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqcirc</code> ( $\neq$ ) . . . . .	61
<code>\ndoublefrown</code> ( $\frown$ ) . . . . .	97	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqcirc</code> ( $\neq$ ) . . . . .	59
<code>\ndoublefrown</code> ( $\frown$ ) . . . . .	97	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqdot</code> ( $\neq$ ) . . . . .	61
<code>\ndoublesmile</code> ( $\smile$ ) . . . . .	97	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqdot</code> ( $\neq$ ) . . . . .	59
<code>\ndoublesmile</code> ( $\smile$ ) . . . . .	97	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqfrown</code> ( $\neq$ ) . . . . .	97
<code>\nDownarrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqsim</code> ( $\neq$ ) . . . . .	61
<code>\nDownarrow</code> ( $\Downarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqsim</code> ( $\neq$ ) . . . . .	59
<code>\ndownarrow</code> ( $\Downarrow$ ) . . . . .	87	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqsim</code> ( $\neq$ ) . . . . .	65
<code>\ndownarrow</code> ( $\Downarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqslantgtr</code> ( $\neq$ ) . . . . .	71
<code>\ndownarrow</code> ( $\Downarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97	<code>\neqslantgtr</code> ( $\neq$ ) . . . . .	73
<code>\ndownarrow</code> ( $\Downarrow$ ) . . . . .	82	<code>\downblackspoon</code> ( $\Downarrow$ ) . . . . .	97		





<code>\ni</code> ( $\ni$ )	104, 282	<code>\nLeftarrow</code> ( $\Leftarrow$ )	79	<code>\nlefrightharpoondownup</code> ( $\nrightarrow$ )	88
<code>\ni</code> ( $\ni$ )	60	<code>\nLeftarrow</code> ( $\Leftarrow$ )	78	<code>\nlefrightharpoondownup</code> ( $\nrightarrow$ )	84
<code>\ni</code> ( $\ni$ )	105	<code>\nLeftarrow</code> ( $\Leftarrow$ )	90	<code>\nlefrightharpoons</code> ( $\nrightarrow$ )	88
<code>\ni</code> ( $\ni$ )	104	<code>\nLeftarrow</code> ( $\Leftarrow$ )	86	<code>\nlefrightharpoons</code> ( $\nrightarrow$ )	84
<code>\ni</code> ( $\ni$ )	64	<code>\nLeftarrow</code> ( $\Leftarrow$ )	82	<code>\nlefrightharpoonupdown</code> ( $\nrightarrow$ )	88
<code>\nialpha</code> ( $\alpha$ )	20	<code>\nLeftarrow</code> ( $\Leftarrow$ )	93	<code>\nlefrightharpoonupdown</code> ( $\nrightarrow$ )	84
<code>\nibar</code>	<i>see</i> <code>\ownsbar</code>	<code>\nleftarrow</code> ( $\leftarrow$ )	79	<code>\nlefrightharpoonupdown</code> ( $\nrightarrow$ )	88
<code>\nibeta</code> ( $\beta$ )	20	<code>\nleftarrow</code> ( $\leftarrow$ )	78	<code>\nlefrightharpoonupdown</code> ( $\nrightarrow$ )	84
<code>\NibLeft</code> ( $\Leftarrow$ )	149	<code>\nleftarrow</code> ( $\leftarrow$ )	90	<code>\nLefttrightline</code> ( $\nrightarrow$ )	58
<code>\NibRight</code> ( $\Rightarrow$ )	149	<code>\nleftarrow</code> ( $\leftarrow$ )	86	<code>\nLefttrightline</code> ( $\nrightarrow$ )	58
<code>nibs</code>	149, 150	<code>\nleftarrow</code> ( $\leftarrow$ )	82	<code>\nlefrightspoon</code> ( $\rightarrow$ )	97
<code>\NibSolidLeft</code> ( $\Leftarrow$ )	149	<code>\nleftarrow</code> ( $\leftarrow$ )	93	<code>\nlefrightsquigarrow</code> ( $\rightarrow$ )	87
<code>\NibSolidRight</code> ( $\Rightarrow$ )	149	<code>\nleftarrowtail</code> ( $\leftarrow$ )	86	<code>\nlefrightsquigarrow</code> ( $\rightarrow$ )	83
<code>nicefrac</code> (package)	133, 298, 299	<code>\nleftarrowtail</code> ( $\leftarrow$ )	82	<code>\nlefrightwvearrow</code> ( $\rightarrow$ )	86
<code>niceframe</code> (package)	261–264, 268	<code>\nleftAssert</code> ( $\nrightarrow$ )	61	<code>\nlefrsquigarrow</code> ( $\rightarrow$ )	87
<code>\NiceReapey</code> ( $\rightarrow$ )	230	<code>\nleftassert</code> ( $\nrightarrow$ )	61	<code>\nlefrsquigarrow</code> ( $\rightarrow$ )	82
<code>\nich</code> ( $\chi$ )	20	<code>\nleftbkarrow</code> ( $\rightarrow$ )	86	<code>\nleftspoon</code> ( $\rightarrow$ )	97
<code>\niepsilon</code> ( $\epsilon$ )	20	<code>\nleftblackspoon</code> ( $\rightarrow$ )	97	<code>\nleftspoon</code> ( $\rightarrow$ )	96
<code>\nigamma</code> ( $\gamma$ )	20	<code>\nleftcurvedarrow</code> ( $\rightarrow$ )	88	<code>\nleftsquigarrow</code> ( $\rightarrow$ )	87
<code>night with stars</code> ( $\rightarrow$ )	234	<code>\nleftdowncurvedarrow</code> ( $\rightarrow$ )	87	<code>\nleftstipule</code> ( $\rightarrow$ )	87
<code>\niota</code> ( $\iota$ )	20	<code>\nleftfilledspoon</code> ( $\rightarrow$ )	96	<code>\nleftstipule</code> ( $\rightarrow$ )	87
<code>\nilambda</code> ( $\lambda$ )	20	<code>\nleftfootline</code> ( $\rightarrow$ )	61	<code>\nleftupcurvedarrow</code> ( $\rightarrow$ )	87
<code>\nimageof</code> ( $\rightarrow$ )	97	<code>\nleftfootline</code> ( $\rightarrow$ )	58	<code>\nleftVDash</code> ( $\nrightarrow$ )	61
<code>\nin</code> ( $\notin$ )	61, 105	<code>\nleftfree</code> ( $\rightarrow$ )	58	<code>\nleftVdash</code> ( $\nrightarrow$ )	61
<code>\nin</code> ( $\notin$ )	104	<code>\nleftharpoonocw</code> ( $\rightarrow$ )	84	<code>\nleftVdash</code> ( $\nrightarrow$ )	59
<code>nine o'clock</code> ( $\rightarrow$ )	208	<code>\nleftharpoonocw</code> ( $\rightarrow$ )	84	<code>\nleftvDash</code> ( $\nrightarrow$ )	61
<code>nine-thirty</code> ( $\rightarrow$ )	208	<code>\nleftharpoondown</code> ( $\rightarrow$ )	88	<code>\nleftvdash</code> ( $\nrightarrow$ )	61
<code>\Ninja</code> ( $\rightarrow$ )	230	<code>\nleftharpoonup</code> ( $\rightarrow$ )	88	<code>\nleftvdash</code> ( $\nrightarrow$ )	58
<code>ninja</code> ( $\rightarrow$ )	234	<code>\nleftlcurvearrow</code> ( $\rightarrow$ )	87	<code>\nleftwvearrow</code> ( $\rightarrow$ )	86
<code>\niobar</code> ( $\ni$ )	64	<code>\nleftleftarrows</code> ( $\rightarrow$ )	86	<code>\nleq</code> ( $\leq$ )	71
<code>\niomega</code> ( $\omega$ )	20	<code>\nleftleftarrows</code> ( $\rightarrow$ )	82	<code>\nleq</code> ( $\leq$ )	70, 71
<code>\niphy</code> ( $\phi$ )	20	<code>\nleftlsquigarrow</code> ( $\rightarrow$ )	87	<code>\nleq</code> ( $\leq$ )	74
<code>\niplus</code> ( $\ni$ )	55	<code>\nleftlsquigarrow</code> ( $\rightarrow$ )	82	<code>\nleq</code> ( $\leq$ )	73
<code>\niplus</code> ( $\ni$ )	62	<code>\nLeftmapsto</code> ( $\rightarrow$ )	86	<code>\nleq</code> ( $\leq$ )	72
<code>\nis</code> ( $\ni$ )	64	<code>\nLeftmapsto</code> ( $\rightarrow$ )	86	<code>\nleq</code> ( $\leq$ )	75
<code>\nisd</code> ( $\ni$ )	62	<code>\nLeftmapsto</code> ( $\rightarrow$ )	82	<code>\nleqclosed</code> ( $\rightarrow$ )	73, 77
<code>\nisd</code> ( $\ni$ )	64	<code>\nleftModels</code> ( $\nrightarrow$ )	58	<code>\nleqclosed</code> ( $\rightarrow$ )	72, 76
<code>\nisigma</code> ( $\sigma$ )	20	<code>\nleftmodels</code> ( $\nrightarrow$ )	61	<code>\nleqdot</code> ( $\rightarrow$ )	73
<code>\nitheta</code> ( $\theta$ )	20	<code>\nleftmodels</code> ( $\nrightarrow$ )	58	<code>\nleqdot</code> ( $\rightarrow$ )	72
<code>\niupsilon</code> ( $\upsilon$ )	20	<code>\nleftpitchfork</code> ( $\rightarrow$ )	98	<code>\nleqq</code> ( $\rightarrow$ )	71
<code>\niv</code> ( $\ni$ )	107	<code>\nleftpitchfork</code> ( $\rightarrow$ )	96	<code>\nleqq</code> ( $\rightarrow$ )	70
<code>\nj</code> ( $\ni$ )	20	<code>\nleftrcurvearrow</code> ( $\rightarrow$ )	87	<code>\nleqq</code> ( $\rightarrow$ )	74
<code>nkarta</code> (package)	255, 298	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	90	<code>\nleqq</code> ( $\rightarrow$ )	73
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	79	<code>\nleqq</code> ( $\rightarrow$ )	72
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	78	<code>\nleqq</code> ( $\rightarrow$ )	75
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	86	<code>\nleqslant</code> ( $\rightarrow$ )	70
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	82	<code>\nleqslant</code> ( $\rightarrow$ )	74
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	82	<code>\nleqslant</code> ( $\rightarrow$ )	73
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	93	<code>\nleqslant</code> ( $\rightarrow$ )	72
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	79	<code>\nleqslant</code> ( $\rightarrow$ )	75
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	31, 78	<code>\nleqslantdot</code> ( $\rightarrow$ )	73
<code>\nleftarrow</code> ( $\rightarrow$ )	82	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	90	<code>\nleqslantdot</code> ( $\rightarrow$ )	72
<code>\nleftarrow</code> ( $\rightarrow$ )	88	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	86	<code>\nleqslcc</code> ( $\rightarrow$ )	73
<code>\nleftarrow</code> ( $\rightarrow$ )	83	<code>\nLefttrightarrow</code> ( $\rightarrow$ )	82	<code>\nlescc</code> ( $\rightarrow$ )	73
		<code>\nLefttrightarrow</code> ( $\rightarrow$ )	93	<code>\nlesdot</code> ( $\rightarrow$ )	73
		<code>\nLefttrightarrows</code> ( $\rightarrow$ )	86	<code>\nlesg</code> ( $\rightarrow$ )	73
		<code>\nLefttrightarrows</code> ( $\rightarrow$ )	82	<code>\nless</code> ( $\rightarrow$ )	71
		<code>\nlefttrightarrow</code> ( $\rightarrow$ )	97	<code>\nless</code> ( $\rightarrow$ )	70
		<code>\nlefttrightarrow</code> ( $\rightarrow$ )	87		

<code>\nless</code> ( $\lessdot$ ) .....	74	<code>\nlongrightarrow</code> ( $\rightarrow$ ) ..	86	<code>\nneswarrow</code> ( $\swarrow$ ) .....	82
<code>\nless</code> ( $\lessgtr$ ) .....	73	<code>\nlongrightfootline</code> ( $\rightarrow$ )	61	<code>\nneswarrows</code> ( $\swarrow$ ) .....	87
<code>\nless</code> ( $\lessdot$ ) .....	72	<code>\nlongrightsquigarrow</code> ( $\rightsquigarrow$ ) .		<code>\nneswarrows</code> ( $\searrow$ ) .....	82
<code>\nless</code> ( $\lessgtr$ ) .....	75	.....	87	<code>\nneswcurvearrow</code> ( $\swarrow$ ) ...	87
<code>\nlessapprox</code> ( $\lessapprox$ ) .....	71	<code>\nlongrightwvearrow</code> ( $\rightsquigarrow$ )	86	<code>\nneswharpoonnwse</code> ( $\swarrow$ ) ..	88
<code>\nlessapprox</code> ( $\lessgtr$ ) .....	70	<code>\nltcc</code> ( $\phi$ ) .....	74	<code>\nneswharpoonnwse</code> ( $\swarrow$ ) ..	84
<code>\nlessapprox</code> ( $\lessgtr$ ) .....	73	<code>\nMapsdown</code> ( $\Downarrow$ ) .....	87	<code>\nneswharpoons</code> ( $\swarrow$ ) ....	88
<code>\nlesscc</code> ( $\phi$ ) .....	73	<code>\nmapsdown</code> ( $\Downarrow$ ) .....	87	<code>\nneswharpoons</code> ( $\searrow$ ) .....	84
<code>\nlessclosed</code> ( $\lessdot$ ) .....	73, 77	<code>\nMapsfrom</code> ( $\Uparrow$ ) .....	87	<code>\nneswharpoonsenw</code> ( $\swarrow$ ) ..	88
<code>\nlessclosed</code> ( $\lessgtr$ ) .....	72, 76	<code>\nmapsfrom</code> ( $\Uparrow$ ) .....	87	<code>\nneswharpoonsenw</code> ( $\swarrow$ ) ..	84
<code>\nlessdot</code> ( $\lessdot$ ) .....	73	<code>\nMapsto</code> ( $\mapsto$ ) .....	87	<code>\nNeswline</code> ( $\swarrow$ ) .....	59
<code>\nlessdot</code> ( $\lessgtr$ ) .....	72	<code>\nmapsto</code> ( $\mapsto$ ) .....	87	<code>\nneswline</code> ( $\swarrow$ ) .....	59
<code>\nlesseqgtr</code> ( $\lessgtr$ ) .....	73	<code>\nmapsto</code> ( $\mapsto$ ) .....	83	<code>\nneVdash</code> ( $\Vdash$ ) .....	59
<code>\nlesseqgtr</code> ( $\lessgtr$ ) .....	72	<code>\nMapsup</code> ( $\Uparrow$ ) .....	87	<code>\nnevDash</code> ( $\swarrow$ ) .....	59
<code>\nlesseqgtrslant</code> ( $\lessgtr$ ) .....	74	<code>\nmapsup</code> ( $\Uparrow$ ) .....	87	<code>\nni</code> ( $\phi$ ) .....	62
<code>\nlesseqgtrslant</code> ( $\lessgtr$ ) .....	72	<code>\nmid</code> ( $\dagger$ ) .....	55	<code>\nni</code> ( $\exists$ ) .....	105
<code>\nlesseqgtr</code> ( $\lessgtr$ ) .....	73	<code>\nmid</code> ( $\dagger$ ) .....	63	<code>\nni</code> ( $\exists$ ) .....	65
<code>\nlesseqgtr</code> ( $\lessgtr$ ) .....	72	<code>\nmid</code> ( $\dagger$ ) .....	61	<code>\nnststile</code> ( $\blacksquare$ ) .....	66
<code>\nlesseqslantgtr</code> ( $\lessgtr$ ) .....	73	<code>\nmid</code> ( $\dagger$ ) .....	59	<code>\nntstile</code> ( $\blacksquare$ ) .....	65
<code>\nlessgtr</code> ( $\lessgtr$ ) .....	70	<code>\nmid</code> ( $\dagger$ ) .....	65	<code>\nnttstile</code> ( $\blacksquare$ ) .....	65
<code>\nlessgtr</code> ( $\lessgtr$ ) .....	73	<code>\nmidcir</code> ( $\dagger$ ) .....	97	<code>\nNwarrow</code> ( $\nwarrow$ ) .....	87
<code>\nlessgtr</code> ( $\lessgtr$ ) .....	72	<code>\nmodels</code> ( $\models$ ) .....	62	<code>\nNwarrow</code> ( $\nwarrow$ ) .....	82
<code>\nlessgtr</code> ( $\lessgtr$ ) .....	75	<code>\nmodels</code> ( $\models$ ) .....	59	<code>\nnwarrow</code> ( $\nwarrow$ ) .....	79
<code>\nlesssim</code> ( $\lessdot$ ) .....	71	<code>\nmultimap</code> ( $\multimap$ ) .....	97	<code>\nnwarrow</code> ( $\nwarrow$ ) .....	89
<code>\nlesssim</code> ( $\lessgtr$ ) .....	70	<code>\nmultimap</code> ( $\multimap$ ) .....	96	<code>\nnwarrow</code> ( $\nwarrow$ ) .....	87
<code>\nlesssim</code> ( $\lessgtr$ ) .....	73	<code>\nmultimapinv</code> ( $\multimap$ ) .....	97	<code>\nnwarrow</code> ( $\nwarrow$ ) .....	82
<code>\nlesssim</code> ( $\lessgtr$ ) .....	75	<code>\NN</code> ( $\aleph$ ) .....	141	<code>\nnwarrowtail</code> ( $\nwarrow$ ) .....	87
<code>\nlhookdownarrow</code> ( $\downdownarrows$ ) .....	82	<code>\nndtstile</code> ( $\blacksquare$ ) .....	66	<code>\nnwarrowtail</code> ( $\nwarrow$ ) .....	82
<code>\nlhookleftarrow</code> ( $\leftarrow$ ) .....	83	<code>\nNearrow</code> ( $\nearrow$ ) .....	86	<code>\nnwbkarrow</code> ( $\nwarrow$ ) .....	87
<code>\nlhooknearrow</code> ( $\nearrow$ ) .....	83	<code>\nNearrow</code> ( $\nearrow$ ) .....	82	<code>\nnwfilledspoon</code> ( $\nwarrow$ ) ....	96
<code>\nlhooknarrow</code> ( $\nwarrow$ ) .....	82	<code>\nnearrow</code> ( $\nearrow$ ) .....	79	<code>\nnwfootline</code> ( $\nwarrow$ ) .....	59
<code>\nlhookrightarrow</code> ( $\rightarrow$ ) .....	82	<code>\nnearrow</code> ( $\nearrow$ ) .....	89	<code>\nnwfree</code> ( $\nwarrow$ ) .....	59
<code>\nlhooksearrow</code> ( $\searrow$ ) .....	82	<code>\nnearrow</code> ( $\nearrow$ ) .....	86	<code>\nnwharpoonccw</code> ( $\nwarrow$ ) .....	84
<code>\nlhookswarrow</code> ( $\swarrow$ ) .....	82	<code>\nnearrow</code> ( $\nearrow$ ) .....	82	<code>\nnwharpooncw</code> ( $\nwarrow$ ) .....	84
<code>\nlhookuparrow</code> ( $\uparrow$ ) .....	82	<code>\nnearrowtail</code> ( $\nearrow$ ) .....	86	<code>\nnwharpoonne</code> ( $\nwarrow$ ) .....	88
<code>\nll</code> ( $\ll$ ) .....	70	<code>\nnearrowtail</code> ( $\nearrow$ ) .....	82	<code>\nnwharpoonsw</code> ( $\nwarrow$ ) .....	88
<code>\nll</code> ( $\ll$ ) .....	73	<code>\nnebkarrow</code> ( $\nwarrow$ ) .....	87	<code>\nnwLcurvearrow</code> ( $\nwarrow$ ) ....	87
<code>\nll</code> ( $\ll$ ) .....	72	<code>\nnefilledspoon</code> ( $\nwarrow$ ) ....	96	<code>\nnwlsquigarrow</code> ( $\nwarrow$ ) ....	82
<code>\nll</code> ( $\ll$ ) .....	75	<code>\nnefootline</code> ( $\nwarrow$ ) .....	59	<code>\nnwmapsto</code> ( $\nwarrow$ ) .....	82
<code>\nLleftarrow</code> ( $\Lleftarrow$ ) .....	86	<code>\nnefree</code> ( $\nwarrow$ ) .....	59	<code>\nnwModels</code> ( $\nwarrow$ ) .....	59
<code>\nLleftarrow</code> ( $\Lleftarrow$ ) .....	82	<code>\nneharpoonccw</code> ( $\nwarrow$ ) .....	84	<code>\nnwmodels</code> ( $\nwarrow$ ) .....	59
<code>\nlll</code> ( $\lll$ ) .....	73	<code>\nneharpooncw</code> ( $\nwarrow$ ) .....	84	<code>\nnwnwarrows</code> ( $\nwarrow$ ) .....	87
<code>\nlll</code> ( $\lll$ ) .....	72	<code>\nneharpoonnw</code> ( $\nwarrow$ ) .....	88	<code>\nnwnwarrows</code> ( $\nwarrow$ ) .....	82
<code>\nlongdashv</code> ( $\dashv$ ) .....	62	<code>\nneharpoonse</code> ( $\nwarrow$ ) .....	88	<code>\nnwpitchfork</code> ( $\nwarrow$ ) .....	96
<code>\nlongleadsto</code> ( $\leadsto$ ) .....	87	<code>\nnelcurvearrow</code> ( $\nwarrow$ ) ....	87	<code>\nnwrcurvearrow</code> ( $\nwarrow$ ) ....	88
<code>\nLongleftarrow</code> ( $\Longleftarrow$ ) .....	86	<code>\nnelsquigarrow</code> ( $\nwarrow$ ) ....	82	<code>\nnwrsquigarrow</code> ( $\nwarrow$ ) ....	82
<code>\nlongleftarrow</code> ( $\Longleftarrow$ ) .....	86	<code>\nnemapsto</code> ( $\nwarrow$ ) .....	82	<code>\nNwsearrow</code> ( $\nwarrow$ ) .....	87
<code>\nlongleftfootline</code> ( $\rightarrow$ )	61	<code>\nneModels</code> ( $\nwarrow$ ) .....	59	<code>\nNwsearrow</code> ( $\nwarrow$ ) .....	82
<code>\nLongleftrightharrow</code> ( $\Leftrightarrow$ )	86	<code>\nnemodels</code> ( $\nwarrow$ ) .....	59	<code>\nnwsearrow</code> ( $\nwarrow$ ) .....	87
<code>\nlongleftrightharrow</code> ( $\Leftrightarrow$ )	86	<code>\nnenearrows</code> ( $\nwarrow$ ) .....	87	<code>\nnwsearrow</code> ( $\nwarrow$ ) .....	82
<code>\nlongleftsquigarrow</code> ( $\rightsquigarrow$ )	87	<code>\nnenearrows</code> ( $\nwarrow$ ) .....	82	<code>\nnwsearrows</code> ( $\nwarrow$ ) .....	87
<code>\nlongleftwvearrow</code> ( $\rightsquigarrow$ )	86	<code>\nnepitchfork</code> ( $\nwarrow$ ) .....	96	<code>\nnwsearrows</code> ( $\nwarrow$ ) .....	82
<code>\nLongmapsfrom</code> ( $\Leftrightarrow$ ) ..	61, 86	<code>\nnercurvearrow</code> ( $\nwarrow$ ) ....	87	<code>\nnwsecurvearrow</code> ( $\nwarrow$ ) ...	88
<code>\nlongmapsfrom</code> ( $\Leftrightarrow$ ) ..	61, 86	<code>\nnersquigarrow</code> ( $\nwarrow$ ) ....	82	<code>\nnwseharpoonnesw</code> ( $\nwarrow$ ) ..	88
<code>\nLongmapsto</code> ( $\Rightarrow$ ) .....	86	<code>\nnespoon</code> ( $\nwarrow$ ) .....	96	<code>\nnwseharpoons</code> ( $\nwarrow$ ) ....	88
<code>\nlongmapsto</code> ( $\Rightarrow$ ) .....	86	<code>\nNeswarrow</code> ( $\swarrow$ ) .....	87	<code>\nnwseharpoons</code> ( $\nwarrow$ ) .....	84
<code>\nLongrightarrow</code> ( $\Rightarrow$ ) ..	86	<code>\nNeswarrow</code> ( $\swarrow$ ) .....	82	<code>\nnwseharpoonswne</code> ( $\nwarrow$ ) ..	88
		<code>\nneswarrow</code> ( $\swarrow$ ) .....	87		

<code>\nnwseharpoonswne</code> (  ) . . . 84	<code>\notin</code> ( $\notin$ ) . . . . . 104	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 59
<code>\nNwseline</code> (  ) . . . . . 59	<code>\notin</code> ( $\notin$ ) . . . . . 104	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 65
<code>\nnwseline</code> ( $\times$ ) . . . . . 59	<code>\notin</code> ( $\notin$ ) . . . . . 105	<code>\npreceqq</code> ( $\npreceqq$ ) . . . . . 56
<code>\nnwspoon</code> (  ) . . . . . 96	<code>\notin</code> ( $\notin$ ) . . . . . 62	<code>\npreceqq</code> ( $\npreceqq$ ) . . . . . 61
<code>\nnwVdash</code> (  ) . . . . . 59	<code>\notin</code> ( $\notin$ ) . . . . . 105	<code>\nprecsim</code> ( $\nprecsim$ ) . . . . . 57
<code>\nnwvdash</code> (  ) . . . . . 59	<code>\notin</code> ( $\notin$ ) . . . . . 104	<code>\nprecsim</code> ( $\nprecsim$ ) . . . . . 56
no bicycles (  ) . . . . . 203	<code>\notin</code> ( $\notin$ ) . . . . . 65	<code>\nprecsim</code> ( $\nprecsim$ ) . . . . . 61
no entry . . . . . <i>see</i> <code>\noway</code>	<code>\notin</code> ( $\notin$ ) . . . . . 104	<code>\nprecsim</code> ( $\nprecsim$ ) . . . . . 59
no entry (  ) . . . . . 234	<code>\notowner</code> ( $\notowner$ ) . . . . . 104	<code>\NR</code> (  ) . . . . . 141
no littering (  ) . . . . . 234	<code>\notowns</code> . . . . . <i>see</i> <code>\notowner</code> and	<code>\nrcirclearrowdown</code> ( $\nrcirclearrowdown$ ) . . . . . 82
no mobile phones (  ) . . . . . 234	<code>\notni</code>	<code>\nrcirclearrowleft</code> ( $\nrcirclearrowleft$ ) . . . . . 82
no one under eighteen (  ) . . . . . 234	<code>\notperp</code> ( $\notperp$ ) . . . . . 57	<code>\nrcirclearrowright</code> ( $\nrcirclearrowright$ ) . . . . . 82
no pedestrians (  ) . . . . . 234	<code>\notslash</code> ( $\notslash$ ) . . . . . 140	<code>\nrcirclearrowup</code> ( $\nrcirclearrowup$ ) . . . . . 82
no smoking (  ) . . . . . 234	<code>\notsmallin</code> ( $\notsmallin$ ) . . . . . 105	<code>\nrcurvearrowdown</code> ( $\nrcurvearrowdown$ ) . . . . . 82
<code>\NoBleech</code> (  ) . . . . . 205	<code>\notsmallowns</code> ( $\notsmallowns$ ) . . . . . 105	<code>\nrcurvearrowleft</code> ( $\nrcurvearrowleft$ ) . . . . . 82
<code>\NoChemicalCleaning</code> (  ) . . . . . 205	<code>\nottop</code> ( $\nottop$ ) . . . . . 104	<code>\nrcurvearrowne</code> ( $\nrcurvearrowne$ ) . . . . . 82
noeuro (wasysym package option)	<code>\nottop</code> ( $\nottop$ ) . . . . . 132	<code>\nrcurvearrownw</code> ( $\nrcurvearrownw$ ) . . . . . 82
. . . . . 27	<code>\NoTumbler</code> (  ) . . . . . 205	<code>\nrcurvearrowright</code> ( $\nrcurvearrowright$ ) . . . . . 82
nointegrals (wasysym package option)	<code>\novelty</code> (N) . . . . . 199	<code>\nrcurvearrowse</code> ( $\nrcurvearrowse$ ) . . . . . 82
. . . . . 44	<code>\noway</code> (  ) . . . . . 205	<code>\nrcurvearrowsw</code> ( $\nrcurvearrowsw$ ) . . . . . 82
<code>\NoIroning</code> (  ) . . . . . 205	<code>\nowns</code> ( $\notowns$ ) . . . . . 61, 105	<code>\nrcurvearrowup</code> ( $\nrcurvearrowup$ ) . . . . . 82
non-commutative division . . . . . 125	<code>\nowns</code> ( $\notowns$ ) . . . . . 105	<code>\nRelbar</code> ( $\nRelbar$ ) . . . . . 59
non-potable water (  ) . . . . . 234	<code>\nowns</code> ( $\notowns$ ) . . . . . 104	<code>\nrelbar</code> ( $\nrelbar$ ) . . . . . 59
nonbreaking space . . . . . 142	<code>\nparallel</code> ( $\nparallel$ ) . . . . . 55	<code>\nrestriction</code> ( $\nrestriction$ ) . . . . . 88
NOR gates . . . . . 142	<code>\nparallel</code> ( $\nparallel$ ) . . . . . 63	<code>\nrestriction</code> ( $\nrestriction$ ) . . . . . 84
	<code>\nparallel</code> ( $\nparallel$ ) . . . . . 61	<code>\nrhookdownarrow</code> ( $\nrhookdownarrow$ ) . . . . . 82
	<code>\nparallel</code> ( $\nparallel$ ) . . . . . 59	<code>\nrhookleftarrow</code> ( $\nrhookleftarrow$ ) . . . . . 82
	<code>\nparallel</code> ( $\nparallel$ ) . . . . . 65	<code>\nrhooknearrow</code> ( $\nrhooknearrow$ ) . . . . . 82
	<code>\nparallelslant</code> ( $\nparallelslant$ ) . . . . . 67	<code>\nrhooknwarrow</code> ( $\nrhooknwarrow$ ) . . . . . 82
<code>\NORd</code> (  ) . . . . . 142	<code>\nperp</code> ( $\nperp$ ) . . . . . 62	<code>\nrhookrightarrow</code> ( $\nrhookrightarrow$ ) . . . . . 82
<code>\norigof</code> (  ) . . . . . 97	<code>\nperp</code> ( $\nperp$ ) . . . . . 59	<code>\nrhooksearrow</code> ( $\nrhooksearrow$ ) . . . . . 82
	<code>\nperp</code> ( $\nperp$ ) . . . . . 62	<code>\nrhookswarrow</code> ( $\nrhookswarrow$ ) . . . . . 82
	<code>\npitchfork</code> ( $\npitchfork$ ) . . . . . 98	<code>\nrhookuparrow</code> ( $\nrhookuparrow$ ) . . . . . 82
	<code>\npitchfork</code> ( $\npitchfork$ ) . . . . . 96	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 79
<code>\NORl</code> (  ) . . . . . 142	<code>\nplus</code> ( $\nplus$ ) . . . . . 33	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 78
norm . . . . . <i>see</i> <code>\lVert</code> and <code>\rVert</code>	<code>\nplus</code> ( $\nplus$ ) . . . . . 36	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 90
normal runes . . . . . 173	<code>\npolint</code> ( $\npolint$ ) . . . . . 52	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 87
	<code>\npolint</code> ( $\npolint$ ) . . . . . 50	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 83
	<code>\npolintsl</code> ( $\npolintsl$ ) . . . . . 52	<code>\nRightarrow</code> ( $\nRightarrow$ ) . . . . . 93
	<code>\npolintup</code> ( $\npolintup$ ) . . . . . 52	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 79
<code>\NORr</code> (  ) . . . . . 142	<code>\nprec</code> ( $\nprec$ ) . . . . . 57	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 78
<code>\NorthNode</code> (  ) . . . . . 140	<code>\nprec</code> ( $\nprec$ ) . . . . . 55	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 90
	<code>\nprec</code> ( $\nprec$ ) . . . . . 63	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 87
	<code>\nprec</code> ( $\nprec$ ) . . . . . 61	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 82
	<code>\nprec</code> ( $\nprec$ ) . . . . . 59	<code>\nrightarrow</code> ( $\nrightarrow$ ) . . . . . 93
	<code>\nprec</code> ( $\nprec$ ) . . . . . 65	<code>\nrightarrowtail</code> ( $\nrightarrowtail$ ) . . . . . 87
<code>\NORu</code> (  ) . . . . . 142	<code>\nprecapprox</code> ( $\nprecapprox$ ) . . . . . 57	<code>\nrightarrowtail</code> ( $\nrightarrowtail$ ) . . . . . 83
<code>\Norway</code> (  ) . . . . . 220	<code>\nprecapprox</code> ( $\nprecapprox$ ) . . . . . 56	<code>\nrightAssert</code> ( $\nrightAssert$ ) . . . . . 61
nose (  ) . . . . . 234	<code>\nprecapprox</code> ( $\nprecapprox$ ) . . . . . 61	<code>\nrightassert</code> ( $\nrightassert$ ) . . . . . 61
<code>\NoSun</code> (  ) . . . . . 206	<code>\nprecapprox</code> ( $\nprecapprox$ ) . . . . . 59	<code>\nrightbkarrow</code> ( $\nrightarrow$ ) . . . . . 87
<code>\Not</code> ( $\nRightarrow$ ) . . . . . 64	<code>\npreccurlyeq</code> ( $\npreccurlyeq$ ) . . . . . 57	<code>\nrightblackspoon</code> ( $\nrightarrow$ ) . . . . . 97
not . . . . . <i>see</i> <code>\neg</code>	<code>\npreccurlyeq</code> ( $\npreccurlyeq$ ) . . . . . 56	<code>\nrightcurvedarrow</code> ( $\nrightarrow$ ) . . . . . 87
<code>\not</code> . . . . . 57, 283	<code>\npreccurlyeq</code> ( $\npreccurlyeq$ ) . . . . . 61	<code>\nrightdowncurvedarrow</code> ( $\nrightarrow$ ) . . . . . 87
not equal ( $\neq$ vs. $\neq$ ) . . . . . 57	<code>\npreccurlyeq</code> ( $\npreccurlyeq$ ) . . . . . 59	. . . . . 87
<code>\notasymp</code> ( $\nasymp$ ) . . . . . 57	<code>\npreccurlyeq</code> ( $\npreccurlyeq$ ) . . . . . 65	<code>\nrightfilledspoon</code> ( $\nrightarrow$ ) . . . . . 96
<code>\notbackslash</code> ( $\nbackslash$ ) . . . . . 140	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 57	<code>\nrightfootline</code> ( $\nrightarrow$ ) . . . . . 61
<code>\notbot</code> ( $\nbot$ ) . . . . . 104	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 55	<code>\nrightfootline</code> ( $\nrightarrow$ ) . . . . . 59
<code>\notbot</code> ( $\nbot$ ) . . . . . 132	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 63	<code>\nrightfree</code> ( $\nrightarrow$ ) . . . . . 59
<code>\notchar</code> ( $\nchar$ ) . . . . . 64	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 61	<code>\nrightharpoonccw</code> ( $\nrightarrow$ ) . . . . . 84
<code>\NotCongruent</code> ( $\ncong$ ) . . . . . 128	<code>\npreceq</code> ( $\npreceq$ ) . . . . . 61	
<code>\notdivides</code> ( $\nmid$ ) . . . . . 57		
notebook (  ) . . . . . 234		
notebook with decorative cover		
(  ) . . . . . 234		
<code>\notequiv</code> ( $\ncong$ ) . . . . . 57		







































<code>\nsubset</code> ( $\subset$ )	69	<code>\nsupseteqq</code> ( $\supseteqq$ )	67	<code>\ntriangleright</code> ( $\triangleright$ )	75
<code>\nsubset</code> ( $\subsetneq$ )	68	<code>\nsupseteqq</code> ( $\supsetneqq$ )	69	<code>\ntriangleright</code> ( $\trianglerightneq$ )	77
<code>\nsubset</code> ( $\subsetneq$ )	69	<code>\nsupseteqq</code> ( $\supsetneqq$ )	69	<code>\ntriangleright</code> ( $\trianglerightneq$ )	77
<code>\nsubseteq</code> ( $\subseteq$ )	68	<code>\nsupseteqq</code> ( $\supseteq$ )	68	<code>\ntriangleright</code> ( $\triangleright$ )	72, 76
<code>\nsubseteq</code> ( $\subsetneq$ )	67	<code>\nsupseteqq</code> ( $\supseteq$ )	70	<code>\ntrianglerighteq</code> ( $\supseteq$ )	76
<code>\nsubseteq</code> ( $\subsetneq$ )	69	<code>\nswarrow</code> ( $\swarrow$ )	86	<code>\ntrianglerighteq</code> ( $\supsetneq$ )	75
<code>\nsubseteq</code> ( $\subsetneq$ )	69	<code>\nswarrow</code> ( $\swarrow$ )	82	<code>\ntrianglerighteq</code> ( $\supsetneq$ )	77
<code>\nsubseteq</code> ( $\subsetneq$ )	68	<code>\nswarrow</code> ( $\swarrow$ )	86	<code>\ntrianglerighteq</code> ( $\supsetneq$ )	77
<code>\nsubseteq</code> ( $\subsetneq$ )	69	<code>\nswarrow</code> ( $\swarrow$ )	82	<code>\ntrianglerighteq</code> ( $\supsetneq$ )	72, 76
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	68	<code>\nswarrowtail</code> ( $\swarrowtail$ )	86	<code>\ntrianglerighteq</code> ( $\supsetneq$ )	77
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	68	<code>\nswarrowtail</code> ( $\swarrowtail$ )	82	<code>\ntrianglerighteqslant</code> ( $\supsetneqslant$ )	75
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	69	<code>\nswbkarow</code> ( $\swarrow$ )	86	<code>\ntriplefrown</code> ( $\frown$ )	97
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	69	<code>\nswfilledspoon</code> ( $\spoon$ )	96	<code>\ntriplesim</code> ( $\approx$ )	61
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	68	<code>\nswfootline</code> ( $\swarrow$ )	59	<code>\ntriplesim</code> ( $\approx$ )	59
<code>\nsubseteqqq</code> ( $\subseteqqq$ )	69	<code>\nswfree</code> ( $\swarrow$ )	59	<code>\ntriplesmile</code> ( $\smile$ )	97
<code>\nsucc</code> ( $\succ$ )	57	<code>\nsharpoonccw</code> ( $\swarrow$ )	84	<code>\ntststile</code> ( $\equiv$ )	66
<code>\nsucc</code> ( $\succ$ )	55	<code>\nsharpooncw</code> ( $\swarrow$ )	84	<code>\nttstile</code> ( $\equiv$ )	66
<code>\nsucc</code> ( $\succ$ )	63	<code>\nsharpoonnw</code> ( $\swarrow$ )	88	<code>\ntttstile</code> ( $\equiv$ )	66
<code>\nsucc</code> ( $\succ$ )	61	<code>\nsharpoone</code> ( $\swarrow$ )	88	<code>\ntwoheaddownarrow</code> ( $\downdownarrows$ )	86
<code>\nsucc</code> ( $\succ$ )	59	<code>\nswlcurvearrow</code> ( $\swarrow$ )	87	<code>\ntwoheaddownarrow</code> ( $\downdownarrows$ )	82
<code>\nsucc</code> ( $\succ$ )	65	<code>\nswlsquigarrow</code> ( $\swarrow$ )	82	<code>\ntwoheadleftarrow</code> ( $\leftleftarrows$ )	56
<code>\nsuccapprox</code> ( $\approx$ )	57	<code>\nswmapsto</code> ( $\swarrow$ )	82	<code>\ntwoheadleftarrow</code> ( $\leftleftarrows$ )	86
<code>\nsuccapprox</code> ( $\approx$ )	56	<code>\nswModels</code> ( $\swarrow$ )	59	<code>\ntwoheadnearrow</code> ( $\nearrow$ )	86
<code>\nsuccapprox</code> ( $\approx$ )	61	<code>\nswmodels</code> ( $\swarrow$ )	59	<code>\ntwoheadnearrow</code> ( $\nearrow$ )	82
<code>\nsuccapprox</code> ( $\approx$ )	59	<code>\nswnearrows</code> ( $\swarrow$ )	86	<code>\ntwoheadnarrow</code> ( $\nearrow$ )	86
<code>\nsucccurlyeq</code> ( $\simeq$ )	57	<code>\nswnearrows</code> ( $\swarrow$ )	82	<code>\ntwoheadnarrow</code> ( $\nearrow$ )	82
<code>\nsucccurlyeq</code> ( $\simeq$ )	56	<code>\nswnecurvearrow</code> ( $\swarrow$ )	87	<code>\ntwoheadnarrow</code> ( $\nearrow$ )	86
<code>\nsucccurlyeq</code> ( $\simeq$ )	61	<code>\nswneharpoons</code> ( $\swarrow$ )	88	<code>\ntwoheadnarrow</code> ( $\nearrow$ )	82
<code>\nsucccurlyeq</code> ( $\simeq$ )	59	<code>\nswneharpoons</code> ( $\swarrow$ )	84	<code>\ntwoheadnarrow</code> ( $\nearrow$ )	82
<code>\nsucccurlyeq</code> ( $\simeq$ )	65	<code>\nswpitchfork</code> ( $\swarrow$ )	96	<code>\ntwoheadrightarrow</code> ( $\rightarrowrightarrow$ )	56
<code>\nsucceq</code> ( $\supseteq$ )	57	<code>\nswrcurvearrow</code> ( $\swarrow$ )	87	<code>\ntwoheadrightarrow</code> ( $\rightarrowrightarrow$ )	86
<code>\nsucceq</code> ( $\supseteq$ )	55	<code>\nswrsquigarrow</code> ( $\swarrow$ )	82	<code>\ntwoheadrightarrow</code> ( $\rightarrowrightarrow$ )	82
<code>\nsucceq</code> ( $\supseteq$ )	63	<code>\nswspoon</code> ( $\spoon$ )	96	<code>\ntwoheadsearrow</code> ( $\searrow$ )	86
<code>\nsucceq</code> ( $\supseteq$ )	61	<code>\nswswarrows</code> ( $\swarrow$ )	86	<code>\ntwoheadsearrow</code> ( $\searrow$ )	82
<code>\nsucceq</code> ( $\supseteq$ )	59	<code>\nswswarrows</code> ( $\swarrow$ )	82	<code>\ntwoheadswarrow</code> ( $\swarrow$ )	86
<code>\nsucceq</code> ( $\supseteq$ )	65	<code>\nswVdash</code> ( $\swarrow$ )	59	<code>\ntwoheadswarrow</code> ( $\swarrow$ )	82
<code>\nsucceqq</code> ( $\supseteqqq$ )	56	<code>\nswvdash</code> ( $\swarrow$ )	59	<code>\ntwoheaduparrow</code> ( $\Uparrow$ )	86
<code>\nsucceqq</code> ( $\supseteqqq$ )	61	<code>\NT</code> ( $\sim$ )	141	<code>\ntwoheaduparrow</code> ( $\Uparrow$ )	82
<code>\nsucssim</code> ( $\simeq$ )	57	<code>\ntdtstile</code> ( $\equiv$ )	66	<code>\Nu</code> ( $N$ )	101
<code>\nsucssim</code> ( $\simeq$ )	56	<code>ntheorem</code> (package)	130	<code>\nu</code> ( $\nu$ )	101
<code>\nsucssim</code> ( $\simeq$ )	61	<code>\nthickapprox</code> ( $\approx$ )	56	nuclear power plant	<i>see</i> <code>\SNPP</code>
<code>\nsucssim</code> ( $\simeq$ )	59	<code>\nto</code> ( $\rightarrow$ )	87	<code>\nucleus</code> ( $\text{\textcircled{N}}$ )	145
<code>\nSupset</code> ( $\supset$ )	68	<code>\nto</code> ( $\rightarrow$ )	83	<code>\Nudelholz</code> ( $\text{\textcircled{N}}$ )	229
<code>\nSupset</code> ( $\supset$ )	69	<code>\ntriangleeq</code> ( $\triangleq$ )	77	<code>\NUL</code> ( $\text{\textcircled{N}}$ )	142
<code>\nSupset</code> ( $\supset$ )	68	<code>\ntriangleeq</code> ( $\triangleq$ )	76	<code>\NUL</code> ( $\text{\textcircled{N}}$ )	142
<code>\nsupset</code> ( $\supset$ )	68	<code>\ntriangleleft</code> ( $\triangleleft$ )	76	null infinity	<i>see</i> alphabets, math
<code>\nsupset</code> ( $\supset$ )	69	<code>\ntriangleleft</code> ( $\triangleleft$ )	75	null set	129–132
<code>\nsupset</code> ( $\supset$ )	69	<code>\ntriangleleft</code> ( $\triangleleft$ )	77	number sets	<i>see</i> alphabets, math
<code>\nsupset</code> ( $\supset$ )	68	<code>\ntriangleleft</code> ( $\triangleleft$ )	77	number sign	<i>see</i> <code>\textnumero</code>
<code>\nsupset</code> ( $\supset$ )	69	<code>\ntriangleleft</code> ( $\triangleleft$ )	77	numbers	<i>see</i> numerals
<code>\nsupset</code> ( $\supset$ )	68	<code>\ntriangleleft</code> ( $\triangleleft$ )	72, 76	numerals	29, 128, 136, 153, 154,
<code>\nsupseteq</code> ( $\supseteq$ )	68	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	76	192, 200, 201, 255–257, 275	
<code>\nsupseteq</code> ( $\supseteq$ )	67	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	75	circled	153, 154, 200, 201,
<code>\nsupseteq</code> ( $\supseteq$ )	69	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	77	275	
<code>\nsupseteq</code> ( $\supseteq$ )	69	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	77	Epi-Olmec	172
<code>\nsupseteq</code> ( $\supseteq$ )	68	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	72, 76	Isthmian	172
<code>\nsupseteq</code> ( $\supseteq$ )	69	<code>\ntrianglelefteq</code> ( $\trianglelefteq$ )	77	LCD	136
<code>\nsupseteq</code> ( $\supseteq$ )	69	<code>\ntrianglelefteqslant</code> ( $\trianglelefteqslant$ )	75	Linear B	168
<code>\nsupseteqq</code> ( $\supseteqqq$ )	68	<code>\ntriangleright</code> ( $\triangleright$ )	76	Mayan	128



old-style	29	$\backslash$ nupspoon (𠂇)	97	$\backslash$ nvdash (𠂇)	55
segmented	136	$\backslash$ nupspoon (𠂇)	96	$\backslash$ nvdash (𠂇)	63
$\backslash$ NumLock ( $\llbracket$ Num $\rrbracket$ )	141	$\backslash$ nupuparrows (𠂇)	87	$\backslash$ nvdash (𠂇)	62
$\backslash$ nUparrow (𠂇)	86	$\backslash$ nupuparrows (𠂇)	83	$\backslash$ nvdash (𠂇)	59
$\backslash$ nUparrow (𠂇)	82	$\backslash$ nupVDash (𠂇)	61	$\backslash$ nvdash (𠂇)	65
$\backslash$ nuparrow (𠂇)	86	$\backslash$ nupVdash (𠂇)	61	$\backslash$ nvDdash (𠂇)	61
$\backslash$ nuparrow (𠂇)	82	$\backslash$ nupVdash (𠂇)	59	$\backslash$ nveeeq (𠂇)	61
$\backslash$ nuparrowtail (𠂇)	86	$\backslash$ nupvDash (𠂇)	61	$\backslash$ nvinfy (𠂇)	128
$\backslash$ nuparrowtail (𠂇)	82	$\backslash$ nupvdash (𠂇)	61	$\backslash$ nVleftarrow (𠂇)	90
$\backslash$ nupAssert (𠂇)	61	$\backslash$ nupvdash (𠂇)	59	$\backslash$ nVleftarrow (𠂇)	93
$\backslash$ nupassert (𠂇)	61	$\backslash$ nupwavearrow (𠂇)	87	$\backslash$ nvLeftarrow (𠂇)	93
$\backslash$ nupbkarrow (𠂇)	86	$\backslash$ Nursey (𠂇)	230	$\backslash$ nvleftarrow (𠂇)	93
$\backslash$ nupblackspoon (𠂇)	97	nut and bolt (𠂇)	234	$\backslash$ nVleftarrowtail (𠂇)	93
$\backslash$ nUpDownarrow (𠂇)	86	$\backslash$ nuup (v)	102	$\backslash$ nvleftarrowtail (𠂇)	93
$\backslash$ nUpDownarrow (𠂇)	82	$\backslash$ nUparrow (𠂇)	87	$\backslash$ nVleftarrowtail (𠂇)	93
$\backslash$ nupdownarrow (𠂇)	86	$\backslash$ nvardownwavearrow (𠂇)	87	$\backslash$ nVleftarrowtail (𠂇)	93
$\backslash$ nupdownarrow (𠂇)	82	$\backslash$ nvargeq (𠂇)	71	$\backslash$ nvLeftarrowtail (𠂇)	93
$\backslash$ nupdownarrows (𠂇)	86	$\backslash$ nvarhookdownarrow (𠂇)	87	$\backslash$ nvlongdash (𠂇)	62
$\backslash$ nupdownarrows (𠂇)	82	$\backslash$ nvarhookleftarrow (𠂇)	87	$\backslash$ nVrightarrow (𠂇)	90
$\backslash$ nupdowncurvearrow (𠂇)	87	$\backslash$ nvarhooknearrow (𠂇)	87	$\backslash$ nVrightarrow (𠂇)	93
$\backslash$ nupdownharpoonleftright (𠂇)	88	$\backslash$ nvarhooknarrow (𠂇)	87	$\backslash$ nvRightarrow (𠂇)	93
$\backslash$ nupdownharpoonleftright (𠂇)	84	$\backslash$ nvarhookrightarrow (𠂇)	87	$\backslash$ nvRightarrow (𠂇)	93
$\backslash$ nupdownharpoonrightleft (𠂇)	88	$\backslash$ nvarhooksearrow (𠂇)	87	$\backslash$ nvRightarrowtail (𠂇)	93
$\backslash$ nupdownharpoonrightleft (𠂇)	84	$\backslash$ nvarhookswarrow (𠂇)	87	$\backslash$ nvrightarrowtail (𠂇)	93
$\backslash$ nupdownharpoons (𠂇)	88	$\backslash$ nvarhookuparrow (𠂇)	87	$\backslash$ nVtwoheadleftarrow (𠂇)	93
$\backslash$ nupdownharpoons (𠂇)	84	$\backslash$ nvarisinobar (𠂇)	65	$\backslash$ nvtwoheadleftarrow (𠂇)	93
$\backslash$ nupdownharpoonsleftright (𠂇)	88	$\backslash$ nvarleftrighthwavearrow (𠂇)	87	$\backslash$ nVtwoheadleftarrowtail (𠂇)	93
$\backslash$ nupdownharpoonsleftright (𠂇)	84	$\backslash$ nvarleftwavearrow (𠂇)	87	$\backslash$ nVtwoheadleftarrowtail (𠂇)	93
$\backslash$ nupdownharpoonsleftright (𠂇)	88	$\backslash$ nvarleq (𠂇)	71	$\backslash$ nVtwoheadrightarrow (𠂇)	93
$\backslash$ nupdownharpoonsleftright (𠂇)	84	$\backslash$ nvarniobar (𠂇)	65	$\backslash$ nvtwoheadrightarrow (𠂇)	93
$\backslash$ nupdownharpoonsleftright (𠂇)	88	$\backslash$ nvarparallel (𠂇)	56	$\backslash$ nVtwoheadrightarrowtail (𠂇)	93
$\backslash$ nUpdownline (𠂇)	59	$\backslash$ nvarparallelinv (𠂇)	56	$\backslash$ nvtwoheadrightarrowtail (𠂇)	93
$\backslash$ nupdownline (𠂇)	59	$\backslash$ nvarrightwavearrow (𠂇)	87	$\backslash$ nvtwoheadrightarrowtail (𠂇)	93
$\backslash$ nupdownsquigarrow (𠂇)	87	$\backslash$ nvartriangleleft (𠂇)	77	$\backslash$ nVvash (𠂇)	57
$\backslash$ nupdownwavearrow (𠂇)	87	$\backslash$ nvartriangleright (𠂇)	77	$\backslash$ nVvdash (𠂇)	61
$\backslash$ nupfilledspoon (𠂇)	96	$\backslash$ nvarupdownwavearrow (𠂇)	87	$\backslash$ Nwarrow (𠂇)	79
$\backslash$ nupfootline (𠂇)	59	$\backslash$ nvarupwavearrow (𠂇)	87	$\backslash$ Nwarrow (𠂇)	89
$\backslash$ nupfree (𠂇)	59	$\backslash$ nVbar (𠂇)	62	$\backslash$ Nwarrow (𠂇)	85
$\backslash$ nupharpoonccw (𠂇)	84	$\backslash$ nvBar (𠂇)	62	$\backslash$ Nwarrow (𠂇)	80
$\backslash$ nupharpooncw (𠂇)	84	$\backslash$ nVDash (𠂇)	57	$\backslash$ Nwarrow (𠂇)	91
$\backslash$ nupharpoonleft (𠂇)	88	$\backslash$ nVDash (𠂇)	55	$\backslash$ narrow (𠂇)	79
$\backslash$ nupharpoonright (𠂇)	88	$\backslash$ nVDash (𠂇)	63	$\backslash$ narrow (𠂇)	91
$\backslash$ nuplcurvearrow (𠂇)	87	$\backslash$ nVDash (𠂇)	62	$\backslash$ narrow (𠂇)	79
$\backslash$ nupleftcurvedarrow (𠂇)	87	$\backslash$ nVDash (𠂇)	59	$\backslash$ narrow (𠂇)	78, 284
$\backslash$ nuplsquigarrow (𠂇)	87	$\backslash$ nVDash (𠂇)	65	$\backslash$ narrow (𠂇)	85
$\backslash$ nuplsquigarrow (𠂇)	82	$\backslash$ nVDash (𠂇)	57	$\backslash$ narrow (𠂇)	80
$\backslash$ nUpmapsto (𠂇)	87	$\backslash$ nVDash (𠂇)	56	$\backslash$ narrow (𠂇)	95
$\backslash$ nupmapsto (𠂇)	87	$\backslash$ nVDash (𠂇)	63	$\backslash$ narrow (𠂇)	91
$\backslash$ nupmapsto (𠂇)	82	$\backslash$ nVDash (𠂇)	62	$\backslash$ narrowcorner (𠂇)	89
$\backslash$ nupModels (𠂇)	59	$\backslash$ nVDash (𠂇)	59	$\backslash$ narrowtail (𠂇)	85
$\backslash$ nupmodels (𠂇)	61	$\backslash$ nVDash (𠂇)	65	$\backslash$ narrowtail (𠂇)	80
$\backslash$ nupmodels (𠂇)	59	$\backslash$ nvDash (𠂇)	57	$\backslash$ nwbkarrow (𠂇)	85
$\backslash$ nuppitchfork (𠂇)	98	$\backslash$ nvDash (𠂇)	55	$\backslash$ nwedgeq (𠂇)	61
$\backslash$ nuppitchfork (𠂇)	96	$\backslash$ nvDash (𠂇)	63	$\backslash$ nwfilledspoon (𠂇)	96
$\backslash$ nuprcurvearrow (𠂇)	87	$\backslash$ nvDash (𠂇)	62	$\backslash$ nwfootline (𠂇)	57
$\backslash$ nuprightcurvearrow (𠂇)	87	$\backslash$ nvDash (𠂇)	59	$\backslash$ nwfree (𠂇)	57
$\backslash$ nuprsquigarrow (𠂇)	88	$\backslash$ nvDash (𠂇)	65	$\backslash$ nwharpoonccw (𠂇)	83
$\backslash$ nuprsquigarrow (𠂇)	82	$\backslash$ nvdash (𠂇)	57	$\backslash$ nwharpooncw (𠂇)	83

<code>\nwharpoonne</code> ( $\curvearrowright$ )	88	<code>\obot</code> ( $\oplus$ )	40	<code>\oiintctrlockwise</code> ( $\iint$ )	45
<code>\nwharpoons</code> ( $\curvearrowright$ )	88	<code>\obot</code> ( $\oplus$ )	41	<code>\oiintsl</code> ( $\iint$ )	51
<code>\nwhiteblackspoon</code> ( $\blacklozenge$ )	97	<code>\obrbrak</code> ( $\_$ )	132	<code>\oiintup</code> ( $\iint$ )	51
<code>\nwlcurevarrow</code> ( $\curvearrowright$ )	86	<code>\obslash</code> ( $\oslash$ )	33	<code>\oiint</code> ( $\iint$ )	45
<code>\nwlsquigarrow</code> ( $\curvearrowright$ )	80	<code>\obslash</code> ( $\oslash$ )	40	<code>\oiint</code> ( $\iint$ )	44
<code>\nwmapsto</code> ( $\curvearrowright$ )	80	<code>\obslash</code> ( $\oslash$ )	40	<code>\oiint</code> ( $\iint$ )	46
<code>\nwModels</code> ( $\curvearrowright$ )	58	<code>\obslash</code> ( $\oslash$ )	41	<code>\oiint</code> ( $\iint$ )	52
<code>\nwmodels</code> ( $\curvearrowright$ )	57	<code>\oc</code> ( $\circ$ )	31	<code>\oiint</code> ( $\iint$ )	46
<code>\nwnwarrows</code> ( $\curvearrowright$ )	85	<code>\ocirc</code> ( $\odot$ )	38	<code>\oiint</code> ( $\iint$ )	48
<code>\nwnwarrows</code> ( $\curvearrowright$ )	80	<code>\ocirc</code> ( $\odot$ )	39	<code>\oiint</code> ( $\iint$ )	54
<code>\nwovnearrow</code> ( $\curvearrowright$ )	91	<code>\ocirc</code> ( $\odot$ )	39	<code>\oiint</code> ( $\iint$ )	47
<code>\nwpitchfork</code> ( $\curvearrowright$ )	96	<code>\ocircle</code> ( $\circ$ )	33	<code>\oiint</code> ( $\iint$ )	49
<code>\nwrcurvearrow</code> ( $\curvearrowright$ )	86	<code>\ocoasterisk</code> ( $\otimes$ )	38	<code>\oiintclockwise</code> ( $\iint$ )	46
<code>\nwrsquigarrow</code> ( $\curvearrowright$ )	80	<code>\ocommatopright</code> ( $\blacktriangleright$ )	115	<code>\oiintctrlockwise</code> ( $\iint$ )	46
<code>\Nwsearrow</code> ( $\curvearrowright$ )	85	<code>\octagon</code> ( $\square$ )	156	<code>\oiintsl</code> ( $\iint$ )	51
<code>\Nwsearrow</code> ( $\curvearrowright$ )	80	octonions ( $\mathbb{O}$ )	<i>see</i> alphabets, math	<code>\oiintup</code> ( $\iint$ )	51
<code>\nwsearrow</code> ( $\curvearrowright$ )	284	octopus ( $\octopus$ )	209	oil drum ( $\barrel$ )	234
<code>\nwsearrow</code> ( $\curvearrowright$ )	85	<code>\Octosteel</code> ( $\bullet$ )	143	<code>\oint</code> ( $\oint$ )	45
<code>\nwsearrow</code> ( $\curvearrowright$ )	80	<code>\od</code> ( $\odot$ )	24	<code>\oint</code> ( $\oint$ )	44
<code>\nwsearrow</code> ( $\curvearrowright$ )	91	<code>\odash</code> ( $\ominus$ )	40	<code>\oint</code> ( $\oint$ )	44
<code>\nwsearrows</code> ( $\curvearrowright$ )	85	oden ( $\odot$ )	210	<code>\oint</code> ( $\oint$ )	43
<code>\nwsearrows</code> ( $\curvearrowright$ )	80	<code>\odiv</code> ( $\odot$ )	38	<code>\oint</code> ( $\oint$ )	53
<code>\nwsebipropto</code> ( $\odot$ )	35	<code>\odiv</code> ( $\odot$ )	41	<code>\oint</code> ( $\oint$ )	48
<code>\nwsecrossing</code> ( $\oplus$ )	58	<code>\odot</code> ( $\odot$ )	38	<code>\oint</code> ( $\oint$ )	47
<code>\nwsecurvearrow</code> ( $\curvearrowright$ )	86	<code>\odot</code> ( $\odot$ )	40	<code>\oint</code> ( $\oint$ )	49
<code>\nwseharpoonnesw</code> ( $\curvearrowright$ )	88	<code>\odot</code> ( $\odot$ )	39	<code>\ointclockwise</code> ( $\oint$ )	45
<code>\nwseharpoonnesw</code> ( $\curvearrowright$ )	83	<code>\odot</code> ( $\odot$ )	41	<code>\ointclockwise</code> ( $\oint$ )	53
<code>\nwseharpoons</code> ( $\curvearrowright$ )	88	<code>\odot</code> ( $\odot$ )	41	<code>\ointclockwise</code> ( $\oint$ )	46
<code>\nwseharpoons</code> ( $\curvearrowright$ )	83	<code>\odotslashdot</code> ( $\odot$ )	41	<code>\ointclockwise</code> ( $\oint$ )	49
<code>\nwseharpoonswne</code> ( $\curvearrowright$ )	88	<code>\odplus</code> ( $\oplus$ )	38	<code>\ointclockwise</code> ( $\oint$ )	54
<code>\nwseharpoonswne</code> ( $\curvearrowright$ )	83	<code>\OE</code> ( $\mathbb{E}$ )	16, 296	<code>\ointctrlockwise</code> ( $\oint$ )	45
<code>\Nwseline</code> ( $\curvearrowright$ )	58	<code>\oe</code> ( $\mathbb{E}$ )	16, 296	<code>\ointctrlockwise</code> ( $\oint$ )	53
<code>\Nwseline</code> ( $\curvearrowright$ )	58	<code>\oequal</code> ( $\ominus$ )	40	<code>\ointctrlockwise</code> ( $\oint$ )	46
<code>\nwspoon</code> ( $\curvearrowright$ )	96	<code>\Ofen</code> ( $\boxminus$ )	229	<code>\ointctrlockwise</code> ( $\oint$ )	49
<code>\nwVdash</code> ( $\curvearrowright$ )	58	office building ( $\office$ )	234	<code>\ointctrlockwise</code> ( $\oint$ )	54
<code>\nwvdash</code> ( $\curvearrowright$ )	58	office worker ( $\office$ )	234	<code>\ointctrlockwise</code> ( $\oint$ )	49
		<code>\officialeuro</code> ( $\mathbb{E}$ )	28	<code>\ointctrlockwise</code> ( $\oint$ )	54
		<code>\offinterlineskip</code>	282	<code>\ointctrlockwise</code> ( $\oint$ )	49
		ogonek (package)	25, 298, 299	<code>\ointctrlockwisesl</code> ( $\oint$ )	51
		ogonek ( $\ogonek$ )	<i>see</i> accents	<code>\ointctrlockwiseup</code> ( $\oint$ )	51
		ogre ( $\ogre$ )	234	<code>\oints1</code> ( $\oint$ )	51
		<code>\ogreaterthan</code> ( $\ominus$ )	33	<code>\ointup</code> ( $\oint$ )	51
		<code>\ogreaterthan</code> ( $\ominus$ )	40	OK button ( $\ok$ )	234
		<code>\ogreaterthan</code> ( $\ominus$ )	41	OK hand ( $\ok$ )	234
		<code>\ohill</code> ( $\hill$ )	24	<code>\olcross</code> ( $\otimes$ )	41
		ohm	<i>see</i> <code>\textohm</code>	old key ( $\oldkey$ )	234
		<code>\ohm</code> ( $\Omega$ )	136	old man ( $\oldman$ )	234
		<code>\Ohne</code> ( $\ohne$ )	178	old woman ( $\oldwoman$ )	234
		<code>\OHORN</code> ( $\mathbb{O}$ )	17	old-arrows (package)	95, 298
		<code>\ohorn</code> ( $\sigma$ )	17	old-style numerals	29
		<code>\oiint</code> ( $\iint$ )	45	<code>\olddwinkey</code> ( $\olddwinkey$ )	230
		<code>\oiint</code> ( $\iint$ )	52	older person ( $\oldperson$ )	234
		<code>\oiint</code> ( $\iint$ )	48		
		<code>\oiint</code> ( $\iint$ )	54	<code>\oldGclef</code> ( $\oldGclef$ )	176
		<code>\oiint</code> ( $\iint$ )	49	<code>\oldIm</code> ( $\Im$ )	100
		<code>\oiintclockwise</code> ( $\iint$ )	45	<code>\oldRe</code> ( $\Re$ )	100
				<code>\oldstylenums</code>	29







<code>\oldWinkey</code> (☺) . . . . .	230	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimes</code> (⊗) . . . . .	40
<code>\oleft</code> (⊕) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimes</code> (⊗) . . . . .	39
<code>\oleft</code> (⊕) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimes</code> (⊗) . . . . .	39
<code>\olessthan</code> (⊖) . . . . .	33	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimes</code> (⊗) . . . . .	41
<code>\olessthan</code> (⊖) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimeshat</code> (⊗̂) . . . . .	41
<code>\olessthan</code> (⊖) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimeslhrim</code> (⊗̄) . . . . .	37
olive (🫒) . . . . .	210	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otimeslhrim</code> (⊗̄) . . . . .	37
Olschok, Marc . . . . .	280	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otop</code> (⊕) . . . . .	38
<code>\OM</code> (ω) . . . . .	141	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otop</code> (⊕) . . . . .	38
<code>\om</code> (🍷) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otriangle</code> (⊕) . . . . .	40
<code>\Omega</code> (Ω) . . . . .	101	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otriangle</code> (⊕) . . . . .	39, 76
<code>\omega</code> (ω) . . . . .	101	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\otriangleup</code> (⊕) . . . . .	38
<code>\omegaupt</code> (ω) . . . . .	102	<code>\opluslhrim</code> (⊕) . . . . .	37	otter (🦉) . . . . .	209
<code>\Omicron</code> (O) . . . . .	101	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\oturnedcomma</code> (⌘) . . . . .	115
<code>\omicron</code> (o) . . . . .	101	<code>\opluslhrim</code> (⊕) . . . . .	37	outbox tray (📧) . . . . .	235
<code>\ominus</code> (⊖) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37	outer joins . . . . .	132
<code>\ominus</code> (⊖) . . . . .	32	<code>\opluslhrim</code> (⊕) . . . . .	37	ovals . . . . .	160, 186–191, 255–257, 261–262, 273
<code>\ominus</code> (⊖) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\ovee</code> (∩) . . . . .	33
<code>\ominus</code> (⊖) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\ovee</code> (∩) . . . . .	40
<code>\ominus</code> (⊖) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\Oven</code> (🍲) . . . . .	229
<code>\ominus</code> (⊖) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\oven</code> (🍲) . . . . .	229
ON arrow (👉) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overarc</code> (⤵) . . . . .	25
oncoming automobile (🚗) . . . . .	203	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbat</code> (⚡) . . . . .	116
oncoming bus (🚌) . . . . .	203	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbat*</code> (⚡) . . . . .	116
oncoming fist (👊) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	119
oncoming police car (🚔) . . . . .	203	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	118
oncoming taxi (🚕) . . . . .	203	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	118
one o'clock (🕒) . . . . .	208	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	119
one-piece swimsuit (👙) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	119
one-thirty (🕒) . . . . .	208	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	119
onion (🧅) . . . . .	210	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	117
<code>\onlymove</code> (□) . . . . .	199	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	119
<code>\oo</code> (oo) . . . . .	213	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbrace</code> (⏟) . . . . .	117
<code>\oo</code> (oo) . . . . .	20	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbracket</code> (⏟) . . . . .	119
<code>\ooalign</code> . . . . .	282	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbracket</code> (⏟) . . . . .	119
<code>\open</code> (.) . . . . .	26	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbracket</code> (⏟) . . . . .	286, 287
open book (📖) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overbridge</code> (⤵) . . . . .	24
open file folder (📁) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overgroup</code> (⏟) . . . . .	119
open hands (👐) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overgroup</code> (⏟) . . . . .	118
open mailbox with lowered flag (📧) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overgroup</code> (⏟) . . . . .	118
open mailbox with raised flag (📧) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftarrow</code> (↔) . . . . .	119
open unit disk (📀) . . . . .	<i>see</i> alphabets, math	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftarrow</code> (↔) . . . . .	95, 117
<code>\openJoin</code> (×) . . . . .	56	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftbroom</code> (🧹) . . . . .	123
<code>\openo</code> (o) . . . . .	21	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftflutteringbat</code> (🦇) . . . . .	124
<code>\openo</code> (o) . . . . .	20	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overlefttharp</code> (♯) . . . . .	94
<code>\openo</code> (o) . . . . .	21	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overlefttharpdown</code> (♯) . . . . .	94
<code>\opentimes</code> (×) . . . . .	56	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overlefttharpnoon</code> (♯) . . . . .	118
OpenType . . . . .	174	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overlefttharpnoon</code> (♯) . . . . .	118
operators . . . . .	31–34, 38, 39	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overlefttharpnoon</code> (♯) . . . . .	119
binary . . . . .	32–41	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftpitchfork</code> (⚡) . . . . .	123
logical <i>see</i> logical operators		<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftrightarrow</code> (↔) . . . . .	119
set . . . . .	<i>see</i> set operators	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftrightarrow</code> (↔) . . . . .	95, 118
unary . . . . .	31	<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\overleftswishingghost</code> (👻) . . . . .	124
<code>\operp</code> (⊕) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37		
Ophiuchus (♏) . . . . .	234	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplotsymb1</code> (package) . . . . .	161, 162, 298, 299	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	31, 32, 280	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oplus</code> (⊕) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\opluslhrim</code> (⊕) . . . . .	37	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\opposbishops</code> (♠♠) . . . . .	199	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\Opposition</code> (♠) . . . . .	140	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\opposition</code> (♠) . . . . .	137	<code>\opluslhrim</code> (⊕) . . . . .	37		
optical disk (📀) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
optical scaling . . . . .	288	<code>\opluslhrim</code> (⊕) . . . . .	37		
options . . . . .	<i>see</i> package options	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\OR</code> (V) . . . . .	141	<code>\opluslhrim</code> (⊕) . . . . .	37		
or . . . . .	<i>see</i> \vee	<code>\opluslhrim</code> (⊕) . . . . .	37		
OR gates . . . . .	142	<code>\opluslhrim</code> (⊕) . . . . .	37		
orange book (📖) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
orange circle (🟠) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
orange heart (🧡) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
orange square (🟠) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
orangutan (🦒) . . . . .	209	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\orbit</code> (↻) . . . . .	145	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\ORd</code> (⏏) . . . . .	142	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oright</code> (⊕) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oright</code> (⊕) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\origof</code> (→) . . . . .	97	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\origof</code> (→) . . . . .	64	<code>\opluslhrim</code> (⊕) . . . . .	37		
oriscus . . . . .	<i>see</i> musixgre	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\ORl</code> (⏏) . . . . .	142	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\OrnamentDiamondSolid</code> (◆) . . . . .	163	<code>\opluslhrim</code> (⊕) . . . . .	37		
ornaments . . . . .	154–156, 162, 163, 260–262, 264–268	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\ORr</code> (⏏) . . . . .	142	<code>\opluslhrim</code> (⊕) . . . . .	37		
orthodox cross (✙) . . . . .	235	<code>\opluslhrim</code> (⊕) . . . . .	37		
orthogonal to . . . . .	<i>see</i> \bot	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\ORu</code> (⏏) . . . . .	142	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	32	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	40	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\oslash</code> (⊘) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\ostar</code> (⊗) . . . . .	39	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\osum</code> (∑) . . . . .	48, 49	<code>\opluslhrim</code> (⊕) . . . . .	37		
.otf files . . . . .	174	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\Otimes</code> (⊗) . . . . .	41	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\otimes</code> (⊗) . . . . .	38	<code>\opluslhrim</code> (⊕) . . . . .	37		
<code>\otimes</code> (⊗) . . . . .	32	<code>\opluslhrim</code> (⊕) . . . . .	37		



`\overleftwitonbroom` () . . . . . 124  
`\overleftwitonbroom*` () . . . . . 124  
`\overleftwitonpitchfork` () . . . . . 124  
`\overleftwitonpitchfork*` () . . . . . 124  
`\overline` () . . . . . 31, 114, 117  
`\overlinesegment` () . . . . . 118  
`\overlinesegment` () . . . . . 118  
`\overparen` () . . . . . 119  
`\overparenthesis` () 286, 287  
`\Overrightarrow` () . . . . . 117  
`overrightarrow` (package) 117, 298  
`\overrightarrow` () . . . . . 119  
`\overrightarrow` () . 95, 117  
`\overrightarrowbroom` () . . . . . 123  
`\overrightarrowflutteringbat` () . . . . . 124  
`\overrightarrowharp` () . . . . . 94  
`\overrightarrowharpdown` () . . 94  
`\overrightarrowharpoon` () . . . . . 118  
`\overrightarrowharpoon` () . . . . . 118  
`\overrightarrowharpoon` () . . . . . 119  
`\overrightarrowpitchfork` () . 123  
`\overrightarrowswishingghost` () . . . . . 124  
`\overrightarrowwitonbroom` () . . . . . 124  
`\overrightarrowwitonbroom*` () . . . . . 124  
`\overrightarrowwitonpitchfork` () . . . . . 124  
`\overrightarrowwitonpitchfork*` () . . . . . 124  
`\overrering` () . . . . . 26  
`\overscriptleftarrow` () 123  
`\overscriptleftrightarrow` () . . . . . 123  
`\overscriptrightarrow` () 123  
`\overset` . . . . . 281  
`\overt` () . . . . . 39  
`\overt` () . . . . . 39  
`\ovhook` () . . . . . 115  
`\ovoid` () . . . . . 38  
`\owedge` () . . . . . 33  
`\owedge` () . . . . . 40  
`owl` () . . . . . 209  
`\owns` . . . . . *see* `\ni`  
`\owns` ( $\ni$ ) . . . . . 104  
`\owns` ( $\ni$ ) . . . . . 60, 105  
`\owns` ( $\ni$ ) . . . . . 105  
`\owns` ( $\ni$ ) . . . . . 104

`\owns` ( $\ni$ ) . . . . . 64  
`\ownsbar` ( $\ni$ ) . . . . . 104  
`ox` () . . . . . 209  
`oyster` () . . . . . 209

## P

`P` () . . . . . 173  
`\P` () . . . . . 16, 295  
`\P` () . . . . . 16  
`\p` () . . . . . 173  
`\p` ( $\cdot$ ) . . . . . 213  
`p` ( $\kern-0.25ex\text{\textcircled{P}}$ ) . . . . . 173  
`P button` () . . . . . 235  
`\p@` . . . . . 285  
`package` () . . . . . 235  
`package options`  
    `a` (esvect) . . . . . 120  
    `arrows` (boisik) . . . . . 90  
    `b` (esvect) . . . . . 120  
    `bbgreekl` (mathbbol) . . . . . 135  
    `boondox` (emf) . . . . . 137  
    `c` (esvect) . . . . . 120  
    `cal` (emf) . . . . . 137  
    `calligra` (emf) . . . . . 137  
    `chorus` (emf) . . . . . 137  
    `cmr` (emf) . . . . . 137  
    `crescent` (fge) . . . . . 115  
    `d` (esvect) . . . . . 120  
    `e` (esvect) . . . . . 120  
    `f` (esvect) . . . . . 120  
    `fourier` (emf) . . . . . 137  
    `fourcursive` (emf) . . . . . 137  
    `g` (esvect) . . . . . 120  
    `german` (keystroke) . . . . . 141  
    `greek` (babel) 17, 101, 102, 170  
    `h` (esvect) . . . . . 120  
    `heartctrbull` (bullcntr) . . . . . 212  
    `integrals` (wasysym) . . . . . 44  
    `largectrbull` (bullcntr) . . . . . 212  
    `mathcal` (euscript) . . . . . 134  
    `mathscr` (euscript) . . . . . 134  
    `mathscr` (urwchancal) . . . . . 134  
    `miamia` (emf) . . . . . 137  
    `new` (old-arrows) . . . . . 95  
    `noeuro` (wasysym) . . . . . 27  
    `nointegrals` (wasysym) . . . . . 44  
    `polutonikogreek` (babel) 17, 101, 102  
    `rsfs` (emf) . . . . . 137  
    `sans` (dsfont) . . . . . 134  
    `scaled` (CountriesOfEurope) . . . . . 221  
    `scr` (rsfso) . . . . . 134  
    `smallctrbull` (bullcntr) . . . . . 212  
    `smartctrbull` (bullcntr) . . . . . 212  
    `upint` (stix) . 42, 43, 50, 52  
    `utf8x` (inputenc) . . . . . 296  
    `varg` (txfonts/pxfonts) . 103









































## packages

`abraces` . . . . . 120, 298, 299  
`accents` . 114, 286, 298, 299  
`actuarialangle` 121, 286, 298, 299  
`actuarialsymbol` . . . . . 286  
`adorn` . 147, 155, 156, 162, 163, 298, 299  
`adfsymbols` . 147, 151, 155, 160, 298  
`allrunes` . . . . . 173, 298  
`AMS` . . . . . 13, 16, 32, 43, 55, 67, 70, 75, 78, 79, 95, 99, 101, 103, 104, 106, 108, 114, 118, 121, 125, 129, 130, 135, 277, 278, 297  
`amsbsy` . . . . . 292  
`amsfonts` . . . . . 130, 134  
`amsmath` . 13, 53, 99, 114, 281, 291  
`amssymb` 13, 114, 130, 134, 170, 298, 299  
`amstext` . . . . . 283, 284  
`apl` . . . . . 141, 298  
`ar` . . . . . 136, 298, 299  
`arcs` . . . . . 25, 298, 299  
`arev` . . . . . 147, 149, 150, 152, 175, 194, 229, 298  
`ascii` . . . . . 142, 293, 298, 299  
`astrosym` . . . . . 257, 298  
`babel` . . . . . 17, 101, 102, 170  
`bartel-chess-fonts` . 275, 276, 298  
`bbding` . 146, 149–152, 154, 160, 163, 278, 298, 299  
`bbm` . . . . . 134, 298  
`bbold` . . . . . 134, 298  
`bclogo` . . . . . 246, 298, 299  
`begriff` . . . . . 127, 298  
`bigints` . . . . . 47, 298, 299  
`bm` . . . . . 292, 298, 299  
`boisik` . . . . . 36, 40, 49, 62, 63, 69, 74, 77, 89, 90, 103–106, 115, 129, 132, 157, 170, 174, 194, 298, 299  
`braket` . . . . . 107  
`bullcntr` . . . . . 212, 298, 299  
`bulenum` . . . . . 212  
`calligra` . . . . . 134, 298, 299  
`calrsfs` . . . . . 134  
`cancel` . . . . . 117  
`ccicons` . . . . . 29, 298, 299  
`ccllicenses` . . . . . 29, 298, 299  
`centernot` . . . . . 283  
`chancery` . . . . . 298  
`chemarr` . . . . . 121, 298, 299  
`chemarrow` . . . . . 94, 122, 298  
`ChemA2e` . . . . . 27, 100, 135, 216–218

china2e . . . . 134, 298, 299  
clock . . . . . 208, 298, 299  
cml 31, 38, 54, 67, 106, 298  
cmupint . . 52, 53, 298, 299  
colonequals 31, 67, 298, 299  
combelow . . . 26, 298, 299  
cookingsymbols . . 229, 298, 299  
countriesofeuope 219, 298, 299  
cryst . . . . . 273, 298  
cypriot . . . . . 169, 298, 299  
dancers . . . . . 268, 298  
dblacnt . . . . . 285  
dice . . . . . 274, 298  
dictsym . . . . 214, 298, 299  
dingbat 149, 150, 162, 264, 278, 298, 299  
DotArrow . . . 122, 298, 299  
dozenal 128, 212, 298, 299  
dsfont . . . . . 134, 298  
dsserif . . . . . 134, 298  
emf . . . . . 137, 298, 299  
endofproofwd . . . 132, 298  
epiolmec 171, 172, 298, 299  
epsdice . . . . . 196, 298, 299  
esint . . . . . 46, 298  
esrelation . . . 95, 123, 298  
esvect . . . . . 120, 298  
euflag . . . . . 223, 298, 299  
eufrak . . . . . 134  
eurosym . . . . 28, 298, 299  
euscript . . . . 134, 298, 299  
extarrows . . . 122, 298, 299  
extpfeil . . . . 122, 298, 299  
extraipa . . . . . 24, 298  
fc . . . . . 17, 22  
fclfont . . . . . 298  
fdsymbol . . . . . 35, 36, 39, 40, 48, 49, 60, 61, 69, 73, 77, 84–88, 97, 98, 103, 105, 110, 111, 115, 118, 126, 129, 131, 157, 174, 194, 298, 299  
feyn . . . . . 144, 298, 299  
fge . 94, 106, 115, 128, 133, 298, 299  
fixmath . . . . . 292  
fontawesome . . 27, 28, 138, 144, 148, 149, 151, 153, 156, 161, 250, 253, 298, 299  
fontenc 13, 16, 18, 22, 294  
fontspec . . . . . 174, 297  
fourier 28, 67, 102, 106, 113, 120, 150, 156, 205, 298  
frege . . . . . 127, 298, 299  
gensymb . . . . . 136  
go . . . . . 201, 298  
graphics . . . . . 94, 280  
graphicx . 25, 277, 280, 285  
greenpoint . . . . . 255, 298  
halloweenmath 41, 98, 116, 123, 124, 298, 299  
hands . . . . . 255, 298  
harmony 176, 178, 298, 299  
harpoon . . . . 94, 298, 299  
hhcount 196, 211, 298, 299  
hieroglf . . . . 165, 298, 299  
holtplt . . . . . 125, 298  
ifsym . . 136, 159, 160, 197, 206, 207, 212, 213, 278, 280, 298, 299  
igo . . . . . 200, 298  
inputenc . . . . . 296  
isoent . . . . . 294  
junicode . . . . . 297, 298  
keystroke . . . 141, 298, 299  
knitting . . . . 219, 298, 299  
knot . . . . . 264, 268, 298  
latexsym 32, 54, 67, 78, 130, 277, 298, 299  
lilyglyphs . . 174, 178–186, 191–193  
lilyglyphs . . . . . 298  
linearA . . . . . 165, 298, 299  
linearb . 168, 169, 298, 299  
logic . . . . . 142  
longdiv . . . . . 117  
magic . . . . . 275, 298  
manfnt . . . . . 204, 298, 299  
marvosym . . . . . 26, 27, 128, 138, 141, 143, 144, 148, 152, 205, 217, 278  
mathabx . . . 31, 34, 38, 44, 56, 57, 68, 71, 76, 79, 80, 99, 104, 106, 108, 114, 119, 128, 130, 138, 213, 277, 278, 298, 299  
mathbbol . . . . . 134, 135  
mathcomp . . . . . 127  
mathdesign 27, 38, 54, 105, 112, 133, 298  
mathdots . . 114, 125, 126, 285, 298, 299  
mathrsfs . . . . . 134, 298  
mathspec . . . . . 101  
mathtools . 31, 65, 95, 119, 121, 298, 299  
mbboard . . . . 134, 135, 298  
mdwmath . . . 121, 298, 299  
metre 25, 114, 213, 298, 299  
milstd . . . . . 142, 298, 299  
mismatch . . . . . 100, 298  
MnSymbol . . . . . 31, 34, 35, 39, 47, 48, 57–59, 68, 72, 76, 80–84, 96, 97, 103, 104, 109, 115, 117, 118, 126, 129, 131, 157, 174, 194, 298, 299  
moonphase . . . . . 257, 298  
musicography 177, 298, 299  
musixgre . . . . . 176  
musixlit . . . . . 176  
musixper . . . . . 176  
musixtex . . . . . 298, 299  
nath . . . . . 107, 113, 298  
nicefrac . . . . 133, 298, 299  
niceframe . . . 261–264, 268  
nkarta . . . . . 255, 298  
ntheorem . . . . . 130  
ogonek . . . . . 25, 298, 299  
old-arrows . . . . . 95, 298  
oplotsymb . 161, 162, 298, 299  
overrightarrow . . . 117, 298  
phaistos . . . . 164, 298, 299  
phonetic . . 21, 24, 281, 298  
pict2e . . . . . 137  
pifont . . . . . 18, 146, 149–153, 155, 160, 163, 255, 261, 272, 280, 298, 299  
pigpen . . . . . 216, 298, 299  
plimsoll 136, 282, 298, 299  
pmbboxdraw . . 215, 298, 299  
polynom . . . . . 117  
prodint . . . . . 54, 298  
protosem . . . 164, 298, 299  
psnfss . . . . . 153  
PSTricks . . . . . 246  
pxfonts . . . . . 31, 33, 45, 56, 68, 70, 79, 98, 102–104, 130, 134, 194, 277, 293  
realhats . . . . 116, 298, 299  
recycle . . . . . 218, 298  
resize . . . . . 25  
rojud . . 222, 223, 298, 299  
rotating . . . . . 29, 141  
rsfso . . . . . 134, 298  
rubikcube . . . 254, 298, 299  
sarabian . . . . 170, 298, 299  
savesym . . . . . 277  
scalrel . . . . . 285  
scsnowman . . 245, 298, 299  
semaphor . . . 271, 272, 298  
semtrans . . 21, 25, 298, 299  
shuffle . . . . . 38, 298, 299  
simplewick . . . . . 287  
simpsons . . . . . 214, 298  
skak . . . 199, 200, 298, 299  
skull . . . . . 213, 298, 299  
slashed . . . . . 282, 283  
soyombo . . . . 218, 298, 299  
stackengine . . . . . 285  
starfont . . . . 140, 298, 299  
staves . . . . . 215, 298  
steinmetz . . . 137, 298, 299  
stix . . . . . 37, 41, 42, 49, 51, 63–65, 69, 74, 75,



pause button (⏸)	235	performing arts (🎭)	235	petri dish (🧫)	236
paw prints (🐾)	209	permanent paper	217	\Pfanne (🍲)	229
pawn	199, 200, 275–277	\permil (‰)	30	\Pfund (ℳ)	27
\PD (⏏)	141	\Perp (⊥)	56	\PgDown (⏴)	141
PDF	174, 195, 204, 206, 208, 210, 211, 217, 229, 245	\Perp (⌋)	62	\PgUp (⏵)	141
.pdf files	294	\Perp (⌌)	67	phaistos (package)	164, 298, 299
pdfL <small>A</small> T <small>E</small> X	223, 297	\perp (⊥)	54, 284	Phaistos disk	164
\Peace (☮)	163	\perp (⊥)	60	pharmaceutical prescription	<i>see</i>
peace symbol (☮)	235	\perp (⊥)	58	\textrecipe	
\PeaceDove (☮)	205	\perp (⊥)	64	\PHarrow (↖)	164
peach (🍑)	210	\perps (⊥)	132	\phase (∠)	137
peacock (🦚)	209	persevering face (😓)	235	phasor	137
peanuts (🥜)	210	person (👤)	235	\PHbee (🐝)	164
pear (🍐)	210	person biking (🚲)	203	\PHbeehive (🐝)	164
\Ped (🚶)	175	person bouncing ball (🏀)	235	\PHboomerang (🏹)	164
\peeler (🔪)	229	person bowling (🎳)	235	\PHbow (🏹)	164
pen (🖋)	235	person cartwheeling (🤸)	235	\PHbullLeg (🐮)	164
\pencil (🖊)	149	person climbing (🧗)	235	\PHcaptive (👤)	164
pencil (🖊)	235	person facepalming (🤦)	235	\PHcarpentryPlane (∇)	164
\PencilLeft (↶)	149	person feeding baby (👶)	235	\PHcat (🐱)	164
\PencilLeftDown (↷)	149	person fencing (🥋)	235	\PHchild (👧)	164
\PencilLeftUp (↵)	149	person frowning (😞)	235	\PHclub (♣)	164
\PencilRight (↷)	149	person gesturing NO (🙅)	235	\PHcolumn (🏛)	164
\PencilRightDown (↶)	149	person gesturing OK (🙆)	235	\PHcomb (🪄)	164
\PencilRightUp (↵)	149	person getting haircut (💇)	235	\PHdodium (👤)	164
pencils	149, 150	person getting massage (💆)	235	\PHdove (🕊)	164
penguin (🐧)	209	person golfing (🏌)	235	\PHeagle (🦅)	164
pensive face (😞)	235	person in bed (🛏)	235	\PHflute (🎷)	164
\pentago (⬠)	161	person in lotus position (🧘)	235	\PHgauntlet (👤)	164
\pentagocross (⊠)	161	person in manual wheelchair (♿)	235	\PHgrater (🧂)	164
\pentagodot (⬡)	161	person in motorized wheelchair (♿)	236	\PHhelmet (🛡)	164
\pentagofill (🔴)	161	person in steamy room (🧴)	236	\PHhide (👤)	164
\pentagofillha (🔵)	162	person in suit levitating (🪄)	236	\PHhorn (🐂)	164
\pentagofillhb (🟠)	162	person in tuxedo (👔)	236	\Phi (Φ)	101
\pentagofillhl (🟡)	162	person juggling (🎪)	236	\phi (φ)	101
\pentagofillhr (🟢)	162	person kneeling (🧎)	236	\phimeson (φ)	145
\pentagolineh (⬢)	162	person lifting weights (🏋)	236	\phimesonnull (φ <sup>o</sup> )	145
\pentagolinev (⬣)	162	person mountain biking (🚵)	203	\phiup (φ)	102
\pentagolinevh (⬤)	162	person playing handball (🏐)	236	\PHlid (👤)	164
\pentagon (⬠)	159	person playing water polo (🏊)	236	\PHlily (🌸)	164
\pentagon (⬠)	156	person pouting (😡)	236	\PHmanacles (🔗)	164
\pentagonblack (⬛)	159	person raising hand (🙋)	236		
pentagons	161–162	person rowing boat (🚣)	203		
\Pentagram (★)	140	person running (🏃)	236		
\pentagram (★)	39	person shrugging (🤷)	236		
\pentam (—◡—◡—  —∪—∪—)	214	person standing (👤)	236		
\pentdot (⋅)	173	person surfing (🏄)	236		
\penteye (◊)	173	person swimming (🏊)	236		
people	<i>see</i> faces	person taking bath (🛀)	236		
people holding hands (👫)	235	person tipping hand (👉)	236		
people hugging (🤗)	235	person walking (🚶)	236		
people with bunny ears (🐰)	235	person wearing turban (👤)	236		
people wrestling (🤼)	235	person with skullcap (👤)	236		
percent sign	<i>see</i> \%	person with veil (👤)	236		
percussion	176	person with white cane (👤)	236		
		\perthousand (‰)	136		

<code>\PHmattock</code> (  ) . . . . . 164	<code>pigpen cipher</code> . . . . . 216	<code>\Pisymbol{astroSYM}{2}</code> (♀) . . . . . 257
<code>\Phone</code> (  ) . . . . . 163	<code>{\pigpenfont A}</code> (⌋) . . . . . 216	<code>\Pisymbol{astroSYM}{3}</code> (♁) . . . . . 257
<code>\phone</code> (  ) . . . . . 202	<code>{\pigpenfont B}</code> (⌌) . . . . . 216	<code>\Pisymbol{astroSYM}{4}</code> (♂) . . . . . 257
<code>\PhoneHandset</code> (  ) . . . . . 163	<code>{\pigpenfont C}</code> (⌍) . . . . . 216	<code>\Pisymbol{astroSYM}{5}</code> (4) . . . . . 257
phonetic (package) . 21, 24, 281, 298	<code>{\pigpenfont D}</code> (⌎) . . . . . 216	<code>\Pisymbol{astroSYM}{6}</code> (h) . . . . . 257
phonetic symbols . . . . . 18–21	<code>{\pigpenfont E}</code> (⌏) . . . . . 216	<code>\Pisymbol{astroSYM}{7}</code> (♁) . . . . . 257
<code>\phonon</code> (F) . . . . . 145	<code>{\pigpenfont F}</code> (⌐) . . . . . 216	<code>\Pisymbol{astroSYM}{8}</code> (H) . . . . . 257
<code>\photon</code> (  ) . . . . . 136	<code>{\pigpenfont G}</code> (⌑) . . . . . 216	<code>\Pisymbol{astroSYM}{9}</code> (P) . . . . . 257
photons . . . . . 136, 144–145	<code>{\pigpenfont H}</code> (⌒) . . . . . 216	<code>\Pisymbol{astroSYM}{10}</code> (C) . . . . . 257
<code>\PHoxBack</code> (  ) . . . . . 164	<code>{\pigpenfont I}</code> (⌓) . . . . . 216	<code>\Pisymbol{astroSYM}{11}</code> (V) . . . . . 257
<code>\PHpapyrus</code> (  ) . . . . . 164	<code>{\pigpenfont J}</code> (⌔) . . . . . 216	<code>\Pisymbol{astroSYM}{12}</code> (8) . . . . . 257
<code>\PHpedestrian</code> (  ) . . . . . 164	<code>{\pigpenfont K}</code> (⌕) . . . . . 216	<code>\Pisymbol{astroSYM}{13}</code> (II) . . . . . 257
<code>\PHplaneTree</code> (  ) . . . . . 164	<code>{\pigpenfont L}</code> (⌖) . . . . . 216	<code>\Pisymbol{astroSYM}{14}</code> (9) . . . . . 257
<code>\PHplumedHead</code> (  ) . . . . . 164	<code>{\pigpenfont M}</code> (⌗) . . . . . 216	<code>\Pisymbol{astroSYM}{15}</code> (d) . . . . . 257
<code>\PHram</code> (  ) . . . . . 164	<code>{\pigpenfont N}</code> (⌘) . . . . . 216	<code>\Pisymbol{astroSYM}{16}</code> (M) . . . . . 257
<code>\PHrosette</code> (  ) . . . . . 164	<code>{\pigpenfont O}</code> (⌙) . . . . . 216	<code>\Pisymbol{astroSYM}{17}</code> (n) . . . . . 257
<code>\PHsaw</code> (  ) . . . . . 164	<code>{\pigpenfont P}</code> (⌚) . . . . . 216	<code>\Pisymbol{astroSYM}{18}</code> (M) . . . . . 257
<code>\PHshield</code> (  ) . . . . . 164	<code>{\pigpenfont Q}</code> (⌛) . . . . . 216	<code>\Pisymbol{astroSYM}{19}</code> (A) . . . . . 257
<code>\PHship</code> (  ) . . . . . 164	<code>{\pigpenfont R}</code> (⌜) . . . . . 216	<code>\Pisymbol{astroSYM}{20}</code> (o) . . . . . 258
<code>\PHsling</code> (  ) . . . . . 164	<code>{\pigpenfont S}</code> (⌝) . . . . . 216	<code>\Pisymbol{astroSYM}{21}</code> (W) . . . . . 258
<code>\PHsmallAxe</code> (  ) . . . . . 164	<code>{\pigpenfont T}</code> (>) . . . . . 216	<code>\Pisymbol{astroSYM}{22}</code> (H) . . . . . 258
<code>\PHstrainer</code> (  ) . . . . . 164	<code>{\pigpenfont U}</code> (<) . . . . . 216	<code>\Pisymbol{astroSYM}{23}</code> (Z) . . . . . 258
<code>\PHtattooedHead</code> (  ) . . . . . 164	<code>{\pigpenfont V}</code> (^) . . . . . 216	<code>\Pisymbol{astroSYM}{24}</code> (Psi) . . . . . 258
<code>\PHtiara</code> (  ) . . . . . 164	<code>{\pigpenfont W}</code> (v) . . . . . 216	<code>\Pisymbol{astroSYM}{25}</code> (H) . . . . . 258
<code>\PHtunny</code> (  ) . . . . . 164	<code>{\pigpenfont X}</code> (>) . . . . . 216	<code>\Pisymbol{astroSYM}{26}</code> (n) . . . . . 258
<code>\PHvine</code> (  ) . . . . . 164	<code>{\pigpenfont Y}</code> (<) . . . . . 216	
<code>\PHwavyBand</code> (  ) . . . . . 164	<code>{\pigpenfont Z}</code> (^) . . . . . 216	
<code>\PHwoman</code> (  ) . . . . . 164	<code>pilcrow</code> . . . . . <i>see</i> \P	
physical symbols . . . . . 136	<code>pile of poo</code> (  ) . . . . . 236	
<code>\Pi</code> (Π) . . . . . 101	<code>pill</code> (  ) . . . . . 236	
<code>\pi</code> (π) . . . . . 101	<code>pilot</code> (  ) . . . . . 236	
<code>\pi</code> (π) . . . . . 102	<code>pinched fingers</code> (  ) . . . . . 236	
“pi” fonts . . . . . 280	<code>pinching hand</code> (  ) . . . . . 236	
piano (p) . . . . . 180, 192	<code>pine decoration</code> (  ) . . . . . 236	
pick (  ) . . . . . 236	<code>pineapple</code> (  ) . . . . . 210	
<code>\Pickup</code> (o) . . . . . 143	<code>ping pong</code> (  ) . . . . . 236	
pickup truck (  ) . . . . . 203	<code>\pionminus</code> (π <sup>-</sup> ) . . . . . 145	
<code>pict2e</code> (package) . . . . . 137	<code>\pionnull</code> (π <sup>o</sup> ) . . . . . 145	
pie (  ) . . . . . 210	<code>\pionplus</code> (π <sup>+</sup> ) . . . . . 145	
<code>pifont</code> (package) . . . . . 18, 146, 149–153, 155, 160, 163, 255, 261, 272, 280, 298, 299	<code>pipe</code> . . . . . <i>see</i> \textpipe	
<code>pig face</code> (  ) . . . . . 209	<code>pirate flag</code> (  ) . . . . . 229	
<code>pig nose</code> (  ) . . . . . 209	<code>\Pisces</code> (♊) . . . . . 138	
<code>pig2</code> (  ) . . . . . 209	<code>\Pisces</code> (♋) . . . . . 140	
<code>pigpen</code> (package) . 216, 298, 299	<code>\Pisces</code> (♌) . . . . . 138	
	<code>Pisces</code> (  ) . . . . . 236	
	<code>\pisces</code> (x) . . . . . 137	
	<code>\Pisymbol</code> . . . . . 255–276, 280	
	<code>\Pisymbol{astroSYM}{0}</code> (o) . . . . . 257	
	<code>\Pisymbol{astroSYM}{1}</code> (♀) . . . . . 257	



<code>\Pisymbol{astroSYM}{126}</code> (♁) .....	260	<code>\Pisymbol{astroSYM}{152}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{186}</code> (♁)	258
<code>\Pisymbol{astroSYM}{127}</code> (♂) .....	260	<code>\Pisymbol{astroSYM}{153}</code> (♁)	258	<code>\Pisymbol{astroSYM}{187}</code> (♁)	258
<code>\Pisymbol{astroSYM}{128}</code> (♂) .....	260	<code>\Pisymbol{astroSYM}{154}</code> (♁)	258	<code>\Pisymbol{astroSYM}{188}</code> (♁)	258
<code>\Pisymbol{astroSYM}{129}</code> (♁)	260	<code>\Pisymbol{astroSYM}{155}</code> (♁)	258	<code>\Pisymbol{astroSYM}{189}</code> (♁)	258
<code>\Pisymbol{astroSYM}{130}</code> (♁)	260	<code>\Pisymbol{astroSYM}{156}</code> (♁)	258	<code>\Pisymbol{astroSYM}{190}</code> (♁)	258
<code>\Pisymbol{astroSYM}{131}</code> (♁)	260	<code>\Pisymbol{astroSYM}{157}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{191}</code> (♁)	258
<code>\Pisymbol{astroSYM}{132}</code> (♁) .....	257	<code>\Pisymbol{astroSYM}{158}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{200}</code> (♁)	258
<code>\Pisymbol{astroSYM}{133}</code> (♁)	257	<code>\Pisymbol{astroSYM}{159}</code> (♁)	258	<code>\Pisymbol{astroSYM}{201}</code> (♁)	258
<code>\Pisymbol{astroSYM}{134}</code> (♁) .....	257	<code>\Pisymbol{astroSYM}{160}</code> (♁)	258	<code>\Pisymbol{astroSYM}{202}</code> (♁)	258
<code>\Pisymbol{astroSYM}{135}</code> (♁)	257	<code>\Pisymbol{astroSYM}{161}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{203}</code> (♁)	258
<code>\Pisymbol{astroSYM}{136}</code> (♁)	257	<code>\Pisymbol{astroSYM}{162}</code> (♁)	258	<code>\Pisymbol{astroSYM}{204}</code> (♁)	258
<code>\Pisymbol{astroSYM}{137}</code> (♁)	257	<code>\Pisymbol{astroSYM}{163}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{205}</code> (♁)	259
<code>\Pisymbol{astroSYM}{138}</code> (♁)	257	<code>\Pisymbol{astroSYM}{164}</code> (♁)	258	<code>\Pisymbol{astroSYM}{206}</code> (♁)	259
<code>\Pisymbol{astroSYM}{139}</code> (♁)	257	<code>\Pisymbol{astroSYM}{165}</code> (♁)	258	<code>\Pisymbol{astroSYM}{207}</code> (♁)	259
<code>\Pisymbol{astroSYM}{140}</code> (♁)	257	<code>\Pisymbol{astroSYM}{166}</code> (♁)	258	<code>\Pisymbol{astroSYM}{208}</code> (♁) .....	259
<code>\Pisymbol{astroSYM}{141}</code> (♁)	257	<code>\Pisymbol{astroSYM}{167}</code> (♁)	258	<code>\Pisymbol{astroSYM}{209}</code> (♁)	259
<code>\Pisymbol{astroSYM}{142}</code> (♁)	257	<code>\Pisymbol{astroSYM}{168}</code> (♁)	258	<code>\Pisymbol{astroSYM}{210}</code> (♁)	259
<code>\Pisymbol{astroSYM}{143}</code> (♁)	257	<code>\Pisymbol{astroSYM}{169}</code> (♁)	258	<code>\Pisymbol{astroSYM}{211}</code> (♁)	259
<code>\Pisymbol{astroSYM}{144}</code> (♁)	257	<code>\Pisymbol{astroSYM}{178}</code> (♁)	258	<code>\Pisymbol{astroSYM}{212}</code> (♁)	259
<code>\Pisymbol{astroSYM}{145}</code> (♁)	257	<code>\Pisymbol{astroSYM}{179}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{213}</code> (♁)	259
<code>\Pisymbol{astroSYM}{146}</code> (♁)	257	<code>\Pisymbol{astroSYM}{180}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{214}</code> (♁) .....	259
<code>\Pisymbol{astroSYM}{147}</code> (♁)	257	<code>\Pisymbol{astroSYM}{181}</code> (♁)	258	<code>\Pisymbol{astroSYM}{215}</code> (♁)	259
<code>\Pisymbol{astroSYM}{148}</code> (♁)	257	<code>\Pisymbol{astroSYM}{182}</code> (♁)	258	<code>\Pisymbol{astroSYM}{216}</code> (♁) .....	259
<code>\Pisymbol{astroSYM}{149}</code> (♁)	257	<code>\Pisymbol{astroSYM}{183}</code> (♁) .....	258	<code>\Pisymbol{astroSYM}{217}</code> (♁)	259
<code>\Pisymbol{astroSYM}{150}</code> (♁)	257	<code>\Pisymbol{astroSYM}{184}</code> (♁)	258	<code>\Pisymbol{astroSYM}{218}</code> (♁) .....	259
<code>\Pisymbol{astroSYM}{151}</code> (♁)	257	<code>\Pisymbol{astroSYM}{185}</code> (♁) .....	258		













<code>\Pisymbol{astroSYM}{219}</code> (↗)	<code>\Pisymbol{astroSYM}{245}</code> (D)	<code>\Pisymbol{cryst}{45}</code> (A) . 273
..... 259	..... 260	<code>\Pisymbol{cryst}{47}</code> (A) . 273
<code>\Pisymbol{astroSYM}{220}</code> (↻)	<code>\Pisymbol{astroSYM}{246}</code> (C)	<code>\Pisymbol{cryst}{48}</code> (A) . 273
..... 259	..... 260	<code>\Pisymbol{cryst}{49}</code> (A) . 273
<code>\Pisymbol{astroSYM}{221}</code> (⊗)	<code>\Pisymbol{astroSYM}{247}</code> (D)	<code>\Pisymbol{cryst}{50}</code> (O) 273
..... 259	..... 260	<code>\Pisymbol{cryst}{55}</code> (t) . 273
<code>\Pisymbol{astroSYM}{222}</code> (H)	<code>\Pisymbol{astroSYM}{248}</code> (P)	<code>\Pisymbol{cryst}{57}</code> (l) . 273
..... 259	..... 260	<code>\Pisymbol{cryst}{58}</code> (A) . 273
<code>\Pisymbol{astroSYM}{223}</code> (T)	<code>\Pisymbol{astroSYM}{249}</code> (C)	<code>\Pisymbol{cryst}{59}</code> (t) . 273
..... 259	..... 260	<code>\Pisymbol{cryst}{60}</code> (O) 273
<code>\Pisymbol{astroSYM}{224}</code>	<code>\Pisymbol{astroSYM}{250}</code> (†)	<code>\Pisymbol{cryst}{61}</code> (P) 273
(U) ..... 259	..... 260	<code>\Pisymbol{cryst}{62}</code> (P) 273
<code>\Pisymbol{astroSYM}{225}</code> (U)	<code>\Pisymbol{astroSYM}{251}</code> (P)	<code>\Pisymbol{cryst}{63}</code> (O) 273
..... 259	..... 260	<code>\Pisymbol{cryst}{64}</code> (P) 273
<code>\Pisymbol{astroSYM}{226}</code> (E)	<code>\Pisymbol{astroSYM}{252}</code>	<code>\Pisymbol{cryst}{65}</code> (P) 273
..... 259	(A) ..... 260	<code>\Pisymbol{cryst}{66}</code> (O) 273
<code>\Pisymbol{astroSYM}{227}</code> (W)	<code>\Pisymbol{astroSYM}{253}</code> (V)	<code>\Pisymbol{cryst}{75}</code> (v) . 273
..... 259	..... 260	<code>\Pisymbol{cryst}{77}</code> (N) . 273
<code>\Pisymbol{astroSYM}{228}</code>	<code>\Pisymbol{astroSYM}{254}</code> (Z)	<code>\Pisymbol{cryst}{78}</code> (v) . 273
(W) ..... 259	..... 260	<code>\Pisymbol{cryst}{79}</code> (N) . 273
<code>\Pisymbol{astroSYM}{229}</code> (P)	<code>\Pisymbol{astroSYM}{255}</code> (O)	<code>\Pisymbol{cryst}{80}</code> (M) 273
..... 259	..... 260	<code>\Pisymbol{cryst}{81}</code> (M) 273
<code>\Pisymbol{astroSYM}{230}</code> (O)	<code>\Pisymbol{cryst}{0}</code> (o) .. 273	<code>\Pisymbol{cryst}{82}</code> (M) 273
..... 259	<code>\Pisymbol{cryst}{1}</code> (o) .. 273	<code>\Pisymbol{cryst}{83}</code> (M) 273
<code>\Pisymbol{astroSYM}{231}</code> (E)	<code>\Pisymbol{cryst}{2}</code> (o) .. 273	<code>\Pisymbol{cryst}{84}</code> (M) 273
..... 259	<code>\Pisymbol{cryst}{3}</code> (A) . 273	<code>\Pisymbol{cryst}{85}</code> (v) . 273
<code>\Pisymbol{astroSYM}{232}</code>	<code>\Pisymbol{cryst}{4}</code> (A) . 273	<code>\Pisymbol{cryst}{87}</code> (N) 273
(E) ..... 259	<code>\Pisymbol{cryst}{5}</code> (A) . 273	<code>\Pisymbol{cryst}{88}</code> (v) . 273
<code>\Pisymbol{astroSYM}{233}</code> (A)	<code>\Pisymbol{cryst}{6}</code> (O) . 273	<code>\Pisymbol{cryst}{89}</code> (N) 273
..... 259	<code>\Pisymbol{cryst}{7}</code> (A) . 273	<code>\Pisymbol{cryst}{95}</code> (v) 273
<code>\Pisymbol{astroSYM}{234}</code>	<code>\Pisymbol{cryst}{8}</code> (A) . 273	<code>\Pisymbol{cryst}{97}</code> (v) 273
(O) ..... 259	<code>\Pisymbol{cryst}{9}</code> (A) . 273	<code>\Pisymbol{cryst}{98}</code> (v) 273
<code>\Pisymbol{astroSYM}{235}</code> (A)	<code>\Pisymbol{cryst}{10}</code> (o) . 273	<code>\Pisymbol{cryst}{99}</code> (v) 273
..... 259	<code>\Pisymbol{cryst}{11}</code> (o) . 273	<code>\Pisymbol{cryst}{102}</code> (A) 273
<code>\Pisymbol{astroSYM}{236}</code> (O)	<code>\Pisymbol{cryst}{12}</code> (o) . 273	<code>\Pisymbol{cryst}{103}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{15}</code> (O) 273	<code>\Pisymbol{cryst}{104}</code> (A) 273
<code>\Pisymbol{astroSYM}{237}</code> (O)	<code>\Pisymbol{cryst}{20}</code> (O) . 273	<code>\Pisymbol{cryst}{105}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{21}</code> (O) . 273	<code>\Pisymbol{cryst}{107}</code> (A) 273
<code>\Pisymbol{astroSYM}{238}</code> (O)	<code>\Pisymbol{cryst}{22}</code> (O) . 273	<code>\Pisymbol{cryst}{108}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{24}</code> (O) . 273	<code>\Pisymbol{cryst}{109}</code> (A) 273
<code>\Pisymbol{astroSYM}{239}</code> (O)	<code>\Pisymbol{cryst}{25}</code> (A) 273	<code>\Pisymbol{cryst}{112}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{27}</code> (A) 273	<code>\Pisymbol{cryst}{113}</code> (A) 273
<code>\Pisymbol{astroSYM}{240}</code> (O)	<code>\Pisymbol{cryst}{28}</code> (A) 273	<code>\Pisymbol{cryst}{120}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{29}</code> (A) 273	<code>\Pisymbol{cryst}{121}</code> (A) 273
<code>\Pisymbol{astroSYM}{241}</code> (O)	<code>\Pisymbol{cryst}{30}</code> (A) 273	<code>\Pisymbol{cryst}{122}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{31}</code> (A) 273	<code>\Pisymbol{cryst}{123}</code> (A) 273
<code>\Pisymbol{astroSYM}{242}</code> (O)	<code>\Pisymbol{cryst}{32}</code> (A) 273	<code>\Pisymbol{cryst}{124}</code> (A) 273
..... 259	<code>\Pisymbol{cryst}{35}</code> (A) . 273	<code>\Pisymbol{cryst}{125}</code> (A) 273
<code>\Pisymbol{astroSYM}{243}</code> (O)	<code>\Pisymbol{cryst}{36}</code> (O) 273	<code>\Pisymbol{cryst}{127}</code> (A) 273
..... 260	<code>\Pisymbol{cryst}{37}</code> (A) 273	<code>\Pisymbol{cryst}{128}</code> (A) 273
<code>\Pisymbol{astroSYM}{244}</code> (O)	<code>\Pisymbol{cryst}{38}</code> (A) . 273	<code>\Pisymbol{cryst}{129}</code> (A) 273
..... 260	<code>\Pisymbol{cryst}{39}</code> (A) 273	<code>\Pisymbol{cryst}{130}</code> (A) 273
	<code>\Pisymbol{cryst}{40}</code> (O) 273	<code>\Pisymbol{cryst}{131}</code> (A) 273
	<code>\Pisymbol{cryst}{41}</code> (O) 273	<code>\Pisymbol{cryst}{132}</code> (A) 273
	<code>\Pisymbol{cryst}{42}</code> (O) 273	<code>\Pisymbol{cryst}{133}</code> (A) 273
	<code>\Pisymbol{cryst}{43}</code> (O) 273	<code>\Pisymbol{cryst}{135}</code> (A) 273
	<code>\Pisymbol{cryst}{44}</code> (M) 273	<code>\Pisymbol{cryst}{136}</code> (A) 273
		<code>\Pisymbol{cryst}{137}</code> (A) 273
		<code>\Pisymbol{cryst}{138}</code> (A) 273
		<code>\Pisymbol{cryst}{139}</code> (A) 273








































<code>\Pisymbol{cryst}{140}</code>	273	<code>\Pisymbol{dancers}{13}</code>	268	<code>\Pisymbol{dancers}{72}</code>	270
<code>\Pisymbol{cryst}{141}</code>	273	<code>\Pisymbol{dancers}{14}</code>	268	<code>\Pisymbol{dancers}{73}</code>	270
<code>\Pisymbol{cryst}{142}</code>	273	<code>\Pisymbol{dancers}{15}</code>	268	<code>\Pisymbol{dancers}{74}</code>	270
<code>\Pisymbol{cryst}{143}</code>	273	<code>\Pisymbol{dancers}{16}</code>	268	<code>\Pisymbol{dancers}{75}</code>	270
<code>\Pisymbol{cryst}{145}</code>	273	<code>\Pisymbol{dancers}{17}</code>	269	<code>\Pisymbol{dancers}{76}</code>	270
<code>\Pisymbol{cryst}{147}</code>	273	<code>\Pisymbol{dancers}{18}</code>	269	<code>\Pisymbol{dancers}{77}</code>	270
<code>\Pisymbol{cryst}{148}</code>	273	<code>\Pisymbol{dancers}{19}</code>	269	<code>\Pisymbol{dancers}{78}</code>	270
<code>\Pisymbol{cryst}{149}</code>	273	<code>\Pisymbol{dancers}{20}</code>	269	<code>\Pisymbol{dancers}{79}</code>	270
<code>\Pisymbol{cryst}{155}</code>	273	<code>\Pisymbol{dancers}{21}</code>	269	<code>\Pisymbol{dancers}{80}</code>	270
<code>\Pisymbol{cryst}{157}</code>	273	<code>\Pisymbol{dancers}{22}</code>	269	<code>\Pisymbol{dancers}{81}</code>	271
<code>\Pisymbol{cryst}{158}</code>	273	<code>\Pisymbol{dancers}{23}</code>	269	<code>\Pisymbol{dancers}{82}</code>	271
<code>\Pisymbol{cryst}{159}</code>	273	<code>\Pisymbol{dancers}{24}</code>	269	<code>\Pisymbol{dancers}{83}</code>	271
<code>\Pisymbol{cryst}{175}</code>	273	<code>\Pisymbol{dancers}{25}</code>	269	<code>\Pisymbol{dancers}{84}</code>	271
<code>\Pisymbol{cryst}{177}</code>	273	<code>\Pisymbol{dancers}{26}</code>	269	<code>\Pisymbol{dancers}{85}</code>	271
<code>\Pisymbol{cryst}{178}</code>	273	<code>\Pisymbol{dancers}{27}</code>	269	<code>\Pisymbol{dancers}{86}</code>	268
<code>\Pisymbol{cryst}{179}</code>	273	<code>\Pisymbol{dancers}{28}</code>	269	<code>\Pisymbol{dancers}{87}</code>	268
<code>\Pisymbol{cryst}{185}</code>	273	<code>\Pisymbol{dancers}{29}</code>	269	<code>\Pisymbol{dancers}{88}</code>	268
<code>\Pisymbol{cryst}{187}</code>	273	<code>\Pisymbol{dancers}{30}</code>	269	<code>\Pisymbol{dancers}{89}</code>	268
<code>\Pisymbol{cryst}{188}</code>	273	<code>\Pisymbol{dancers}{31}</code>	269	<code>\Pisymbol{dancers}{90}</code>	268
<code>\Pisymbol{cryst}{189}</code>	273	<code>\Pisymbol{dancers}{32}</code>	269	<code>\Pisymbol{dancers}{91}</code>	268
<code>\Pisymbol{cryst}{195}</code>	273	<code>\Pisymbol{dancers}{33}</code>	269	<code>\Pisymbol{dancers}{92}</code>	268
<code>\Pisymbol{cryst}{197}</code>	273	<code>\Pisymbol{dancers}{34}</code>	269	<code>\Pisymbol{dancers}{93}</code>	268
<code>\Pisymbol{cryst}{198}</code>	273	<code>\Pisymbol{dancers}{35}</code>	269	<code>\Pisymbol{dancers}{94}</code>	268
<code>\Pisymbol{cryst}{199}</code>	273	<code>\Pisymbol{dancers}{36}</code>	269	<code>\Pisymbol{dancers}{95}</code>	268
<code>\Pisymbol{cryst}{202}</code>	273	<code>\Pisymbol{dancers}{37}</code>	269	<code>\Pisymbol{dancers}{96}</code>	268
<code>\Pisymbol{cryst}{203}</code>	273	<code>\Pisymbol{dancers}{38}</code>	269	<code>\Pisymbol{dancers}{97}</code>	268
<code>\Pisymbol{cryst}{204}</code>	273	<code>\Pisymbol{dancers}{39}</code>	269	<code>\Pisymbol{dancers}{98}</code>	268
<code>\Pisymbol{cryst}{210}</code>	273	<code>\Pisymbol{dancers}{40}</code>	269	<code>\Pisymbol{dancers}{99}</code>	268
<code>\Pisymbol{cryst}{212}</code>	..	<code>\Pisymbol{dancers}{41}</code>	269	<code>\Pisymbol{dancers}{100}</code>	..
.....	273	<code>\Pisymbol{dancers}{42}</code>	269	.....	268
<code>\Pisymbol{cryst}{213}</code>	273	<code>\Pisymbol{dancers}{43}</code>	269	<code>\Pisymbol{dancers}{101}</code>	..
<code>\Pisymbol{cryst}{220}</code>	273	<code>\Pisymbol{dancers}{44}</code>	269	.....	268
<code>\Pisymbol{cryst}{221}</code>	..	<code>\Pisymbol{dancers}{45}</code>	269	<code>\Pisymbol{dancers}{102}</code>	..
.....	273	<code>\Pisymbol{dancers}{46}</code>	269	.....	268
<code>\Pisymbol{cryst}{223}</code>	273	<code>\Pisymbol{dancers}{47}</code>	269	<code>\Pisymbol{dancers}{103}</code>	..
<code>\Pisymbol{cryst}{224}</code>	273	<code>\Pisymbol{dancers}{48}</code>	269	.....	269
<code>\Pisymbol{cryst}{230}</code>	273	<code>\Pisymbol{dancers}{49}</code>	270	<code>\Pisymbol{dancers}{104}</code>	..
<code>\Pisymbol{cryst}{231}</code>	273	<code>\Pisymbol{dancers}{50}</code>	270	.....	269
<code>\Pisymbol{cryst}{232}</code>	273	<code>\Pisymbol{dancers}{51}</code>	270	<code>\Pisymbol{dancers}{105}</code>	..
<code>\Pisymbol{cryst}{233}</code>	273	<code>\Pisymbol{dancers}{52}</code>	270	.....	269
<code>\Pisymbol{cryst}{236}</code>	273	<code>\Pisymbol{dancers}{53}</code>	270	<code>\Pisymbol{dancers}{106}</code>	..
<code>\Pisymbol{cryst}{240}</code>	273	<code>\Pisymbol{dancers}{54}</code>	270	.....	269
<code>\Pisymbol{cryst}{241}</code>	273	<code>\Pisymbol{dancers}{55}</code>	270	<code>\Pisymbol{dancers}{107}</code>	..
<code>\Pisymbol{cryst}{242}</code>	273	<code>\Pisymbol{dancers}{56}</code>	270	.....	269
<code>\Pisymbol{cryst}{243}</code>	.	<code>\Pisymbol{dancers}{57}</code>	270	<code>\Pisymbol{dancers}{108}</code>	..
.....	273	<code>\Pisymbol{dancers}{58}</code>	270	.....	269
<code>\Pisymbol{dancers}{0}</code>	268	<code>\Pisymbol{dancers}{59}</code>	270	<code>\Pisymbol{dancers}{109}</code>	..
<code>\Pisymbol{dancers}{1}</code>	268	<code>\Pisymbol{dancers}{60}</code>	270	.....	269
<code>\Pisymbol{dancers}{2}</code>	268	<code>\Pisymbol{dancers}{61}</code>	270	<code>\Pisymbol{dancers}{110}</code>	..
<code>\Pisymbol{dancers}{3}</code>	268	<code>\Pisymbol{dancers}{62}</code>	270	.....	269
<code>\Pisymbol{dancers}{4}</code>	268	<code>\Pisymbol{dancers}{63}</code>	270	<code>\Pisymbol{dancers}{111}</code>	..
<code>\Pisymbol{dancers}{5}</code>	268	<code>\Pisymbol{dancers}{64}</code>	270	.....	269
<code>\Pisymbol{dancers}{6}</code>	268	<code>\Pisymbol{dancers}{65}</code>	270	<code>\Pisymbol{dancers}{112}</code>	..
<code>\Pisymbol{dancers}{7}</code>	268	<code>\Pisymbol{dancers}{66}</code>	270	.....	269
<code>\Pisymbol{dancers}{8}</code>	268	<code>\Pisymbol{dancers}{67}</code>	270	<code>\Pisymbol{dancers}{113}</code>	..
<code>\Pisymbol{dancers}{9}</code>	268	<code>\Pisymbol{dancers}{68}</code>	270	.....	269
<code>\Pisymbol{dancers}{10}</code>	268	<code>\Pisymbol{dancers}{69}</code>	270	<code>\Pisymbol{dancers}{114}</code>	..
<code>\Pisymbol{dancers}{11}</code>	268	<code>\Pisymbol{dancers}{70}</code>	270	.....	269
<code>\Pisymbol{dancers}{12}</code>	268	<code>\Pisymbol{dancers}{71}</code>	270		





















































































































































































































<code>\Pisymbol{dancers}{202}</code>  .. ..... 269	<code>\Pisymbol{dancers}{231}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{98}</code>  .. ..... 274
<code>\Pisymbol{dancers}{203}</code>  .. ..... 269	<code>\Pisymbol{dancers}{232}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{99}</code>  .. ..... 274
<code>\Pisymbol{dancers}{204}</code>  .. ..... 269	<code>\Pisymbol{dancers}{233}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{100}</code>  .. ..... 274
<code>\Pisymbol{dancers}{205}</code>  .. ..... 269	<code>\Pisymbol{dancers}{234}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{101}</code>  .. ..... 274
<code>\Pisymbol{dancers}{206}</code>  .. ..... 269	<code>\Pisymbol{dancers}{235}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{102}</code>  .. ..... 274
<code>\Pisymbol{dancers}{207}</code>  .. ..... 269	<code>\Pisymbol{dancers}{236}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{103}</code>  .. ..... 274
<code>\Pisymbol{dancers}{208}</code>  .. ..... 269	<code>\Pisymbol{dancers}{237}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{104}</code>  .. ..... 274
<code>\Pisymbol{dancers}{209}</code>  .. ..... 269	<code>\Pisymbol{dancers}{238}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{105}</code>  .. ..... 274
<code>\Pisymbol{dancers}{210}</code>  .. ..... 269	<code>\Pisymbol{dancers}{239}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{106}</code>  .. ..... 274
<code>\Pisymbol{dancers}{211}</code>  .. ..... 269	<code>\Pisymbol{dancers}{240}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{107}</code>  .. ..... 274
<code>\Pisymbol{dancers}{212}</code>  .. ..... 269	<code>\Pisymbol{dancers}{241}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{108}</code>  .. ..... 274
<code>\Pisymbol{dancers}{213}</code>  .. ..... 269	<code>\Pisymbol{dancers}{242}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{109}</code>  .. ..... 274
<code>\Pisymbol{dancers}{214}</code>  .. ..... 269	<code>\Pisymbol{dancers}{243}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{110}</code>  .. ..... 274
<code>\Pisymbol{dancers}{215}</code>  .. ..... 269	<code>\Pisymbol{dancers}{244}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{111}</code>  .. ..... 274
<code>\Pisymbol{dancers}{216}</code>  .. ..... 269	<code>\Pisymbol{dancers}{245}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{112}</code>  .. ..... 274
<code>\Pisymbol{dancers}{217}</code>  .. ..... 269	<code>\Pisymbol{dancers}{246}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{113}</code>  .. ..... 274
<code>\Pisymbol{dancers}{218}</code>  .. ..... 269	<code>\Pisymbol{dancers}{247}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{114}</code>  .. ..... 274
<code>\Pisymbol{dancers}{219}</code>  .. ..... 269	<code>\Pisymbol{dancers}{248}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{115}</code>  .. ..... 274
<code>\Pisymbol{dancers}{220}</code>  .. ..... 269	<code>\Pisymbol{dancers}{249}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{116}</code>  .. ..... 274
<code>\Pisymbol{dancers}{221}</code>  .. ..... 270	<code>\Pisymbol{dancers}{250}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{117}</code>  .. ..... 274
<code>\Pisymbol{dancers}{222}</code>  .. ..... 270	<code>\Pisymbol{dancers}{251}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{118}</code>  .. ..... 274
<code>\Pisymbol{dancers}{223}</code>  .. ..... 270	<code>\Pisymbol{dancers}{252}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{119}</code>  .. ..... 274
<code>\Pisymbol{dancers}{224}</code>  .. ..... 270	<code>\Pisymbol{dancers}{253}</code>  .. ..... 271	<code>\Pisymbol{dice3d}{120}</code>  .. ..... 274
<code>\Pisymbol{dancers}{225}</code>  .. ..... 270	<code>\Pisymbol{dancers}{254}</code>  .. ..... 271	<code>\Pisymbol{dingbat}{69}</code>
<code>\Pisymbol{dancers}{226}</code>  .. ..... 270	<code>\Pisymbol{dancers}{255}</code>  .. ..... 271	 ) .... 264
<code>\Pisymbol{dancers}{227}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{49}</code>  274	
<code>\Pisymbol{dancers}{228}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{50}</code>  274	
<code>\Pisymbol{dancers}{229}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{51}</code>  274	
<code>\Pisymbol{dancers}{230}</code>  .. ..... 270	<code>\Pisymbol{dice3d}{52}</code>  274	
	<code>\Pisymbol{dice3d}{53}</code>  274	
	<code>\Pisymbol{dice3d}{54}</code>  274	
	<code>\Pisymbol{dice3d}{97}</code>  .. ..... 274	

<code>\Pisymbol{dingbat}{70}</code>	<code>\Pisymbol{fselch}{7}</code> (♣) 275	<code>\Pisymbol{fselch}{35}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{8}</code> (♠) 275	..... 276
<code>\Pisymbol{dingbat}{71}</code>	<code>\Pisymbol{fselch}{9}</code> (♠) 275	<code>\Pisymbol{fselch}{36}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{10}</code> (♣) ..	..... 276
<code>\Pisymbol{dingbat}{72}</code>	..... 275	<code>\Pisymbol{fselch}{37}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{11}</code> (♣) ..	..... 276
<code>\Pisymbol{dingbat}{74}</code>	..... 275	<code>\Pisymbol{fselch}{38}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{12}</code> (♠) ..	..... 276
<code>\Pisymbol{dingbat}{75}</code>	..... 275	<code>\Pisymbol{fselch}{39}</code> (♠) ..
 ..... 264	<code>\Pisymbol{fselch}{13}</code> (♠) ..	..... 276
<code>\Pisymbol{dingbat}{76}</code>	..... 275	<code>\Pisymbol{fselch}{40}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{14}</code> (♠) ..	..... 276
<code>\Pisymbol{dingbat}{77}</code>	..... 275	<code>\Pisymbol{fselch}{41}</code> (♣) ..
 ..... 264	<code>\Pisymbol{fselch}{15}</code> (♠) ..	..... 276
<code>\Pisymbol{dingbat}{97}</code> (⌌) ..	..... 275	<code>\Pisymbol{fselch}{42}</code> (♠) ..
..... 264	<code>\Pisymbol{fselch}{16}</code> (♣) ..	..... 276
<code>\Pisymbol{dingbat}{98}</code> (⌌) ..	..... 276	<code>\Pisymbol{fselch}{43}</code> (♣) ..
..... 264	<code>\Pisymbol{fselch}{17}</code> (♣) ..	..... 276
<code>\Pisymbol{dingbat}{99}</code> (⌌) ..	..... 276	<code>\Pisymbol{fselch}{44}</code> (♠) ..
..... 264	<code>\Pisymbol{fselch}{18}</code> (♠) ..	..... 276
<code>\Pisymbol{dingbat}{100}</code>	<code>\Pisymbol{fselch}{19}</code> (♠) ..	<code>\Pisymbol{fselch}{45}</code> (♠) ..
 ..... 264	..... 276	..... 276
<code>\Pisymbol{dingbat}{101}</code>	<code>\Pisymbol{fselch}{20}</code> (♠) ..	<code>\Pisymbol{fselch}{46}</code> (♣) ..
 ..... 264	..... 276	..... 276
<code>\Pisymbol{dingbat}{102}</code>	<code>\Pisymbol{fselch}{21}</code> (♠) ..	<code>\Pisymbol{fselch}{47}</code> (♣) ..
 ..... 264	..... 276	..... 276
<code>\Pisymbol{dingbat}{103}</code>	<code>\Pisymbol{fselch}{22}</code> (♣) ..	<code>\Pisymbol{fselch}{48}</code> (♠) ..
 ..... 264	..... 276	..... 276
<code>\Pisymbol{dingbat}{104}</code>	<code>\Pisymbol{fselch}{23}</code> (♠) ..	<code>\Pisymbol{fselch}{49}</code> (♣) ..
 ..... 264	..... 276	..... 276
<code>\Pisymbol{fselch}{0}</code> (♠) 275	<code>\Pisymbol{fselch}{24}</code> (♠) ..	<code>\Pisymbol{fselch}{50}</code> (♣) ..
<code>\Pisymbol{fselch}{1}</code> (♣) 275	..... 276	..... 276
<code>\Pisymbol{fselch}{2}</code> (♠) 275	<code>\Pisymbol{fselch}{25}</code> (♠) ..	<code>\Pisymbol{fselch}{51}</code> (♠) ..
<code>\Pisymbol{fselch}{3}</code> (♠) 275	..... 276	..... 276
<code>\Pisymbol{fselch}{4}</code> (♣) 275	<code>\Pisymbol{fselch}{26}</code> (♠) ..	<code>\Pisymbol{fselch}{52}</code> (♣) ..
<code>\Pisymbol{fselch}{5}</code> (♣) 275	..... 276	..... 276
<code>\Pisymbol{fselch}{6}</code> (♠) 275	<code>\Pisymbol{fselch}{27}</code> (♠) ..	<code>\Pisymbol{fselch}{53}</code> (♣) ..
	..... 276	..... 276
	<code>\Pisymbol{fselch}{28}</code> (♣) ..	<code>\Pisymbol{fselch}{54}</code> (♠) ..
	..... 276	..... 276
	<code>\Pisymbol{fselch}{29}</code> (♠) ..	<code>\Pisymbol{fselch}{55}</code> (♠) ..
	..... 276	..... 275
	<code>\Pisymbol{fselch}{30}</code> (♠) ..	<code>\Pisymbol{fselch}{56}</code> (♠) ..
	..... 276	..... 275
	<code>\Pisymbol{fselch}{31}</code> (♠) ..	<code>\Pisymbol{fselch}{57}</code> (♠) ..
	..... 276	..... 275
	<code>\Pisymbol{fselch}{32}</code> (♠) ..	<code>\Pisymbol{fselch}{58}</code> (♣) ..
	..... 276	..... 275
	<code>\Pisymbol{fselch}{33}</code> (♠) ..	<code>\Pisymbol{fselch}{59}</code> (♠) ..
	..... 276	..... 275
	<code>\Pisymbol{fselch}{34}</code> (♣) ..	<code>\Pisymbol{fselch}{60}</code> (♠) ..
	..... 276	..... 275





























































































































<code>\Pisymbol{fselch}{61}</code>  .. ..... 275	<code>\Pisymbol{fselch}{87}</code>  .. ..... 276	<code>\Pisymbol{fselch}{113}</code>  .. ..... 275
<code>\Pisymbol{fselch}{62}</code>  .. ..... 275	<code>\Pisymbol{fselch}{88}</code>  .. ..... 276	<code>\Pisymbol{fselch}{114}</code>  .. ..... 275
<code>\Pisymbol{fselch}{63}</code>  .. ..... 275	<code>\Pisymbol{fselch}{89}</code>  .. ..... 276	<code>\Pisymbol{fselch}{115}</code>  .. ..... 275
<code>\Pisymbol{fselch}{64}</code>  .. ..... 275	<code>\Pisymbol{fselch}{90}</code>  .. ..... 276	<code>\Pisymbol{fselch}{116}</code>  .. ..... 275
<code>\Pisymbol{fselch}{65}</code>  .. ..... 275	<code>\Pisymbol{fselch}{91}</code>  .. ..... 276	<code>\Pisymbol{fselch}{117}</code>  .. ..... 275
<code>\Pisymbol{fselch}{66}</code>  .. ..... 275	<code>\Pisymbol{fselch}{92}</code>  .. ..... 276	<code>\Pisymbol{fselch}{118}</code>  .. ..... 275
<code>\Pisymbol{fselch}{67}</code>  .. ..... 275	<code>\Pisymbol{fselch}{93}</code>  .. ..... 276	<code>\Pisymbol{fselch}{119}</code>  .. ..... 275
<code>\Pisymbol{fselch}{68}</code>  .. ..... 275	<code>\Pisymbol{fselch}{94}</code>  .. ..... 276	<code>\Pisymbol{fselch}{120}</code>  .. ..... 275
<code>\Pisymbol{fselch}{69}</code>  .. ..... 275	<code>\Pisymbol{fselch}{95}</code>  .. ..... 276	<code>\Pisymbol{fselch}{121}</code>  .. ..... 275
<code>\Pisymbol{fselch}{70}</code>  .. ..... 275	<code>\Pisymbol{fselch}{96}</code>  .. ..... 276	<code>\Pisymbol{fselch}{122}</code>  .. ..... 275
<code>\Pisymbol{fselch}{71}</code>  .. ..... 276	<code>\Pisymbol{fselch}{97}</code>  .. ..... 276	<code>\Pisymbol{fselch}{123}</code>  .. ..... 275
<code>\Pisymbol{fselch}{72}</code>  .. ..... 276	<code>\Pisymbol{fselch}{98}</code>  .. ..... 276	<code>\Pisymbol{fselch}{124}</code>  .. ..... 275
<code>\Pisymbol{fselch}{73}</code>  .. ..... 276	<code>\Pisymbol{fselch}{99}</code>  .. ..... 276	<code>\Pisymbol{fselch}{125}</code>  .. ..... 275
<code>\Pisymbol{fselch}{74}</code>  .. ..... 276	<code>\Pisymbol{fselch}{100}</code>  .. ..... 276	<code>\Pisymbol{fselch}{126}</code>  .. ..... 276
<code>\Pisymbol{fselch}{75}</code>  .. ..... 276	<code>\Pisymbol{fselch}{101}</code>  .. ..... 276	<code>\Pisymbol{fselch}{127}</code>  .. ..... 276
<code>\Pisymbol{fselch}{76}</code>  .. ..... 276	<code>\Pisymbol{fselch}{102}</code>  .. ..... 276	<code>\Pisymbol{fselch}{128}</code>  .. ..... 276
<code>\Pisymbol{fselch}{77}</code>  .. ..... 276	<code>\Pisymbol{fselch}{103}</code>  .. ..... 276	<code>\Pisymbol{fselch}{129}</code>  .. ..... 276
<code>\Pisymbol{fselch}{78}</code>  .. ..... 276	<code>\Pisymbol{fselch}{104}</code>  .. ..... 276	<code>\Pisymbol{fselch}{130}</code>  .. ..... 276
<code>\Pisymbol{fselch}{79}</code>  .. ..... 276	<code>\Pisymbol{fselch}{105}</code>  .. ..... 276	<code>\Pisymbol{fselch}{131}</code>  .. ..... 276
<code>\Pisymbol{fselch}{80}</code>  .. ..... 276	<code>\Pisymbol{fselch}{106}</code>  .. ..... 276	<code>\Pisymbol{fselch}{132}</code>  .. ..... 276
<code>\Pisymbol{fselch}{81}</code>  .. ..... 276	<code>\Pisymbol{fselch}{107}</code>  .. ..... 276	<code>\Pisymbol{fselch}{133}</code>  .. ..... 276
<code>\Pisymbol{fselch}{82}</code>  .. ..... 276	<code>\Pisymbol{fselch}{108}</code>  .. ..... 276	<code>\Pisymbol{fselch}{134}</code>  .. ..... 276
<code>\Pisymbol{fselch}{83}</code>  .. ..... 276	<code>\Pisymbol{fselch}{109}</code>  .. ..... 276	<code>\Pisymbol{fselch}{135}</code>  .. ..... 276
<code>\Pisymbol{fselch}{84}</code>  .. ..... 276	<code>\Pisymbol{fselch}{110}</code>  .. ..... 275	<code>\Pisymbol{fselch}{136}</code>  .. ..... 276
<code>\Pisymbol{fselch}{85}</code>  .. ..... 276	<code>\Pisymbol{fselch}{111}</code>  .. ..... 275	<code>\Pisymbol{fselch}{137}</code>  .. ..... 276
<code>\Pisymbol{fselch}{86}</code>  .. ..... 276	<code>\Pisymbol{fselch}{112}</code>  .. ..... 275	<code>\Pisymbol{fselch}{138}</code>  .. ..... 276

<code>\Pisymbol{fselch}{139}</code>  .	<code>\Pisymbol{knot1}{48}</code>  264	<code>\Pisymbol{knot1}{97}</code>  264
..... 276	<code>\Pisymbol{knot1}{49}</code>  264	<code>\Pisymbol{knot1}{98}</code>  265
<code>\Pisymbol{fselch}{140}</code>  .	<code>\Pisymbol{knot1}{50}</code>  264	<code>\Pisymbol{knot1}{99}</code>  265
..... 276	<code>\Pisymbol{knot1}{51}</code> (◆) 264	<code>\Pisymbol{knot1}{100}</code>  .
<code>\Pisymbol{fselch}{141}</code>  .	<code>\Pisymbol{knot1}{52}</code> (●) 264	..... 265
..... 276	<code>\Pisymbol{knot1}{53}</code>  264	<code>\Pisymbol{knot1}{101}</code>  .
<code>\Pisymbol{fselch}{142}</code>  .	<code>\Pisymbol{knot1}{58}</code>  264	..... 265
..... 276	<code>\Pisymbol{knot1}{59}</code>  265	<code>\Pisymbol{knot1}{102}</code>  .
<code>\Pisymbol{fselch}{143}</code>  .	<code>\Pisymbol{knot1}{60}</code>  265	..... 265
..... 276	<code>\Pisymbol{knot1}{61}</code>  265	<code>\Pisymbol{knot1}{103}</code>  .
<code>\Pisymbol{fselch}{144}</code>  .	<code>\Pisymbol{knot1}{62}</code>  265	..... 265
..... 276	<code>\Pisymbol{knot1}{63}</code>  265	<code>\Pisymbol{knot1}{104}</code>  .
<code>\Pisymbol{fselch}{145}</code> (○) .	<code>\Pisymbol{knot1}{64}</code>  265	..... 265
..... 276	<code>\Pisymbol{knot1}{65}</code>  265	<code>\Pisymbol{knot2}{48}</code>  265
<code>\Pisymbol{fselch}{151}</code> (●) .	<code>\Pisymbol{knot1}{66}</code>  265	<code>\Pisymbol{knot2}{49}</code>  265
..... 276	<code>\Pisymbol{knot1}{67}</code>  265	<code>\Pisymbol{knot2}{50}</code>  265
<code>\Pisymbol{fselch}{157}</code> (●) .	<code>\Pisymbol{knot1}{68}</code>  264	<code>\Pisymbol{knot2}{51}</code> (◆) 265
..... 276	<code>\Pisymbol{knot1}{69}</code>  264	<code>\Pisymbol{knot2}{52}</code> (●) 265
<code>\Pisymbol{fselch}{163}</code>  .	<code>\Pisymbol{knot1}{70}</code>  264	<code>\Pisymbol{knot2}{53}</code>  265
..... 276	<code>\Pisymbol{knot1}{71}</code>  264	<code>\Pisymbol{knot2}{58}</code>  265
<code>\Pisymbol{fselch}{169}</code>  .	<code>\Pisymbol{knot1}{72}</code>  264	<code>\Pisymbol{knot2}{59}</code>  265
..... 276	<code>\Pisymbol{knot1}{73}</code>  264	<code>\Pisymbol{knot2}{60}</code>  265
<code>\Pisymbol{fselch}{175}</code>  .	<code>\Pisymbol{knot1}{74}</code>  264	<code>\Pisymbol{knot2}{61}</code>  265
..... 276	<code>\Pisymbol{knot1}{75}</code>  265	<code>\Pisymbol{knot2}{62}</code>  265
<code>\Pisymbol{fselch}{180}</code> (⊗) .	<code>\Pisymbol{knot1}{76}</code>  265	<code>\Pisymbol{knot2}{63}</code>  265
..... 276	<code>\Pisymbol{knot1}{77}</code>  265	<code>\Pisymbol{knot2}{64}</code>  265
<code>\Pisymbol{fselch}{186}</code> (⊗) .	<code>\Pisymbol{knot1}{78}</code>  265	<code>\Pisymbol{knot2}{65}</code>  265
..... 276	<code>\Pisymbol{knot1}{79}</code>  265	<code>\Pisymbol{knot2}{66}</code>  265
<code>\Pisymbol{fselch}{192}</code> (⊗) .	<code>\Pisymbol{knot1}{80}</code>  265	<code>\Pisymbol{knot2}{67}</code>  265
..... 276	<code>\Pisymbol{knot1}{81}</code>  265	<code>\Pisymbol{knot2}{68}</code>  265
<code>\Pisymbol{fselch}{198}</code> (⊗) .	<code>\Pisymbol{knot1}{82}</code>  265	<code>\Pisymbol{knot2}{69}</code>  265
..... 276	<code>\Pisymbol{knot1}{83}</code>  265	<code>\Pisymbol{knot2}{70}</code>  265
<code>\Pisymbol{fselch}{204}</code> (⊗) .	<code>\Pisymbol{knot1}{84}</code>  264	<code>\Pisymbol{knot2}{71}</code>  265
..... 276	<code>\Pisymbol{knot1}{85}</code>  264	<code>\Pisymbol{knot2}{72}</code>  265
<code>\Pisymbol{fselch}{210}</code> (⊗) .	<code>\Pisymbol{knot1}{86}</code>  264	<code>\Pisymbol{knot2}{73}</code>  265
..... 276	<code>\Pisymbol{knot1}{87}</code>  264	<code>\Pisymbol{knot2}{74}</code>  265
<code>\Pisymbol{fselch}{216}</code> (⊗) .	<code>\Pisymbol{knot1}{88}</code>  264	<code>\Pisymbol{knot2}{75}</code>  265
..... 276	<code>\Pisymbol{knot1}{96}</code>  264	<code>\Pisymbol{knot2}{76}</code>  265
<code>\Pisymbol{fselch}{222}</code> (⊗) .		<code>\Pisymbol{knot2}{77}</code>  265
..... 276		
<code>\Pisymbol{fselch}{228}</code> (⊗) .		
..... 276		
<code>\Pisymbol{fselch}{234}</code> (⊗) .		
..... 276		
<code>\Pisymbol{fselch}{240}</code> (⊗) .		
..... 276		
<code>\Pisymbol{fselch}{246}</code> (⊗) .		
..... 276		
<code>\Pisymbol{greenpoint}{71}</code> (●) ..... 255		
<code>\Pisymbol{hands}{65}</code>  255		
<code>\Pisymbol{hands}{66}</code>  255		
<code>\Pisymbol{hands}{67}</code>  255		
<code>\Pisymbol{hands}{68}</code>  255		

<code>\Pisymbol{knot2}{78}</code>		265	<code>\Pisymbol{knot3}{66}</code>		266	<code>\Pisymbol{knot4}{50}</code>		266
<code>\Pisymbol{knot2}{79}</code>		265	<code>\Pisymbol{knot3}{67}</code>		266	<code>\Pisymbol{knot4}{51}</code>		266
<code>\Pisymbol{knot2}{80}</code>		265	<code>\Pisymbol{knot3}{68}</code>		266	<code>\Pisymbol{knot4}{52}</code>		266
<code>\Pisymbol{knot2}{81}</code>		265	<code>\Pisymbol{knot3}{69}</code>		266	<code>\Pisymbol{knot4}{53}</code>		266
<code>\Pisymbol{knot2}{82}</code>		265	<code>\Pisymbol{knot3}{70}</code>		266	<code>\Pisymbol{knot4}{58}</code>		266
<code>\Pisymbol{knot2}{83}</code>		265	<code>\Pisymbol{knot3}{71}</code>		266	<code>\Pisymbol{knot4}{59}</code>		266
<code>\Pisymbol{knot2}{84}</code>		265	<code>\Pisymbol{knot3}{72}</code>		266	<code>\Pisymbol{knot4}{60}</code>		266
<code>\Pisymbol{knot2}{85}</code>		265	<code>\Pisymbol{knot3}{73}</code>		266	<code>\Pisymbol{knot4}{61}</code>		266
<code>\Pisymbol{knot2}{86}</code>		265	<code>\Pisymbol{knot3}{74}</code>		266	<code>\Pisymbol{knot4}{62}</code>		266
<code>\Pisymbol{knot2}{87}</code>		265	<code>\Pisymbol{knot3}{75}</code>		266	<code>\Pisymbol{knot4}{63}</code>		266
<code>\Pisymbol{knot2}{88}</code>		265	<code>\Pisymbol{knot3}{76}</code>		266	<code>\Pisymbol{knot4}{64}</code>		266
<code>\Pisymbol{knot2}{96}</code>		265	<code>\Pisymbol{knot3}{77}</code>		266	<code>\Pisymbol{knot4}{65}</code>		266
<code>\Pisymbol{knot2}{97}</code>		265	<code>\Pisymbol{knot3}{78}</code>		266	<code>\Pisymbol{knot4}{66}</code>		266
<code>\Pisymbol{knot2}{98}</code>		265	<code>\Pisymbol{knot3}{79}</code>		266	<code>\Pisymbol{knot4}{67}</code>		266
<code>\Pisymbol{knot2}{99}</code>		265	<code>\Pisymbol{knot3}{80}</code>		266	<code>\Pisymbol{knot4}{68}</code>		266
<code>\Pisymbol{knot2}{100}</code>		265	<code>\Pisymbol{knot3}{81}</code>		266	<code>\Pisymbol{knot4}{69}</code>		266
<code>\Pisymbol{knot2}{101}</code>		265	<code>\Pisymbol{knot3}{82}</code>		266	<code>\Pisymbol{knot4}{70}</code>		266
<code>\Pisymbol{knot2}{102}</code>		265	<code>\Pisymbol{knot3}{83}</code>		266	<code>\Pisymbol{knot4}{71}</code>		266
<code>\Pisymbol{knot2}{103}</code>		265	<code>\Pisymbol{knot3}{84}</code>		266	<code>\Pisymbol{knot4}{72}</code>		266
<code>\Pisymbol{knot2}{104}</code>		265	<code>\Pisymbol{knot3}{85}</code>		266	<code>\Pisymbol{knot4}{73}</code>		266
<code>\Pisymbol{knot2}{105}</code>		265	<code>\Pisymbol{knot3}{86}</code>		266	<code>\Pisymbol{knot4}{74}</code>		266
<code>\Pisymbol{knot3}{48}</code>		265	<code>\Pisymbol{knot3}{87}</code>		266	<code>\Pisymbol{knot4}{75}</code>		266
<code>\Pisymbol{knot3}{49}</code>		265	<code>\Pisymbol{knot3}{88}</code>		266	<code>\Pisymbol{knot4}{76}</code>		266
<code>\Pisymbol{knot3}{50}</code>		265	<code>\Pisymbol{knot3}{96}</code>		266	<code>\Pisymbol{knot4}{77}</code>		266
<code>\Pisymbol{knot3}{51}</code>		265	<code>\Pisymbol{knot3}{97}</code>		266	<code>\Pisymbol{knot4}{78}</code>		266
<code>\Pisymbol{knot3}{52}</code>		265	<code>\Pisymbol{knot3}{98}</code>		266	<code>\Pisymbol{knot4}{79}</code>		266
<code>\Pisymbol{knot3}{53}</code>		265	<code>\Pisymbol{knot3}{99}</code>		266	<code>\Pisymbol{knot4}{80}</code>		266
<code>\Pisymbol{knot3}{58}</code>		265	<code>\Pisymbol{knot3}{100}</code>		266	<code>\Pisymbol{knot4}{81}</code>		266
<code>\Pisymbol{knot3}{59}</code>		265	<code>\Pisymbol{knot3}{101}</code>		266	<code>\Pisymbol{knot4}{82}</code>		266
<code>\Pisymbol{knot3}{60}</code>		265	<code>\Pisymbol{knot3}{102}</code>		266	<code>\Pisymbol{knot4}{83}</code>		266
<code>\Pisymbol{knot3}{61}</code>		265	<code>\Pisymbol{knot3}{103}</code>		266	<code>\Pisymbol{knot4}{84}</code>		266
<code>\Pisymbol{knot3}{62}</code>		266	<code>\Pisymbol{knot3}{104}</code>		266	<code>\Pisymbol{knot4}{85}</code>		266
<code>\Pisymbol{knot3}{63}</code>		266	<code>\Pisymbol{knot3}{105}</code>		266	<code>\Pisymbol{knot4}{86}</code>		266
<code>\Pisymbol{knot3}{64}</code>		266	<code>\Pisymbol{knot4}{48}</code>		266	<code>\Pisymbol{knot4}{87}</code>		266
<code>\Pisymbol{knot3}{65}</code>		266	<code>\Pisymbol{knot4}{49}</code>		266	<code>\Pisymbol{knot4}{88}</code>		266

<code>\Pisymbol{knot4}{99}</code>		266	<code>\Pisymbol{knot5}{80}</code>		266	<code>\Pisymbol{knot6}{68}</code>		267
<code>\Pisymbol{knot4}{100}</code>		.	<code>\Pisymbol{knot5}{81}</code>		267	<code>\Pisymbol{knot6}{69}</code>		267
.....	266		<code>\Pisymbol{knot5}{82}</code>		267	<code>\Pisymbol{knot6}{70}</code>		267
<code>\Pisymbol{knot4}{101}</code>		.	<code>\Pisymbol{knot5}{83}</code>		267	<code>\Pisymbol{knot6}{71}</code>		267
.....	266		<code>\Pisymbol{knot5}{84}</code>		266	<code>\Pisymbol{knot6}{72}</code>		267
<code>\Pisymbol{knot4}{102}</code>		.	<code>\Pisymbol{knot5}{85}</code>		266	<code>\Pisymbol{knot6}{73}</code>		267
.....	266		<code>\Pisymbol{knot5}{86}</code>		266	<code>\Pisymbol{knot6}{74}</code>		267
<code>\Pisymbol{knot4}{103}</code>		.	<code>\Pisymbol{knot5}{87}</code>		266	<code>\Pisymbol{knot6}{75}</code>		267
.....	266		<code>\Pisymbol{knot5}{88}</code>		266	<code>\Pisymbol{knot6}{76}</code>		267
<code>\Pisymbol{knot4}{104}</code>		.	<code>\Pisymbol{knot5}{96}</code>		266	<code>\Pisymbol{knot6}{77}</code>		267
.....	266		<code>\Pisymbol{knot5}{97}</code>		266	<code>\Pisymbol{knot6}{78}</code>		267
<code>\Pisymbol{knot4}{105}</code>		.	<code>\Pisymbol{knot5}{98}</code>		266	<code>\Pisymbol{knot6}{79}</code>		267
.....	266		<code>\Pisymbol{knot5}{99}</code>		266	<code>\Pisymbol{knot6}{80}</code>		267
<code>\Pisymbol{knot5}{48}</code>		266	<code>\Pisymbol{knot5}{100}</code>		.	<code>\Pisymbol{knot6}{81}</code>		267
<code>\Pisymbol{knot5}{49}</code>		266	.....	266		<code>\Pisymbol{knot6}{82}</code>		267
<code>\Pisymbol{knot5}{50}</code>		266	<code>\Pisymbol{knot5}{101}</code>		.	<code>\Pisymbol{knot6}{83}</code>		267
<code>\Pisymbol{knot5}{51}</code>		266	.....	266		<code>\Pisymbol{knot6}{84}</code>		267
<code>\Pisymbol{knot5}{52}</code>		266	<code>\Pisymbol{knot5}{102}</code>		.	<code>\Pisymbol{knot6}{85}</code>		267
<code>\Pisymbol{knot5}{53}</code>		266	.....	266		<code>\Pisymbol{knot6}{86}</code>		267
<code>\Pisymbol{knot5}{58}</code>		266	<code>\Pisymbol{knot5}{103}</code>		.	<code>\Pisymbol{knot6}{87}</code>		267
<code>\Pisymbol{knot5}{59}</code>		266	.....	266		<code>\Pisymbol{knot6}{88}</code>		267
<code>\Pisymbol{knot5}{60}</code>		266	<code>\Pisymbol{knot5}{104}</code>		.	<code>\Pisymbol{knot6}{96}</code>		267
<code>\Pisymbol{knot5}{61}</code>		266	.....	267		<code>\Pisymbol{knot6}{97}</code>		267
<code>\Pisymbol{knot5}{62}</code>		266	<code>\Pisymbol{knot5}{105}</code>		.	<code>\Pisymbol{knot6}{98}</code>		267
<code>\Pisymbol{knot5}{63}</code>		266	.....	267		<code>\Pisymbol{knot6}{99}</code>		267
<code>\Pisymbol{knot5}{64}</code>		266	<code>\Pisymbol{knot6}{48}</code>		267	<code>\Pisymbol{knot6}{100}</code>		.
<code>\Pisymbol{knot5}{65}</code>		267	<code>\Pisymbol{knot6}{49}</code>		267	.....	267	
<code>\Pisymbol{knot5}{66}</code>		267	<code>\Pisymbol{knot6}{50}</code>		267	<code>\Pisymbol{knot6}{101}</code>		.
<code>\Pisymbol{knot5}{67}</code>		267	<code>\Pisymbol{knot6}{51}</code>		267	.....	267	
<code>\Pisymbol{knot5}{68}</code>		266	<code>\Pisymbol{knot6}{52}</code>		267	<code>\Pisymbol{knot6}{102}</code>		.
<code>\Pisymbol{knot5}{69}</code>		266	<code>\Pisymbol{knot6}{53}</code>		267	.....	267	
<code>\Pisymbol{knot5}{70}</code>		266	<code>\Pisymbol{knot6}{58}</code>		267	<code>\Pisymbol{knot6}{103}</code>		.
<code>\Pisymbol{knot5}{71}</code>		266	<code>\Pisymbol{knot6}{59}</code>		267	.....	267	
<code>\Pisymbol{knot5}{72}</code>		266	<code>\Pisymbol{knot6}{60}</code>		267	<code>\Pisymbol{knot6}{104}</code>		.
<code>\Pisymbol{knot5}{73}</code>		266	<code>\Pisymbol{knot6}{61}</code>		267	.....	267	
<code>\Pisymbol{knot5}{74}</code>		266	<code>\Pisymbol{knot6}{62}</code>		267	<code>\Pisymbol{knot6}{105}</code>		.
<code>\Pisymbol{knot5}{75}</code>		266	<code>\Pisymbol{knot6}{63}</code>		267	.....	267	
<code>\Pisymbol{knot5}{76}</code>		266	<code>\Pisymbol{knot6}{64}</code>		267	<code>\Pisymbol{knot7}{48}</code>		267
<code>\Pisymbol{knot5}{77}</code>		266	<code>\Pisymbol{knot6}{65}</code>		267	<code>\Pisymbol{knot7}{49}</code>		267
<code>\Pisymbol{knot5}{78}</code>		266	<code>\Pisymbol{knot6}{66}</code>		267	<code>\Pisymbol{knot7}{50}</code>		267
<code>\Pisymbol{knot5}{79}</code>		266	<code>\Pisymbol{knot6}{67}</code>		267	<code>\Pisymbol{knot7}{51}</code>		267












































































<code>\Pisymbol{knot7}{52}</code>		267	<code>\Pisymbol{knot7}{101}</code>		.	<code>\Pisymbol{nkarta}{45}</code>		256	
<code>\Pisymbol{knot7}{53}</code>		267	.....	267		<code>\Pisymbol{nkarta}{46}</code>		256	
<code>\Pisymbol{knot7}{58}</code>		267	<code>\Pisymbol{knot7}{102}</code>		.	<code>\Pisymbol{nkarta}{47}</code>		256	
<code>\Pisymbol{knot7}{59}</code>		267	.....	267		<code>\Pisymbol{nkarta}{48}</code>		256	
<code>\Pisymbol{knot7}{60}</code>		267	<code>\Pisymbol{knot7}{103}</code>		.	<code>\Pisymbol{nkarta}{49}</code>		256	
<code>\Pisymbol{knot7}{61}</code>		267	.....	267		<code>\Pisymbol{nkarta}{50}</code>		256	
<code>\Pisymbol{knot7}{62}</code>		267	<code>\Pisymbol{knot7}{104}</code>		.	<code>\Pisymbol{nkarta}{51}</code>		256	
<code>\Pisymbol{knot7}{63}</code>		267	.....	267		<code>\Pisymbol{nkarta}{52}</code>		256	
<code>\Pisymbol{knot7}{64}</code>		267	<code>\Pisymbol{knot7}{105}</code>		.	<code>\Pisymbol{nkarta}{53}</code>		256	
<code>\Pisymbol{knot7}{65}</code>		267	.....	267		<code>\Pisymbol{nkarta}{54}</code>		256	
<code>\Pisymbol{knot7}{66}</code>		267	<code>\Pisymbol{magic}{48}</code>		(0)	275	<code>\Pisymbol{nkarta}{55}</code>		256
<code>\Pisymbol{knot7}{67}</code>		268	<code>\Pisymbol{magic}{49}</code>		(1)	275	<code>\Pisymbol{nkarta}{56}</code>		256
<code>\Pisymbol{knot7}{68}</code>		267	<code>\Pisymbol{magic}{50}</code>		(2)	275	<code>\Pisymbol{nkarta}{57}</code>		256
<code>\Pisymbol{knot7}{69}</code>		267	<code>\Pisymbol{magic}{51}</code>		(3)	275	<code>\Pisymbol{nkarta}{58}</code>		256
<code>\Pisymbol{knot7}{70}</code>		267	<code>\Pisymbol{magic}{52}</code>		(4)	275	<code>\Pisymbol{nkarta}{59}</code>		256
<code>\Pisymbol{knot7}{71}</code>		267	<code>\Pisymbol{magic}{53}</code>		(5)	275	<code>\Pisymbol{nkarta}{60}</code>		256
<code>\Pisymbol{knot7}{72}</code>		267	<code>\Pisymbol{magic}{54}</code>		(6)	275	<code>\Pisymbol{nkarta}{61}</code>		256
<code>\Pisymbol{knot7}{73}</code>		267	<code>\Pisymbol{magic}{55}</code>		(7)	275	<code>\Pisymbol{nkarta}{62}</code>		256
<code>\Pisymbol{knot7}{74}</code>		267	<code>\Pisymbol{magic}{56}</code>		(8)	275	<code>\Pisymbol{nkarta}{63}</code>		256
<code>\Pisymbol{knot7}{75}</code>		267	<code>\Pisymbol{magic}{57}</code>		(9)	275	<code>\Pisymbol{nkarta}{64}</code>		256
<code>\Pisymbol{knot7}{76}</code>		267	<code>\Pisymbol{magic}{66}</code>		(*)	275	<code>\Pisymbol{nkarta}{65}</code>		256
<code>\Pisymbol{knot7}{77}</code>		267	<code>\Pisymbol{magic}{71}</code>		(*)	275	<code>\Pisymbol{nkarta}{66}</code>		256
<code>\Pisymbol{knot7}{78}</code>		267	<code>\Pisymbol{magic}{82}</code>		(*)	275	<code>\Pisymbol{nkarta}{67}</code>		256
<code>\Pisymbol{knot7}{79}</code>		267	<code>\Pisymbol{magic}{84}</code>		(*)	275	<code>\Pisymbol{nkarta}{68}</code>		256
<code>\Pisymbol{knot7}{80}</code>		267	<code>\Pisymbol{magic}{85}</code>		(*)	275	<code>\Pisymbol{nkarta}{69}</code>		256
<code>\Pisymbol{knot7}{81}</code>		267	<code>\Pisymbol{magic}{87}</code>		(*)	275	<code>\Pisymbol{nkarta}{70}</code>		256
<code>\Pisymbol{knot7}{82}</code>		267	<code>\Pisymbol{magic}{88}</code>		(X)	275	<code>\Pisymbol{nkarta}{71}</code>		256
<code>\Pisymbol{knot7}{83}</code>		268	<code>\Pisymbol{magic}{90}</code>		(10)	275	<code>\Pisymbol{nkarta}{72}</code>		..
<code>\Pisymbol{knot7}{84}</code>		267	<code>\Pisymbol{moonphase}{0}</code>		(*)		.....	256	
<code>\Pisymbol{knot7}{85}</code>		267	.....	257		<code>\Pisymbol{nkarta}{73}</code>		256	
<code>\Pisymbol{knot7}{86}</code>		267	<code>\Pisymbol{moonphase}{1}</code>		(D)	.	<code>\Pisymbol{nkarta}{74}</code>		256
<code>\Pisymbol{knot7}{87}</code>		267	.....	257		<code>\Pisymbol{nkarta}{75}</code>		256	
<code>\Pisymbol{knot7}{88}</code>		267	<code>\Pisymbol{moonphase}{2}</code>		(*)		<code>\Pisymbol{nkarta}{76}</code>		..
<code>\Pisymbol{knot7}{89}</code>		267	.....	257		.....	256		
<code>\Pisymbol{knot7}{96}</code>		267	<code>\Pisymbol{moonphase}{3}</code>		(*)	.	<code>\Pisymbol{nkarta}{77}</code>		256
<code>\Pisymbol{knot7}{97}</code>		267	.....	257		<code>\Pisymbol{nkarta}{81}</code>		256	
<code>\Pisymbol{knot7}{98}</code>		267	<code>\Pisymbol{nkarta}{33}</code>		(C)	255	<code>\Pisymbol{nkarta}{82}</code>		256
<code>\Pisymbol{knot7}{99}</code>		267	<code>\Pisymbol{nkarta}{34}</code>		(*)	255	<code>\Pisymbol{nkarta}{83}</code>		256
<code>\Pisymbol{knot7}{100}</code>		.....	<code>\Pisymbol{nkarta}{35}</code>		(A)	255	<code>\Pisymbol{nkarta}{84}</code>		256
.....	267		<code>\Pisymbol{nkarta}{36}</code>		(*)	255	<code>\Pisymbol{nkarta}{85}</code>		..
			<code>\Pisymbol{nkarta}{37}</code>		(C)	255	.....	256	
			<code>\Pisymbol{nkarta}{38}</code>		(*)	..	<code>\Pisymbol{nkarta}{86}</code>		256
			.....	255			<code>\Pisymbol{nkarta}{87}</code>		256
			<code>\Pisymbol{nkarta}{39}</code>		(C)	255	<code>\Pisymbol{nkarta}{88}</code>		256
			<code>\Pisymbol{nkarta}{40}</code>		(I)	255	<code>\Pisymbol{nkarta}{89}</code>		256
			<code>\Pisymbol{nkarta}{41}</code>		(I)	255	<code>\Pisymbol{nkarta}{90}</code>		256
			<code>\Pisymbol{nkarta}{42}</code>		(*)	..	<code>\Pisymbol{nkarta}{91}</code>		256
			.....	255			<code>\Pisymbol{nkarta}{92}</code>		256
			<code>\Pisymbol{nkarta}{43}</code>		(*)	255	.....	257	
			<code>\Pisymbol{nkarta}{44}</code>		(*)	..	<code>\Pisymbol{nkarta}{93}</code>		257
			.....	255					

<code>\Pisymbol{nkarta}{94}</code> (★) . ..... 257	<code>\Pisymbol{nkarta}{126}</code> (♣) .. ..... 256	<code>\Pisymbol{nkarta}{190}</code> (×) .. ..... 257
<code>\Pisymbol{nkarta}{95}</code> (♠) 257	<code>\Pisymbol{nkarta}{161}</code> (♥) . ..... 256	<code>\Pisymbol{nkarta}{191}</code> (○) . ..... 257
<code>\Pisymbol{nkarta}{96}</code> (♠) 255	<code>\Pisymbol{nkarta}{162}</code> (♦) .. ..... 256	<code>\Pisymbol{nkarta}{192}</code> (*). .. ..... 257
<code>\Pisymbol{nkarta}{97}</code> (♣) 255	<code>\Pisymbol{nkarta}{163}</code> (▲) .. ..... 256	<code>\Pisymbol{nkarta}{193}</code> (●) .. ..... 255
<code>\Pisymbol{nkarta}{98}</code> (♠) 255	<code>\Pisymbol{nkarta}{164}</code> (—) ..... 256	<code>\Pisymbol{nkarta}{194}</code> (□) . ..... 255
<code>\Pisymbol{nkarta}{99}</code> (♣) 255	<code>\Pisymbol{nkarta}{165}</code> (→) .. ..... 256	<code>\Pisymbol{nkarta}{195}</code> (♠) .. ..... 255
<code>\Pisymbol{nkarta}{100}</code> (▲) . ..... 255	<code>\Pisymbol{nkarta}{166}</code> (↗) .. ..... 256	<code>\Pisymbol{nkarta}{196}</code> (♣) . ..... 255
<code>\Pisymbol{nkarta}{101}</code> (★) .. ..... 255	<code>\Pisymbol{nkarta}{167}</code> (↖) . ..... 256	<code>\Pisymbol{nkarta}{197}</code> (♠) 255
<code>\Pisymbol{nkarta}{102}</code> (♠) .. ..... 255	<code>\Pisymbol{nkarta}{168}</code> (⊗) .. ..... 256	<code>\Pisymbol{nkarta}{198}</code> (♣) . ..... 255
<code>\Pisymbol{nkarta}{103}</code> (♠) .. ..... 255	<code>\Pisymbol{nkarta}{169}</code> (♠) 256	<code>\Pisymbol{nkarta}{199}</code> (♠) . ..... 255
<code>\Pisymbol{nkarta}{104}</code> (♠) .. ..... 255	<code>\Pisymbol{nkarta}{170}</code> (■) .. ..... 256	<code>\Pisymbol{nkarta}{200}</code> (→) . ..... 255
<code>\Pisymbol{nkarta}{105}</code> (☺) . ..... 255	<code>\Pisymbol{nkarta}{171}</code> (*) .. ..... 256	<code>\Pisymbol{nkarta}{201}</code> (▲) .. ..... 255
<code>\Pisymbol{nkarta}{106}</code> (♠) .. ..... 255	<code>\Pisymbol{nkarta}{172}</code> (□) . ..... 256	<code>\Pisymbol{nkarta}{202}</code> (◆) . ..... 255
<code>\Pisymbol{nkarta}{107}</code> (♠) .. ..... 255	<code>\Pisymbol{nkarta}{173}</code> (♠) .. ..... 256	<code>\Pisymbol{nkarta}{203}</code> (■) . ..... 255
<code>\Pisymbol{nkarta}{108}</code> (□) . ..... 256	<code>\Pisymbol{nkarta}{174}</code> (+) .. ..... 256	<code>\Pisymbol{nkarta}{204}</code> (■) . ..... 255
<code>\Pisymbol{nkarta}{109}</code> (☺) .. ..... 256	<code>\Pisymbol{nkarta}{175}</code> (□) . ..... 256	<code>\Pisymbol{nkarta}{205}</code> (●) . ..... 256
<code>\Pisymbol{nkarta}{110}</code> (*) . ..... 256	<code>\Pisymbol{nkarta}{176}</code> (●) .. ..... 256	<code>\Pisymbol{nkarta}{206}</code> (☺) .. ..... 256
<code>\Pisymbol{nkarta}{111}</code> (○) . ..... 256	<code>\Pisymbol{nkarta}{177}</code> (□) .. ..... 256	<code>\Pisymbol{nkarta}{207}</code> (♠) .. ..... 256
<code>\Pisymbol{nkarta}{112}</code> (◇) . ..... 256	<code>\Pisymbol{nkarta}{178}</code> (f) .. ..... 256	<code>\Pisymbol{nkarta}{208}</code> (*) . ..... 256
<code>\Pisymbol{nkarta}{113}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{179}</code> (×) .. ..... 256	<code>\Pisymbol{nkarta}{209}</code> (♠) . ..... 256
<code>\Pisymbol{nkarta}{114}</code> (♣) .. ..... 256	<code>\Pisymbol{nkarta}{180}</code> (□) .. ..... 256	<code>\Pisymbol{nkarta}{210}</code> (♠) . ..... 256
<code>\Pisymbol{nkarta}{115}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{181}</code> (♠) .. ..... 256	<code>\Pisymbol{nkarta}{211}</code> (←) . ..... 256
<code>\Pisymbol{nkarta}{116}</code> (●) .. ..... 256	<code>\Pisymbol{nkarta}{182}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{212}</code> (↓) . ..... 256
<code>\Pisymbol{nkarta}{117}</code> (☺) . ..... 256	<code>\Pisymbol{nkarta}{183}</code> (*) .. ..... 256	<code>\Pisymbol{nkarta}{213}</code> (↑) . ..... 256
<code>\Pisymbol{nkarta}{118}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{184}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{214}</code> (↖) .. ..... 256
<code>\Pisymbol{nkarta}{119}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{185}</code> (▷) . ..... 256	<code>\Pisymbol{nkarta}{215}</code> (♠) .. ..... 256
<code>\Pisymbol{nkarta}{120}</code> (♣) .. ..... 256	<code>\Pisymbol{nkarta}{186}</code> (♠) .. ..... 256	<code>\Pisymbol{nkarta}{216}</code> (●) . ..... 256
<code>\Pisymbol{nkarta}{121}</code> (☺) .. ..... 256	<code>\Pisymbol{nkarta}{187}</code> (♠) . ..... 256	<code>\Pisymbol{nkarta}{217}</code> (♠) . ..... 256
<code>\Pisymbol{nkarta}{122}</code> (f) 256	<code>\Pisymbol{nkarta}{188}</code> (f) 256	<code>\Pisymbol{nkarta}{218}</code> (●) .. ..... 256
<code>\Pisymbol{nkarta}{123}</code> (—) .. ..... 256	<code>\Pisymbol{nkarta}{189}</code> (☺) .. ..... 257	
<code>\Pisymbol{nkarta}{124}</code> (♠) . ..... 256		
<code>\Pisymbol{nkarta}{125}</code> (♠) . ..... 256		

<code>\Pisymbol{nkarta}{219}</code> (♥) . ..... 256	<code>\Pisymbol{nkarta}{249}</code> (♣) . ..... 256	<code>\Pisymbol{smfpr10}{73}</code> (𐌶) .. ..... 271
<code>\Pisymbol{nkarta}{220}</code> (■) . ..... 256	<code>\Pisymbol{nkarta}{250}</code> (♠) . ..... 256	<code>\Pisymbol{smfpr10}{74}</code> (𐌷) . ..... 271
<code>\Pisymbol{nkarta}{221}</code> (●) . ..... 256	<code>\Pisymbol{nkarta}{251}</code> (✕) . ..... 256	<code>\Pisymbol{smfpr10}{75}</code> (𐌸) .. ..... 271
<code>\Pisymbol{nkarta}{222}</code> (●) . ..... 256	<code>\Pisymbol{nkarta}{252}</code> (♣) . ..... 257	<code>\Pisymbol{smfpr10}{76}</code> (𐌹) . ..... 271
<code>\Pisymbol{nkarta}{223}</code> (♣) . ..... 256	<code>\Pisymbol{nkarta}{253}</code> (▼) . ..... 257	<code>\Pisymbol{smfpr10}{77}</code> (𐌺) . ..... 271
<code>\Pisymbol{nkarta}{224}</code> (■) . ..... 256	<code>\Pisymbol{nkarta}{254}</code> (▶) . ..... 257	<code>\Pisymbol{smfpr10}{78}</code> (♠) . ..... 272
<code>\Pisymbol{nkarta}{225}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{34}</code> ( ) 271	<code>\Pisymbol{smfpr10}{79}</code> (𐌻) .. ..... 272
<code>\Pisymbol{nkarta}{226}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{35}</code> (𐌷) . ..... 271	<code>\Pisymbol{smfpr10}{80}</code> (𐌼) .. ..... 272
<code>\Pisymbol{nkarta}{227}</code> (●) .. ..... 256	<code>\Pisymbol{smfpr10}{36}</code> (𐌸) . ..... 271	<code>\Pisymbol{smfpr10}{81}</code> (𐌽) . ..... 272
<code>\Pisymbol{nkarta}{228}</code> (★) .. ..... 256	<code>\Pisymbol{smfpr10}{42}</code> (♣) . ..... 271	<code>\Pisymbol{smfpr10}{82}</code> (𐌾) . ..... 272
<code>\Pisymbol{nkarta}{229}</code> (★) .. ..... 256	<code>\Pisymbol{smfpr10}{46}</code> (♣) . ..... 271	<code>\Pisymbol{smfpr10}{83}</code> (𐌿) . ..... 272
<code>\Pisymbol{nkarta}{230}</code> (○) .. ..... 256	<code>\Pisymbol{smfpr10}{48}</code> (𐌷𐌸) . ..... 271	<code>\Pisymbol{smfpr10}{84}</code> (𐍀) .. ..... 272
<code>\Pisymbol{nkarta}{231}</code> (□) . ..... 256	<code>\Pisymbol{smfpr10}{49}</code> (𐌷𐌹) . ..... 271	<code>\Pisymbol{smfpr10}{85}</code> (𐍁) . ..... 272
<code>\Pisymbol{nkarta}{232}</code> (♥) . ..... 256	<code>\Pisymbol{smfpr10}{50}</code> (𐌷𐌺) . ..... 271	<code>\Pisymbol{smfpr10}{86}</code> (𐍂) .. ..... 272
<code>\Pisymbol{nkarta}{233}</code> (♠) 256	<code>\Pisymbol{smfpr10}{51}</code> (𐌷𐌻) . ..... 271	<code>\Pisymbol{smfpr10}{87}</code> (𐍃) .. ..... 272
<code>\Pisymbol{nkarta}{234}</code> (♠) 256	<code>\Pisymbol{smfpr10}{52}</code> (𐌷𐌼) . ..... 271	<code>\Pisymbol{smfpr10}{88}</code> (𐍄) .. ..... 272
<code>\Pisymbol{nkarta}{235}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{53}</code> (𐌷𐌽) . ..... 271	<code>\Pisymbol{smfpr10}{89}</code> (𐌾) . ..... 272
<code>\Pisymbol{nkarta}{236}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{54}</code> (𐌷𐌿) . ..... 271	<code>\Pisymbol{smfpr10}{90}</code> (𐍅) .. ..... 272
<code>\Pisymbol{nkarta}{237}</code> (○) .. ..... 256	<code>\Pisymbol{smfpr10}{55}</code> (𐌷𐍀) . ..... 271	<code>\Pisymbol{smfpr10}{97}</code> (𐍄) .. ..... 272
<code>\Pisymbol{nkarta}{238}</code> (○) .. ..... 256	<code>\Pisymbol{smfpr10}{56}</code> (𐌷𐍁) . ..... 271	<code>\Pisymbol{smfpr10}{98}</code> (𐍅) .. ..... 272
<code>\Pisymbol{nkarta}{239}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{57}</code> (𐌷𐍂) . ..... 271	<code>\Pisymbol{smfpr10}{99}</code> (𐍆) .. ..... 272
<code>\Pisymbol{nkarta}{240}</code> (♣) . ..... 256	<code>\Pisymbol{smfpr10}{65}</code> (𐍄) .. ..... 271	<code>\Pisymbol{smfpr10}{100}</code> (𐍇) . ..... 272
<code>\Pisymbol{nkarta}{241}</code> (⊗) . ..... 256	<code>\Pisymbol{smfpr10}{66}</code> (𐍅) .. ..... 271	<code>\Pisymbol{smfpr10}{101}</code> (𐍈) . ..... 272
<code>\Pisymbol{nkarta}{242}</code> (⊕) .. ..... 256	<code>\Pisymbol{smfpr10}{67}</code> (𐍆) .. ..... 271	<code>\Pisymbol{smfpr10}{102}</code> (𐍉) . ..... 272
<code>\Pisymbol{nkarta}{243}</code> (⊗) . ..... 256	<code>\Pisymbol{smfpr10}{68}</code> (𐍇) 271	<code>\Pisymbol{smfpr10}{103}</code> (𐍊) . ..... 272
<code>\Pisymbol{nkarta}{244}</code> (⊕) .. ..... 256	<code>\Pisymbol{smfpr10}{69}</code> (𐍈) .. ..... 271	<code>\Pisymbol{smfpr10}{104}</code> (𐍋) . ..... 272
<code>\Pisymbol{nkarta}{245}</code> (†) .. ..... 256	<code>\Pisymbol{smfpr10}{70}</code> (𐍉) .. ..... 271	<code>\Pisymbol{smfpr10}{105}</code> (𐍌) . ..... 272
<code>\Pisymbol{nkarta}{246}</code> (♣) . ..... 256	<code>\Pisymbol{smfpr10}{71}</code> (𐍊) .. ..... 271	<code>\Pisymbol{smfpr10}{106}</code> (𐍍) . ..... 272
<code>\Pisymbol{nkarta}{247}</code> (♣) .. ..... 256	<code>\Pisymbol{smfpr10}{72}</code> (𐍋) .. ..... 271	<code>\Pisymbol{smfpr10}{107}</code> (𐍎) . ..... 272
<code>\Pisymbol{nkarta}{248}</code> (♣) . ..... 256		





<code>\Pisymbol{umranda}{43}</code> 	<code>\Pisymbol{umranda}{67}</code> 	<code>\Pisymbol{umranda}{91}</code> 
..... 261	..... 262	..... 262
<code>\Pisymbol{umranda}{44}</code> 	<code>\Pisymbol{umranda}{68}</code> 	<code>\Pisymbol{umranda}{92}</code> 
..... 261	..... 261	..... 262
<code>\Pisymbol{umranda}{45}</code> 	<code>\Pisymbol{umranda}{69}</code> 	<code>\Pisymbol{umranda}{93}</code> 
..... 261	..... 261	..... 262
<code>\Pisymbol{umranda}{46}</code> 	<code>\Pisymbol{umranda}{70}</code> 	<code>\Pisymbol{umranda}{94}</code> 
..... 261	..... 261	..... 262
<code>\Pisymbol{umranda}{47}</code> 	<code>\Pisymbol{umranda}{71}</code> 	<code>\Pisymbol{umranda}{95}</code> 
..... 261	..... 261	..... 262
<code>\Pisymbol{umranda}{48}</code> 	<code>\Pisymbol{umranda}{72}</code> 	<code>\Pisymbol{umranda}{96}</code> 
..... 261	..... 261	..... 262
<code>\Pisymbol{umranda}{49}</code> 	<code>\Pisymbol{umranda}{73}</code> 	<code>\Pisymbol{umranda}{97}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{50}</code> 	<code>\Pisymbol{umranda}{74}</code> 	<code>\Pisymbol{umranda}{98}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{51}</code> 	<code>\Pisymbol{umranda}{75}</code> 	<code>\Pisymbol{umranda}{99}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{52}</code> 	<code>\Pisymbol{umranda}{76}</code> 	<code>\Pisymbol{umranda}{100}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{53}</code> 	<code>\Pisymbol{umranda}{77}</code> 	<code>\Pisymbol{umranda}{101}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{54}</code> 	<code>\Pisymbol{umranda}{78}</code> 	<code>\Pisymbol{umrandb}{0}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{55}</code> 	<code>\Pisymbol{umranda}{79}</code> 	<code>\Pisymbol{umrandb}{1}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{56}</code> 	<code>\Pisymbol{umranda}{80}</code> 	<code>\Pisymbol{umrandb}{2}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{57}</code> 	<code>\Pisymbol{umranda}{81}</code> 	<code>\Pisymbol{umrandb}{3}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{58}</code> 	<code>\Pisymbol{umranda}{82}</code> 	<code>\Pisymbol{umrandb}{4}</code> 
..... 262	..... 261	..... 262
<code>\Pisymbol{umranda}{59}</code> 	<code>\Pisymbol{umranda}{83}</code> 	<code>\Pisymbol{umrandb}{5}</code> 
..... 262	..... 262	..... 262
<code>\Pisymbol{umranda}{60}</code> 	<code>\Pisymbol{umranda}{84}</code> 	<code>\Pisymbol{umrandb}{6}</code> 
..... 262	..... 262	..... 262
<code>\Pisymbol{umranda}{61}</code> 	<code>\Pisymbol{umranda}{85}</code> 	<code>\Pisymbol{umrandb}{7}</code> 
..... 262	..... 262	..... 262
<code>\Pisymbol{umranda}{62}</code> 	<code>\Pisymbol{umranda}{86}</code> 	<code>\Pisymbol{umrandb}{8}</code> 
..... 262	..... 262	..... 262
<code>\Pisymbol{umranda}{63}</code> 	<code>\Pisymbol{umranda}{87}</code> 	<code>\Pisymbol{umrandb}{9}</code> 
..... 262	..... 262	..... 263
<code>\Pisymbol{umranda}{64}</code> 	<code>\Pisymbol{umranda}{88}</code> 	<code>\Pisymbol{umrandb}{10}</code> 
..... 262	..... 262	..... 263
<code>\Pisymbol{umranda}{65}</code> 	<code>\Pisymbol{umranda}{89}</code> 	<code>\Pisymbol{umrandb}{11}</code> 
..... 262	..... 262	..... 263
<code>\Pisymbol{umranda}{66}</code> 	<code>\Pisymbol{umranda}{90}</code> 	<code>\Pisymbol{umrandb}{12}</code> 
..... 262	..... 262	..... 263
		<code>\Pisymbol{umrandb}{13}</code> 
		..... 263
		<code>\Pisymbol{umrandb}{14}</code> 
		..... 263







<code>\Pisymbol{WebOMintsGD}{111}</code>	plus (+) . . . . .	236	<code>\portato</code> (⊖) . . . . .	180
(♻) . . . . .	plus-or-minus sign . . . . .	<i>see</i> <code>\pm</code>	<code>\portatoDown</code> (⇩) . . . . .	180
<code>\Pisymbol{WebOMintsGD}{112}</code>	<code>\PlusCenterOpen</code> (⊕) . . . . .	151	<code>\Portugal</code> (🇵🇹) . . . . .	220
(♻) . . . . .	<code>\pluscirc</code> (⊕) . . . . .	34	<code>\Poseidon</code> (♁) . . . . .	140
<code>\Pisymbol{WebOMintsGD}{113}</code>	<code>\pluscirc</code> (⊕) . . . . .	36	<code>\positron</code> (e <sup>+</sup> ) . . . . .	145
(♻) . . . . .	<code>\plusdot</code> (+) . . . . .	35	post office (📮) . . . . .	236
<code>\Pisymbol{WebOMintsGD}{114}</code>	<code>\plusdot</code> (+) . . . . .	37	postal horn (📯) . . . . .	236
(♻) . . . . .	<code>\pluseq</code> (±) . . . . .	37	<code>\postalmark</code> (〒) . . . . .	132
<code>\Pisymbol{WebOMintsGD}{115}</code>	<code>\plushat</code> (⊕) . . . . .	37	<code>\Postbox</code> (📧) . . . . .	218
(♻) . . . . .	<code>\PlusOutline</code> (⊕) . . . . .	151	postbox (📧) . . . . .	236
<code>\Pisymbol{WebOMintsGD}{116}</code>	plusses . 151, 152, 162, 255–257		PostScript . . 102, 135, 146, 280,	
(♻) . . . . .	<code>\plussim</code> (±) . . . . .	37	290, 291	
<code>\Pisymbol{WebOMintsGD}{117}</code>	<code>\plussubtwo</code> (±) . . . . .	37	PostScript fonts . . . . .	146
(♻) . . . . .	<code>\PlusThinCenterOpen</code> (⊕) . . . . .	151	<code>\pot</code> (🍲) . . . . .	229
<code>\Pisymbol{WebOMintsGD}{118}</code>	<code>\plustrif</code> (⊕) . . . . .	36	pot of food (🍲) . . . . .	211
(♻) . . . . .	<code>\plustrif</code> (⊕) . . . . .	37	potable water (🚰) . . . . .	237
<code>\Pisymbol{WebOMintsGD}{119}</code>	<code>\Pluto</code> (♃) . . . . .	138	potato (🍅) . . . . .	211
(♻) . . . . .	<code>\Pluto</code> (♃) . . . . .	138	potted plant (🌱) . . . . .	237
<code>\Pisymbol{WebOMintsGD}{120}</code>	<code>\Pluto</code> (♃) . . . . .	140	poultry leg (🍗) . . . . .	211
(♻) . . . . .	<code>\pluto</code> (♃) . . . . .	137	<code>\Pound</code> (₤) . . . . .	27
<code>\Pisymbol{WebOMintsGD}{121}</code>	<code>\pm</code> (±) . . . . .	32	pound banknote (💷) . . . . .	237
(♻) . . . . .	<code>\pm</code> (±) . . . . .	36	<code>\pounds</code> . . . . .	16
<code>\Pisymbol{WebOMintsGD}{122}</code>	<code>\pm</code> (±) . . . . .	35	<code>\pounds</code> (£) . . . . .	294, 295
(♻) . . . . .	<code>\pm</code> (±) . . . . .	35	pouting cat (😾) . . . . .	237
<code>\pitchfork</code> (⚡) . . . . .	<code>\pm</code> (±) . . . . .	37	pouting face (😡) . . . . .	237
<code>\pitchfork</code> (⚡) . . . . .	<code>\pm</code> (±) . . . . .	213	power set <i>see</i> alphabets, math	
<code>\pitchfork</code> (⚡) . . . . .	<code>\pmb</code> . . . . .	292	<code>\powerset</code> (℘) . . . . .	104
<code>\pitchfork</code> (⚡) . . . . .	<code>pmboxdraw</code> (package) . 215, 298,		<code>\Pp</code> (:) . . . . .	213
<code>\pitchfork</code> (⚡) . . . . .	299		<code>\pp</code> (: ) . . . . .	213
<code>\pitchfork</code> (⚡) . . . . .	<code>\pmod</code> . . . . .	99	<code>\ppm</code> (≡) . . . . .	213
pitchforks . 55, 96, 98, 123, 124,	<code>\pointer</code> (☞) . . . . .	202	<code>\Ppp</code> (::) . . . . .	213
130	pointing finger . . . . .	<i>see</i> fists	<code>\ppp</code> (::) . . . . .	213
Pitman’s base 12 symbols . 128,	<code>\PointingHand</code> (☞) . . . . .	205	<code>\Pppp</code> (::) . . . . .	213
212	<code>\pointint</code> (⚡) . . . . .	53	<code>\pppp</code> (::) . . . . .	213
<code>\piup</code> (π) . . . . .	<code>\pointint</code> (⚡) . . . . .	50	<code>\Ppppp</code> (::) . . . . .	213
pizza (🍕) . . . . .	<code>\pointintsl</code> (⚡) . . . . .	52	<code>\ppppp</code> (::) . . . . .	213
piñata (🎉) . . . . .	<code>\pointintup</code> (⚡) . . . . .	52	<code>\Pr</code> (Pr) . . . . .	99
placard (📄) . . . . .	<code>\pointright</code> (☞) . . . . .	150	prayer beads (📿) . . . . .	237
place of worship (🕌) . . . . .	<code>\Poland</code> (🇵🇱) . . . . .	220	<code>\Prec</code> (⊖) . . . . .	64
<code>\planck</code> (ħ) . . . . .	polar bear (🐻) . . . . .	209	<code>\prec</code> (⊖) . . . . .	54
<code>\Plane</code> (✈) . . . . .	<code>\polariton</code> (⚡) . . . . .	145	<code>\prec</code> (⊖) . . . . .	60
planes . . . . .	<code>\polaron</code> (⚡) . . . . .	145	<code>\prec</code> (⊖) . . . . .	58
planets . . . . .	police car (🚓) . . . . .	203	<code>\prec</code> (⊖) . . . . .	64
plants . . . . .	police car light (🚓) . . . . .	203	<code>\precapprox</code> (≈) . . . . .	56
<code>\plasmon</code> (⚡) . . . . .	police officer (👮) . . . . .	236	<code>\precapprox</code> (≈) . . . . .	55
play button (▶) . . . . .	<code>\polishhook</code> (.) . . . . .	26	<code>\precapprox</code> (≈) . . . . .	62
play or pause button (⏮) . . . . .	<code>\polter</code> (👻) . . . . .	125	<code>\precapprox</code> (≈) . . . . .	60
playing cards . . . . .	<code>\polutonikogreek</code> (babel package		<code>\precapprox</code> (≈) . . . . .	58
pleading face (😞) . . . . .	option) . . . . .	17, 101, 102	<code>\preccurlyeq</code> (≲) . . . . .	56
plimsoll (package) . 136, 282, 298,	polygons . . . 156–159, 161–162,		<code>\preccurlyeq</code> (≲) . . . . .	55
299	186–191, 255–257, 273		<code>\preccurlyeq</code> (≲) . . . . .	62
<code>\plimsoll</code> (⊖) . . . . .	<code>\polynom</code> (package) . . . . .	117	<code>\preccurlyeq</code> (≲) . . . . .	60
Plimsoll line . . . . .	polynomial division . . . . .	117	<code>\preccurlyeq</code> (≲) . . . . .	58
plunger (🔪) . . . . .	polytonic Greek . . 17, 101, 102		<code>\preccurlyeq</code> (≲) . . . . .	64
<code>\Plus</code> (⊕) . . . . .	poodle (🐕) . . . . .	209	<code>\precdot</code> (⊖) . . . . .	56
<code>\plus</code> (+) . . . . .	pool 8 ball (🎱) . . . . .	236	<code>\preceq</code> (≲) . . . . .	54
<code>\plus</code> (+) . . . . .	popcorn (🍿) . . . . .	211	<code>\preceq</code> (≲) . . . . .	60
<code>\plus</code> (+) . . . . .				




quaver . . . *see* musical symbols  
`\quaver` (♩) . . . . . 178  
`\quaverDotted` (♩.) . . . . . 179  
`\quaverDottedDouble` (♩..) 179  
`\quaverDottedDoubleDown` (♩̣)  
. . . . . 179  
`\quaverDottedDown` (♩̣) . . . 179  
`\quaverDown` (♩̣) . . . . . 179  
`\quaverRest` (⏸) . . . . . 180  
`\quaverRestDotted` (⏸.) . . . 180  
queen . . . . . 199, 200, 275–277  
`\questeq` (≐) . . . . . 64  
`\Question` (??) . . . . . 132  
quilisma . . . . . *see* musixgre  
`\Quincunx` (⌵) . . . . . 140  
Quine corners (┌┐) . . . . . *see*  
`\ulcorner` and `\urcorner`  
quotation marks 15, 18, 29, 229,  
293, 296  
`\quotedblbase` („) . . . . . 18, 296  
`\quotesinglbase` (,) . . . . . 18, 296

## R

`R` (℞) . . . . . 173  
`\R` (℞) . . . . . 173  
`\R` (℞) . . . . . 213  
`\r` (℞) . . . . . 22  
`\r` (℞) . . . . . 213  
`r` (℞) . . . . . 173  
`r` (℞) . . . . . 134  
rabbit face (🐰) . . . . . 209  
rabbit2 (🐰) . . . . . 209  
raccoon (🦨) . . . . . 209  
racehorse (🐎) . . . . . 209  
racing car (🏎️) . . . . . 203  
`\Radiation` (☢) . . . . . 213  
`\radiation` (☢) . . . . . 229  
radicals . . . *see* `\sqrt` and `\surd`  
radio (📻) . . . . . 237  
radio button (🔵) . . . . . 237  
radioactive (☢) . . . . . 237  
`\Radioactivity` (☢) . . . . . 144  
`\Radix` (℞) . . . . . 140  
railway car (🚆) . . . . . 203  
railway track (🚦) . . . . . 203  
`\Rain` (🌧️) . . . . . 206  
rainbow (🌈) . . . . . 237  
rainbow flag (🏳️‍🌈) . . . . . 229  
`\RainCloud` (☁️) . . . . . 206  
raindrop . . . . . 275  
raised back of hand (🙄) . . . 237  
raised fist (👊) . . . . . 237  
raised hand (🙋) . . . . . 237  
raising . . . . *see* `\textraising`  
raising hands (🙌) . . . . . 237  
`\RaisingEdge` (┌) . . . . . 136  
ram (🐏) . . . . . 209  
`\Rangle` (⤵) . . . . . 135

`\rAngle` (⤵) . . . . . 113  
`\rAngle` (⤵) . . . . . 110  
`\rAngle` (⤵) . . . . . 112  
`\rangle` (⤵) . . . . . 31, 107  
`\rangle` (⤵) . . . . . 110  
`\rangle` (⤵) . . . . . 109  
`\rangle` (⤵) . . . . . 112  
`\ranglebar` (⤵) . . . . . 109  
`\rangledot` (⤵) . . . . . 110  
`\rangledot` (⤵) . . . . . 107  
`\rangledownzigzagarrow` (⤵) .  
. . . . . 129  
`\rank` (rank) . . . . . 100  
`\RArrow` (➡) . . . . . 141  
`\rarrowfill` . . . . . 122  
rat (🐭) . . . . . 209  
`\ratio` (:) . . . . . 67  
`\RATIONAL` (ℚ) . . . . . 100  
`\Rational` (ℚ) . . . . . 100  
rational numbers (ℚ) . . . . . *see*  
alphabets, math  
rationalized Planck constant *see*  
`\hbar`  
Raw Font Tables . . . . . 13, 134  
razor (🪒) . . . . . 237  
`\RB` (℞) . . . . . 141  
`\Rbag` (⌋) . . . . . 106  
`\rbag` (⌋) . . . . . 106  
`\rbag` (⌋) . . . . . 36  
`\rbag` (⌋) . . . . . 107  
`\rblackbowtie` (⌘) . . . . . 36  
`\rblkrbrak` (⌋) . . . . . 107  
`\rBrace` (⌋) . . . . . 112  
`\rbrace` (⌋) . . . . . 110  
`\rbrace` (⌋) . . . . . 111  
`\rbrace` (⌋) . . . . . 109  
`\rbrace` (⌋) . . . . . 112  
`\Rbrack` (⌋) . . . . . 135  
`\RBrack` (⌋) . . . . . 113  
`\RBrack` (⌋) . . . . . 110  
`\RBrack` (⌋) . . . . . 111

`\rBrack` (⌋) . . . . . 112  
`\rbrack` (⌋) . . . . . 110  
`\rbrack` (⌋) . . . . . 111  
`\rbracklrtick` (⌋) . . . . . 107  
`\rbrackubar` (⌋) . . . . . 107  
`\rbrackurtick` (⌋) . . . . . 107  
`\Rbrbrak` (⌋) . . . . . 107  
`\rbrbrak` (⌋) . . . . . 112  
`\rc` (℞) . . . . . 24  
`\rCeil` (⌈) . . . . . 113  
`\rceil` (⌈) . . . . . 107  
`\rceil` (⌈) . . . . . 110  
`\rceil` (⌈) . . . . . 109  
`\rceil` (⌈) . . . . . 111  
`\rcirclearrowdown` (⤵) . . . 81  
`\rcirclearrowleft` (⤵) . . . 81  
`\rcirclearrowright` (⤵) . . . 81  
`\rcirclearrowup` (⤵) . . . . 81  
`\rcirclelefttint` (⌘) . . . 48, 49  
`\rcirclelefttint` (⌘) . . . . 48  
`\rcirclerighttint` (⌘) . . . 48, 49  
`\rcirclerighttint` (⌘) . . . . 48  
`\rcorners` (⌋) . . . . . 106  
`\rcurvearrowdown` (⤵) . . . . 81  
`\rcurvearrowleft` (⤵) . . . . 81  
`\rcurvearrowne` (↗) . . . . . 81  
`\rcurvearrownw` (↖) . . . . . 81  
`\rcurvearrowright` (⤵) . . . . 81  
`\rcurvearrowse` (↘) . . . . . 81  
`\rcurvearrowsw` (↙) . . . . . 81  
`\rcurvearrowup` (⤵) . . . . . 81  
`\rcurvyangle` (⤵) . . . . . 107  
`\rdbrack` (⌋) . . . . . 108  
`\rdiagovfdiag` (⌘) . . . . . 132  
`\rdiagovsearrow` (⌘) . . . . 91  
`\Rdsh` (℞) . . . . . 85  
`\Rdsh` (℞) . . . . . 91  
`\Re` (℞) . . . . . 100  
`\Re` (℞) . . . . . 100, 104  
`\Re` (℞) . . . . . 105  
`\REAL` (℞) . . . . . 100  
`\Real` (℞) . . . . . 100  
real numbers (℞) *see* alphabets,  
math  
realhats (package) 116, 298, 299  
receipt (🧾) . . . . . 237  
recipe . . . . . *see* `\textrecipe`  
record button (🔴) . . . . . 237  
`\recorder` (Ⓛ) . . . . . 202

<code>\Rectangle</code> (▭) . . . . .	160	<code>rescue worker's helmet</code> (🛑) . . . . .	237	<code>\rfilet</code> (⎵) . . . . .	108
<code>\RectangleBold</code> (▣) . . . . .	160	<code>\resistivity</code> (Ⓚ) . . . . .	145	<code>\rFloor</code> (⎵) . . . . .	113
rectangles 160, 186–191, 255–257		<code>\resizebox</code> . . . . .	94, 277	<code>\rfloor</code> (⎵) . . . . .	107
<code>\RectangleThin</code> (▭) . . . . .	160	<code>\Respondens</code> (≈) . . . . .	213	<code>\rfloor</code> (⎵) . . . . .	110
<code>\Rectpipe</code> (▮) . . . . .	143	<code>\respondens</code> (≈) . . . . .	213	<code>\rfloor</code> (⎵) . . . . .	109
<code>\Rectsteel</code> (▮) . . . . .	143	response (ℝ) . . . . .	297	<code>\rfloor</code> (⎵) . . . . .	111
recycle (package) . . . . .	218, 298	<code>\restoresymbol</code> . . . . .	277	<code>\rftimes</code> (⊗) . . . . .	64
<code>\recycle</code> (♻️) . . . . .	229	<code>\restrictbarb</code> (⏏) . . . . .	95	<code>\rgroup</code> (⎵) . . . . .	108
		<code>\restrictbarbup</code> (⏏) . . . . .	95	<code>\rgroup</code> (⎵) . . . . .	110
<code>\recycle</code> (♻️) . . . . .	218	<code>\restriction</code> (†) . . . . .	79	<code>\rgroup</code> (⎵) . . . . .	109
<code>\Recycling</code> (♻️) . . . . .	217	<code>\restriction</code> (†) . . . . .	88	<code>\rgroup</code> (⎵) . . . . .	111
recycling symbol (♻️) . . . . .	237	<code>\restriction</code> (†) . . . . .	83	<code>\rgroup</code> (⎵) . . . . .	108
recycling symbols 217, 218, 229, 232–246, 250–255		<code>\restriction</code> (†) . . . . .	94	<code>\rgroup</code> (⎵) . . . . .	110
red apple (🍏) . . . . .	211	restrictions 79, 83, 84, 88, 93–95		<code>\rgroup</code> (⎵) . . . . .	109
red circle (●) . . . . .	237	<code>\restrictmallet</code> (⏏) . . . . .	95	<code>\rgroup</code> (⎵) . . . . .	111
red envelope (✉️) . . . . .	237	<code>\restrictmalletup</code> (⏏) . . . . .	95	<code>\RHD</code> (▶) . . . . .	33
red exclamation mark (!) . . . . .	237	<code>\restrictwand</code> (⏏) . . . . .	95	<code>\rhd</code> (▷) . . . . .	32, 33
red hair (👱) . . . . .	237	<code>\restrictwandup</code> (⏏) . . . . .	95	<code>\rhd</code> (▷) . . . . .	74
red heart (♥) . . . . .	237	restroom (♿) . . . . .	237	<code>\rhd</code> (▷) . . . . .	72, 76
red paper lantern (🏮) . . . . .	237	rests . . . . . <i>see</i> musical symbols		<code>\rhd</code> (▷) . . . . .	37, 159
red question mark (?) . . . . .	237	retracting <i>see</i> <code>\textretracting</code>		rhinoceros (🦏) . . . . .	209
red square (■) . . . . .	237	<code>\Retrograde</code> (℞) . . . . .	140	<code>\Rho</code> (P) . . . . .	101
red triangle pointed down (▼) . . . . .	237	<code>\Return</code> (↵) . . . . .	141	<code>\rho</code> (ρ) . . . . .	101
red triangle pointed up (▲) . . . . .	237	return . . . . . <i>see</i> carriage return		<code>\rho</code> (ρ) . . . . .	102
reduced quadrupole moment <i>see</i> <code>\rqm</code>		<code>\revangle</code> (⤵) . . . . .	129	<code>\rhombus</code> (◇) . . . . .	162
<code>\reference</code> (R) . . . . .	145	<code>\revangle</code> (⤵) . . . . .	129	<code>\rhombuscross</code> (⊠) . . . . .	162
<code>\reflectbox</code> . . . . .	280, 281	<code>\revangleubar</code> (⤵) . . . . .	129	<code>\rhombusdot</code> (◇) . . . . .	162
registered (®) . . . . .	237	<code>\revaw</code> (⎵) . . . . .	112	rhombuses . . . . .	32, 34, 39–41, 79, 130, 157–163, 186–191, 194, 195, 202, 213, 255–257, 273
registered trademark 15, 28, 295		<code>\revD</code> (⏏) . . . . .	21	<code>\rhombusfill</code> (◆) . . . . .	162
<code>\Reibe</code> (▮) . . . . .	229	<code>\revdots</code> (⋯) . . . . .	285	<code>\rhombusfillha</code> (◆) . . . . .	161
relational database symbols 132		<code>\reve</code> (ə) . . . . .	20	<code>\rhombusfillhb</code> (◆) . . . . .	161
relational symbols . . . . .	54	<code>\reveject</code> (ɶ) . . . . .	20	<code>\rhombusfillhl</code> (◆) . . . . .	161
binary . . . . .	55–58, 60, 62–75, 96–98	<code>\reverifyset</code> (⊘) . . . . .	131	<code>\rhombusfillhr</code> (◆) . . . . .	161
negated binary . . . . .	55–59, 61, 63, 65	<code>\reverifyset</code> (⊘) . . . . .	129	<code>\rhombuslineh</code> (◇) . . . . .	161
triangle . . . . .	75–77	<code>\revepsilon</code> (3) . . . . .	21	<code>\rhombuslinev</code> (◇) . . . . .	161
<code>\relationleftproject</code> (▮) 123		<code>\revepsilon</code> (3) . . . . .	281	<code>\rhombuslinevh</code> (◇) . . . . .	161
<code>\relationlifting</code> (▮) . . . . .	123	reverse button (⏏) . . . . .	237	<code>\rhomesonminus</code> (ρ <sup>-</sup> ) . . . . .	145
<code>\relationrightproject</code> (▮) . . . . .	123	reverse solidus . . . . . <i>see</i> <code>\textbackslash</code>		<code>\rhomesonnull</code> (ρ <sup>0</sup> ) . . . . .	145
relations . . . . .	123	<code>\reverseC</code> (Ⓒ) . . . . .	176	<code>\rhomesonplus</code> (ρ <sup>+</sup> ) . . . . .	145
<code>\Relbar</code> (=) . . . . .	98, 281	reversed symbols . . . . .	280–281	<code>\rhook</code> (⤵) . . . . .	99
<code>\Relbar</code> (=) . . . . .	58	<code>\reversedvideobend</code> (⤵) . . . . .	204	<code>\rhookdownarrow</code> (⏏) . . . . .	86
<code>\Relbar</code> (=) . . . . .	99	<code>\reversemathcloud</code> (☁️) . . . . .	41	<code>\rhookdownarrow</code> (⏏) . . . . .	81
<code>\relbar</code> (–) . . . . .	98, 281	<code>\reversemathwitch</code> (↔️) . . . . .	41	<code>\rhookleftarrow</code> (↔️) . . . . .	86
<code>\relbar</code> (–) . . . . .	58	<code>\reversemathwitch*</code> (↔️) . . . . .	41	<code>\rhookleftarrow</code> (↔️) . . . . .	81
<code>\relbar</code> (–) . . . . .	99	<code>\revglotstop</code> (⓪) . . . . .	21	<code>\rhooknearrow</code> (↗️) . . . . .	86
relieved face (😌) . . . . .	237	<code>\revmeasuredangle</code> (∠) . . . . .	129	<code>\rhooknearrow</code> (↗️) . . . . .	81
resize (package) . . . . .	25	<code>\revnmid</code> (‡) . . . . .	64	<code>\rhooknarrow</code> (↘️) . . . . .	85
reminder ribbon (📌) . . . . .	237	revolving hearts (❤️) . . . . .	237	<code>\rhooknarrow</code> (↘️) . . . . .	81
repeat button (🔄) . . . . .	237	<code>\Revsphericalangle</code> (∠) . . . . .	129	<code>\rhookrightarrow</code> (↔️) . . . . .	85
repeat single button (🔄) . . . . .	237	<code>\Rewind</code> (⏮) . . . . .	205	<code>\rhookrightarrow</code> (↔️) . . . . .	81
<code>\Request</code> (🔍) . . . . .	218	<code>\RewindToIndex</code> (⏮) . . . . .	205	<code>\rhooksearrow</code> (↘️) . . . . .	85
		<code>\RewindToStart</code> (⏮) . . . . .	205	<code>\rhooksearrow</code> (↘️) . . . . .	81
		<code>\rfilet</code> (⎵) . . . . .	108		

<code>\rhookswarrow</code> ( $\swarrow$ ) . . . . .	85	<code>\rightarrowtriangle</code> ( $\rightarrow$ ) .	89	<code>\rightleftarrows</code> ( $\rightleftarrows$ )	85
<code>\rhookswarrow</code> ( $\swarrow$ ) . . . . .	80	<code>\rightarrowtriangle</code> ( $\rightarrow$ ) .	91	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) ..	80
<code>\rhookuparrow</code> ( $\uparrow$ ) . . . . .	85	<code>\rightarrowx</code> ( $\rightarrow$ ) . . . . .	91	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) .	80
<code>\rhookuparrow</code> ( $\uparrow$ ) . . . . .	80	<code>\rightAssert</code> ( $\llcorner$ ) . . . . .	60	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) .	79
<code>\rhoup</code> ( $\rho$ ) . . . . .	102	<code>\rightassert</code> ( $\lrcorner$ ) . . . . .	60	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) .	78
<code>ribbon</code> ( $\text{\Rrightarrow}$ ) . . . . .	238	<code>\rightbarharpoon</code> ( $\rightbarharpoon$ ) . . .	80	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) ..	90
<code>rice ball</code> ( $\text{\Rrightarrow}$ ) . . . . .	211	<code>\rightbkarrow</code> ( $\rightarrow$ ) . . . . .	85	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) ..	88
<code>rice cracker</code> ( $\text{\Rrightarrow}$ ) . . . . .	211	<code>\rightbkarrow</code> ( $\rightarrow$ ) . . . . .	91	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) ..	83
<code>\right</code> 107, 108, 112, 113, 277, 279		<code>\rightblackarrow</code> ( $\rightarrow$ ) . . . . .	89	<code>\rightleftharpoons</code> ( $\rightleftharpoons$ ) ..	93
<code>right anger bubble</code> ( $\text{\Rrightarrow}$ ) . . . .	238	<code>\rightblackarrow</code> ( $\rightarrow$ ) . . . . .	97	<code>\rightleftharpoonsdown</code> ( $\rightleftharpoonsdown$ )	93
<code>right arrow</code> ( $\rightarrow$ ) . . . . .	238	<code>\rightbroom</code> ( $\text{\Rrightarrow}$ ) . . . . .	98	<code>\rightleftharpoonsfill</code> ..	122
<code>right arrow curving down</code> ( $\text{\Rrightarrow}$ )	238	<code>\RIGHTCIRCLE</code> ( $\text{\Rrightarrow}$ ) . . . . .	156	<code>\rightleftharpoonsup</code> ( $\rightleftharpoonsup$ )	93
<code>right arrow curving left</code> ( $\text{\Rrightarrow}$ )	238	<code>\RIGHTcircle</code> ( $\text{\Rrightarrow}$ ) . . . . .	156	<code>\rightleftsquigarrow</code> ( $\rightleftsquigarrow$ )	85
<code>right arrow curving up</code> ( $\text{\Rrightarrow}$ ) .	238	<code>\Rightcircle</code> ( $\text{\Rrightarrow}$ ) . . . . .	156	<code>\rightlsquigarrow</code> ( $\rightlsquigarrow$ ) ..	85
<code>right-facing fist</code> ( $\text{\Rrightarrow}$ ) . . . . .	238	<code>\rightcurvedarrow</code> ( $\rightcurvedarrow$ ) ..	85	<code>\rightlsquigarrow</code> ( $\rightlsquigarrow$ ) . . .	80
<code>\rightangle</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightcurvedarrow</code> ( $\rightcurvedarrow$ ) ..	91	<code>\Rightmapsto</code> ( $\text{\Rrightarrow}$ ) . . . . .	85
<code>\rightangle</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightdasharrow</code> ( $\rightarrow$ ) . . . . .	89	<code>\rightmapsto</code> ( $\text{\Rrightarrow}$ ) . . . . .	85
<code>\rightangle</code> ( $\text{\Rrightarrow}$ ) . . . . .	133	<code>\rightdasharrow</code> ( $\rightarrow$ ) . . . . .	91	<code>\rightmapsto</code> ( $\text{\Rrightarrow}$ ) . . . . .	80
<code>\rightangle</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightdbltail</code> ( $\text{\Rrightarrow}$ ) . . . . .	64	<code>\rightModels</code> ( $\text{\Rrightarrow}$ ) . . . . .	58
<code>\rightanglemdot</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\RightDiamond</code> ( $\text{\Rrightarrow}$ ) . . . . .	160	<code>\rightmodels</code> ( $\text{\Rrightarrow}$ ) . . . . .	60
<code>\rightanglemdot</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightdotarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightmodels</code> ( $\text{\Rrightarrow}$ ) . . . . .	58
<code>\rightanglemdot</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightdowncurvedarrow</code> ( $\text{\Rrightarrow}$ )	85	<code>\rightmoon</code> ( $\text{\Rrightarrow}$ ) . . . . .	138
<code>\rightanglesqr</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightdowncurvedarrow</code> ( $\text{\Rrightarrow}$ )	91	<code>\rightmoon</code> ( $\text{\Rrightarrow}$ ) . . . . .	138
<code>\rightanglesqr</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightevaw</code> ( $\text{\Rrightarrow}$ ) . . . . .	112	<code>\rightmoon</code> ( $\text{\Rrightarrow}$ ) . . . . .	137
<code>\rightanglesqr</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightfilledspoon</code> ( $\text{\Rrightarrow}$ ) ..	96	<code>\rightouterjoin</code> ( $\text{\Rrightarrow}$ ) . . . .	132
<code>\rightanglesquare</code> ( $\text{\Rrightarrow}$ ) . . . . .	129	<code>\rightfishtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	63	<code>\rightp</code> ( $\text{\Rrightarrow}$ ) . . . . .	26
<code>\RIGHTarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	202	<code>\rightfootline</code> ( $\text{\Rrightarrow}$ ) . . . . .	60	<code>\rightpentagon</code> ( $\text{\Rrightarrow}$ ) . . . . .	159
<code>\Rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	31, 78	<code>\rightfootline</code> ( $\text{\Rrightarrow}$ ) . . . . .	58	<code>\rightpentagonblack</code> ( $\text{\Rrightarrow}$ ) .	159
<code>\Rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	85	<code>\rightfree</code> ( $\text{\Rrightarrow}$ ) . . . . .	58	<code>\rightpitchfork</code> ( $\text{\Rrightarrow}$ ) . . . . .	98
<code>\Rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\rightfree</code> ( $\text{\Rrightarrow}$ ) . . . . .	58	<code>\rightpitchfork</code> ( $\text{\Rrightarrow}$ ) . . . . .	96
<code>\Rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\righthalfcap</code> ( $\text{\Rrightarrow}$ ) . . . . .	35	<code>\rightpointleft</code> ( $\text{\Rrightarrow}$ ) . . . .	150
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	79	<code>\righthalfcup</code> ( $\text{\Rrightarrow}$ ) . . . . .	35	<code>\rightpointright</code> ( $\text{\Rrightarrow}$ ) ..	150
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	78	<code>\righthand</code> ( $\text{\Rrightarrow}$ ) . . . . .	150	<code>\rightpropto</code> ( $\text{\Rrightarrow}$ ) . . . . .	57
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	85	<code>\rightharpoonaccent</code> ( $\text{\Rrightarrow}$ ) . . . .	115	<code>\rightrcurvearrow</code> ( $\text{\Rrightarrow}$ ) ..	85
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\rightharpoonccw</code> ( $\text{\Rrightarrow}$ ) . . . . .	83	<code>\rightrightarrow</code> ( $\text{\Rrightarrow}$ ) ..	79
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\rightharpooncw</code> ( $\text{\Rrightarrow}$ ) . . . . .	83	<code>\rightarrowrightarrow</code> ( $\text{\Rrightarrow}$ ) ..	78
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	95	<code>\rightharpoondown</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\rightarrowrightarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	89
<code>\rightarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightharpoondown</code> ( $\text{\Rrightarrow}$ ) . . . . .	78	<code>\rightarrowrightarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	84
<code>\rightarrowapprox</code> ( $\text{\Rrightarrow}$ ) ..	91	<code>\rightharpoondown</code> ( $\text{\Rrightarrow}$ ) . . . . .	90	<code>\rightarrowrightarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	80
<code>\rightarrowbackapprox</code> ( $\text{\Rrightarrow}$ )	91	<code>\rightharpoondown</code> ( $\text{\Rrightarrow}$ ) . . . . .	88	<code>\rightarrowrightarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	91
<code>\rightarrowbar</code> ( $\text{\Rrightarrow}$ ) . . . . .	89	<code>\rightharpoondown</code> ( $\text{\Rrightarrow}$ ) . . . . .	93	<code>\rightarrowrightharpoons</code> ( $\text{\Rrightarrow}$ ) .	80
<code>\rightarrowbar</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightharpoondownbar</code> ( $\text{\Rrightarrow}$ )	93	<code>\rightarrowrsquigarrow</code> ( $\text{\Rrightarrow}$ ) ..	85
<code>\rightarrowbsimilar</code> ( $\text{\Rrightarrow}$ ) .	91	<code>\rightharpoonsdown</code> ( $\text{\Rrightarrow}$ ) . . . . .	93	<code>\rightarrowrsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	80
<code>\rightarrowcircle</code> ( $\text{\Rrightarrow}$ ) ..	89	<code>\rightharpoonsdown</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\RightScissors</code> ( $\text{\Rrightarrow}$ ) . . . . .	148
<code>\rightarrowdiamond</code> ( $\text{\Rrightarrow}$ ) ..	91	<code>\rightharpoonsup</code> ( $\text{\Rrightarrow}$ ) . . . . .	78	<code>\rightslice</code> ( $\text{\Rrightarrow}$ ) . . . . .	33
<code>\rightarrowdgemtr</code> ( $\text{\Rrightarrow}$ ) . . . . .	75	<code>\rightharpoonsup</code> ( $\text{\Rrightarrow}$ ) . . . . .	90	<code>\rightslice</code> ( $\text{\Rrightarrow}$ ) . . . . .	36
<code>\rightarrowonoplus</code> ( $\text{\Rrightarrow}$ ) .	91	<code>\rightharpoonsup</code> ( $\text{\Rrightarrow}$ ) . . . . .	88	<code>\rightslice</code> ( $\text{\Rrightarrow}$ ) . . . . .	57
<code>\rightarrowplus</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightharpoonsup</code> ( $\text{\Rrightarrow}$ ) . . . . .	93	<code>\rightspoon</code> ( $\text{\Rrightarrow}$ ) . . . . .	97
<code>\rightarrowshortleftarrow</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightharpoonsupbar</code> ( $\text{\Rrightarrow}$ ) . . . .	93	<code>\rightspoon</code> ( $\text{\Rrightarrow}$ ) . . . . .	96
<code>\rightarrowsimilar</code> ( $\text{\Rrightarrow}$ ) ..	91	<code>\rightharpoonsupdash</code> ( $\text{\Rrightarrow}$ ) . . . .	93	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) ..	79
<code>\rightarrowsupset</code> ( $\text{\Rrightarrow}$ ) ..	70	<code>\rightimply</code> ( $\text{\Rrightarrow}$ ) . . . . .	63	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	78
<code>\rightarrowtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	78	<code>\rightlcurvearrow</code> ( $\text{\Rrightarrow}$ ) ..	85	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	89
<code>\rightarrowtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	89	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	79	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	85
<code>\rightarrowtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	85	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	78	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	81
<code>\rightarrowtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	89	<code>\rightsquigarrow</code> ( $\text{\Rrightarrow}$ ) . . . .	91, 92
<code>\rightarrowtail</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	85	<code>\rightt</code> ( $\text{\Rrightarrow}$ ) . . . . .	26
<code>\rightarrowTriangle</code> ( $\text{\Rrightarrow}$ ) .	89	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	80	<code>\righttail</code> ( $\text{\Rrightarrow}$ ) . . . . .	63
<code>\rightarrowtriangle</code> ( $\text{\Rrightarrow}$ ) .	79	<code>\rightleftarrows</code> ( $\text{\Rrightarrow}$ ) . . . . .	91	<code>\righttherefore</code> ( $\text{\Rrightarrow}$ ) . . . .	126




































<code>\SavedStyle</code> . . . . .	285	<code>scr</code> (rsfs package option) . .	134	<code>\SectioningDiamond</code> (⊠) .	213
<code>savesym</code> (package) . . . . .	277	<code>\scr</code> (R) . . . . .	20	<code>\sector</code> (∇) . . . . .	131
<code>\savesymbol</code> . . . . .	277	<code>screwdriver</code> (↘) . . . . .	238	<code>sedenions</code> (\$) . . <i>see</i> alphabets,	
<code>\SAw</code> (⊙) . . . . .	170	<code>script letters</code> . . . <i>see</i> alphabets,		<code>math</code>	
<code>saxophone</code> (♫) . . . . .	238	<code>math</code>		<code>see-no-evil monkey</code> (🙈) . . .	238
<code>\SAy</code> (ŷ) . . . . .	170	<code>\scripta</code> (a) . . . . .	20	<code>seedling</code> (🌱) . . . . .	238
<code>\SAz</code> (Ẃ) . . . . .	170	<code>\scriptg</code> (g) . . . . .	20	<code>\seffilledspoon</code> (↘) . . . . .	96
<code>\SAzd</code> (Ẁ) . . . . .	170	<code>\scriptscriptstyle</code> . . . . .	283	<code>\seffootline</code> (↘) . . . . .	57
<code>\Sborder</code> (⊞) . . . . .	162	<code>\scriptstyle</code> . . . . .	283	<code>\seffree</code> (↘) . . . . .	57
<code>\scalebox</code> . . . . .	277	<code>\scriptv</code> (v) . . . . .	20	<code>Segletes, Steven B.</code> . . . . .	285
<code>scaled</code> (CountriesOfEurope pack-		<code>\Scroll</code> (⏏) . . . . .	141	<code>segmented numerals</code> . . . . .	136
<code>age option</code> ) . . . . .	221	<code>scroll</code> (📜) . . . . .	238		
<code>scalrel</code> (package) . . . . .	285	<code>\scross</code> (X) . . . . .	162	<code>\Segno</code> (🎻) . . . . .	176
<code>scaling</code> . . . . .	288, 290	<code>\scrossvh</code> (*) . . . . .	162		
<code>mechanical</code> . . . . .	288, 290	<code>scsnowman</code> (package) .	245, 298,		
<code>optical</code> . . . . .	288	299			
<code>scarf</code> (🧣) . . . . .	238	<code>\scsnowman</code> (☺) . . . . .	245	<code>\segno</code> (🎻) . . . . .	176
<code>\scd</code> (D) . . . . .	21	<code>\scsnowman</code> (☹) . . . . .	245	<code>\seharpoonccw</code> (↖) . . . . .	83
<code>\scg</code> (G) . . . . .	21	<code>\scu</code> (U) . . . . .	20	<code>\seharpooncw</code> (↗) . . . . .	83
<code>\Schaler</code> (♯) . . . . .	229	<code>\scurel</code> (↵) . . . . .	62	<code>\seharpoonne</code> (↖) . . . . .	88
<code>\Schneebesen</code> (🧹) . . . . .	229	<code>\scurel</code> (↶) . . . . .	63	<code>\seharpoonsw</code> (↗) . . . . .	88
<code>school</code> (🎓) . . . . .	238	<code>\scy</code> (Y) . . . . .	20	<code>\seight</code> (⚖) . . . . .	173
<code>\SchrodingersCat</code> (🐈) . . .	230	<code>\sddtstile</code> (⏏) . . . . .	66	<code>\selcurvearrow</code> (↷) . . . . .	85
<code>\Schussel</code> (🍲) . . . . .	229	<code>\sDep</code> (✳) . . . . .	176	<code>\selectfont</code> . . . . .	13
<code>\schwa</code> (ə) . . . . .	21	<code>\sdtstile</code> (⏏) . . . . .	66	<code>selfie</code> (📷) . . . . .	238
<code>\schwa</code> (ə) . . . . .	20	<code>\sdtstile</code> (⏏) . . . . .	66	<code>\selsquigarrow</code> (↷) . . . . .	80
<code>Schwartz distribution spaces</code> <i>see</i>		<code>\sdtstile</code> (⏏) . . . . .	66	<code>semaf.fd</code> (file) . . . . .	272
<code>alphabets, math</code>		<code>\sdtstile</code> (⏏) . . . . .	66	<code>semantic valuation</code> . . .	108, 113
<code>\sci</code> (i) . . . . .	20	<code>\sdtstile</code> (⏏) . . . . .	66	<code>semaphor</code> (package) . . .	271, 272,
<code>scientific symbols</code> .	136–145, 273	<code>seagull</code> . . . . <i>see</i> <code>\textseagull</code>		298	
<code>scientist</code> (👨) . . . . .	238	<code>seal</code> (🦏) . . . . .	209	<code>semaphore symbols</code> . . .	271–272
<code>\ScissorHollowLeft</code> (✂) .	149	<code>\Searrow</code> (↘) . . . . .	79	<code>\semapsto</code> (↘) . . . . .	80
<code>\ScissorHollowRight</code> (✂) .	149	<code>\Searrow</code> (↘) . . . . .	89	<code>semibreve</code> <i>see</i> musical symbols	
<code>\ScissorLeft</code> (↶) . . . . .	149	<code>\Searrow</code> (↘) . . . . .	84	<code>\semibreve</code> (◌) . . . . .	179
<code>\ScissorLeftBrokenBottom</code> (↶)		<code>\Searrow</code> (↘) . . . . .	80	<code>\semibreveDotted</code> (◌.) . . .	179
<code>↶)</code> . . . . .	149	<code>\Searrow</code> (↘) . . . . .	91	<code>semidirect products</code> .	32, 34, 130
<code>\ScissorLeftBrokenTop</code> (↶)		<code>\searrow</code> (↘) . . . . .	79	<code>semiquaver</code> <i>see</i> musical symbols	
<code>↶)</code> . . . . .	149	<code>\searrow</code> (↘) . . . . .	78, 284	<code>\semiquaver</code> (♩) . . . . .	179
<code>\ScissorRight</code> (↷) . . . . .	149	<code>\searrow</code> (↘) . . . . .	84	<code>\semiquaverDotted</code> (♩.) . . .	179
<code>\ScissorRightBrokenBottom</code>		<code>\searrow</code> (↘) . . . . .	84	<code>\semiquaverDottedDouble</code> (♩.)	
<code>(↷)</code> . . . . .	149	<code>\searrow</code> (↘) . . . . .	95	<code>↷)</code> . . . . .	179
<code>\ScissorRightBrokenTop</code> (↷)		<code>\searrow</code> (↘) . . . . .	91	<code>\semiquaverDottedDoubleDown</code>	
<code>↷)</code> . . . . .	149	<code>\searrowtail</code> (↘) . . . . .	84	<code>(♩̣)</code> . . . . .	179
<code>scissors</code> . . . . .	148, 149, 250–254	<code>\searrowtail</code> (↘) . . . . .	80	<code>\semiquaverDottedDown</code> (♩̣.)	179
<code>scissors</code> (✂) . . . . .	238	<code>seat</code> (🪑) . . . . .	238	<code>\semiquaverDown</code> (♩) . . . . .	179
<code>\scn</code> (N) . . . . .	20	<code>\sebkarrow</code> (↘) . . . . .	84	<code>\semiquaverRest</code> (♩̣) . . . . .	180
<code>\scoh</code> (⸰) . . . . .	67	<code>\sec</code> (sec) . . . . .	99	<code>\semiquaverRestDotted</code> (♩̣.)	180
<code>scooters</code> . . . . .	202–203	<code>\Sech</code> (♩) . . . . .	176	<code>\Semisextile</code> (♩) . . . . .	140
<code>\Scorpio</code> (♏) . . . . .	140	<code>\sech</code> (sech) . . . . .	100	<code>\Semisquare</code> (⊏) . . . . .	140
<code>\Scorpio</code> (♏) . . . . .	138	<code>\SechBL</code> (♩) . . . . .	176	<code>semitic transliteration</code> . .	21, 25
<code>\scorpio</code> (♏) . . . . .	137	<code>\SechBl</code> (♩) . . . . .	176	<code>\seModels</code> (⌘) . . . . .	57
<code>scorpion</code> (♏) . . . . .	209	<code>\SechBR</code> (♩) . . . . .	176	<code>\semodels</code> (⌘) . . . . .	57
<code>scorpius</code> (♏) . . . . .	238	<code>\SechBr</code> (♩) . . . . .	176	<code>semtrans</code> (package) .	21, 25, 298,
<code>\scpolint</code> (♩) . . . . .	53	<code>\second</code> (") . . . . .	130	299	
<code>\scpolint</code> (♩) . . . . .	50	<code>seconds, angular</code> . <i>see</i> <code>\second</code>		<code>\senwarrows</code> (↘) . . . . .	84
<code>\scpolintsl</code> (♩) . . . . .	51	<code>\secstress</code> (.) . . . . .	26	<code>\senwarrows</code> (↘) . . . . .	80
<code>\scpolintup</code> (♩) . . . . .	51	<code>section mark</code> . . . . .	<i>see</i> <code>\S</code>	<code>\senwcurvearrow</code> (↘) . . . . .	85
				<code>\senwharpoons</code> (↔) . . . . .	88





































































<code>\senwharpoons</code> ( $\mathbb{N}$ )	83	<code>\sharpArrowup</code> ( $\sharp$ )	180	<code>\showclock</code>	207
<code>\seovnearrow</code> ( $\searrow$ )	91	Sharpe, Michael	25	<code>shower</code> ( $\text{☂}$ )	239
<code>\SePa</code> ( $\text{Œ}$ )	176	<code>\sharpSlashtashlashStem</code> ( $\sharp$ )	180	<code>\shpos</code> ( $\downarrow$ )	31
<code>\separated</code> ( $\times$ )	57	<code>\sharpSlashtashlashStemstem</code> ( $\sharp$ )	180	shrimp ( $\text{🍤}$ )	209
separation vector ( $\vec{s}$ )	134	<code>\sharpSlashtashlashStemstemstem</code> ( $\sharp$ )	180	shuffle (package)	38, 298, 299
<code>\sepitchfork</code> ( $\text{⌘}$ )	96	<code>\sharpSlashtashStem</code> ( $\sharp$ )	180	<code>\shuffle</code> ( $\sqcup$ )	37
<code>\seppawns</code> ( $\text{◦-◦}$ )	199	<code>\sharpSlashtashStemstemstem</code> ( $\sharp$ )	180	<code>\shuffle</code> ( $\sqcup$ )	38
<code>\Serbia</code> ( $\text{🇷🇸}$ )	220	shaved ice ( $\text{🍦}$ )	211	shuffle product ( $\sqcup$ )	38
<code>\sercurvearrow</code> ( $\curvearrowright$ )	85	sheaf of rice ( $\text{🍚}$ )	238	shuffle tracks button ( $\text{🔊}$ )	239
<code>\SerialInterface</code> ( $\text{🔌}$ )	141	sheep ( $\text{🐑}$ )	209	shushing face ( $\text{🙊}$ )	239
<code>\SerialPort</code> ( $\text{🔌}$ )	141	<code>\shfermion</code> ( $\uparrow$ )	144	<code>\SI</code> ( $*$ )	142
<code>\sersquigarrow</code> ( $\curvearrowright$ )	80	shield ( $\text{🛡}$ )	238	<code>\Sieb</code> ( $\text{☰}$ )	229
service dog ( $\text{🐕}$ )	209	<code>\Shift</code> ( $\text{⌘}$ )	141	<code>\sieve</code> ( $\text{☰}$ )	229
<code>\sesearrows</code> ( $\text{↔}$ )	84	<code>\shift</code> ( $\downarrow$ )	31	<code>\Sigma</code> ( $\Sigma$ )	101
<code>\sesearrows</code> ( $\text{↔}$ )	80	<code>\Shilling</code> ( $\beta$ )	27	<code>\sigma</code> ( $\sigma$ )	101
<code>\sespoon</code> ( $\text{🥄}$ )	96	shintō shrine ( $\text{🏯}$ )	238	<code>\sigmaup</code> ( $\sigma$ )	102
<code>\Sesquiquadrate</code> ( $\text{⊞}$ )	140	ship ( $\text{🚢}$ )	204	sign of the horns ( $\text{👉}$ )	239
set interior	<i>see</i> <code>\mathring</code>	ships	202–203	<code>\sim</code> ( $\sim$ )	54, 282, 285, 293
set operators		<code>\shneg</code> ( $\uparrow$ )	31	<code>\sim</code> ( $\sim$ )	60
intersection	<i>see</i> <code>\cap</code>	shooting star ( $\text{🌠}$ )	238	<code>\sim</code> ( $\sim$ )	57
membership	<i>see</i> <code>\in</code>	shopping bags ( $\text{🛍}$ )	238	<code>\sim</code> ( $\sim$ )	63
union	<i>see</i> <code>\cup</code>	shopping cart ( $\text{🛒}$ )	239	<code>\simbot</code> ( $\text{⌋}$ )	106
<code>\setBold</code>	292	short-twig runes	173	<code>\simcolon</code> ( $\sim:$ )	67
<code>\setminus</code> ( $\setminus$ )	32	shortcake ( $\text{🍰}$ )	211	<code>\simcoloncolon</code> ( $\sim::$ )	67
<code>\setminus</code> ( $\setminus$ )	35	<code>\shortcastling</code> ( $\text{O-O}$ )	199	<code>\simeq</code> ( $\simeq$ )	54
<code>\setminus</code> ( $\setminus$ )	35	<code>\shortdownarrow</code> ( $\downarrow$ )	79	<code>\simeq</code> ( $\simeq$ )	60
<code>\setminus</code> ( $\setminus$ )	37	<code>\shortdowntack</code> ( $\text{⌵}$ )	61	<code>\simeq</code> ( $\simeq$ )	57
<code>\seVdash</code> ( $\text{⋈}$ )	57	<code>\shortdowntack</code> ( $\text{⌵}$ )	63	<code>\simeq</code> ( $\simeq$ )	63
<code>\sevdash</code> ( $\text{⋈}$ )	57	<code>\ShortFifty</code> ( $\text{🏵}$ )	205	<code>\simgE</code> ( $\text{⩵}$ )	75
seven o'clock ( $\text{🕒}$ )	208	<code>\ShortForty</code> ( $\text{🏵}$ )	205	<code>\simgtr</code> ( $\text{⩵}$ )	75
seven-thirty ( $\text{🕒}$ )	208	<code>\shortleftarrow</code> ( $\leftarrow$ )	79	<code>\similarleftarrow</code> ( $\leftarrow$ )	91
sewing needle ( $\text{🧵}$ )	238	<code>\shortlefttack</code> ( $\text{⌵}$ )	61	<code>\similarrightarrow</code> ( $\rightarrow$ )	91
<code>\Sextile</code> ( $\text{✳}$ )	140	<code>\shortlefttack</code> ( $\text{⌵}$ )	63	<code>\simlE</code> ( $\text{⩵}$ )	75
<code>\Sey</code> ( $\text{☺}$ )	230	<code>\shortmid</code> ( $\text{⏊}$ )	55	<code>\simless</code> ( $\text{⩵}$ )	75
<code>\sfive</code> ( $\text{5}$ )	173	<code>\shortmid</code> ( $\text{⏊}$ )	62	<code>\simminussim</code> ( $\text{⩵}$ )	63
<code>\sfour</code> ( $\text{4}$ )	173	<code>\shortmid</code> ( $\text{⏊}$ )	60	<code>\simneqq</code> ( $\text{⩵}$ )	61
SGML	294	<code>\shortmid</code> ( $\text{⏊}$ )	35	<code>\simneqq</code> ( $\text{⩵}$ )	63
<code>\sgn</code> ( $\text{sgn}$ )	100	<code>\shortmid</code> ( $\text{⏊}$ )	63	<code>\simperp</code> ( $\text{⌋}$ )	67
<code>\sh</code> ( $\#$ )	177	<code>\ShortNinetyFive</code> ( $\text{🏵}$ )	205	simplewick (package)	287
sha (III)	280	<code>\shortparallel</code> ( $\parallel$ )	55	<code>\simplus</code> ( $\text{⊕}$ )	37
<code>\Shake</code> ( $\text{🌪}$ )	175	<code>\shortparallel</code> ( $\parallel$ )	62	simpsons (package)	214, 298
<code>\shake</code> ( $\text{🌪}$ )	175	<code>\shortparallel</code> ( $\parallel$ )	60	Simpsons characters	214
<code>\Shakel</code> ( $\text{🌪}$ )	175	<code>\shortparallel</code> ( $\parallel$ )	57	<code>\simrdots</code> ( $\text{⋯}$ )	62
<code>\Shakene</code> ( $\text{🌪}$ )	175	<code>\shortparallel</code> ( $\parallel$ )	63	<code>\simrdots</code> ( $\text{⋯}$ )	63
<code>\Shakenw</code> ( $\text{🌪}$ )	175	<code>\ShortPulseHigh</code> ( $\text{⏏}$ )	136	<code>\sin</code> ( $\sin$ )	99
<code>\Shakesw</code> ( $\text{🌪}$ )	175	<code>\ShortPulseLow</code> ( $\text{⏏}$ )	136	<code>\sinc</code> ( $\text{~}$ )	67
shallow pan of food ( $\text{🥞}$ )	211	<code>\shortrightarrow</code> ( $\rightarrow$ )	79	<code>\sinewave</code> ( $\text{~}$ )	132
shamrock ( $\text{☘}$ )	238	<code>\shortrightarrowleftarrow</code> ( $\text{↔}$ )	91	<code>\sinewave</code> ( $\text{~}$ )	132
shark ( $\text{🦈}$ )	209	<code>\shorttrighttack</code> ( $\text{⌵}$ )	60	singer ( $\text{🎤}$ )	239
<code>\sharp</code> ( $\#$ )	174	shorts ( $\text{👖}$ )	239	<code>\sinh</code> ( $\sinh$ )	99
<code>\sharp</code> ( $\#$ )	174	<code>\ShortSixty</code> ( $\text{🏵}$ )	205	six o'clock ( $\text{🕒}$ )	208
<code>\sharp</code> ( $\#$ )	174	<code>\ShortThirty</code> ( $\text{🏵}$ )	205	six-thirty ( $\text{🕒}$ )	208
<code>\sharp</code> ( $\#$ )	180	<code>\shortuparrow</code> ( $\uparrow$ )	79	<code>\SixFlowerAlternate</code> ( $\text{✳}$ )	154
<code>\sharp</code> ( $\#$ )	174	<code>\shortuptack</code> ( $\text{⌵}$ )	60	<code>\SixFlowerAltPetal</code> ( $\text{✳}$ )	154
<code>\sharp</code> ( $\#$ )	174	<code>\shortuptack</code> ( $\text{⌵}$ )	63	<code>\SixFlowerOpenCenter</code> ( $\text{✳}$ )	154
<code>\sharpArrowboth</code> ( $\text{↕}$ )	180			<code>\SixFlowerPetalDotted</code> ( $\text{✳}$ )	154
<code>\sharpArrowdown</code> ( $\text{⌵}$ )	180				

<code>\SixFlowerPetalRemoved</code> (✳) . . . . .	154	<code>\smallaltoclef</code> (  ) . . . . .	175	<code>\smalliintup</code> ( $\iint$ ) . . . . .	42
<code>\SixFlowerRemovedOpenPetal</code> (  ) . . . . .	154	<code>\smallawint</code> ( $\int$ ) . . . . .	42	<code>\smallin</code> ( $\in$ ) . . . . .	105
<code>\SixStar</code> (★) . . . . .	154	<code>\smallawintsl</code> ( $\int$ ) . . . . .	42	<code>\smallin</code> ( $\in$ ) . . . . .	63
<code>\SixteenStarLight</code> (✳) . . . . .	154	<code>\smallawintup</code> ( $\int$ ) . . . . .	42	<code>\smallint</code> ( $\int$ ) . . . . .	131
sixteenth note . . . . . <i>see</i> musical symbols		<code>\smallbassclef</code> (  ) . . . . .	175	<code>\smallint</code> ( $\int$ ) . . . . .	131
<code>\sixteenthNote</code> (  ) . . . . .	178	<code>\smallblackcircle</code> (●) . . . . .	39	<code>\smallintBar</code> ( $\int$ ) . . . . .	42
<code>\sixteenthnote</code> (  ) . . . . .	175	<code>\smallblackdiamond</code> (◆) . . . . .	39	<code>\smallintbar</code> ( $\int$ ) . . . . .	42
<code>\sixteenthNoteDotted</code> (  ) . . . . .	178	<code>\smallblacklozenge</code> (◇) . . . . .	157	<code>\smallintBarsl</code> ( $\int$ ) . . . . .	42
<code>\sixteenthNoteDottedDouble</code> (  ) . . . . .	178	<code>\smallblacksquare</code> (■) . . . . .	39	<code>\smallintbarsl</code> ( $\int$ ) . . . . .	42
<code>\sixteenthNoteDottedDoubleDown</code> (  ) . . . . .	178	<code>\smallblackstar</code> (★) . . . . .	39	<code>\smallintBarup</code> ( $\int$ ) . . . . .	42
<code>\sixteenthNoteDottedDown</code> (  ) . . . . .	178	<code>\smallblacktriangledown</code> (▼) . . . . .	39, 77	<code>\smallintbarup</code> ( $\int$ ) . . . . .	42
<code>\sixteenthNoteDown</code> (  ) . . . . .	178	<code>\smallblacktriangleleft</code> (◄) . . . . .	39, 77	<code>\smallintcap</code> ( $\int$ ) . . . . .	42
skak (package) 199, 200, 298, 299		<code>\smallblacktriangleleft</code> (◄) . . . . .	39, 77	<code>\smallintcapsl</code> ( $\int$ ) . . . . .	42
skateboard (  ) . . . . .	204	<code>\smallblacktriangleright</code> (►) . . . . .	159	<code>\smallintcapup</code> ( $\int$ ) . . . . .	42
skier (  ) . . . . .	239	<code>\smallblacktriangleright</code> (►) . . . . .	159	<code>\smallintclockwise</code> ( $\int$ ) . . . . .	42
skis (  ) . . . . .	239	<code>\smallblacktriangleright</code> (►) . . . . .	159	<code>\smallintclockwisesl</code> ( $\int$ ) . . . . .	42
skull (package) . . . . .	213, 298, 299	<code>\smallblacktriangleup</code> (▲) . . . . .	39, 77	<code>\smallintclockwiseup</code> ( $\int$ ) . . . . .	42
<code>\skull</code> (  ) . . . . .	41	<code>\smallboscircles</code> (  ) . . . . .	144	<code>\smallintcup</code> ( $\int$ ) . . . . .	42
<code>\skull</code> (  ) . . . . .	229	<code>\smallboscirclesA</code> (  ) . . . . .	144	<code>\smallintcupsl</code> ( $\int$ ) . . . . .	42
<code>\skull</code> (  ) . . . . .	213	<code>\smallboscirclesV</code> (  ) . . . . .	144	<code>\smallintcupup</code> ( $\int$ ) . . . . .	42
skull (☠) . . . . .	239	<code>\SmallCircle</code> (○) . . . . .	159	<code>\smallintlarhk</code> ( $\int$ ) . . . . .	42
skull and crossbones (☠) . . . . .	239	<code>\smallcircle</code> (○) . . . . .	39	<code>\smallintlarhksl</code> ( $\int$ ) . . . . .	42
skulls . . . . .	41, 213, 229, 232–245, 247–250, 275	<code>\smallcirfnint</code> ( $\int$ ) . . . . .	42	<code>\smallintlarhkup</code> ( $\int$ ) . . . . .	42
skunk (  ) . . . . .	209	<code>\smallcirfnintsl</code> ( $\int$ ) . . . . .	42	<code>\smallintsl</code> ( $\int$ ) . . . . .	42
<code>\slash</code> (/) . . . . .	293	<code>\smallcirfnintup</code> ( $\int$ ) . . . . .	42	<code>\smallintup</code> ( $\int$ ) . . . . .	42
<code>\slashb</code> (ℬ) . . . . .	20	<code>\SmallCross</code> (×) . . . . .	159	<code>\smallintx</code> ( $\int$ ) . . . . .	42
<code>\slashc</code> (℄) . . . . .	20	<code>smallctrbull</code> (bullctr package option) . . . . .	212	<code>\smallintxsl</code> ( $\int$ ) . . . . .	42
<code>\slashd</code> (℄) . . . . .	20	<code>\smallctrbull</code> . . . . .	212	<code>\smallintxup</code> ( $\int$ ) . . . . .	42
<code>\slashdiv</code> (÷) . . . . .	34	<code>\smalldiamond</code> (◇) . . . . .	39	<code>\SmallLowerDiamond</code> (◊) . . . . .	159
<code>\slashed</code> (package) . . . . .	282, 283	<code>\smalldiamond</code> (◇) . . . . .	39	<code>\smalllozenge</code> (◇) . . . . .	157
<code>\slashed</code> . . . . .	282, 283	<code>\SmallDiamondshape</code> (◇) . . . . .	159	<code>\smalllozenge</code> (◇) . . . . .	157
<code>\slashed</code> letters . . . . .	282	<code>\smalldivslash</code> (∕) . . . . .	36	<code>\smallni</code> (∋) . . . . .	63
<code>\slashed.sty</code> (file) . . . . .	283	<code>\smallfint</code> ( $\int$ ) . . . . .	42	<code>\smallnpolint</code> ( $\int$ ) . . . . .	42
<code>\slashu</code> (℣) . . . . .	20	<code>\smallfintsl</code> ( $\int$ ) . . . . .	42	<code>\smallnpolintsl</code> ( $\int$ ) . . . . .	42
sled (  ) . . . . .	204	<code>\smallfintup</code> ( $\int$ ) . . . . .	42	<code>\smallnpolintup</code> ( $\int$ ) . . . . .	42
<code>\Sleepy</code> (  ) . . . . .	230	<code>\smallfrown</code> (∩) . . . . .	55	<code>\smalloiint</code> ( $\iint$ ) . . . . .	42
sleeping face (  ) . . . . .	239	<code>\smallfrown</code> (∩) . . . . .	62	<code>\smalloiintsl</code> ( $\iint$ ) . . . . .	42
sleepy face (  ) . . . . .	239	<code>\smallfrown</code> (∩) . . . . .	60, 98	<code>\smalloiintup</code> ( $\iint$ ) . . . . .	42
<code>\Sleet</code> (⋈) . . . . .	206	<code>\smallfrown</code> (∩) . . . . .	97	<code>\smalloint</code> ( $\oint$ ) . . . . .	42
<code>\sliding</code> (  ) . . . . .	24	<code>\smallfrown</code> (∩) . . . . .	63	<code>\smallointctr</code> (clockwise) ( $\oint$ ) . . . . .	42
slightly frowning face (  ) . . . . .	239	<code>\SmallHBar</code> (¯) . . . . .	159	<code>\smallointctr</code> (clockwise) ( $\oint$ ) . . . . .	42
slightly smiling face (  ) . . . . .	239	<code>\smalliiiint</code> ( $\iiint$ ) . . . . .	42	<code>\smallointup</code> ( $\oint$ ) . . . . .	42
slot machine (  ) . . . . .	239	<code>\smalliiiintsl</code> ( $\iiint$ ) . . . . .	42	<code>\smalloints</code> ( $\int$ ) . . . . .	42
sloth (  ) . . . . .	209	<code>\smalliiiintup</code> ( $\iiint$ ) . . . . .	42	<code>\smallointup</code> ( $\oint$ ) . . . . .	42
<code>\Slovakia</code> (·) . . . . .	220	<code>\smalliiint</code> ( $\iint$ ) . . . . .	42	<code>\smallowns</code> (∋) . . . . .	105
<code>\Slovenia</code> (·) . . . . .	221	<code>\smalliiintsl</code> ( $\iint$ ) . . . . .	42	<code>\smallpencil</code> (  ) . . . . .	149
small airplane (  ) . . . . .	204	<code>\smalliiintup</code> ( $\iint$ ) . . . . .	42	<code>\smallpointint</code> ( $\int$ ) . . . . .	42
small blue diamond (◆) . . . . .	239	<code>\smalliint</code> ( $\iint$ ) . . . . .	42	<code>\smallpointintsl</code> ( $\int$ ) . . . . .	42
small orange diamond (◆) . . . . .	239	<code>\smalliintsl</code> ( $\iint$ ) . . . . .	42	<code>\smallpointintup</code> ( $\int$ ) . . . . .	42
		<code>\smalliintsl</code> ( $\iint$ ) . . . . .	42	<code>\smallprod</code> (∏) . . . . .	34

<code>\SmallRightDiamond</code> (◊) . 159	<code>smartctrbull</code> (bullctr package option) . . . . . 212	<code>snail</code> (🐌) . . . . . 209
<code>\smallrppolint</code> (f) . . . . . 42	<code>\smartctrbull</code> . . . . . 212	<code>snake</code> (🐍) . . . . . 209
<code>\smallrppolintsl</code> (f) . . . . . 42	<code>\smashtimes</code> (⊗) . . . . . 36	<code>snakes</code> . . . . . 261–262
<code>\smallrppolintup</code> (f) . . . . . 42	<code>\smashtimes</code> (⊗) . . . . . 37	<code>\sndtstile</code> (   ) . . . . . 66
<code>\smallscpolint</code> (f) . . . . . 42	<code>\smlbkcircle</code> (●) . . . . . 40	<code>sneezing face</code> (🤧) . . . . . 239
<code>\smallscpolintsl</code> (f) . . . . . 42	<code>\smlbkcircle</code> (●) . . . . . 41	<code>\Snow</code> (❄️) . . . . . 206
<code>\smallscpolintup</code> (f) . . . . . 42	<code>\smlbkdiamond</code> (◆) . . . . . 40	<code>snow-capped mountain</code> (🏔️) 239
<code>\smallsetminus</code> (∖) . . . . . 32	<code>\smlbkdiamond</code> (◆) . . . . . 158	<code>snowboarder</code> (🏂) . . . . . 239
<code>\smallsetminus</code> (∖) . . . . . 36	<code>\smlbklozenge</code> (◊) . . . . . 157	<code>\SnowCloud</code> (☁️) . . . . . 206
<code>\smallsetminus</code> (∖) . . . . . 35	<code>\smlbklozenge</code> (◊) . . . . . 158	<code>\Snowflake</code> (❄️) . . . . . 154
<code>\smallsetminus</code> (∖) . . . . . 37	<code>\smlbksquare</code> (■) . . . . . 40	<code>snowflake</code> (❄️) . . . . . 239
<code>\smallsmile</code> (☺) . . . . . 55	<code>\smlbksquare</code> (■) . . . . . 158	<code>\SnowflakeChevron</code> (❄️) . . 154
<code>\smallsmile</code> (☺) . . . . . 62	<code>\smeparsl</code> (℥) . . . . . 63	<code>\SnowflakeChevronBold</code> (❄️) . . . . . 154
<code>\smallsmile</code> (☺) . . . . . 60, 98	<code>\smile</code> (☺) . . . . . 54	<code>snowflakes</code> . . . . . 154, 155
<code>\smallsmile</code> (☺) . . . . . 97	<code>\smile</code> (☺) . . . . . 62	<code>\Snowman</code> (👶) . . . . . 231
<code>\smallsmile</code> (☺) . . . . . 63	<code>\smile</code> (☺) . . . . . 60, 98	<code>snowman</code> (👶) . . . . . 239
<code>\smallsqint</code> (f) . . . . . 42	<code>\smile</code> (☺) . . . . . 97	<code>snowman without snow</code> (👶) 239
<code>\smallsqintsl</code> (f) . . . . . 42	<code>\smile</code> (☺) . . . . . 63	<code>snowmen</code> . . . . . 231–245
<code>\smallsqintup</code> (f) . . . . . 42	<code>smile symbols</code> . . . . . 97, 98	<code>\SNPP</code> (🇸🇳) . . . . . 214
<code>\SmallSquare</code> (□) . . . . . 159	<code>\smileeq</code> (≅) . . . . . 60, 98	<code>\snststile</code> (   ) . . . . . 66
<code>\smallsquare</code> (◻) . . . . . 39	<code>\smileeq</code> (≅) . . . . . 97	<code>\sntstile</code> (   ) . . . . . 66
<code>\smallsquare</code> (◻) . . . . . 39	<code>\smileeqfrown</code> (☹) . . . . . 97	<code>\snttstile</code> (   ) . . . . . 66
<code>\smallstar</code> (★) . . . . . 39	<code>\smileface</code> (☺) . . . . . 229	<code>\SO</code> (◦) . . . . . 141, 142
<code>\smallsumint</code> (f) . . . . . 42	<code>\smilefrown</code> (☹) . . . . . 60, 98	<code>\sO</code> (◐) . . . . . 218
<code>\smallsumintsl</code> (f) . . . . . 42	<code>\smilefrown</code> (☹) . . . . . 97	<code>soap</code> (🧼) . . . . . 239
<code>\smallsumintup</code> (f) . . . . . 42	<code>\smilefrowneq</code> (≅) . . . . . 97	<code>soccer ball</code> (⚽) . . . . . 239
<code>\smalltrebleclef</code> (🎵) . . 175	<code>\Smiley</code> (☺) . . . . . 205, 230	<code>socks</code> (🧦) . . . . . 239
<code>\SmallTriangleDown</code> (▽) . 159	<code>\smiley</code> (☺) . . . . . 202	<code>soft ice cream</code> (🍦) . . . . . 211
<code>\smalltriangledown</code> (▾) . . 38	<code>smiley faces</code> . 132, 142, 202, 205, 216, 217, 229–246, 250–254, 257–260	<code>softball</code> (⚾) . . . . . 239
<code>\smalltriangledown</code> (▾) 39, 77	<code>smiling cat with heart-eyes</code> (😻) . . . . . 239	<code>\SOH</code> (Ⓢ) . . . . . 142
<code>\smalltriangledown</code> (▾) 39, 76	<code>smiling face</code> (☺) . . . . . 239	<code>\SOH</code> (Ⓢ) . . . . . 142
<code>\SmallTriangleLeft</code> (◁) . 159	<code>smiling face with halo</code> (😇) . 239	<code>\solid</code> (▣) . . . . . 145
<code>\smalltriangleleft</code> (◁) . . 38	<code>smiling face with heart-eyes</code> (😻) . . . . . 239	<code>sombrero</code> . . . . . 116
<code>\smalltriangleleft</code> (◁) 40, 77	<code>smiling face with hearts</code> (💕) 239	<code>SOON arrow</code> (👉) . . . . . 239
<code>\smalltriangleleft</code> (◁) 39, 76	<code>smiling face with horns</code> (🐮) 239	<code>SOS button</code> (🆘) . . . . . 239
<code>\smalltriangleleft</code> (◁) . . 159	<code>smiling face with smiling eyes</code> (😊) . . . . . 239	<code>South Arabian alphabet</code> . . 170
<code>\SmallTriangleRight</code> (▷) . 159	<code>smiling face with sunglasses</code> (😎) . . . . . 239	<code>\SouthNode</code> (📍) . . . . . 140
<code>\smalltriangleright</code> (▷) . 38	<code>smiling face with tear</code> (😓) . 239	<code>\Soyombo</code> (🏵) . . . . . 218
<code>\smalltriangleright</code> (▷) 40, 77	<code>smirking face</code> (😏) . . . . . 239	<code>soyombo</code> (package) 218, 298, 299
<code>\smalltriangleright</code> (▷) 39, 76	<code>smoking</code> . . . . . 202–203	<code>Soyombo</code> (font) . . . . . 218
<code>\smalltriangleright</code> (▷) . 159	<code>\smt</code> (⊲) . . . . . 75	<code>Soyombo</code> symbols . . . . . 218
<code>\SmallTriangleUp</code> (△) . . 159	<code>\smte</code> (⊳) . . . . . 75	<code>\spa</code> (span) . . . . . 100
<code>\smalltriangleup</code> (△) . . . 38	<code>\smwhitestar</code> (★) . . . . . 40	<code>space</code> . . . . . 291
<code>\smalltriangleup</code> (△) . . 40, 77	<code>\smwhitestar</code> (★) . . . . . 158	thin . . . . . 291
<code>\smalltriangleup</code> (△) . . 39, 76	<code>\smwhtcircle</code> (○) . . . . . 40	visible . . . . . see
<code>\smallupint</code> (f) . . . . . 42	<code>\smwhtcircle</code> (○) . . . 158, 159	<code>\textvisiblespace</code>
<code>\smallupintsl</code> (f) . . . . . 42	<code>\smwhtdiamond</code> (◊) . . . . . 40	<code>\Spacebar</code> ( ) . . . . . 141
<code>\smallupintup</code> (f) . . . . . 42	<code>\smwhtdiamond</code> (◊) . . 158, 159	<code>spade suit</code> (♠) . . . . . 195
<code>\smallvarointclockwise</code> (f) 42	<code>\smwhtlozenge</code> (◊) . . . . . 157	<code>spades</code> . . . . . 163, 194, 195, 246
<code>\smallvarointclockwisesl</code> (f) . . . . . 42	<code>\smwhtlozenge</code> (◊) . . . . . 158	<code>\spadesuit</code> (♠) . . . . . 194
<code>\smallvarointclockwiseup</code> (f) . . . . . 42	<code>\smwhtsquare</code> (◻) . . . . . 40	<code>\spadesuit</code> (♠) . . . . . 194
<code>\SmallVBar</code> ( ) . . . . . 159	<code>\smwhtsquare</code> (◻) . . . . . 158	<code>\spadesuit</code> (♠) . . . . . 194
<code>\smallwhitestar</code> (★) . . . . . 40		<code>\spadesuit</code> (♠) . . . . . 194



<code>\Square</code> (□) . . . . . 160	<code>\squigarrowdownup</code> (↕) . . 80	<code>\starletlinevh</code> (★) . . . . . 162
<code>\Square</code> (□) . . . . . 159	<code>\squigarrowleftright</code> (↔) 80	<code>\starofdavid</code> (☆) . . . . . 157
<code>\Square</code> (□) . . . . . 160	<code>\squigarrownesw</code> (↖) . . . . 80	<code>\starredbullet</code> (★) . . . . . 156
<code>\Square</code> (□ vs. □ vs. □) . . 278	<code>\squigarrownwse</code> (↘) . . . . . 80	stars . . . . . 130, 140, 154–159, 161–162, 255–257
<code>\square</code> (◻) . . . . . 34	<code>\squigarrowrightleft</code> (↔) 80	<code>\stater</code> (♁) . . . . . 28
<code>\square</code> (◻) . . . . . 130	<code>\squigarrowswne</code> (↙) . . . . . 80	<code>\Station</code> (S) . . . . . 140
<code>\square</code> (◻) . . . . . 157	<code>\squigarrowswne</code> (↘) . . . . . 80	station (♁) . . . . . 204
<code>\square</code> (◻) . . . . . 40	<code>\squigarrowupdown</code> (↕) . . . 80	statistical independence . . . 283
<code>\square</code> (◻) . . . . . 201	squinting face with tongue (👅) . . . . . . 240	Statue of Liberty (🗽) . . . . . 240
<code>\square</code> (◻) . . . . . 39	<code>\squoal</code> (◻) . . . . . 158	<code>\staveI</code> (ⵇ) . . . . . 215
<code>\square</code> (◻) . . . . . 159	<code>\squplus</code> (⊞) . . . . . 34	<code>\staveII</code> (ⵈ) . . . . . 215
square impulse . . . . . 136	<code>\squplus</code> (⊞) . . . . . 36	<code>\staveIII</code> (ⵉ) . . . . . 215
square root . . . . . <i>see</i> <code>\sqrt</code>	<code>\SS</code> (SS) . . . . . 16, 141	<code>\staveIV</code> (ⵊ) . . . . . 215
hooked . . . . . <i>see</i> <code>\hksqrt</code>	<code>\ss</code> (ß) . . . . . 16	<code>\staveIX</code> (ⵋ) . . . . . 215
<code>\squarebotblack</code> (◼) . . . . 158	<code>\ssdtstile</code> (ⵍ) . . . . . 66	<code>\staveL</code> (ⵌ) . . . . . 215
<code>\SquareCastShadowBottomRight</code> (◻) . . . . . 160	<code>\ssearrow</code> (↘) . . . . . 79	<code>\staveL</code> (ⵌ) . . . . . 216
<code>\SquareCastShadowTopLeft</code> (◻) . . . . . 160	<code>\ssearrow</code> (↙) . . . . . 89	staveless runes . . . . . 173
<code>\SquareCastShadowTopRight</code> (◻) . . . . . 160	<code>\seven</code> (7) . . . . . 173	<code>\staveLI</code> (ⵍ) . . . . . 215
<code>\squarecrossfill</code> (◼) . . . . 158	<code>\ssix</code> (6) . . . . . 173	<code>\staveLII</code> (ⵎ) . . . . . 215
<code>\squaredots</code> (::) . . . . . 126	<code>\slash</code> (/) . . . . . 33	<code>\staveLIII</code> (ⵏ) . . . . . 215
<code>\squaredots</code> (::) . . . . . 34, 126	<code>\slash</code> (/) . . . . . 36	<code>\staveLIII</code> (ⵏ) . . . . . 215
<code>\squarehfill</code> (◼) . . . . . 158	<code>\slash</code> (/) . . . . . 37	<code>\staveLIV</code> (ⵐ) . . . . . 215
<code>\squarehvfill</code> (◼) . . . . . 158	<code>\sststile</code> (ⵐ) . . . . . 66	<code>\staveLIV</code> (ⵐ) . . . . . 215
<code>\squareleftblack</code> (◼) . . . . 158	<code>\sststile</code> (ⵑ) . . . . . 66	<code>\staveLIX</code> (ⵑ) . . . . . 216
<code>\squarellblack</code> (◼) . . . . . 158	<code>\ssttstile</code> (ⵒ) . . . . . 66	<code>\staveLV</code> (ⵒ) . . . . . 215
<code>\squarellquad</code> (◻) . . . . . 158	<code>\sswarrow</code> (↘) . . . . . 79	<code>\staveLVI</code> (ⵓ) . . . . . 216
<code>\squarelrblack</code> (◼) . . . . . 158	<code>\sswarrow</code> (↙) . . . . . 89	<code>\staveLVII</code> (ⵔ) . . . . . 216
<code>\squarelrquad</code> (◻) . . . . . 158	<code>\staccatissimo</code> (♩) . . . . . 180	<code>\staveLVIII</code> (ⵕ) . . . . . 216
<code>\squareneswfill</code> (◼) . . . . 158	stackengine (package) . . . . . 285	<code>\staveLX</code> (ⵖ) . . . . . 216
<code>\squarenwsefill</code> (◼) . . . . 158	<code>\stackengine</code> . . . . . 285	<code>\staveLXI</code> (ⵗ) . . . . . 216
<code>\Squarepipe</code> (◻) . . . . . 143	<code>\stackrel</code> . . . . . 31, 281, 286	<code>\staveLXII</code> (ⵘ) . . . . . 216
<code>\squarerightblack</code> (◼) . . . . 158	stadium (♐) . . . . . 240	<code>\staveLXIII</code> (ⵙ) . . . . . 216
squares 157–163, 186–191, 200, 201, 255–257, 261–262, 273	standard state . . . . . 136, 282	<code>\staveLXIV</code> (ⵚ) . . . . . 216
<code>\SquareShadowA</code> (◻) . . . . . 159	<code>\star</code> (★) . . . . . 32, 286	<code>\staveLXV</code> (ⵛ) . . . . . 216
<code>\SquareShadowB</code> (◻) . . . . . 159	<code>\star</code> (★) . . . . . 173	<code>\staveLXVI</code> (ⵜ) . . . . . 216
<code>\SquareShadowBottomRight</code> (◻) . . . . . 160	<code>\star</code> (★) . . . . . 40, 157	<code>\staveLXVII</code> (ⵝ) . . . . . 216
<code>\SquareShadowC</code> (◻) . . . . . 159	<code>\star</code> (★) . . . . . 40	<code>\staveLXVIII</code> (ⵞ) . . . . . 216
<code>\SquareShadowTopLeft</code> (◻) 160	<code>\star</code> (★) . . . . . 39	<code>\staveLXVIII</code> (ⵞ) . . . . . 216
<code>\SquareShadowTopRight</code> (◻) . . . . . . . 160	<code>\star</code> (★) . . . . . 41	staves . . . . . 215
<code>\SquareSolid</code> (◼) . . . . . 160	star (★) . . . . . 240	staves (package) . . . . . 215, 298
<code>\Squaresteel</code> (◼) . . . . . 143	star and crescent (☾) . . . . . 240	<code>\staveV</code> (ⵇ) . . . . . 215
<code>\squaretopblack</code> (◼) . . . . . 158	Star of David . . . . . 154, 155	<code>\staveVI</code> (ⵈ) . . . . . 215
<code>\squareulblack</code> (◼) . . . . . 158	star of David (☆) . . . . . 240	<code>\staveVII</code> (ⵉ) . . . . . 215
<code>\squareulquad</code> (◻) . . . . . 158	star-struck (👊) . . . . . 240	<code>\starlet</code> (★) . . . . . 161
<code>\squareurblack</code> (◼) . . . . . 158	<code>\stareq</code> (≐) . . . . . 60	<code>\starletcross</code> (✳) . . . . . 161
<code>\squareurquad</code> (◻) . . . . . 158	<code>\stareq</code> (≐) . . . . . 63	<code>\starletdot</code> (★) . . . . . 161
<code>\squarevfill</code> (◼) . . . . . 158	starfont (package) 140, 298, 299	<code>\starletfill</code> (★) . . . . . 161
<code>\squarewithdots</code> (⊞) . . . . . 162	<code>\starlet</code> (★) . . . . . 161	<code>\starletfillha</code> (★) . . . . . 161
<code>\squeezer</code> (⊞) . . . . . 229	<code>\starletcross</code> (✳) . . . . . 161	<code>\starletfillhb</code> (★) . . . . . 161
squid (🐙) . . . . . 209	<code>\starletdot</code> (★) . . . . . 161	<code>\starletfillhl</code> (★) . . . . . 161
	<code>\starletfill</code> (★) . . . . . 161	<code>\starletfillhr</code> (★) . . . . . 161
	<code>\starletfillha</code> (★) . . . . . 161	<code>\starletlineh</code> (★) . . . . . 162
	<code>\starletfillhb</code> (★) . . . . . 161	<code>\starletlinev</code> (★) . . . . . 162
	<code>\starletfillhl</code> (★) . . . . . 161	
	<code>\starletfillhr</code> (★) . . . . . 161	
	<code>\starletlineh</code> (★) . . . . . 162	
	<code>\starletlinev</code> (★) . . . . . 162	

<code>\staveVIII</code> (  ) . . . . . 215	<code>\staveXXXV</code> (  ) . . . . . 216	<code>\StrokeTwo</code> (  ) . . . . . 212
<code>\staveX</code> (  ) . . . . . 216	<code>\staveXXXVI</code> (  ) . . . . . 216	<code>\stst</code> (  ) . . . . . 282
<code>\staveXI</code> (  ) . . . . . 216	<code>\staveXXXVII</code> (  ) . . . . . 216	<code>\sttstile</code> (  ) . . . . . 65
<code>\staveXII</code> (  ) . . . . . 216	<code>\staveXXXVIII</code> (  ) . . . . . 216	<code>\stttstile</code> (  ) . . . . . 65
<code>\staveXIII</code> (  ) . . . . . 216	<code>\stdtstile</code> (  ) . . . . . 65	<code>student</code> (  ) . . . . . 240
<code>\staveXIV</code> (  ) . . . . . 216	<code>\steaming</code> (  ) . . . . . 229	<code>studio microphone</code> (  ) . . . . . 240
<code>\staveXIX</code> (  ) . . . . . 216	<code>steaming bowl</code> (  ) . . . . . 211	<code>stuffed flatbread</code> (  ) . . . . . 211
<code>\staveXL</code> (  ) . . . . . 216	<code>steinmetz (package)</code> . . 137, 298, 299	<code>\STX</code> (  ) . . . . . 142
<code>\staveXLI</code> (  ) . . . . . 216	Steinmetz phasor notation . 137	<code>.sty files</code> . . . . . 13
<code>\staveXLII</code> (  ) . . . . . 216	sterling . . . . . <i>see</i> <code>\pounds</code>	<code>\SUB</code> ( $\rightarrow$ ) . . . . . 142
<code>\staveXLIII</code> (  ) . . . . . 216	stethoscope (  ) . . . . . 240	subatomic particles . . 144–145
<code>\staveXLIV</code> (  ) . . . . . 216	<code>\sthree</code> ( $\$$ ) . . . . . 173	<code>\subcorner</code> (  ) . . . . . 24
<code>\staveXLIX</code> (  ) . . . . . 215	stick figures . 164, 231, 268–272	<code>\subdoublebar</code> (  ) . . . . . 24
<code>\staveXLV</code> (  ) . . . . . 216	<code>\Stigma</code> ( $\text{\textcircled{C}}$ ) . . . . . 170	<code>\subdoublevert</code> (  ) . . . . . 24
<code>\staveXLVI</code> (  ) . . . . . 216	<code>\Stigma</code> ( $\text{\textcircled{T}}$ ) . . . . . 170	<code>\subedot</code> ( $\text{\textcircled{e}}$ ) . . . . . 69
<code>\staveXLVII</code> (  ) . . . . . 215	<code>\stigma</code> ( $\text{\textcircled{c}}$ ) . . . . . 170	<code>\sublptr</code> (  ) . . . . . 24
<code>\staveXLVIII</code> (  ) . . . . . 215	<code>\stigma</code> ( $\text{\textcircled{r}}$ ) . . . . . 170	<code>\submult</code> ( $\text{\textcircled{f}}$ ) . . . . . 69
<code>\staveXV</code> (  ) . . . . . 216	<code>stix (package)</code> . . . . . 37, 41, 42, 49, 51, 63–65, 69, 74, 75, 77, 90, 92–94, 99, 103–105, 107, 111, 115, 119, 126, 128, 129, 132, 138, 141, 143, 158, 159, 174, 194, 197, 298, 299	<code>\subrarr</code> ( $\text{\textcircled{z}}$ ) . . . . . 69
<code>\staveXVI</code> (  ) . . . . . 216	<code>stmaryrd (package)</code> . . 33, 43, 55, 68, 75, 79, 95, 98, 106, 108, 278, 282, 297–299	<code>\subrptr</code> (  ) . . . . . 24
<code>\staveXVII</code> (  ) . . . . . 216	stochastic independence . . . . . <i>see</i> <code>\bot</code>	subscripts new symbols used in . . 283
<code>\staveXVIII</code> (  ) . . . . . 216	<code>\StoneMan</code> ( $\blacktriangle$ ) . . . . . 207	<code>\Subset</code> ( $\text{\textcircled{C}}$ ) . . . . . 68
<code>\staveXX</code> (  ) . . . . . 216	stop button (  ) . . . . . 240	<code>\Subset</code> ( $\text{\textcircled{E}}$ ) . . . . . 67
<code>\staveXXI</code> (  ) . . . . . 216	stop sign (  ) . . . . . 240	<code>\Subset</code> ( $\text{\textcircled{e}}$ ) . . . . . 69
<code>\staveXXII</code> (  ) . . . . . 216	<code>\Stopsign</code> (  ) . . . . . 144	<code>\Subset</code> ( $\text{\textcircled{e}}$ ) . . . . . 69
<code>\staveXXIII</code> (  ) . . . . . 216	stopwatch (  ) . . . . . 208	<code>\Subset</code> ( $\text{\textcircled{e}}$ ) . . . . . 68
<code>\staveXXIV</code> (  ) . . . . . 215	<code>\StopWatchEnd</code> (  ) . . . . . 207	<code>\subset</code> ( $\subset$ ) . . . . . 68
<code>\staveXXIX</code> (  ) . . . . . 215	<code>\StopWatchStart</code> (  ) . . . . . 207	<code>\subset</code> ( $\subset$ ) . . . . . 67
<code>\staveXXV</code> (  ) . . . . . 215	straight ruler (  ) . . . . . 240	<code>\subset</code> ( $\subset$ ) . . . . . 69
<code>\staveXXVI</code> (  ) . . . . . 215	strawberry (  ) . . . . . 211	<code>\subset</code> ( $\subset$ ) . . . . . 68
<code>\staveXXVII</code> (  ) . . . . . 215	<code>\stress</code> ( $\text{\textcircled{!}}$ ) . . . . . 26	<code>\subset</code> ( $\subset$ ) . . . . . 69
<code>\staveXXVIII</code> (  ) . . . . . 215	<code>\Strichmaxerl</code> ( $\text{\textcircled{x}}$ ) . . . . . 231	<code>\subset</code> ( $\subset$ ) . . . . . 68
<code>\staveXXX</code> (  ) . . . . . 215	strict implication <i>see</i> <code>\strictif</code>	<code>\subset</code> ( $\subset$ ) . . . . . 67
<code>\staveXXXI</code> (  ) . . . . . 215	<code>\strictfi</code> ( $\text{\textcircled{e}}$ ) . . . . . 56	<code>\subset</code> ( $\subset$ ) . . . . . 69
<code>\staveXXXII</code> (  ) . . . . . 215	<code>\strictfi</code> ( $\text{\textcircled{e}}$ ) . . . . . 62	<code>\subset</code> ( $\subset$ ) . . . . . 68
<code>\staveXXXIII</code> (  ) . . . . . 216	<code>\strictif</code> ( $\text{\textcircled{\neg}}$ ) . . . . . 56	<code>\subset</code> ( $\subset$ ) . . . . . 69
<code>\staveXXXIV</code> (  ) . . . . . 216	<code>\strictif</code> ( $\text{\textcircled{\rightarrow}}$ ) . . . . . 62	<code>\subset</code> ( $\subset$ ) . . . . . 68
<code>\staveXXXIX</code> (  ) . . . . . 216	<code>\strictiff</code> ( $\text{\textcircled{\leftrightarrow}}$ ) . . . . . 56	<code>\subset</code> ( $\subset$ ) . . . . . 67
	<code>\StrikingThrough</code> ( $\text{\textcircled{!}}$ ) . . . . . 26	<code>\subset</code> ( $\subset$ ) . . . . . 69
	<code>\strns</code> ( $\text{\textcircled{—}}$ ) . . . . . 132	<code>\subset</code> ( $\subset$ ) . . . . . 68
	<code>\strokedint</code> ( $f$ ) . . . . . 48	<code>\subset</code> ( $\subset$ ) . . . . . 69
	<code>\StrokeFive</code> (  ) . . . . . 212	<code>\subset</code> ( $\subset$ ) . . . . . 68
	<code>\StrokeFour</code> (  ) . . . . . 212	<code>\subset</code> ( $\subset$ ) . . . . . 69
	<code>\StrokeOne</code> ( $ $ ) . . . . . 212	<code>\subset</code> ( $\subset$ ) . . . . . 68
	<code>\StrokeThree</code> (  ) . . . . . 212	<code>\subset</code> ( $\subset$ ) . . . . . 67
	<code>\strokethrough</code> ( $\text{\textcircled{/}}$ ) . . . . . 115	<code>\subset</code> ( $\subset$ ) . . . . . 69

<code>\subsetneqq</code> ( $\subsetneq$ )	68	<code>\succsim</code> ( $\succsim$ )	57	<code>\supseteq</code> ( $\supseteq$ )	68
<code>\subsetneqq</code> ( $\subsetneq$ )	69	<code>\succsim</code> ( $\succsim$ )	64	<code>\supseteq</code> ( $\supseteq$ )	67
<code>\subsetplus</code> ( $\subsetplus$ )	68	such that	281, 282	<code>\supseteq</code> ( $\supseteq$ )	69
<code>\subsetplus</code> ( $\subsetplus$ )	69	<code>\suchthat</code> ( $\ni$ )	282	<code>\supseteq</code> ( $\supseteq$ )	68
<code>\subsetplus</code> ( $\subsetplus$ )	69	<code>\sum</code> ( $\sum$ )	43	<code>\supseteq</code> ( $\supseteq$ )	69
<code>\subsetpluseq</code> ( $\subsetpluseq$ )	68	<code>\sum</code> ( $\sum$ )	48	<code>\supsetapprox</code> ( $\supsetapprox$ )	69
<code>\subsetpluseq</code> ( $\subsetpluseq$ )	69	<code>\sum</code> ( $\sum$ )	48	<code>\supsetcirc</code> ( $\supsetcirc$ )	69
subsets	67–70	<code>\sum</code> ( $\sum$ )	50	<code>\supsetdot</code> ( $\supsetdot$ )	69
<code>\subsim</code> ( $\subsim$ )	70	<code>\sumint</code> ( $\int$ )	53	<code>\supseteq</code> ( $\supseteq$ )	68
<code>\subsub</code> ( $\subsub$ )	70	<code>\sumint</code> ( $\int$ )	48	<code>\supseteq</code> ( $\supseteq$ )	67
<code>\subsup</code> ( $\subsup$ )	70	<code>\sumint</code> ( $\int$ )	48	<code>\supseteq</code> ( $\supseteq$ )	69
<code>\Succ</code> ( $\succ$ )	64	<code>\sumint</code> ( $\int$ )	48	<code>\supseteq</code> ( $\supseteq$ )	68
<code>\succ</code> ( $\succ$ )	54	<code>\sumint</code> ( $\int$ )	50	<code>\supseteq</code> ( $\supseteq$ )	69
<code>\succ</code> ( $\succ$ )	60	<code>\sumintsl</code> ( $\int$ )	51	<code>\supseteqq</code> ( $\supseteqq$ )	68
<code>\succ</code> ( $\succ$ )	57	<code>\sumintup</code> ( $\int$ )	51	<code>\supseteqq</code> ( $\supseteqq$ )	67
<code>\succ</code> ( $\succ$ )	63	<code>\Summertree</code> ( $\sum$ )	231	<code>\supseteqq</code> ( $\supseteqq$ )	69
<code>\succapprox</code> ( $\succapprox$ )	56	<code>\Summit</code> ( $\blacktriangle$ )	207	<code>\supseteqq</code> ( $\supseteqq$ )	69
<code>\succapprox</code> ( $\succapprox$ )	55	<code>\SummitSign</code> ( $\blacktriangleup$ )	207	<code>\supseteqq</code> ( $\supseteqq$ )	68
<code>\succapprox</code> ( $\succapprox$ )	62	<code>\Sun</code> ( $\odot$ )	138	<code>\supseteqq</code> ( $\supseteqq$ )	69
<code>\succapprox</code> ( $\succapprox$ )	60	<code>\Sun</code> ( $\odot$ )	140	<code>\supsetneq</code> ( $\supsetneq$ )	68
<code>\succapprox</code> ( $\succapprox$ )	57	<code>\Sun</code> ( $\odot$ )	138	<code>\supsetneq</code> ( $\supsetneq$ )	67
<code>\succapprox</code> ( $\succapprox$ )	64	<code>\Sun</code> ( $\odot$ )	206	<code>\supsetneq</code> ( $\supsetneq$ )	69
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	56	<code>\Sun</code> ( $\odot$ vs. $\odot$ vs. $\odot$ )	278	<code>\supsetneq</code> ( $\supsetneq$ )	69
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	55	<code>\sun</code> ( $\odot$ )	138	<code>\supsetneq</code> ( $\supsetneq$ )	68
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	62	<code>\sun</code> ( $\odot$ )	202	<code>\supsetneq</code> ( $\supsetneq$ )	69
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	60	<code>\sun</code> ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	68
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	57	sun ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	67
<code>\succcurlyeq</code> ( $\succcurlyeq$ )	64	sun behind cloud ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	69
<code>\succdot</code> ( $\succdot$ )	56	sun behind large cloud ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	69
<code>\succeq</code> ( $\succeq$ )	54	sun behind rain cloud ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	68
<code>\succeq</code> ( $\succeq$ )	60	sun behind small cloud ( $\odot$ )	206	<code>\supsetneqq</code> ( $\supsetneqq$ )	69
<code>\succeq</code> ( $\succeq$ )	57	sun with face ( $\odot$ )	240	<code>\supsetplus</code> ( $\supsetplus$ )	68
<code>\succeq</code> ( $\succeq$ )	64	<code>\SunCloud</code> ( $\odot$ )	206	<code>\supsetplus</code> ( $\supsetplus$ )	69
<code>\succeqq</code> ( $\succeqq$ )	56	sunflower ( $\odot$ )	240	<code>\supsetplus</code> ( $\supsetplus$ )	69
<code>\succeqq</code> ( $\succeqq$ )	60	sunrise ( $\odot$ )	240	<code>\supsetpluseq</code> ( $\supsetpluseq$ )	68
<code>\succeqq</code> ( $\succeqq$ )	64	sunrise over mountains ( $\odot$ )	240	<code>\supsetpluseq</code> ( $\supsetpluseq$ )	69
<code>\succnapprox</code> ( $\succnapprox$ )	57	suns	137–140, 163, 202, 206, 246, 275, 278	<code>\supsim</code> ( $\supset$ )	69
<code>\succnapprox</code> ( $\succnapprox$ )	55	sunset ( $\odot$ )	240	<code>\supsub</code> ( $\supsub$ )	69
<code>\succnapprox</code> ( $\succnapprox$ )	62	<code>\SunshineOpenCircled</code> ( $\odot$ )	163	<code>\supsup</code> ( $\supsup$ )	70
<code>\succnapprox</code> ( $\succnapprox$ )	61	<code>\sup</code> (sup)	99	<code>\surd</code> ( $\sqrt{\quad}$ )	130
<code>\succnapprox</code> ( $\succnapprox$ )	59	<code>\supdsup</code> ( $\supdsup$ )	70	<code>\surface</code> ( $\Phi$ )	145
<code>\succnapprox</code> ( $\succnapprox$ )	64	<code>\supedot</code> ( $\supedot$ )	70	<code>\SurveySign</code> ( $\Delta$ )	207
<code>\succneq</code> ( $\succneq$ )	57	superhero ( $\sup$ )	240	sushi ( $\odot$ )	211
<code>\succneq</code> ( $\succneq$ )	61	superscripts		suspension railway ( $\odot$ )	204
<code>\succneq</code> ( $\succneq$ )	64	new symbols used in	283	<code>\svrexample</code> ( $\sup$ )	145
<code>\succneqq</code> ( $\succneqq$ )	56	supersets	67–70	<code>\svrphoton</code> ( $\sup$ )	145
<code>\succneqq</code> ( $\succneqq$ )	62	supervillain ( $\sup$ )	240	svrsymbols (package)	145, 298, 299
<code>\succneqq</code> ( $\succneqq$ )	61	<code>\suphsol</code> ( $\suphsol$ )	70	swan ( $\sup$ )	209
<code>\succneqq</code> ( $\succneqq$ )	64	<code>\suphsol</code> ( $\suphsol$ )	69	<code>\Swarrow</code> ( $\sup$ )	79
<code>\succnsim</code> ( $\succnsim$ )	57	<code>\suplarr</code> ( $\suplarr$ )	69	<code>\Swarrow</code> ( $\sup$ )	89
<code>\succnsim</code> ( $\succnsim$ )	55	<code>\supmult</code> ( $\supmult$ )	69	<code>\Swarrow</code> ( $\sup$ )	84
<code>\succnsim</code> ( $\succnsim$ )	62	supremum	see <code>\sup</code>	<code>\Swarrow</code> ( $\sup$ )	80
<code>\succnsim</code> ( $\succnsim$ )	61	<code>\Supset</code> ( $\supset$ )	68	<code>\Swarrow</code> ( $\sup$ )	91
<code>\succnsim</code> ( $\succnsim$ )	59	<code>\Supset</code> ( $\supset$ )	67	<code>\swarrow</code> ( $\swarrow$ )	79
<code>\succnsim</code> ( $\succnsim$ )	64	<code>\Supset</code> ( $\supset$ )	69	<code>\swarrow</code> ( $\swarrow$ )	78, 284
<code>\succsim</code> ( $\succsim$ )	56	<code>\Supset</code> ( $\supset$ )	69	<code>\swarrow</code> ( $\swarrow$ )	84
<code>\succsim</code> ( $\succsim$ )	55	<code>\Supset</code> ( $\supset$ )	68	<code>\swarrow</code> ( $\swarrow$ )	80
<code>\succsim</code> ( $\succsim$ )	62	<code>\Supset</code> ( $\supset$ )	69	<code>\swarrow</code> ( $\swarrow$ )	95
<code>\succsim</code> ( $\succsim$ )	60	<code>\Supset</code> ( $\supset$ )	69		


<code>\swarrow</code> (↘) . . . . .	91	block-element . . . . .	215	magical signs . . . . .	215
<code>\swarrowtail</code> (↘) . . . . .	84	body-text . . . . .	15–30	map . . . . .	255–257
<code>\swarrowtail</code> (↘) . . . . .	80	bold . . . . .	292	maps . . . . .	219, 222, 247–250
<code>\swbkarrow</code> (↘) . . . . .	84	box-drawing . . . . .	215	mathematical . . . . .	31–135
sweat droplets (💧) . . . . .	240	chess . . . . .	199, 200, 275–277	media control . . . . .	205, 250–254
<code>\Sweden</code> (🇸🇪) . . . . .	221	cipher . . . . .	216	METAFONTbook . . . . .	204
Swedo-Norwegian runes . . . . .	<i>see</i>	clock . . . . .	202, 205, 207, 208, 246	metrical . . . . .	213, 214
short-twig runes		communication . . . . .	143	miscellaneous . . . . .	130–133, 162, 163, 202–250, 254
<code>\swfilleddspoon</code> (↘) . . . . .	96	computer . . . . .	250–254	monetary . . . . .	27, 28, 135, 232–245, 247–250
<code>\swfootline</code> (↘) . . . . .	57	computer hardware . . . . .	141, 232–245, 247–250	musical . . . . .	174–193, 246, 250–254
<code>\swfree</code> (↘) . . . . .	57	contradiction . . . . .	31, 98	non-commutative division . . . . .	125
<code>\swharpoonccw</code> (↘) . . . . .	83	cooking . . . . .	229, 250–254	particle physics . . . . .	144–145
<code>\swharpooncw</code> (↘) . . . . .	83	counties . . . . .	222	Phaistos disk . . . . .	164
<code>\swharpoonnw</code> (↘) . . . . .	88	countries . . . . .	219	phonetic . . . . .	18–21
<code>\swharpoonse</code> (↘) . . . . .	88	crystallography . . . . .	273	physical . . . . .	136
<code>\Switzerland</code> (🇨🇭) . . . . .	221	currency . . . . .	27, 28, 132, 135, 232–245, 247–250	Pitman’s base 12 . . . . .	128, 212
<code>\swlcurvearrow</code> (↘) . . . . .	85	dangerous bend . . . . .	204	present value . . . . .	121, 286
<code>\swlsquigarrow</code> (↘) . . . . .	80	database . . . . .	132	proto-Semitic . . . . .	164
<code>\swmapsto</code> (↘) . . . . .	80	definition . . . . .	31, 286	pulse diagram . . . . .	136
<code>\swModels</code> (↘) . . . . .	57	dictionary . . . . .	18–21, 214	recycling . . . . .	217, 218, 229, 232–246, 250–255
<code>\swmodels</code> (↘) . . . . .	58	dingbat . . . . .	146–163	relational . . . . .	54
<code>\swnearrows</code> (↘↗) . . . . .	84	dot . . . . .	15, 125–127, 285	relational database . . . . .	132
<code>\swnearrows</code> (↘↗) . . . . .	81	electrical . . . . .	136	reversed . . . . .	280–281
<code>\swnecurvearrow</code> (↘↗) . . . . .	85	engineering . . . . .	132, 136, 143	rotated . . . . .	18–21, 25, 280–281
<code>\swneharpoons</code> (↘↗) . . . . .	88	Epi-Olmec . . . . .	171–172	runes . . . . .	173
<code>\swneharpoons</code> (↘↗) . . . . .	83	extensible . . . . .	94, 117–124, 137, 279, 286–287	safety-related . . . . .	144
swords . . . . .	205	Feynman diagram . . . . .	144	scientific . . . . .	136–145, 273
<code>\swords</code> (⚔) . . . . .	229	file . . . . .	250–254	semaphore . . . . .	271–272
<code>\swpitchfork</code> (⚡) . . . . .	96	Frege logic . . . . .	94, 106, 127, 128, 133	Simpsons characters . . . . .	214
<code>\swrcurvearrow</code> (↘) . . . . .	86	frown . . . . .	97, 98	smile . . . . .	97, 98
<code>\swrsquigarrow</code> (↘) . . . . .	81	game-related . . . . .	194–201, 250–254, 274–277	Soyombo . . . . .	218
<code>\swspoon</code> (↘) . . . . .	96	gates, digital logic . . . . .	142	spoon . . . . .	96, 97
<code>\swswarrows</code> (↘↗) . . . . .	84	genealogical . . . . .	202	sporting . . . . .	232–245, 247–250
<code>\swswarrows</code> (↘↗) . . . . .	81	general . . . . .	202	staves . . . . .	215
swung dash . . . . .	<i>see</i> <code>\sim</code>	Go stones . . . . .	200, 201	subset and superset . . . . .	67–70
<code>\swVdash</code> (⋮) . . . . .	58	Halloween . . . . .	41, 124	technological . . . . .	136–145
<code>\swvdash</code> (⋮) . . . . .	58	information . . . . .	205	TeXbook . . . . .	204
<code>\syl</code> (𐀀) . . . . .	24	informator . . . . .	199	transliteration . . . . .	21
<code>\syllabic</code> (,) . . . . .	26	inverted . . . . .	18–21, 25, 280–281	transportation . . . . .	202–204, 250–254
<code>\symA</code> (A) . . . . .	134	Isthmian . . . . .	171–172	upside-down . . . . .	18–21, 25, 280–281, 292–293
<code>\symAE</code> (Æ) . . . . .	135	keyboard . . . . .	141	variable-sized . . . . .	43–54, 277, 279
<code>\symB</code> (B) . . . . .	134	knitting . . . . .	219	weather . . . . .	206, 246
<code>\ymbishop</code> (⚡) . . . . .	200	Knuth’s . . . . .	204	Web . . . . .	250–254
Symbol (font) . . . . .	102, 280	laundry . . . . .	205	yin-yang . . . . .	205, 229, 232–246, 261–262
symbols . . . . .	15–164, 174–255, 257, 274, 275, 277, 279, 286, 291–292, 295	legal . . . . .	15, 16, 28, 29, 295	zodiacal . . . . .	137–140, 257–260
actuarial . . . . .	121, 286	letter-like . . . . .	104–106, 250–254	<code>symbols.tex</code> (file) . . . . .	277, 298
alpine . . . . .	207	life insurance . . . . .	121, 286	<code>\symC</code> (C) . . . . .	134
ancient language . . . . .	164–173	linear logic . . . . .	31–33, 38, 39, 43, 47–49, 54, 67, 104, 105	<code>\symking</code> (👑) . . . . .	200
annuity . . . . .	121, 286	linguistic . . . . .	18–21	<code>\symknight</code> (♔) . . . . .	200
APL . . . . .	63–64, 140, 141	log-like . . . . .	99, 100, 291		
astrological . . . . .	137–140, 257–260	logic . . . . .	142		
astronomical . . . . .	137–140, 216, 217, 257–260	<i>Magic: The Gathering</i> . . . . .	275		
Begriffsschrift . . . . .	127				
biological . . . . .	143, 144				





<code>\textbraceright</code> .....	15	<code>\textdaggerdbl</code> (‡) .....	15	<code>\textfjlig</code> (fj) .....	21
<code>\textbreve</code> (˘) .....	22	<code>\textdaggerdbl</code> (‡) .....	15	<code>\textflorin</code> (f) .....	27
<code>\textbrokenbar</code> ( ) .....	29, 295	<code>\textdbend</code> (⤵) .....	204	<code>\textfouroldstyle</code> (4) .....	29
<code>\textbullet</code> (•) .....	15	<code>\textdblhyphen</code> (=) .....	29	<code>\textfractionsolidus</code> (/) .....	133
<code>\textbullet</code> (●) .....	15, 296	<code>\textdblhyphenchar</code> (=) .....	29	<code>\textfrak</code> .....	134
<code>\textbullseye</code> (⊙) .....	18	<code>\textdblig</code> (db) .....	20	<code>\textfrbarn</code> (n) .....	20
<code>\textcelsius</code> (°C) .....	136, 296	<code>\textdctzlig</code> (dz) .....	19	<code>\textfrhookd</code> (d) .....	20
<code>\textceltpal</code> (˘) .....	18	<code>\textdegree</code> (°) .....	133, 295	<code>\textfrhookdvar</code> (d) .....	20
<code>\textcent</code> (¢) .....	27, 295	<code>\textDelta</code> (Δ) .....	17	<code>\textfrhookt</code> (t) .....	20
<code>\textcentoldstyle</code> (¢) .....	27	<code>\textdelta</code> (δ) .....	17	<code>\textfrtailgamma</code> (γ) .....	20
<code>\textChi</code> (X) .....	17	<code>\textdied</code> (†) .....	202	<code>\textg</code> (g) .....	19
<code>\textchi</code> (χ) .....	17, 18	<code>\textdiscount</code> (%) .....	29	<code>\textGamma</code> (Γ) .....	17
<code>\textcircled</code> (⊙) .....	22	<code>\textdiv</code> (÷) .....	133	<code>\textgamma</code> (γ) .....	17, 19
<code>\textcircledP</code> .....	28	<code>\textdivorced</code> (◊) .....	202	<code>\textglobfall</code> (↘) .....	19
<code>\textcircledP</code> (Ⓟ) .....	28	<code>\textdkshade</code> (■) .....	215	<code>\textglobrise</code> (↗) .....	19
<code>\textcircumacute</code> (ˆ) .....	22	<code>\textdnblock</code> (■) .....	215	<code>\textglotstop</code> (ʔ) .....	18
<code>\textcircumdot</code> (˙) .....	22	<code>\textdollar</code> (\$) .....	15	<code>\textglotstopvari</code> (ʔ) .....	20
<code>\textcloseepsilon</code> (ε) .....	18	<code>\textdollar</code> (\$) .....	15, 27	<code>\textglotstopvarii</code> (ʔ) .....	20
<code>\textcloseomega</code> (ω) .....	18	<code>\textdollaroldstyle</code> (§) .....	27	<code>\textglotstopvariii</code> (ʔ) .....	20
<code>\textcloserevepsilon</code> (ε) .....	18	<code>\textdong</code> (ḏ) .....	27	<code>\textgoth</code> .....	134
<code>\textcolonmonetary</code> (₯) .....	27	<code>\textdotacute</code> (ˆ) .....	22	<code>\textgravecircum</code> (˘) .....	23
<code>\textcommatailz</code> (z) .....	18	<code>\textdotbreve</code> (˘) .....	22	<code>\textgravedbl</code> (˘) .....	26
<code>textcomp</code> (package) .....	13, 15, 16, 22, 26–29, 78, 114, 133, 136, 174, 202, 277, 293, 294, 298, 299	<code>\textdoublebar</code> (f) .....	19	<code>\textgravedot</code> (˙) .....	23
<code>\textcopyleft</code> .....	28	<code>\textdoublebarpipe</code> (‡) .....	19	<code>\textgravemacron</code> (˘) .....	23
<code>\textcopyleft</code> (©) .....	28	<code>\textdoublebarslash</code> (≠) .....	19	<code>\textgravemid</code> (˘) .....	23
<code>\textcopyright</code> (©) .....	15, 28	<code>\textdoublegrave</code> (˘) .....	22	<code>\textgreater</code> .....	15
<code>\textcopyright</code> (©) .....	15, 28, 295	<code>\textdoublegrave</code> (˘) .....	25	<code>\textgreater</code> (>) .....	292, 293
<code>\textcorner</code> (˘) .....	18	<code>\textdoublepipe</code> (  ) .....	19	<code>textgreek</code> (package) .....	17, 102, 298, 299
<code>\textcrb</code> (b) .....	18	<code>\textdoublepipevar</code> (  ) .....	20	<code>\textgrgamma</code> (γ) .....	20
<code>\textcrd</code> (d) .....	21	<code>\textdoublevbaraccent</code> (⌘) .....	22	<code>\textguarani</code> (G) .....	27
<code>\textcrd</code> (d) .....	18	<code>\textdoublevbaraccent</code> (⌘) .....	25	<code>\texthalflength</code> (˘) .....	18
<code>\textcrg</code> (g) .....	18	<code>\textdoublevertline</code> (  ) .....	19	<code>\texthardsign</code> (b) .....	18
<code>\textcrh</code> (h) .....	21	<code>\textdownarrow</code> (↓) .....	78	<code>\textheng</code> (h) .....	20
<code>\textcrh</code> (h) .....	18	<code>\textdownfullarrow</code> (⇓) .....	20	<code>\texthhighrise</code> (h) .....	23
<code>\textcrinvglotstop</code> (s) .....	19	<code>\textdownstep</code> (↓) .....	19	<code>\texthlig</code> (h) .....	20
<code>\textcrlambda</code> (λ) .....	19	<code>\textdyoghlig</code> (d) .....	19	<code>\texthooktop</code> (˘) .....	18
<code>\textcrtwo</code> (2) .....	19	<code>\textdzlig</code> (dz) .....	19	<code>\texthtb</code> (b) .....	21
<code>\textctc</code> (c) .....	19	<code>\texteightoldstyle</code> (8) .....	29	<code>\texthtb</code> (b) .....	18
<code>\textctd</code> (d) .....	19	<code>\textellipsis</code> .....	15	<code>\texthtbardotlessj</code> (f) .....	18
<code>\textctdctzlig</code> (dz) .....	19	<code>\textemdash</code> .....	15	<code>\texthtbardotlessjvar</code> (f) .....	19
<code>\textctesh</code> (j) .....	19	<code>\textendash</code> .....	15	<code>\texthtc</code> (c) .....	21
<code>\textctinvglotstop</code> (b) .....	19	<code>\textEpsilon</code> (E) .....	17	<code>\texthtc</code> (c) .....	18
<code>\textctj</code> (j) .....	19	<code>\textepsilon</code> (ε) .....	21	<code>\texthtd</code> (d) .....	21
<code>\textctjvar</code> (j) .....	19	<code>\textepsilone</code> (ε) .....	17, 19	<code>\texthtd</code> (d) .....	18
<code>\textctn</code> (n) .....	19	<code>\textesth</code> (f) .....	21	<code>\texthtg</code> (g) .....	18
<code>\textctstretchc</code> (l) .....	19	<code>\textesth</code> (f) .....	19	<code>\texthtg</code> (f) .....	18
<code>\textctstretchcvar</code> (c) .....	19	<code>\textestimated</code> (e) .....	29	<code>\texthtg</code> (f) .....	18
<code>\textctt</code> (t) .....	19	<code>\textEta</code> (H) .....	17	<code>\texthtk</code> (k) .....	21
<code>\textcttctclig</code> (tc) .....	19	<code>\texteta</code> (η) .....	17	<code>\texthtk</code> (k) .....	18
<code>\textcttturnt</code> (t) .....	19	<code>\texteuro</code> (€) .....	28	<code>\texthtp</code> (p) .....	21
<code>\textctyogh</code> (z) .....	19	<code>\texteuro</code> (€) .....	27	<code>\texthtp</code> (p) .....	18
<code>\textctz</code> (z) .....	19	<code>\texteuro</code> (€) .....	27, 294, 296	<code>\texthtq</code> (q) .....	18
<code>\textcurrency</code> (¤) .....	27, 295	<code>\textexclamdown</code> .....	15	<code>\texthtq</code> (q) .....	18
<code>\textcypr</code> .....	169	<code>\textfallrise</code> (˘) .....	23	<code>\texthtscg</code> (g) .....	18
<code>\textdagger</code> (†) .....	15	<code>\textfemale</code> (♀) .....	20	<code>\texthtt</code> (t) .....	21
<code>\textdagger</code> (†) .....	15	<code>\textfishhookr</code> (r) .....	19	<code>\texthtt</code> (t) .....	18
		<code>\textfiveoldstyle</code> (5) .....	29	<code>\texthvlig</code> (hv) .....	18
				<code>\textifsym</code> .....	136

<code>\textinterrobang</code> (‡) . . . . .	29	<code>\textkmit{R}</code> (℞) . . . . .	219	<code>\textminus</code> (−) . . . . .	133
<code>\textinterrobangdown</code> (‡) . . . . .	29	<code>\textkmit{r}</code> (℞) . . . . .	219	<code>\textMu</code> (Μ) . . . . .	17
<code>\textinvglotstop</code> (̣) . . . . .	18	<code>\textkmit{S}</code> (←) . . . . .	219	<code>\textmu</code> (μ) . . . . .	136, 295
<code>\textinvomega</code> (ω) . . . . .	19	<code>\textkmit{s}</code> (→) . . . . .	219	<code>\textmu</code> (μ) . . . . .	17
<code>\textinvzca</code> (v) . . . . .	19	<code>\textkmit{T}</code> (Ⓢ) . . . . .	219	<code>\textmugreek</code> (μ) . . . . .	17
<code>\textinvscr</code> (v) . . . . .	18	<code>\textkmit{t}</code> (Ⓢ) . . . . .	219	<code>\textmusicalnote</code> (♩) . . . . .	174
<code>\textinvscripta</code> (σ) . . . . .	19	<code>\textkmit{U}</code> (Ⓢ) . . . . .	219	<code>\textnaira</code> (₦) . . . . .	27
<code>\textinvsubbridge</code> (⌌) . . . . .	23	<code>\textkmit{u}</code> (∨) . . . . .	219	<code>\textnineoldstyle</code> (g) . . . . .	29
<code>\textIota</code> (Ι) . . . . .	17	<code>\textkmit{V}</code> (∨) . . . . .	219	<code>\textnrleg</code> (η) . . . . .	20
<code>\textiota</code> (ι) . . . . .	21	<code>\textkmit{v}</code> (∨) . . . . .	219	<code>\textNu</code> (Ν) . . . . .	17
<code>\textiota</code> (ι) . . . . .	17, 18	<code>\textkmit{W}</code> (∨) . . . . .	219	<code>\textnu</code> (ν) . . . . .	17
<code>\textKappa</code> (Κ) . . . . .	17	<code>\textkmit{w}</code> (∨) . . . . .	219	<code>\textnumero</code> (№) . . . . .	29
<code>\textkappa</code> (κ) . . . . .	17	<code>\textkmit{X}</code> (Ⓢ) . . . . .	219	<code>\textObardotlessj</code> (j) . . . . .	19
<code>\textkmit</code> . . . . .	219	<code>\textkmit{x}</code> (Ⓢ) . . . . .	219	<code>\textObullseye</code> (⊙) . . . . .	20
<code>\textkmit{2}</code> (⌘) . . . . .	219	<code>\textkmit{Y}</code> (∨) . . . . .	219	<code>\textohm</code> (Ω) . . . . .	136
<code>\textkmit{3}</code> (⌘) . . . . .	219	<code>\textkmit{y}</code> (∨) . . . . .	219	<code>\textOlyoghlig</code> (b) . . . . .	19
<code>\textkmit{4}</code> (∧) . . . . .	219	<code>\textkmit{Z}</code> (Ⓢ) . . . . .	219	<code>\textOmega</code> (Ω) . . . . .	17
<code>\textkmit{5}</code> (∧) . . . . .	219	<code>\textkmit{z}</code> (Ⓢ) . . . . .	219	<code>\textomega</code> (ω) . . . . .	17, 19
<code>\textkmit{6}</code> (∨) . . . . .	219	<code>\textLambda</code> (Λ) . . . . .	17	<code>\textOmikron</code> (Ο) . . . . .	17
<code>\textkmit{7}</code> (∨) . . . . .	219	<code>\textlambda</code> (λ) . . . . .	17, 18	<code>\textomikron</code> (ο) . . . . .	17
<code>\textkmit{8}</code> (∨) . . . . .	219	<code>\textlangle</code> (⟨) . . . . .	114, 293	<code>\textonehalf</code> (½) . . . . .	133, 295
<code>\textkmit{9}</code> (Ⓢ) . . . . .	219	<code>\textlbrace</code> (⟦) . . . . .	114	<code>\textoneoldstyle</code> (i) . . . . .	29
<code>\textkmit{"}</code> (Ⓢ) . . . . .	219	<code>\textleaf</code> (♻) . . . . .	202	<code>\textonequarter</code> (¼) . . . . .	133, 295
<code>\textkmit{}</code> (∖) . . . . .	219	<code>\textleftarrow</code> (←) . . . . .	78	<code>\textonesuperior</code> (¹) . . . . .	133, 295
<code>\textkmit{}</code> (∕) . . . . .	219	<code>\textlengthmark</code> (:) . . . . .	18	<code>\textopenbullet</code> (◦) . . . . .	29
<code>\textkmit{*}</code> (*) . . . . .	219	<code>\textless</code> . . . . .	15	<code>\textopencorner</code> (⌒) . . . . .	19
<code>\textkmit{-}</code> ( ) . . . . .	219	<code>\textless</code> (<) . . . . .	292, 293	<code>\textopeno</code> (o) . . . . .	21
<code>\textkmit{:}</code> (⌘) . . . . .	219	<code>\textlfblock</code> (■) . . . . .	215	<code>\textopeno</code> (o) . . . . .	19
<code>\textkmit{;}</code> (⌘) . . . . .	219	<code>\textlfishhookrlig</code> (t) . . . . .	19	<code>\textordfeminine</code> (ª) . . . . .	15
<code>\textkmit{&lt;}</code> (∩) . . . . .	219	<code>\textlhbend</code> (Ⓢ) . . . . .	204	<code>\textordfeminine</code> (ª) . . . . .	15, 295
<code>\textkmit{@}</code> (●) . . . . .	219	<code>\textlhookfour</code> (4) . . . . .	19	<code>\textordmasculine</code> (º) . . . . .	15
<code>\textkmit{[}</code> (↔) . . . . .	219	<code>\textlhookp</code> (p) . . . . .	19	<code>\textordmasculine</code> (º) . . . . .	15, 295
<code>\textkmit{]}</code> (↔) . . . . .	219	<code>\textlhookt</code> (t) . . . . .	18	<code>\textordovercross</code> (Ⓢ) . . . . .	23
<code>\textkmit{A}</code> (⌘) . . . . .	219	<code>\textlhlti</code> (i) . . . . .	19	<code>\textoverw</code> (Ⓢ) . . . . .	23
<code>\textkmit{a}</code> (⌘) . . . . .	219	<code>\textlhlongi</code> (i) . . . . .	18	<code>\textpalhook</code> (Ⓢ) . . . . .	19
<code>\textkmit{B}</code> (Ⓢ) . . . . .	219	<code>\textlhlongy</code> (y) . . . . .	18	<code>\textpalhooklong</code> (Ⓢ) . . . . .	20
<code>\textkmit{b}</code> (Ⓢ) . . . . .	219	<code>\textlinb</code> . . . . .	168, 169	<code>\textpalhookvar</code> (Ⓢ) . . . . .	20
<code>\textkmit{E}</code> (∨) . . . . .	219	<code>\textlira</code> (₯) . . . . .	27	<code>\textparagraph</code> (¶) . . . . .	15
<code>\textkmit{F}</code> (Ⓢ) . . . . .	219	<code>\textlnot</code> (¬) . . . . .	133, 295	<code>\textparagraph</code> (¶) . . . . .	15
<code>\textkmit{f}</code> (Ⓢ) . . . . .	219	<code>\textlongleg</code> (r) . . . . .	19	<code>\textperiodcentered</code> (·) . . . . .	15
<code>\textkmit{H}</code> (↑) . . . . .	219	<code>\textlooptoprevesh</code> (l) . . . . .	20	<code>\textperiodcentered</code> (·) . . . . .	15, 295
<code>\textkmit{h}</code> (↓) . . . . .	219	<code>\textlowering</code> (Ⓢ) . . . . .	23	<code>\textpertenthousand</code> (‰) . . . . .	15
<code>\textkmit{I}</code> (Ⓢ) . . . . .	219	<code>\textlowrise</code> (Ⓢ) . . . . .	23	<code>\textperthousand</code> (‰) . . . . .	15, 296
<code>\textkmit{i}</code> (↗) . . . . .	219	<code>\textlptr</code> (Ⓢ) . . . . .	19	<code>\textpeso</code> (₱) . . . . .	27
<code>\textkmit{J}</code> (Ⓢ) . . . . .	219	<code>\textlquill</code> (f) . . . . .	114	<code>\textPhi</code> (Φ) . . . . .	17
<code>\textkmit{j}</code> (↘) . . . . .	219	<code>\textltailm</code> (m) . . . . .	19	<code>\textphi</code> (φ) . . . . .	17, 19
<code>\textkmit{L}</code> (⌘) . . . . .	219	<code>\textltailn</code> (n) . . . . .	21	<code>\textPi</code> (Π) . . . . .	17
<code>\textkmit{l}</code> (∧) . . . . .	219	<code>\textltailn</code> (n) . . . . .	19	<code>\textpi</code> (π) . . . . .	17
<code>\textkmit{M}</code> (Ⓢ) . . . . .	219	<code>\textltilde</code> (t) . . . . .	19	<code>\textpilcrow</code> (¶) . . . . .	29
<code>\textkmit{m}</code> (m) . . . . .	219	<code>\textltshade</code> (■) . . . . .	215	<code>\textpipe</code> ( ) . . . . .	21
<code>\textkmit{O}</code> (Ⓢ) . . . . .	219	<code>\textlyoghlig</code> (b) . . . . .	19	<code>\textpipe</code> ( ) . . . . .	19
<code>\textkmit{Q}</code> (Ⓢ) . . . . .	219	<code>\textmarried</code> (Ⓢ) . . . . .	202	<code>\textpipevar</code> ( ) . . . . .	20
<code>\textkmit{q}</code> (Ⓢ) . . . . .	219	<code>\textmho</code> (Ω) . . . . .	136	<code>\textpm</code> (±) . . . . .	133, 295
		<code>\textmicro</code> (μ) . . . . .	17	<code>\textpmhg</code> . . . . .	165
		<code>\textmidacute</code> (Ⓢ) . . . . .	23	<code>\textpolhook</code> (Ⓢ) . . . . .	23

<code>\textprimstress</code> (´) . . . . .	19	<code>\textrrtailr</code> (r) . . . . .	18	<code>\textSFviii</code> (†) . . . . .	215
<code>\textproto</code> . . . . .	164	<code>\textrrtails</code> (§) . . . . .	18	<code>\textSFx</code> (–) . . . . .	215
<code>\textPsi</code> (Ψ) . . . . .	17	<code>\textrrtailt</code> (t) . . . . .	21	<code>\textSFxi</code> (ι) . . . . .	215
<code>\textpsi</code> (ψ) . . . . .	17	<code>\textrrtailt</code> (t) . . . . .	18	<code>\textSFxix</code> (ϛ) . . . . .	215
<code>\textqplig</code> (ϕ) . . . . .	20	<code>\textrrtailz</code> (z) . . . . .	18	<code>\textSFxl</code> (Ⓛ) . . . . .	215
<code>\textquestiondown</code> . . . . .	15	<code>\textrrtblock</code> (■) . . . . .	215	<code>\textSFxli</code> (Ⓛ) . . . . .	215
<code>\textquotedbl</code> (") . . . . .	18, 292	<code>\textrrthook</code> (,) . . . . .	18	<code>\textSFxlii</code> (Ⓛ) . . . . .	215
<code>\textquotedblleft</code> . . . . .	15	<code>\textrrthooklong</code> (,) . . . . .	19	<code>\textSFxliii</code> (=) . . . . .	215
<code>\textquotedblright</code> . . . . .	15	<code>\textRubikUa</code> (Ua  ) . . . . .	254	<code>\textSFxliv</code> (Ⓛ) . . . . .	215
<code>\textquoteright</code> . . . . .	15	<code>\textSarab</code> . . . . .	170	<code>\textSFxlix</code> (Ⓛ) . . . . .	215
<code>\textquotesingle</code> (') . . . . .	29, 292	<code>\textSca</code> (A) . . . . .	18	<code>\textSFxlv</code> (±) . . . . .	215
<code>\textquotestraightbase</code> (,) . . . . .	29	<code>\textScaolig</code> (a) . . . . .	19	<code>\textSFxlvii</code> (Ⓛ) . . . . .	215
<code>\textquotestraightdblbase</code> (,,) . . . . .	29	<code>\textScb</code> (B) . . . . .	18	<code>\textSFxlviii</code> (Ⓛ) . . . . .	215
<code>\textraiseglotstop</code> (˘) . . . . .	19	<code>\textScdelta</code> (Δ) . . . . .	19	<code>\textSFxx</code> (Ⓛ) . . . . .	215
<code>\textraiseviby</code> (l) . . . . .	19	<code>\textSce</code> (E) . . . . .	18	<code>\textSFxxi</code> (Ⓛ) . . . . .	215
<code>\textraising</code> (Ⓜ) . . . . .	23	<code>\textScf</code> (F) . . . . .	19	<code>\textSFxxii</code> (Ⓛ) . . . . .	215
<code>\textramshorns</code> (γ) . . . . .	19	<code>\textScg</code> (G) . . . . .	18	<code>\textSFxxiii</code> (Ⓛ) . . . . .	215
<code>\textrangle</code> (∠) . . . . .	114, 293	<code>\textSch</code> (H) . . . . .	18	<code>\textSFxxiv</code> (Ⓛ) . . . . .	215
<code>\textrbrackdbl</code> (Ⓜ) . . . . .	114	<code>\textSchwa</code> (d̥) . . . . .	21	<code>\textSFxxv</code> (Ⓛ) . . . . .	215
<code>\textrecipe</code> (R) . . . . .	29, 279	<code>\textSchwa</code> (ə) . . . . .	18	<code>\textSFxxvi</code> (Ⓛ) . . . . .	215
<code>\textrectangle</code> (◻) . . . . .	20	<code>\textSci</code> (I) . . . . .	18	<code>\textSFxxvii</code> (Ⓛ) . . . . .	215
<code>\textreferencemark</code> (※) . . . . .	29, 31	<code>\textScj</code> (J) . . . . .	18	<code>\textSFxxviii</code> (Ⓛ) . . . . .	215
<code>\textregistered</code> (®) . . . . .	15, 28	<code>\textSck</code> (K) . . . . .	19	<code>\textSFxxxix</code> (Ⓛ) . . . . .	215
<code>\textregistered</code> (®) . . . . .	15, 28, 295	<code>\textScl</code> (L) . . . . .	18	<code>\textSFxxxvi</code> (Ⓛ) . . . . .	215
<code>\textretracting</code> (Ⓜ) . . . . .	23	<code>\textScm</code> (M) . . . . .	19	<code>\textSFxxxvii</code> (Ⓛ) . . . . .	215
<code>\textretractingvar</code> (˘) . . . . .	20	<code>\textScn</code> (N) . . . . .	18	<code>\textSFxxxviii</code> (Ⓛ) . . . . .	215
<code>\textrevapostrophe</code> (˘) . . . . .	19	<code>\textScoelig</code> (œ) . . . . .	18	<code>\textshade</code> (■) . . . . .	215
<code>\textreve</code> (ə) . . . . .	19	<code>\textScomega</code> (Ω) . . . . .	18	<code>\textSigma</code> (Σ) . . . . .	17
<code>\textrevepsilon</code> (ε) . . . . .	19, 281	<code>\textScp</code> (P) . . . . .	19	<code>\textsigma</code> (σ) . . . . .	17
<code>\textreversedvideobend</code> (Ⓜ) . . . . .	204	<code>\textScq</code> (Q) . . . . .	19	<code>\textsixoldstyle</code> (6) . . . . .	29
<code>\textrevglotstop</code> (˘) . . . . .	19	<code>\textScr</code> (R) . . . . .	18	<code>\textsoftsign</code> (ь) . . . . .	18
<code>\textrevscl</code> (Ⓛ) . . . . .	20	<code>\textScripta</code> (a) . . . . .	18	<code>\textspleftarrow</code> (←) . . . . .	20
<code>\textrevscr</code> (я) . . . . .	20	<code>\textScriptg</code> (g) . . . . .	18	<code>\textsterling</code> (£) . . . . .	15
<code>\textrevyogh</code> (ѣ) . . . . .	19	<code>\textScriptv</code> (j) . . . . .	21	<code>\textsterling</code> (£) . . . . .	15, 27
<code>\textRho</code> (P) . . . . .	17	<code>\textScriptv</code> (v) . . . . .	18	<code>\textstretchc</code> (℄) . . . . .	19
<code>\textrho</code> (ρ) . . . . .	17	<code>\textScu</code> (U) . . . . .	18	<code>\textstretchcvar</code> (c) . . . . .	20
<code>\textrhoa</code> (a) . . . . .	20	<code>\textScy</code> (Y) . . . . .	18	<code>\textstyle</code> . . . . .	283, 284, 291
<code>\textrhoe</code> (e) . . . . .	20	<code>\textSeagull</code> (Ⓜ) . . . . .	23	<code>\textsubacute</code> (Ⓜ) . . . . .	23
<code>\textrhoepsilon</code> (ε) . . . . .	20	<code>\textSecstress</code> (,) . . . . .	18	<code>\textsubarch</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSection</code> (h) . . . . .	173	<code>\textsubbar</code> (Ⓜ) . . . . .	23
<code>\textrhokepsilon</code> (ε) . . . . .	20	<code>\textSection</code> (§) . . . . .	15	<code>\textsubbridge</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSection</code> (§) . . . . .	15	<code>\textsubcircum</code> (Ⓜ) . . . . .	23
<code>\textrhokepsilon</code> (ε) . . . . .	20	<code>\textService</code> . . . . .	28	<code>\textsubdot</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textService</code> (SM) . . . . .	28	<code>\textsubdoublearrow</code> (↔) . . . . .	20
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSevenoldstyle</code> (7) . . . . .	29	<code>\textsubgrave</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFi</code> (f) . . . . .	215	<code>\textsubhalfring</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFii</code> (l) . . . . .	215	<code>\textsubplus</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFiii</code> (γ) . . . . .	215	<code>\textsubrhalfring</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFiv</code> (j) . . . . .	215	<code>\textsubrightarrow</code> (→) . . . . .	20
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFix</code> (†) . . . . .	215	<code>\textsubring</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSF1</code> (b) . . . . .	215	<code>\textsubsquare</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFli</code> (f) . . . . .	215	<code>\textsubtilde</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFlii</code> (Ⓛ) . . . . .	215	<code>\textsubumlaut</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFliii</code> (Ⓛ) . . . . .	215	<code>\textsubv</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFliv</code> (Ⓛ) . . . . .	215	<code>\textsubwedge</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFv</code> (†) . . . . .	215	<code>\textsuperimposetilde</code> (Ⓜ) . . . . .	23
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFvi</code> (τ) . . . . .	215	<code>\textsuperscript</code> . . . . .	24
<code>\textrhoopeno</code> (ρ) . . . . .	20	<code>\textSFvii</code> (Ⓛ) . . . . .	215	<code>\textsurd</code> (√) . . . . .	133



extensible . . . . .	117, 120	<code>\topdoteq</code> ( $\doteq$ ) . . . . .	56	<code>\triangledown</code> ( $\nabla$ ) . . . . .	76
vertically centered . . . . .	293	<code>\topfork</code> ( $\overline{\cap}$ ) . . . . .	62	<code>\triangledown</code> ( $\nabla$ ) . . . . .	158
<code>\tilde</code> ( $\tilde{\text{a}}$ ) . . . . .	115	<code>\topfork</code> ( $\overline{\cap}$ ) . . . . .	64	<code>\triangleeq</code> ( $\triangleq$ ) . . . . .	77
<code>\tilde</code> ( $\tilde{\text{a}}$ ) . . . . .	114, 286	<code>\Topheat</code> ( $\square$ ) . . . . .	229	<code>\triangleeq</code> ( $\triangleq$ ) . . . . .	76
<code>\tildel</code> ( $\text{\textasciitilde}$ ) . . . . .	21	<code>\topsemicircle</code> ( $\frown$ ) . . . . .	158	<code>\TriangleLeft</code> ( $\triangleleft$ ) . . . . .	160
time of day . . . . .	207, 208	tornado ( $\text{\textcircled{a}}$ ) . . . . .	206	<code>\triangleleft</code> ( $\triangleleft$ ) . . . . .	76
time signatures . . . . .	174, 177–179, 181	torus ( $\mathbb{T}$ ) <i>see</i> alphabets, math		<code>\triangleleft</code> ( $\triangleleft$ ) . . . . .	32
<code>\timelimit</code> ( $\oplus$ ) . . . . .	199	<code>\tosa</code> ( $\boxtimes$ ) . . . . .	91	<code>\triangleleft</code> ( $\triangleleft$ ) . . . . .	77, 157
timer clock ( $\text{\textcircled{a}}$ ) . . . . .	208	<code>\ToTop</code> ( $\blacktriangle$ ) . . . . .	205	<code>\triangleleft</code> ( $\triangleleft$ ) . . . . .	40, 77
<code>\times</code> ( $\times$ ) . . . . .	32	<code>\towa</code> ( $\boxtimes$ ) . . . . .	92	<code>\triangleleft</code> ( $\triangleleft$ ) . . . . .	76
<code>\times</code> ( $\times$ ) . . . . .	36	<code>\tplus</code> ( $+$ ) . . . . .	37	<code>\triangleleftblack</code> ( $\blacktriangleleft$ ) . . . . .	158
<code>\times</code> ( $\times$ ) . . . . .	35	<code>\TR</code> ( $\text{\textcircled{a}}$ ) . . . . .	141	<code>\triangleleftteq</code> ( $\trianglelefteq$ ) . . . . .	76
<code>\times</code> ( $\times$ ) . . . . .	34	<code>\tr</code> ( $\text{\textcircled{a}}$ ) . . . . .	100	<code>\triangleleftteq</code> ( $\trianglelefteq$ ) . . . . .	75
<code>\times</code> ( $\times$ ) . . . . .	37	trackball ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangleleftteq</code> ( $\trianglelefteq$ ) . . . . .	77
Times Roman (font) . . . . .	27, 279	tractor ( $\text{\textcircled{a}}$ ) . . . . .	204	<code>\triangleleftteq</code> ( $\trianglelefteq$ ) . . . . .	77
<code>\timesbar</code> ( $\boxtimes$ ) . . . . .	35	trade mark ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangleleftteq</code> ( $\trianglelefteq$ ) . . . . .	72, 76
<code>\timesbar</code> ( $\boxtimes$ ) . . . . .	37	trademark . . . . .	15, 28, 295, 296	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	75
timing (package) . . . . .	136	registered . . . . .	15, 28, 295	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tipa (package) 18, 19, 21, 22, 24, 25, 281, 298, 299		train2 ( $\text{\textcircled{a}}$ ) . . . . .	204	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tipx (package) . . . . .	19, 298, 299	trains . . . . .	202–203, 250–254	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tired face ( $\text{\textcircled{a}}$ ) . . . . .	241	tram ( $\text{\textcircled{a}}$ ) . . . . .	204	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\Tmesonminus</code> ( $T^-$ ) . . . . .	145	tram car ( $\text{\textcircled{a}}$ ) . . . . .	204	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\Tmesonnull</code> ( $T^0$ ) . . . . .	145	<code>\TransformHoriz</code> ( $\circ\rightarrow$ ) . . . . .	66	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\Tmesonplus</code> ( $T^+$ ) . . . . .	145	transforms 66, 67, 123, <i>see also</i>		<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tminus</code> ( $-$ ) . . . . .	37	alphabets, math		<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tndtstile</code> ( $\text{\textcircled{a}}$ ) . . . . .	66	<code>\TransformVert</code> ( $\circ\updownarrow$ ) . . . . .	66	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tnststile</code> ( $\text{\textcircled{a}}$ ) . . . . .	66	transgender flag ( $\text{\textcircled{a}}$ ) . . . . .	229	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tntstile</code> ( $\text{\textcircled{a}}$ ) . . . . .	66	transgender symbol ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tnttstile</code> ( $\text{\textcircled{a}}$ ) . . . . .	66	transliteration . . . . .	21, 25	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\to</code> . . . . .	<i>see</i> <code>\rightarrow</code>	semitic . . . . .	21, 25	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\to</code> ( $\rightarrow$ ) . . . . .	86	transliteration symbols . . . . .	21	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\ToBottom</code> ( $\blacktriangledown$ ) . . . . .	205	transportation symbols 202–204, 250–254		<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\toea</code> ( $\boxtimes$ ) . . . . .	91	transpose . . . . .	32	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
toilet ( $\text{\textcircled{a}}$ ) . . . . .	241	transversal intersection . . . . .	<i>see</i>	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
Tokyo tower ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\pitchfork</code>		<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tomato ( $\text{\textcircled{a}}$ ) . . . . .	211	<code>\trapezium</code> ( $\square$ ) . . . . .	158	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tona</code> ( $\boxtimes$ ) . . . . .	91	<code>\trebleclef</code> ( $\text{\textcircled{a}}$ ) . . . . .	175	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\tone</code> . . . . .	19	trees . . . . .	231, 275	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\Tongey</code> ( $\text{\textcircled{a}}$ ) . . . . .	230	trema ( $\text{\textcircled{a}}$ ) . . . . .	<i>see</i> accents	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tongue ( $\text{\textcircled{a}}$ ) . . . . .	241	trfsigns (package) . . . . .	67, 105, 123, 298	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
toolbox ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangle</code> ( $\triangle$ ) . . . . .	130	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tools . . . . .	247–250	<code>\triangle</code> ( $\triangle$ ) . . . . .	40, 77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
tooth ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangle</code> ( $\triangle$ ) . . . . .	201	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
toothbrush ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangle</code> ( $\triangle$ ) . . . . .	76	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\top</code> ( $\top$ ) . . . . .	32, 104, 283	<code>\triangle</code> ( $\triangle$ ) . . . . .	41, 159	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\top</code> ( $\top$ ) . . . . .	105	triangle relations . . . . .	75–77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\top</code> ( $\top$ ) . . . . .	104	<code>\triangleleftdot</code> ( $\triangleleftdot$ ) . . . . .	158	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\top</code> ( $\top$ ) . . . . .	105	<code>\TriangleDown</code> ( $\blacktriangledown$ ) . . . . .	160	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
TOP arrow ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\TriangleDown</code> ( $\blacktriangledown$ ) . . . . .	160	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
top hat . . . . .	116	<code>\TriangleDown</code> ( $\blacktriangledown$ vs. $\nabla$ ) . . . . .	278	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
top hat ( $\text{\textcircled{a}}$ ) . . . . .	241	<code>\triangledown</code> ( $\nabla$ ) . . . . .	130	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\topborder</code> ( $\top$ ) . . . . .	201	<code>\triangledown</code> ( $\nabla$ ) . . . . .	157	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\topbot</code> ( $\top$ ) . . . . .	283, 284	<code>\triangledown</code> ( $\nabla$ ) . . . . .	40, 77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\topbot</code> ( $\top$ ) . . . . .	105	<code>\triangledown</code> ( $\nabla$ ) . . . . .	40, 77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\Topbottomheat</code> ( $\square$ ) . . . . .	229	<code>\triangledown</code> ( $\nabla$ ) . . . . .	40, 77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77
<code>\topcir</code> ( $\text{\textcircled{a}}$ ) . . . . .	132	<code>\triangledown</code> ( $\nabla$ ) . . . . .	40, 77	<code>\triangleleftteqslant</code> ( $\triangleleftslant$ ) . . . . .	77

<code>\triangleprfill</code> (▶) . . . . . 162	trolleybus (🚍) . . . . . 204	<code>\twemoji{1f1ef}</code> (U) . . . . . 232
<code>\triangleprfillha</code> (▷) . . . . . 162	trophy (🏆) . . . . . 241	<code>\twemoji{1f1f0}</code> (K) . . . . . 232
<code>\triangleprfillhb</code> (▶) . . . . . 162	tropical drink (🍹) . . . . . 211	<code>\twemoji{1f1f1}</code> (L) . . . . . 232
<code>\triangleprfillhl</code> (▷) . . . . . 162	tropical fish (🐟) . . . . . 210	<code>\twemoji{1f1f2}</code> (M) . . . . . 232
<code>\triangleprfillhr</code> (▶) . . . . . 162	<code>\trprime</code> (///) . . . . . 128	<code>\twemoji{1f1f3}</code> (N) . . . . . 232
<code>\triangleprlineh</code> (▷) . . . . . 162	<code>\trslash</code> (///) . . . . . 37	<code>\twemoji{1f1f4}</code> (O) . . . . . 232
<code>\triangleprlinev</code> (▷) . . . . . 162	trsym (package) . . . . . 66, 298, 299	<code>\twemoji{1f1f5}</code> (P) . . . . . 232
<code>\triangleprlinevh</code> (▷) . . . . . 162	trumpet (🎺) . . . . . 241	<code>\twemoji{1f1f6}</code> (Q) . . . . . 232
<code>\triangleq</code> ( $\triangleq$ ) . . . . . 31, 75	<code>\tsbm</code> (⏟) . . . . . 213	<code>\twemoji{1f1f7}</code> (R) . . . . . 232
<code>\triangleq</code> ( $\triangleq$ ) . . . . . 62	<code>\tsdtstile</code> (   ) . . . . . 66	<code>\twemoji{1f1f8}</code> (S) . . . . . 232
<code>\triangleq</code> ( $\triangleq$ ) . . . . . 77	<code>\tsmb</code> (⏟) . . . . . 213	<code>\twemoji{1f1f9}</code> (T) . . . . . 232
<code>\triangleq</code> ( $\triangleq$ ) . . . . . 76	<code>\tsmm</code> (⏟) . . . . . 213	<code>\twemoji{1f1fa}</code> (U) . . . . . 232
<code>\triangleq</code> ( $\triangleq$ ) . . . . . 77	<code>\tsststile</code> (   ) . . . . . 66	<code>\twemoji{1f1fb}</code> (V) . . . . . 232
<code>\TriangleRight</code> (▷) . . . . . 160	<code>\Tsteel</code> (T) . . . . . 143	<code>\twemoji{1f1fc}</code> (W) . . . . . 232
<code>\triangleright</code> (▷) . . . . . 76	<code>\tstile</code> (   ) . . . . . 66	<code>\twemoji{1f1fd}</code> (X) . . . . . 232
<code>\triangleright</code> (▷) . . . . . 32	<code>\tststile</code> (   ) . . . . . 66	<code>\twemoji{1f1fe}</code> (Y) . . . . . 232
<code>\triangleright</code> (▷) . . . . . 77, 157	<code>\ttdstile</code> (   ) . . . . . 66	<code>\twemoji{1f1ff}</code> (Z) . . . . . 232
<code>\triangleright</code> (▷) . . . . . 40, 77	<code>\ttstile</code> (   ) . . . . . 66	<code>\twemoji{1f468-1f3fb-200d-1f384}</code> (👤) . . . . . 232
<code>\triangleright</code> (▷) . . . . . 76	<code>\ttimes</code> (x) . . . . . 36	<code>\twemoji{1f468-1f3fc-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerightblack</code> (▲) 158	<code>\Tsteel</code> (I) . . . . . 143	<code>\twemoji{1f468-1f3fd-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 76	<code>\ttstile</code> (   ) . . . . . 66	<code>\twemoji{1f468-1f3fe-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 75	<code>\tttstile</code> (   ) . . . . . 66	<code>\twemoji{1f468-1f3ff-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 77	<code>\tttstile</code> (   ) . . . . . 66	<code>\twemoji{1f468-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 77	TUGboat . . . . . 117, 300	<code>\twemoji{1f468-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 72, 76	tulip (🌷) . . . . . 241	<code>\twemoji{1f469-1f3fb-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteq</code> (▷) . . . . . 77	<code>\Tumbler</code> (☐) . . . . . 205	<code>\twemoji{1f469-1f3fc-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglerighteqslant</code> (▷) 77	tumbler glass (🍷) . . . . . 211	<code>\twemoji{1f469-1f3fd-200d-1f384}</code> (👤) . . . . . 232
triangles 130, 140, 142, 157–162, 186–191, 200, 201, 255–257, 273	turkey (🦃) . . . . . 210	<code>\twemoji{1f469-1f3fe-200d-1f384}</code> (👤) . . . . . 232
<code>\triangles</code> ( $\triangle$ ) . . . . . 158	<code>\turn</code> (↻) . . . . . 176	<code>\twemoji{1f469-1f3ff-200d-1f384}</code> (👤) . . . . . 232
<code>\triangleserifs</code> ( $\triangle$ ) . . . . . 41	<code>\turnangle</code> (↷) . . . . . 129	<code>\twemoji{1f469-200d-1f384}</code> (👤) . . . . . 232
<code>\trianglestimes</code> ( $\triangle$ ) . . . . . 41	<code>\turnedbackneg</code> (↶) . . . . . 131	<code>\twemoji{1f574-1f3fb-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\triangleubar</code> ( $\triangle$ ) . . . . . 158	<code>\turneddiota</code> (ⓐ) . . . . . 103	<code>\twemoji{1f574-1f3fc-200d-2642-fe0f}</code> (👤) . . . . . 232
<code>\TriangleUp</code> (▲) . . . . . 160	<code>\turnedneg</code> (↵) . . . . . 131	<code>\twemoji{1f574-1f3fd-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\TriangleUp</code> ( $\triangle$ ) . . . . . 160	<code>\turnednot</code> (↯) . . . . . 131	<code>\twemoji{1f574-1f3fe-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\TriangleUp</code> (▲ vs. $\triangle$ ) . . . . . 278	<code>\turnednot</code> (↯) . . . . . 132	<code>\twemoji{1f574-1f3ff-200d-2640-fe0f}</code> (👤) . . . . . 232
triangular flag (🚩) . . . . . 241	turnstile (package) . . . . . 65, 66, 298, 299	<code>\twemoji{1f574-200d-2640-fe0f}</code> (👤) . . . . . 232
triangular ruler (📏) . . . . . 241	turtle (🐢) . . . . . 210	<code>\twemoji{1f574-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\Tribar</code> ( $\triangle$ ) . . . . . 231	twelve o'clock (🕒) . . . . . 208	<code>\twemoji{1f574-1f3fb-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\trident</code> (†) . . . . . 229	twelve-thirty (🕒) . . . . . 208	<code>\twemoji{1f574-1f3fc-200d-2642-fe0f}</code> (👤) . . . . . 232
trident emblem (🚩) . . . . . 241	<code>\TwelveStar</code> (✳) . . . . . 154	<code>\twemoji{1f574-1f3fd-200d-2640-fe0f}</code> (👤) . . . . . 232
trigonometric functions 99, 100	<code>\twemoji</code> . . . . . 195, 203, 204, 206, 208–211, 217, 226–229, 232–245	<code>\twemoji{1f574-1f3fe-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\trill</code> (↵) . . . . . 175	twemojis (package) . . . . . 195, 203, 204, 206, 208–211, 217, 226, 229, 232, 245, 298–300	<code>\twemoji{1f574-1f3ff-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\Trine</code> ( $\triangle$ ) . . . . . 140	<code>\twemoji{1f1e6}</code> (A) . . . . . 232	<code>\twemoji{1f574-1f3fd-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\triple</code> . . . . . 113	<code>\twemoji{1f1e7}</code> (B) . . . . . 232	<code>\twemoji{1f574-1f3fc-200d-2642-fe0f}</code> (👤) . . . . . 232
<code>\triplebar</code> (‖) . . . . . 173	<code>\twemoji{1f1e8}</code> (C) . . . . . 232	<code>\twemoji{1f574-1f3fd-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\triplecovbond</code> (≡) . . . . . 145	<code>\twemoji{1f1e9}</code> (D) . . . . . 232	<code>\twemoji{1f574-1f3fe-200d-2640-fe0f}</code> (👤) . . . . . 232
<code>\triplecross</code> (≡) . . . . . 173	<code>\twemoji{1f1ea}</code> (E) . . . . . 232	<code>\twemoji{1f574-1f3fe-200d-2642-fe0f}</code> (👤) . . . . . 232
<code>\tripleddot</code> (⋮) . . . . . 173	<code>\twemoji{1f1eb}</code> (F) . . . . . 232	<code>\twemoji{1f574-1f3ff-200d-2640-fe0f}</code> (👤) . . . . . 233
<code>\tripleeye</code> (◌) . . . . . 173	<code>\twemoji{1f1ec}</code> (G) . . . . . 232	
<code>\triplefrown</code> (☹) . . . . . 97	<code>\twemoji{1f1ed}</code> (H) . . . . . 232	
<code>\tripleplus</code> (‡) . . . . . 173	<code>\twemoji{1f1ee}</code> (I) . . . . . 232	
<code>\tripleplus</code> (≡) . . . . . 37		
<code>\triplesim</code> ( $\approx$ ) . . . . . 60		
<code>\triplesim</code> ( $\approx$ ) . . . . . 58		
<code>\triplesmile</code> (☺) . . . . . 97		

<code>\twemoji{1f574-1f3ff-200d-2642-fe0f}</code>	<code>\twemoji{ant}</code> (🐜) . . . . . 209	<code>\twemoji{basketball}</code> (🏀) 234
<code>(👤)</code> . . . . . 233	<code>\twemoji{anxious face with sweat}</code>	<code>\twemoji{basket}</code> (🏀) . . . . 234
<code>\twemoji{1f574-fe0f-200d-2640-fe0f}</code>	<code>(😓)</code> . . . . . 233	<code>\twemoji{bathtub}</code> (🛁) . . . 234
<code>(👤)</code> . . . . . 233	<code>\twemoji{Aquarius}</code> (♊) . . 233	<code>\twemoji{battery}</code> (🔋) . . . 234
<code>\twemoji{1f574-fe0f-200d-2642-fe0f}</code>	<code>\twemoji{Aries}</code> (♈) . . . . 233	<code>\twemoji{bat}</code> (🦇) . . . . . 209
<code>(👤)</code> . . . . . 233	<code>\twemoji{articulated lorry}</code>	<code>\twemoji{beach with umbrella}</code>
<code>\twemoji{1f576}</code> (👉) . . . . 233	<code>(🚚)</code> . . . . . 203	<code>(☂️)</code> . . . . . 234
<code>\twemoji{1f6cf}</code> (👈) . . . . 233	<code>\twemoji{artist palette}</code> (🎨)	<code>\twemoji{beaming face with smiling eyes}</code>
<code>\twemoji{1f6f0}</code> (👉) . . . . 203	. . . . . 233	<code>(😄)</code> . . . . . 234
<code>\twemoji{1st place medal}</code>	<code>\twemoji{artist}</code> (👨) . . . . 233	<code>\twemoji{bear}</code> (🐻) . . . . . 209
<code>(🏆)</code> . . . . . 233	<code>\twemoji{astonished face}</code>	<code>\twemoji{beating heart}</code> (❤️) .
<code>\twemoji{26f7-1f3fb}</code> (👉) 233	<code>(😲)</code> . . . . . 233	. . . . . 234
<code>\twemoji{26f7-1f3fc}</code> (👉) 233	<code>\twemoji{astronaut}</code> (🚀) . 233	<code>\twemoji{beaver}</code> (🦫) . . . . 209
<code>\twemoji{26f7-1f3fd}</code> (👉) 233	<code>\twemoji{ATM sign}</code> (🏧) . . 233	<code>\twemoji{beer mug}</code> (🍺) . . 210
<code>\twemoji{26f7-1f3fe}</code> (👉) 233	<code>\twemoji{atom symbol}</code> (☢️) 233	<code>\twemoji{beetle}</code> (🪲) . . . . 209
<code>\twemoji{26f7-1f3ff}</code> (👉) 233	<code>\twemoji{auto rickshaw}</code> (🚲) .	<code>\twemoji{bell pepper}</code> (🌶️) 210
<code>\twemoji{270f}</code> (👈) . . . . 233	. . . . . 203	<code>\twemoji{bell with slash}</code>
<code>\twemoji{2nd place medal}</code>	<code>\twemoji{automobile}</code> (🚗) 203	<code>(🔊)</code> . . . . . 234
<code>(🏆)</code> . . . . . 233	<code>\twemoji{avocado}</code> (🥑) . . 210	<code>\twemoji{bellhop bell}</code> (🔔) .
<code>\twemoji{3rd place medal}</code>	<code>\twemoji{axe}</code> (🔪) . . . . . 233	. . . . . 234
<code>(🏆)</code> . . . . . 233	<code>\twemoji{B button (blood type)}</code>	<code>\twemoji{bell}</code> (🔔) . . . . . 234
<code>\twemoji{A button (blood type)}</code>	<code>(B)</code> . . . . . 233	<code>\twemoji{bento box}</code> (🍱) . 210
<code>(A)</code> . . . . . 233	<code>\twemoji{baby angel}</code> (👼) 233	<code>\twemoji{beverage box}</code> (📦) .
<code>\twemoji{AB button (blood type)}</code>	<code>\twemoji{baby bottle}</code> (🍼) 233	. . . . . 210
<code>(AB)</code> . . . . . 233	<code>\twemoji{baby chick}</code> (🐣) 209	<code>\twemoji{bicycle}</code> (🚲) . . . 203
<code>\twemoji{abacus}</code> (🏛️) . . . . 233	<code>\twemoji{baby symbol}</code> (👶) 233	<code>\twemoji{bikini}</code> (👙) . . . . 234
<code>\twemoji{accordion}</code> (🎷) . 233	<code>\twemoji{baby}</code> (👶) . . . . 233	<code>\twemoji{billed cap}</code> (🧢) 234
<code>\twemoji{adhesive bandage}</code>	<code>\twemoji{BACK arrow}</code> (↩️) 233	<code>\twemoji{biohazard}</code> (☠️) . 234
<code>(🩹)</code> . . . . . 233	<code>\twemoji{backhand index pointing down}</code>	<code>\twemoji{bird}</code> (🐦) . . . . . 209
<code>\twemoji{admission tickets}</code>	<code>(👉)</code> . . . . . 234	<code>\twemoji{birthday cake}</code> (🎂) .
<code>(🎫)</code> . . . . . 233	<code>\twemoji{backhand index pointing left}</code>	. . . . . 234
<code>\twemoji{aerial tramway}</code> (🚡)	<code>(👈)</code> . . . . . 234	<code>\twemoji{bison}</code> (🦬) . . . . 234
. . . . . 203	<code>\twemoji{backhand index pointing right}</code>	<code>\twemoji{black cat}</code> (🐱) . 209
<code>\twemoji{airplane arrival}</code>	<code>(👉)</code> . . . . . 234	<code>\twemoji{black circle}</code> (●) .
<code>(🛬)</code> . . . . . 203	<code>\twemoji{backhand index pointing up}</code>	. . . . . 234
<code>\twemoji{airplane departure}</code>	<code>(👆)</code> . . . . . 234	<code>\twemoji{black flag}</code> (🚩) 234
<code>(🛫)</code> . . . . . 203	<code>\twemoji{backpack}</code> (🎒) . . 234	<code>\twemoji{black heart}</code> (🖤) 234
<code>\twemoji{airplane}</code> (✈️) . . 203	<code>\twemoji{bacon}</code> (🥓) . . . . 210	<code>\twemoji{black large square}</code>
<code>\twemoji{alarm clock}</code> (🕒) 208	<code>\twemoji{badger}</code> (🦡) . . . . 209	<code>(■)</code> . . . . . 234
<code>\twemoji{alembic}</code> (⚗️) . . . 233	<code>\twemoji{badminton}</code> (🏸) . 234	<code>\twemoji{black medium square}</code>
<code>\twemoji{alien monster}</code> (👽) .	<code>\twemoji{bagel}</code> (🥯) . . . . 210	<code>(■)</code> . . . . . 234
. . . . . 233	<code>\twemoji{baggage claim}</code> (🧳) .	<code>\twemoji{black medium-small square}</code>
<code>\twemoji{alien}</code> (👽) . . . . 233	. . . . . 203	<code>(■)</code> . . . . . 234
<code>\twemoji{ambulance}</code> (🚑) . 203	<code>\twemoji{baguette bread}</code> (🥖)	<code>\twemoji{black nib}</code> (🖋️) . 234
<code>\twemoji{american football}</code>	. . . . . 210	<code>\twemoji{black small square}</code>
<code>(🏈)</code> . . . . . 233	<code>\twemoji{balance scale}</code> (⚖️) .	<code>(▪)</code> . . . . . 234
<code>\twemoji{amphora}</code> (🏺) . . . 233	. . . . . 234	<code>\twemoji{black square button}</code>
<code>\twemoji{anatomical heart}</code>	<code>\twemoji{bald}</code> (👦) . . . . 234	<code>(◻)</code> . . . . . 234
<code>(🫀)</code> . . . . . 233	<code>\twemoji{ballet shoes}</code> (👞) .	<code>\twemoji{blossom}</code> (🌸) . . . 234
<code>\twemoji{anchor}</code> (⚓) . . . . 233	. . . . . 234	<code>\twemoji{blowfish}</code> (🐡) . . 209
<code>\twemoji{anger symbol}</code> (😡) .	<code>\twemoji{balloon}</code> (🎈) . . . 234	<code>\twemoji{blue book}</code> (📖) . 235
. . . . . 233	<code>\twemoji{ballot box with ballot}</code>	<code>\twemoji{blue circle}</code> (🟦) 235
<code>\twemoji{angry face with horns}</code>	<code>(🗳️)</code> . . . . . 234	<code>\twemoji{blue heart}</code> (💙) 235
<code>(😡)</code> . . . . . 233	<code>\twemoji{banana}</code> (🍌) . . . . 210	<code>\twemoji{blue square}</code> (🟩) 235
<code>\twemoji{angry face}</code> (😡) 233	<code>\twemoji{banjo}</code> (🎸) . . . . 234	<code>\twemoji{blueberries}</code> (🫐) 210
<code>\twemoji{anguished face}</code> (😓)	<code>\twemoji{bank}</code> (🏦) . . . . 234	<code>\twemoji{board}</code> (🏊) . . . . 209
. . . . . 233	<code>\twemoji{bar chart}</code> (📊) . 234	<code>\twemoji{bomb}</code> (💣) . . . . 235
<code>\twemoji{antenna bars}</code> (📶) .	<code>\twemoji{barber pole}</code> (🎪) 234	<code>\twemoji{bone}</code> (🦴) . . . . 235
. . . . . 233	<code>\twemoji{baseball}</code> (⚾) . . 234	






















































<code>\twemoji{bookmark tabs}</code> (🔖) . ..... 235	<code>\twemoji{camping}</code> (🏕️) ... 235	<code>\twemoji{cigarette}</code> (🚬) . 236
<code>\twemoji{bookmark}</code> (🔖) .. 235	<code>\twemoji{Cancer}</code> (♋) .... 235	<code>\twemoji{cinema}</code> (🎬) .... 236
<code>\twemoji{books}</code> (📖) .... 235	<code>\twemoji{candle}</code> (🕯️) .... 235	<code>\twemoji{circled M}</code> (🅂) . 236
<code>\twemoji{boomerang}</code> (🥳) . 235	<code>\twemoji{candy}</code> (🍬) .... 210	<code>\twemoji{circus tent}</code> (🎪) 236
<code>\twemoji{bottle with popping cork}</code> (🍾) ..... 210	<code>\twemoji{canned food}</code> (🥫) 210	<code>\twemoji{cityscape at dusk}</code> (🌃) ..... 236
<code>\twemoji{bouquet}</code> (💐) ... 235	<code>\twemoji{canoe}</code> (🛶) .... 203	<code>\twemoji{cityscape}</code> (🏙️) . 236
<code>\twemoji{bow and arrow}</code> (🏹) . ..... 235	<code>\twemoji{Capricorn}</code> (♏) . 235	<code>\twemoji{CL button}</code> (🔴) . 236
<code>\twemoji{bowl with spoon}</code> (🥣) ..... 210	<code>\twemoji{card file box}</code> (🗃️) . ..... 235	<code>\twemoji{clamp}</code> (🔧) .... 236
<code>\twemoji{bowling}</code> (🎳) ... 235	<code>\twemoji{card index dividers}</code> (🗂️) ..... 235	<code>\twemoji{clapper board}</code> (🎬) . ..... 236
<code>\twemoji{boxing glove}</code> (🥊) . ..... 235	<code>\twemoji{card index}</code> (🗂️) 235	<code>\twemoji{clapping hands}</code> (👏) ..... 236
<code>\twemoji{boy}</code> (👦) ..... 235	<code>\twemoji{carousel horse}</code> (🎠) ..... 235	<code>\twemoji{classical building}</code> (🏛️) ..... 236
<code>\twemoji{brain}</code> (🧠) .... 235	<code>\twemoji{carp streamer}</code> (🚢) . ..... 235	<code>\twemoji{clinking beer mugs}</code> (🍻) ..... 211
<code>\twemoji{bread}</code> (🍞) .... 210	<code>\twemoji{carpentry saw}</code> (🪚) . ..... 235	<code>\twemoji{clinking glasses}</code> (🍷) ..... 211
<code>\twemoji{breast-feeding}</code> (👶) ..... 235	<code>\twemoji{carrot}</code> (🥕) .... 210	<code>\twemoji{clipboard}</code> (📋) . 236
<code>\twemoji{bricks}</code> (🧱) .... 235	<code>\twemoji{castle}</code> (🏰) .... 235	<code>\twemoji{clockwise vertical arrows}</code> (🔄) ..... 236
<code>\twemoji{bridge at night}</code> (🌉) ..... 235	<code>\twemoji{cat face}</code> (😺) .. 209	<code>\twemoji{closed book}</code> (📖) 236
<code>\twemoji{briefcase}</code> (💼) . 235	<code>\twemoji{cat with tears of joy}</code> (😹) ..... 235	<code>\twemoji{closed mailbox with lowered flag}</code> (📧) ..... 236
<code>\twemoji{briefs}</code> (🩲) .... 235	<code>\twemoji{cat with wry smile}</code> (😼) ..... 236	<code>\twemoji{closed mailbox with raised flag}</code> (📧) ..... 236
<code>\twemoji{bright button}</code> (🟡) . ..... 235	<code>\twemoji{cat2}</code> (🐱) .... 209	<code>\twemoji{closed umbrella}</code> (☔) ..... 236
<code>\twemoji{broccoli}</code> (🥦) .. 210	<code>\twemoji{chains}</code> (🗜️) .... 236	<code>\twemoji{cloud with lightning and rain}</code> (🌩️) ..... 206
<code>\twemoji{broken heart}</code> (💔) . ..... 235	<code>\twemoji{chair}</code> (🪑) .... 236	<code>\twemoji{cloud with lightning}</code> (☁️) ..... 206
<code>\twemoji{broom}</code> (🧹) .... 235	<code>\twemoji{chart decreasing}</code> (📉) ..... 236	<code>\twemoji{cloud with rain}</code> (☁️) ..... 206
<code>\twemoji{brown circle}</code> (●) . ..... 235	<code>\twemoji{chart increasing with yen}</code> (📈) ..... 236	<code>\twemoji{cloud with snow}</code> (☁️) ..... 206
<code>\twemoji{brown heart}</code> (❤️) 235	<code>\twemoji{chart increasing}</code> (📈) ..... 236	<code>\twemoji{cloud}</code> (☁️) .... 206
<code>\twemoji{brown square}</code> (■) . ..... 235	<code>\twemoji{checkbox with check}</code> (☑️) ..... 236	<code>\twemoji{clown face}</code> (🤡) 236
<code>\twemoji{bubble tea}</code> (🧋) 210	<code>\twemoji{check mark button}</code> (✅) ..... 236	<code>\twemoji{club suit}</code> (♣️) . 195
<code>\twemoji{bucket}</code> (🪣) .... 235	<code>\twemoji{check mark}</code> (✓) 236	<code>\twemoji{clutch bag}</code> (👜) 236
<code>\twemoji{bug}</code> (🐛) ..... 209	<code>\twemoji{cheese wedge}</code> (🧀) . ..... 210	<code>\twemoji{coat}</code> (🧥) .... 236
<code>\twemoji{building construction}</code> (🚧) ..... 235	<code>\twemoji{chequered flag}</code> (🏁) ..... 236	<code>\twemoji{cockroach}</code> (🪳) . 209
<code>\twemoji{bullet train}</code> (🚄) . ..... 203	<code>\twemoji{cherries}</code> (🍒) .. 210	<code>\twemoji{cocktail glass}</code> (🍸) ..... 211
<code>\twemoji{bullseye}</code> (🎯) .. 235	<code>\twemoji{cherry blossom}</code> (🌸) ..... 236	<code>\twemoji{coconut}</code> (🥥) ... 211
<code>\twemoji{burrito}</code> (🌯) ... 210	<code>\twemoji{chess pawn}</code> (♟️) 236	<code>\twemoji{coffin}</code> (🪦) .... 236
<code>\twemoji{bus stop}</code> (🚏) .. 203	<code>\twemoji{chestnut}</code> (🌰) .. 236	<code>\twemoji{coin}</code> (🪙) .... 236
<code>\twemoji{bust in silhouette}</code> (🗿) ..... 235	<code>\twemoji{chicken}</code> (🐔) ... 209	<code>\twemoji{cold face}</code> (🥶) . 236
<code>\twemoji{busts in silhouette}</code> (🗿) ..... 235	<code>\twemoji{children crossing}</code> (🚶) ..... 236	<code>\twemoji{collision}</code> (💥) . 236
<code>\twemoji{bus}</code> (🚌) ..... 203	<code>\twemoji{child}</code> (👦) .... 236	<code>\twemoji{comet}</code> (♄) .... 236
<code>\twemoji{butterfly}</code> (🦋) . 209	<code>\twemoji{chipmunk}</code> (🐿️) .. 209	<code>\twemoji{compass}</code> (🧭) ... 236
<code>\twemoji{butter}</code> (🧈) .... 210	<code>\twemoji{chocolate bar}</code> (🍫) . ..... 210	<code>\twemoji{computer disk}</code> (💿) . ..... 236
<code>\twemoji{cactus}</code> (🌵) .... 235	<code>\twemoji{chopsticks}</code> (🥢) 210	<code>\twemoji{computer mouse}</code> (🖱️) ..... 236
<code>\twemoji{call me hand}</code> (👉) . ..... 235	<code>\twemoji{Christmas tree}</code> (🎄) ..... 236	<code>\twemoji{computer}</code> (💻) .. 236
<code>\twemoji{camera with flash}</code> (📷) ..... 235	<code>\twemoji{church}</code> (⛪) .... 236	<code>\twemoji{confetti ball}</code> (🎉) . ..... 237
<code>\twemoji{camera}</code> (📷) .... 235		

<code>\twemoji{confounded face}</code> (😞) .....	237	<code>\twemoji{curly hair}</code> (👩) .....	237	<code>\twemoji{double exclamation mark}</code> (!!) .....	238
<code>\twemoji{confused face}</code> (😕) ..	237	<code>\twemoji{curly loop}</code> (🌀) .....	237	<code>\twemoji{doughnut}</code> (🍩) ..	211
<code>\twemoji{construction worker}</code> (👷) .....	237	<code>\twemoji{currency exchange}</code> (💱) .....	237	<code>\twemoji{dove}</code> (🕊) .....	238
<code>\twemoji{construction}</code> (🚧) ..	203	<code>\twemoji{curry rice}</code> (🍛) .....	211	<code>\twemoji{down arrow}</code> (⬇) .....	238
<code>\twemoji{control knobs}</code> (🎚) ..	237	<code>\twemoji{custard}</code> (🍌) .....	211	<code>\twemoji{down-left arrow}</code> (⬅) .....	238
<code>\twemoji{convenience store}</code> (🏪) .....	237	<code>\twemoji{customs}</code> (🛃) .....	203	<code>\twemoji{down-right arrow}</code> (↘) .....	238
<code>\twemoji{cooked rice}</code> (🍚) .....	211	<code>\twemoji{cut of meat}</code> (🥩) .....	211	<code>\twemoji{downcast face with sweat}</code> (😓) .....	238
<code>\twemoji{cookie}</code> (🍪) .....	211	<code>\twemoji{cyclone}</code> (🌀) .....	237	<code>\twemoji{downwards button}</code> (⬇) .....	238
<code>\twemoji{cooking}</code> (🍳) .....	211	<code>\twemoji{dagger}</code> (🗡) .....	237	<code>\twemoji{dragon face}</code> (🐉) .....	209
<code>\twemoji{cook}</code> (👨) .....	237	<code>\twemoji{dango}</code> (🍡) .....	211	<code>\twemoji{dragon}</code> (🐲) .....	209
<code>\twemoji{COOL button}</code> (🥰) .....	237	<code>\twemoji{dark skin tone}</code> (👤) ..	237	<code>\twemoji{dress}</code> (👗) .....	238
<code>\twemoji{copyright}</code> (©) .....	237	<code>\twemoji{dashing away}</code> (🏃) ..	237	<code>\twemoji{dromedary\_camel}</code> (🐪) .....	209
<code>\twemoji{couch and lamp}</code> (🛋) ..	237	<code>\twemoji{date}</code> (📅) .....	237	<code>\twemoji{drooling face}</code> (🤤) ..	238
<code>\twemoji{counterclockwise arrows button}</code> (🕒) .....	237	<code>\twemoji{deaf man}</code> (👦) ..	237	<code>\twemoji{drop of blood}</code> (🩸) ..	238
<code>\twemoji{couple with heart}</code> (💑) .....	237	<code>\twemoji{deaf person}</code> (👤) ..	237	<code>\twemoji{droplet}</code> (💧) .....	238
<code>\twemoji{couplekiss}</code> (💏) .....	237	<code>\twemoji{deaf woman}</code> (👧) ..	237	<code>\twemoji{drum}</code> (🥁) .....	238
<code>\twemoji{cow face}</code> (🐮) ..	209	<code>\twemoji{deciduous tree}</code> (🌳) ..	237	<code>\twemoji{duck}</code> (🦆) .....	209
<code>\twemoji{cow2}</code> (🐮) .....	209	<code>\twemoji{deer}</code> (🦌) .....	209	<code>\twemoji{dumpling}</code> (🥟) ..	211
<code>\twemoji{cowboy hat face}</code> (🤠) .....	237	<code>\twemoji{delivery truck}</code> (🚚) ..	203	<code>\twemoji{dvd}</code> (📀) .....	238
<code>\twemoji{crab}</code> (🦀) .....	209	<code>\twemoji{department store}</code> (🏬) .....	237	<code>\twemoji{e-mail}</code> (✉) .....	238
<code>\twemoji{crayon}</code> (🖍) .....	237	<code>\twemoji{derelict house}</code> (🏚) ..	237	<code>\twemoji{e50a}</code> (🚗) .....	238
<code>\twemoji{credit card}</code> (💳) .....	237	<code>\twemoji{desert island}</code> (🏝) ..	237	<code>\twemoji{eagle}</code> (🦅) .....	209
<code>\twemoji{crescent moon}</code> (🌙) ..	217	<code>\twemoji{desert}</code> (🏜) .....	237	<code>\twemoji{ear of corn}</code> (🌽) ..	238
<code>\twemoji{cricket game}</code> (🏏) ..	237	<code>\twemoji{desktop computer}</code> (💻) .....	237	<code>\twemoji{ear with hearing aid}</code> (👂) .....	238
<code>\twemoji{cricket}</code> (🏏) ..	209	<code>\twemoji{detective}</code> (🕵) ..	237	<code>\twemoji{ear}</code> (👂) .....	238
<code>\twemoji{crocodile}</code> (🐊) ..	209	<code>\twemoji{diamond suit}</code> (♠) ..	195	<code>\twemoji{eggplant}</code> (🍆) ..	211
<code>\twemoji{croissant}</code> (🥐) ..	211	<code>\twemoji{diamond with a dot}</code> (💠) .....	237	<code>\twemoji{egg}</code> (🥚) .....	211
<code>\twemoji{cross mark button}</code> (❌) .....	237	<code>\twemoji{diamond}</code> (💎) ..	195	<code>\twemoji{eight o'clock}</code> (🕒) ..	208
<code>\twemoji{cross mark}</code> (✖) ..	237	<code>\twemoji{dim button}</code> (🔦) ..	237	<code>\twemoji{eight-pointed star}</code> (✳) .....	238
<code>\twemoji{crossed fingers}</code> (🤞) .....	237	<code>\twemoji{disappointed face}</code> (😞) .....	237	<code>\twemoji{eight-spoked asterisk}</code> (✳) .....	238
<code>\twemoji{crossed flags}</code> (🚩) ..	237	<code>\twemoji{disguised face}</code> (🙈) ..	238	<code>\twemoji{eight-thirty}</code> (🕒) ..	208
<code>\twemoji{crossed swords}</code> (⚔) ..	237	<code>\twemoji{divide}</code> (÷) .....	238	<code>\twemoji{eject button}</code> (⏏) ..	238
<code>\twemoji{crown}</code> (👑) .....	237	<code>\twemoji{diving mask}</code> (🤿) ..	238	<code>\twemoji{electric plug}</code> (🔌) ..	238
<code>\twemoji{crying cat}</code> (😿) ..	237	<code>\twemoji{diya lamp}</code> (🪔) ..	238	<code>\twemoji{elephant}</code> (🐘) ..	209
<code>\twemoji{crying face}</code> (😭) ..	237	<code>\twemoji{dizzy}</code> (🌀) .....	238	<code>\twemoji{elevator}</code> (🛗) ..	238
<code>\twemoji{crystal ball}</code> (🔮) ..	237	<code>\twemoji{dna}</code> (🧬) .....	238	<code>\twemoji{eleven o'clock}</code> (🕒) ..	208
<code>\twemoji{cucumber}</code> (🥒) ..	211	<code>\twemoji{dodo}</code> (🦤) .....	209	<code>\twemoji{eleven-thirty}</code> (🕒) ..	208
<code>\twemoji{cup with straw}</code> (🥤) ..	211	<code>\twemoji{dog face}</code> (🐶) ..	209	<code>\twemoji{elf}</code> (🧝) .....	238
<code>\twemoji{cupcake}</code> (🍰) ..	211	<code>\twemoji{dog2}</code> (🐶) .....	209	<code>\twemoji{END arrow}</code> (➡) ..	238
<code>\twemoji{curling stone}</code> (🥌) ..	237	<code>\twemoji{dollar banknote}</code> (💵) .....	238	<code>\twemoji{envelope with arrow}</code> (✉) .....	238
		<code>\twemoji{dolphin}</code> (🐬) ..	209	<code>\twemoji{envelope}</code> (✉) ..	238
		<code>\twemoji{door}</code> (🚪) .....	238		
		<code>\twemoji{dotted six-pointed star}</code> (❄) .....	238		
		<code>\twemoji{double curly loop}</code> (🌀) .....	238		

<code>\twemoji{euro banknote}</code> (€) . ..... 238	<code>\twemoji{fast reverse button}</code> (⏪) ..... 239	<code>\twemoji{flag: Antigua &amp; Barbuda}</code> (🇸🇩) ..... 226
<code>\twemoji{evergreen tree}</code> (🌲) ..... 238	<code>\twemoji{fast up button}</code> (⏩) ..... 239	<code>\twemoji{flag: Argentina}</code> (🇦🇷) ..... 226
<code>\twemoji{exclamation question mark}</code> (!?) ..... 238	<code>\twemoji{fast-forward button}</code> (⏮) ..... 239	<code>\twemoji{flag: Armenia}</code> (🇦🇲) . ..... 226
<code>\twemoji{exploding head}</code> (💥) ..... 238	<code>\twemoji{fax machine}</code> (📠) 239	<code>\twemoji{flag: Aruba}</code> (🇦🇼) 226
<code>\twemoji{expressionless face}</code> (😐) ..... 238	<code>\twemoji{fearful face}</code> (😨) . ..... 239	<code>\twemoji{flag: Ascension Island}</code> (🇦🇨) ..... 226
<code>\twemoji{eye in speech bubble}</code> (🗨️) ..... 238	<code>\twemoji{feather}</code> (🪶) ... 239	<code>\twemoji{flag: Australia}</code> (🇦🇺) ..... 226
<code>\twemoji{eyeglasses}</code> (👓) 238	<code>\twemoji{female sign}</code> (♀) 239	<code>\twemoji{flag: Austria}</code> (🇦🇹) . ..... 226
<code>\twemoji{eyes}</code> (**) ..... 238	<code>\twemoji{ferris wheel}</code> (🎡) . ..... 239	<code>\twemoji{flag: Azerbaijan}</code> (🇦🇿) ..... 226
<code>\twemoji{eye}</code> (👁️) ..... 238	<code>\twemoji{ferry}</code> (🚢) .... 239	<code>\twemoji{flag: Bahamas}</code> (🇧🇲) . ..... 226
<code>\twemoji{face blowing a kiss}</code> (😘) ..... 238	<code>\twemoji{field hockey}</code> (🏑) . ..... 239	<code>\twemoji{flag: Bahrain}</code> (🇧🇭) . ..... 226
<code>\twemoji{face savoring food}</code> (😋) ..... 238	<code>\twemoji{file cabinet}</code> (🗄️) . ..... 239	<code>\twemoji{flag: Bangladesh}</code> (🇧🇩) ..... 226
<code>\twemoji{face screaming in fear}</code> (😱) ..... 239	<code>\twemoji{file folder}</code> (📁) 239	<code>\twemoji{flag: Barbados}</code> (🇧🇧) ..... 226
<code>\twemoji{face vomiting}</code> (🤮) . ..... 239	<code>\twemoji{film frames}</code> (🎞️) 239	<code>\twemoji{flag: Belarus}</code> (🇧🇪) . ..... 226
<code>\twemoji{face with hand over mouth}</code> (🙈) ..... 239	<code>\twemoji{film projector}</code> (🎬) ..... 239	<code>\twemoji{flag: Belgium}</code> (🇧🇪) . ..... 226
<code>\twemoji{face with head-bandage}</code> (🤕) ..... 239	<code>\twemoji{fire engine}</code> (🚒) 203	<code>\twemoji{flag: Belize}</code> (🇧🇿) . ..... 226
<code>\twemoji{face with medical mask}</code> (👤) ..... 239	<code>\twemoji{fire extinguisher}</code> (🧯) ..... 239	<code>\twemoji{flag: Benin}</code> (🇧🇯) 226
<code>\twemoji{face with monocle}</code> (👓) ..... 239	<code>\twemoji{firecracker}</code> (🧨) 239	<code>\twemoji{flag: Bermuda}</code> (🇧🇲) . ..... 226
<code>\twemoji{face with open mouth}</code> (😲) ..... 239	<code>\twemoji{firefighter}</code> (👨‍🚒) 239	<code>\twemoji{flag: Bhutan}</code> (🇧🇹) . ..... 226
<code>\twemoji{face with raised eyebrow}</code> (😏) ..... 239	<code>\twemoji{fireworks}</code> (🎆) . 239	<code>\twemoji{flag: Bolivia}</code> (🇧🇴) . ..... 226
<code>\twemoji{face with rolling eyes}</code> (😓) ..... 239	<code>\twemoji{fire}</code> (🔥) ..... 239	<code>\twemoji{flag: Bosnia &amp; Herzegovina}</code> (🇧🇦) ..... 226
<code>\twemoji{face with steam from nose}</code> (👃) ..... 239	<code>\twemoji{first quarter moon face}</code> (🌘) ..... 217	<code>\twemoji{flag: Botswana}</code> (🇧🇼) ..... 226
<code>\twemoji{face with symbols on mouth}</code> (👄) ..... 239	<code>\twemoji{first quarter moon}</code> (🌙) ..... 217	<code>\twemoji{flag: Bouvet Island}</code> (🇧🇻) ..... 226
<code>\twemoji{face with tears of joy}</code> (😄) ..... 239	<code>\twemoji{fish cake with swirl}</code> (🐟) ..... 211	<code>\twemoji{flag: Brazil}</code> (🇧🇷) . ..... 226
<code>\twemoji{face with thermometer}</code> (🤒) ..... 239	<code>\twemoji{fishing pole}</code> (🎣) . ..... 239	<code>\twemoji{flag: British Indian Ocean Territory}</code> (🇮🇴) ..... 226
<code>\twemoji{face with tongue}</code> (😛) ..... 239	<code>\twemoji{fish}</code> (🐟) ..... 209	<code>\twemoji{flag: British Virgin Islands}</code> (🇧🇻) ..... 226
<code>\twemoji{face without mouth}</code> (😬) ..... 239	<code>\twemoji{five o'clock}</code> (🕒) . ..... 208	<code>\twemoji{flag: Brunei}</code> (🇧🇷) . ..... 226
<code>\twemoji{factory worker}</code> (👷) ..... 239	<code>\twemoji{five-thirty}</code> (🕒) 208	<code>\twemoji{flag: Bulgaria}</code> (🇧🇬) ..... 226
<code>\twemoji{factory}</code> (🏭) ... 239	<code>\twemoji{flag in hole}</code> (🚮) . ..... 239	<code>\twemoji{flag: Burkina Faso}</code> (🇧🇫) ..... 226
<code>\twemoji{fairy}</code> (🧚) .... 239	<code>\twemoji{flag: Afghanistan}</code> (🇦🇫) ..... 226	<code>\twemoji{flag: Burundi}</code> (🇧🇮) . ..... 226
<code>\twemoji{falafel}</code> (🥙) ... 211	<code>\twemoji{flag: Albania}</code> (🇦🇱) . ..... 226	<code>\twemoji{flag: Cambodia}</code> (🇰🇲) ..... 226
<code>\twemoji{fallen leaf}</code> (🍂) 239	<code>\twemoji{flag: Algeria}</code> (🇩🇿) . ..... 226	
<code>\twemoji{family}</code> (👨‍👩‍👧) ..... 239	<code>\twemoji{flag: American Samoa}</code> (🇦🇸) ..... 226	
<code>\twemoji{farmer}</code> (👨‍🌾) ..... 239	<code>\twemoji{flag: Andorra}</code> (🇦🇩) . ..... 226	
<code>\twemoji{fast down button}</code> (⏴) ..... 239	<code>\twemoji{flag: Angola}</code> (🇦🇴) . ..... 226	
	<code>\twemoji{flag: Anguilla}</code> (🇦🇮) ..... 226	
	<code>\twemoji{flag: Antarctica}</code> (🇦🇶) ..... 226	

<code>\twemoji{flag: Cameroon}</code> (🇳🇪) . ..... 226	<code>\twemoji{flag: Ecuador}</code> (🇪🇨) . ..... 227	<code>\twemoji{flag: Guinea}</code> (🇬🇪) . ..... 228
<code>\twemoji{flag: Canada}</code> (🇨🇦) . ..... 226	<code>\twemoji{flag: Egypt}</code> (🇪🇬) 227	<code>\twemoji{flag: Guyana}</code> (🇬🇾) . ..... 228
<code>\twemoji{flag: Canary Islands}</code> (🇵🇸) ..... 226	<code>\twemoji{flag: El Salvador}</code> (🇸🇻) ..... 227	<code>\twemoji{flag: Haiti}</code> (🇭🇹) 228
<code>\twemoji{flag: Cape Verde}</code> (🇨🇻) ..... 226	<code>\twemoji{flag: England}</code> (🇬🇧) . ..... 227	<code>\twemoji{flag: Heard &amp; McDonald Islands}</code> (🇮🇨) ..... 228
<code>\twemoji{flag: Caribbean Netherlands}</code> (🇵🇸) ..... 226	<code>\twemoji{flag: Equatorial Guinea}</code> (🇬🇶) ..... 227	<code>\twemoji{flag: Honduras}</code> (🇭🇳) . ..... 228
<code>\twemoji{flag: Cayman Islands}</code> (🇰🇾) ..... 227	<code>\twemoji{flag: Eritrea}</code> (🇪🇷) . ..... 227	<code>\twemoji{flag: Hong Kong SAR China}</code> (🇭🇰) ..... 228
<code>\twemoji{flag: Central African Republic}</code> (🇨🇦) ..... 227	<code>\twemoji{flag: Estonia}</code> (🇪🇪) . ..... 227	<code>\twemoji{flag: Hungary}</code> (🇭🇺) . ..... 228
<code>\twemoji{flag: Ceuta &amp; Melilla}</code> (🇪🇸) ..... 227	<code>\twemoji{flag: Eswatini}</code> (🇪🇸) . ..... 227	<code>\twemoji{flag: Iceland}</code> (🇮🇸) . ..... 228
<code>\twemoji{flag: Chad}</code> (🇳🇪) 227	<code>\twemoji{flag: Ethiopia}</code> (🇪🇹) . ..... 227	<code>\twemoji{flag: India}</code> (🇮🇳) 228
<code>\twemoji{flag: Chile}</code> (🇨🇱) 227	<code>\twemoji{flag: European Union}</code> (🇪🇺) ..... 227	<code>\twemoji{flag: Indonesia}</code> (🇮🇩) ..... 228
<code>\twemoji{flag: China}</code> (🇨🇳) 227	<code>\twemoji{flag: Falkland Islands}</code> (🇫🇰) ..... 227	<code>\twemoji{flag: Iran}</code> (🇮🇷) 228
<code>\twemoji{flag: Christmas Island}</code> (🇨🇽) ..... 227	<code>\twemoji{flag: Faroe Islands}</code> (🇫🇷) ..... 227	<code>\twemoji{flag: Iraq}</code> (🇮🇶) 228
<code>\twemoji{flag: Clipperton Island}</code> (🇫🇷) ..... 227	<code>\twemoji{flag: Fiji}</code> (🇫🇯) 227	<code>\twemoji{flag: Ireland}</code> (🇮🇪) . ..... 228
<code>\twemoji{flag: Cocos (Keeling) Islands}</code> (🇨🇰) ..... 227	<code>\twemoji{flag: Finland}</code> (🇫🇮) . ..... 227	<code>\twemoji{flag: Isle of Man}</code> (🇮🇲) ..... 228
<code>\twemoji{flag: Colombia}</code> (🇨🇴) . ..... 227	<code>\twemoji{flag: France}</code> (🇫🇷) . ..... 227	<code>\twemoji{flag: Israel}</code> (🇮🇱) . ..... 228
<code>\twemoji{flag: Comoros}</code> (🇰🇲) . ..... 227	<code>\twemoji{flag: French Guiana}</code> (🇬🇫) ..... 227	<code>\twemoji{flag: Italy}</code> (🇮🇹) 228
<code>\twemoji{flag: Congo - Brazzaville}</code> (🇨🇬) ..... 227	<code>\twemoji{flag: French Polynesia}</code> (🇫🇵) ..... 227	<code>\twemoji{flag: Jamaica}</code> (🇯🇲) . ..... 228
<code>\twemoji{flag: Congo - Kinshasa}</code> (🇨🇩) ..... 227	<code>\twemoji{flag: French Southern Territories}</code> (🇫🇹) ..... 228	<code>\twemoji{flag: Japan}</code> (🇯🇵) 228
<code>\twemoji{flag: Cook Islands}</code> (🇨🇰) ..... 227	<code>\twemoji{flag: Gabon}</code> (🇬🇦) 228	<code>\twemoji{flag: Jersey}</code> (🇯🇪) . ..... 228
<code>\twemoji{flag: Costa Rica}</code> (🇨🇷) ..... 227	<code>\twemoji{flag: Gambia</code> (🇬🇲) . ..... 228	<code>\twemoji{flag: Jordan}</code> (🇯🇴) . ..... 228
<code>\twemoji{flag: Croatia}</code> (🇦🇷) . ..... 227	<code>\twemoji{flag: Georgia}</code> (🇬🇪) . ..... 228	<code>\twemoji{flag: Kazakhstan}</code> (🇰🇿) ..... 228
<code>\twemoji{flag: Cuba}</code> (🇨🇺) 227	<code>\twemoji{flag: Germany}</code> (🇩🇪) . ..... 228	<code>\twemoji{flag: Kenya}</code> (🇰🇪) 228
<code>\twemoji{flag: Curaçao}</code> (🇨🇺) . ..... 227	<code>\twemoji{flag: Ghana}</code> (🇬🇦) 228	<code>\twemoji{flag: Kiribati}</code> (🇰🇮) . ..... 228
<code>\twemoji{flag: Cyprus}</code> (🇨🇶) . ..... 227	<code>\twemoji{flag: Gibraltar}</code> (🇬🇮) ..... 228	<code>\twemoji{flag: Kuwait}</code> (🇰🇼) . ..... 228
<code>\twemoji{flag: Czechia}</code> (🇨🇪) . ..... 227	<code>\twemoji{flag: Greece}</code> (🇬🇷) . ..... 228	<code>\twemoji{flag: Kyrgyzstan}</code> (🇰🇾) ..... 228
<code>\twemoji{flag: Côte d'Ivoire}</code> (🇨🇮) ..... 227	<code>\twemoji{flag: Greenland}</code> (🇬🇱) ..... 228	<code>\twemoji{flag: Laos}</code> (🇱🇦) 228
<code>\twemoji{flag: Denmark}</code> (🇩🇰) . ..... 227	<code>\twemoji{flag: Grenada}</code> (🇬🇩) . ..... 228	<code>\twemoji{flag: Latvia}</code> (🇱🇻) . ..... 228
<code>\twemoji{flag: Diego Garcia}</code> (🇬🇩) ..... 227	<code>\twemoji{flag: Guadeloupe}</code> (🇬🇫) ..... 228	<code>\twemoji{flag: Lebanon}</code> (🇱🇧) . ..... 229
<code>\twemoji{flag: Djibouti}</code> (🇬🇮) . ..... 227	<code>\twemoji{flag: Guam}</code> (🇬🇲) 228	<code>\twemoji{flag: Lesotho}</code> (🇱🇸) . ..... 229
<code>\twemoji{flag: Dominican Republic}</code> (🇩🇲) ..... 227	<code>\twemoji{flag: Guatemala}</code> (🇬🇹) ..... 228	<code>\twemoji{flag: Liberia}</code> (🇱🇮) . ..... 229
<code>\twemoji{flag: Dominica}</code> (🇩🇲) . ..... 227	<code>\twemoji{flag: Guernsey}</code> (🇬🇸) . ..... 228	<code>\twemoji{flag: Libya}</code> (🇱🇾) 226
	<code>\twemoji{flag: Guinea-Bissau}</code> (🇬🇼) ..... 228	<code>\twemoji{flag: Liechtenstein}</code> (🇱🇮) ..... 226
		<code>\twemoji{flag: Lithuania}</code> (🇱🇹) ..... 226

<code>\twemoji{flag: Luxembourg}</code>  .....	226	<code>\twemoji{flag: Niue}</code>  226	<code>\twemoji{flag: Singapore}</code>  .....	227	
<code>\twemoji{flag: Macao SAR China}</code>  .....	226	<code>\twemoji{flag: Norfolk Island}</code>  .....	226	<code>\twemoji{flag: Sint Maarten}</code>  .....	227
<code>\twemoji{flag: Madagascar}</code>  .....	226	<code>\twemoji{flag: North Korea}</code>  .....	226	<code>\twemoji{flag: Slovakia}</code>  .....	227
<code>\twemoji{flag: Malawi}</code>  .	226	<code>\twemoji{flag: North Macedonia}</code>  .....	226	<code>\twemoji{flag: Slovenia}</code>  .....	227
<code>\twemoji{flag: Malaysia}</code>  .....	226	<code>\twemoji{flag: Northern Mariana Islands}</code> .....	227	<code>\twemoji{flag: Solomon Islands}</code>  .....	227
<code>\twemoji{flag: Maldives}</code>  .....	226	<code>\twemoji{flag: Norway}</code>  .	226	<code>\twemoji{flag: Somalia}</code>  .	227
<code>\twemoji{flag: Mali}</code>  226		<code>\twemoji{flag: Oman}</code>  226		<code>\twemoji{flag: South Africa}</code>  .....	227
<code>\twemoji{flag: Malta}</code>  226		<code>\twemoji{flag: Pakistan}</code>  .....	226	<code>\twemoji{flag: South Georgia &amp; South Sandwi</code>	
<code>\twemoji{flag: Marshall Islands}</code>  .....	226	<code>\twemoji{flag: Palau}</code>  227		<code>\twemoji{flag: South Korea}</code>  .....	227
<code>\twemoji{flag: Martinique}</code>  .....	226	<code>\twemoji{flag: Palestinian Territories}</code>  .....	227	<code>\twemoji{flag: South Sudan}</code>  .....	227
<code>\twemoji{flag: Mauritania}</code>  .....	226	<code>\twemoji{flag: Panama}</code>  .	227	<code>\twemoji{flag: St. Barthélemy}</code>  .....	227
<code>\twemoji{flag: Mauritius}</code>  .....	226	<code>\twemoji{flag: Papua New Guinea}</code>  .....	227	<code>\twemoji{flag: St. Helena}</code>  .....	227
<code>\twemoji{flag: Mayotte}</code>  .	226	<code>\twemoji{flag: Paraguay}</code>  .....	227	<code>\twemoji{flag: St. Kitts &amp; Nevis}</code>  .....	227
<code>\twemoji{flag: Mexico}</code>  .	226	<code>\twemoji{flag: Peru}</code>  227		<code>\twemoji{flag: St. Lucia}</code>  .....	227
<code>\twemoji{flag: Micronesia}</code>  .....	226	<code>\twemoji{flag: Philippines}</code>  .....	227	<code>\twemoji{flag: St. Martin}</code>  .....	227
<code>\twemoji{flag: Moldova}</code>  .	226	<code>\twemoji{flag: Pitcairn Islands}</code>  .....	227	<code>\twemoji{flag: St. Pierre &amp; Miquelon}</code>  .....	227
<code>\twemoji{flag: Monaco}</code>  .	226	<code>\twemoji{flag: Poland}</code>  .	227	<code>\twemoji{flag: St. Vincent &amp; Grenadines}</code>  .....	227
<code>\twemoji{flag: Mongolia}</code>  .....	226	<code>\twemoji{flag: Portugal}</code>  .....	227	<code>\twemoji{flag: Sudan}</code>  228	
<code>\twemoji{flag: Montenegro}</code>  .....	226	<code>\twemoji{flag: Puerto Rico}</code>  .....	227	<code>\twemoji{flag: Suriname}</code>  .....	228
<code>\twemoji{flag: Montserrat}</code>  .....	226	<code>\twemoji{flag: Qatar}</code>  227		<code>\twemoji{flag: Svalbard &amp; Jan Mayen}</code>  .....	228
<code>\twemoji{flag: Morocco}</code>  .	226	<code>\twemoji{flag: Romania}</code>  .	227	<code>\twemoji{flag: Sweden}</code>  .	228
<code>\twemoji{flag: Mozambique}</code>  .....	226	<code>\twemoji{flag: Russia}</code>  .	227	<code>\twemoji{flag: Switzerland}</code>  .....	228
<code>\twemoji{flag: Myanmar (Burma)}</code>  .....	226	<code>\twemoji{flag: Rwanda}</code>  .	227	<code>\twemoji{flag: Syria}</code>  228	
<code>\twemoji{flag: Namibia}</code>  .	226	<code>\twemoji{flag: Réunion}</code>  .	227	<code>\twemoji{flag: São Tomé &amp; Príncipe}</code>  .....	228
<code>\twemoji{flag: Nauru}</code>  226		<code>\twemoji{flag: Samoa}</code>  227		<code>\twemoji{flag: Taiwan}</code>  .	228
<code>\twemoji{flag: Nepal}</code>  226		<code>\twemoji{flag: San Marino}</code>  .....	227	<code>\twemoji{flag: Tajikistan}</code>  .....	228
<code>\twemoji{flag: Netherlands}</code>  .....	226	<code>\twemoji{flag: Saudi Arabia}</code>  .....	227	<code>\twemoji{flag: Tanzania}</code>  .....	228
<code>\twemoji{flag: New Caledonia}</code>  .....	226	<code>\twemoji{flag: Scotland}</code>  .....	227	<code>\twemoji{flag: Thailand}</code>  .....	228
<code>\twemoji{flag: New Zealand}</code>  .....	226	<code>\twemoji{flag: Senegal}</code>  .	227	<code>\twemoji{flag: Timor-Leste}</code>  .....	228
<code>\twemoji{flag: Nicaragua}</code>  .....	226	<code>\twemoji{flag: Serbia}</code>  .	227		
<code>\twemoji{flag: Nigeria}</code>  .	226	<code>\twemoji{flag: Seychelles}</code>  .....	227		
<code>\twemoji{flag: Niger}</code>  226		<code>\twemoji{flag: Sierra Leone}</code>  .....	227		

<code>\twemoji{flag: Togo}</code> (🇳🇬) 228	<code>\twemoji{flashlight}</code> (🔦) 239	<code>\twemoji{gear}</code> (⚙️) . . . . . 240
<code>\twemoji{flag: Tokelau}</code> (🇹🇰) . . . . . . 228	<code>\twemoji{flat shoe}</code> (👟) . 240	<code>\twemoji{gem stone}</code> (💎) . 240
<code>\twemoji{flag: Tonga}</code> (🇹🇴) 228	<code>\twemoji{flatbread}</code> (🥞) . 211	<code>\twemoji{Gemini}</code> (♊️) . . . . . 240
<code>\twemoji{flag: Trinidad &amp; Tobago}</code> (🇹🇩) . . . . . 228	<code>\twemoji{fleur-de-lis}</code> (🦚) . . . . . . 240	<code>\twemoji{genie}</code> (🧞) . . . . . 240
<code>\twemoji{flag: Tristan da Cunha}</code> (🇹🇨) . . . . . 228	<code>\twemoji{flexed biceps}</code> (💪) . . . . . . 240	<code>\twemoji{ghost}</code> (👻) . . . . . 240
<code>\twemoji{flag: Tunisia}</code> (🇹🇺) . . . . . . 228	<code>\twemoji{floppy disk}</code> (💾) 240	<code>\twemoji{giraffe}</code> (🦒) . . . . . 209
<code>\twemoji{flag: Turkey}</code> (🇹🇷) . . . . . . 228	<code>\twemoji{flower playing cards}</code> (🃏) . . . . . 240	<code>\twemoji{girl}</code> (👧) . . . . . 240
<code>\twemoji{flag: Turkmenistan}</code> (🇹🇲) . . . . . 228	<code>\twemoji{flushed face}</code> (😳) . . . . . . 240	<code>\twemoji{globe showing Americas}</code> (🌐) . . . . . 240
<code>\twemoji{flag: Turks &amp; Caicos Islands}</code> . . . . . 204 (🇹🇨) . . . . . 228	<code>\twemoji{flying disc}</code> (🎯) 240	<code>\twemoji{globe showing Asia-Australia}</code> (🌐) . . . . . 240
<code>\twemoji{flag: Tuvalu}</code> (🇹🇺) . . . . . . 228	<code>\twemoji{flying saucer}</code> (🛸) . . . . . . 209	<code>\twemoji{globe showing Europe-Africa}</code> (🌐) . . . . . 240
<code>\twemoji{flag: U.S. Outlying Islands}</code> (🇺🇲) . . . . . 228	<code>\twemoji{fly}</code> (🪰) . . . . . 209	<code>\twemoji{globe with meridians}</code> (🌐) . . . . . 240
<code>\twemoji{flag: U.S. Virgin Islands}</code> (🇺🇲) . . . . . 228	<code>\twemoji{foggy}</code> (🌫️) . . . . . 240	<code>\twemoji{gloves}</code> (🧤) . . . . . 240
<code>\twemoji{flag: Uganda}</code> (🇺🇬) . . . . . . 228	<code>\twemoji{fog}</code> (🌫️) . . . . . 206	<code>\twemoji{glowing star}</code> (⭐) . . . . . . 240
<code>\twemoji{flag: Ukraine}</code> (🇺🇦) . . . . . . 228	<code>\twemoji{folded hands}</code> (🙌) . . . . . . 240	<code>\twemoji{goal net}</code> (🥅) . . 240
<code>\twemoji{flag: United Arab Emirates}</code> (🇦🇪) . . . . . 228	<code>\twemoji{fondue}</code> (🧀) . . . . . 211	<code>\twemoji{goat}</code> (🐐) . . . . . 209
<code>\twemoji{flag: United Kingdom}</code> (🇬🇧) . . . . . 228	<code>\twemoji{footprints}</code> (👣) 240	<code>\twemoji{goblin}</code> (🧝) . . . . . 240
<code>\twemoji{flag: United Nations}</code> (🇺🇳) . . . . . 228	<code>\twemoji{footprints}</code> (👣) . . . . . 240	<code>\twemoji{goggles}</code> (🥽) . . . 240
<code>\twemoji{flag: United States}</code> (🇺🇸) . . . . . 228	<code>\twemoji{fork and knife with plate}</code> (🍴) . . . . . 211	<code>\twemoji{gorilla}</code> (🦍) . . . . . 209
<code>\twemoji{flag: Uruguay}</code> (🇺🇾) . . . . . . 228	<code>\twemoji{fork and knife}</code> (🍴) . . . . . 211	<code>\twemoji{graduation cap}</code> (🎓) . . . . . 240
<code>\twemoji{flag: Uzbekistan}</code> (🇺🇿) . . . . . 228	<code>\twemoji{fortune cookie}</code> (🥠) . . . . . 211	<code>\twemoji{grapes}</code> (🍇) . . . . . 211
<code>\twemoji{flag: Vanuatu}</code> (🇻🇺) . . . . . . 228	<code>\twemoji{fountain pen}</code> (🖋️) . . . . . . 240	<code>\twemoji{green apple}</code> (🍏) 211
<code>\twemoji{flag: Vatican City}</code> (🇻🇦) . . . . . 228	<code>\twemoji{fountain}</code> (🏞️) . . 240	<code>\twemoji{green book}</code> (📖) 240
<code>\twemoji{flag: Venezuela}</code> (🇻🇪) . . . . . 228	<code>\twemoji{four leaf clover}</code> (🍀) . . . . . 240	<code>\twemoji{green circle}</code> (🟢) . . . . . . 240
<code>\twemoji{flag: Vietnam}</code> (🇻🇳) . . . . . . 228	<code>\twemoji{four o'clock}</code> (🕒) . . . . . . 208	<code>\twemoji{green heart}</code> (♥️) 240
<code>\twemoji{flag: Wales}</code> (🇨🇪) 228	<code>\twemoji{four-thirty}</code> (🕒) 208	<code>\twemoji{green salad}</code> (🥗) 211
<code>\twemoji{flag: Wallis &amp; Futuna}</code> (🇼🇫) . . . . . 228	<code>\twemoji{fox}</code> (🦊) . . . . . 209	<code>\twemoji{green square}</code> (🟩) . . . . . . 240
<code>\twemoji{flag: Western Sahara}</code> (🇲🇷) . . . . . 228	<code>\twemoji{framed picture}</code> (🖼️) . . . . . 240	<code>\twemoji{grimacing face}</code> (😬) . . . . . 240
<code>\twemoji{flag: Yemen}</code> (🇾🇪) 228	<code>\twemoji{FREE button}</code> (🆓) 240	<code>\twemoji{grinning cat with smiling eyes}</code> (😸) . . . . . 240
<code>\twemoji{flag: Zambia}</code> (🇵🇰) . . . . . . 228	<code>\twemoji{french fries}</code> (🍟) . . . . . . 211	<code>\twemoji{grinning cat}</code> (😸) . . . . . . 240
<code>\twemoji{flag: Zimbabwe}</code> (🇵🇼) . . . . . 228	<code>\twemoji{fried shrimp}</code> (🍤) . . . . . . 211	<code>\twemoji{grinning face with big eyes}</code> (😄) . . . . . 241
<code>\twemoji{flag: Åland Islands}</code> (🇫🇮) . . . . . 228	<code>\twemoji{frog}</code> (🐸) . . . . . 209	<code>\twemoji{grinning face with smiling eyes}</code> (😄) . . . . . 241
<code>\twemoji{flag: flamingo}</code> (🦩) . . 209	<code>\twemoji{front-facing baby chick}</code> (🐣) . . . . . 209	<code>\twemoji{grinning face with sweat}</code> (😓) . . . . . 241
	<code>\twemoji{frowning face with open mouth}</code> (😞) . . . . . 240	<code>\twemoji{grinning face}</code> (😄) . . . . . . 241
	<code>\twemoji{frowning face}</code> (😞) . . . . . . 240	<code>\twemoji{grinning squinting face}</code> (😏) . . . . . 241
	<code>\twemoji{fuel pump}</code> (🛢️) . 240	<code>\twemoji{growing heart}</code> (💓) . . . . . . 241
	<code>\twemoji{full moon face}</code> (🌕) . . . . . 217	<code>\twemoji{guard}</code> (👮) . . . . . 241
	<code>\twemoji{full moon}</code> (🌕) . 217	<code>\twemoji{guide dog}</code> (🦮) . 209
	<code>\twemoji{funeral urn}</code> (🪦) 240	<code>\twemoji{guitar}</code> (🎸) . . . . . 241
	<code>\twemoji{game die}</code> (🎲) . . 240	<code>\twemoji{hamburger}</code> (🍔) . 211
	<code>\twemoji{garlic}</code> (🧄) . . . . . 211	

<code>\twemoji{hammer and pick}</code> (🔨) .....	241	<code>\twemoji{hot face}</code> (🥵) ..	241	<code>\twemoji{Japanese “no vacancy” button}</code> (🚫) .....	242	
<code>\twemoji{hammer and wrench}</code> (🔧) .....	241	<code>\twemoji{hot pepper}</code> (🌶️)	210	<code>\twemoji{Japanese “not free of charge” button}</code> (🚫) .....	242	
<code>\twemoji{hammer}</code> (🔨) ....	241	<code>\twemoji{hot springs}</code> (♨️)	241	<code>\twemoji{Japanese “open for business” button}</code> (🏢) .....	242	
<code>\twemoji{hamster}</code> (🐹) ...	209	<code>\twemoji{hourglass done}</code> (🕒)	.....	208	<code>\twemoji{Japanese “passing grade” button}</code> (🏆) .....	242
<code>\twemoji{hand with fingers splayed}</code> (🖐️) .....	241	<code>\twemoji{hourglass not done}</code> (🕒) .....	208	<code>\twemoji{Japanese “prohibited” button}</code> (🚫) .....	242	
<code>\twemoji{handbag}</code> (👜) ...	241	<code>\twemoji{house with garden}</code> (🏡) .....	241	<code>\twemoji{Japanese “reserved” button}</code> (🚫) .....	242	
<code>\twemoji{handshake}</code> (🤝) .	241	<code>\twemoji{houses}</code> (🏘️) ....	241	<code>\twemoji{Japanese “secret” button}</code> (🔒) .....	242	
<code>\twemoji{hatching chick}</code> (🐣)	.....	<code>\twemoji{house}</code> (🏠) ....	241	<code>\twemoji{Japanese “service charge” button}</code> (🏢) .....	242	
.....	209	<code>\twemoji{hugging face}</code> (🤗) .	.....	241	<code>\twemoji{Japanese “vacancy” button}</code> (🚫) .....	242
<code>\twemoji{headphones}</code> (🎧) 241		<code>\twemoji{hundred points}</code> (💯)	.....	241	<code>\twemoji{Japanese castle}</code> (🏰) .....	242
<code>\twemoji{headstone}</code> (🪦) .	241	<code>\twemoji{hushed face}</code> (😶) 241		<code>\twemoji{Japanese dolls}</code> (🎎)	.....	242
<code>\twemoji{health worker}</code> (🧑) .	.....	<code>\twemoji{hut}</code> (🛖) .....	241	<code>\twemoji{Japanese post office}</code> (📮) .....	242	
.....	241	<code>\twemoji{ice cream}</code> (🍦) .	210	<code>\twemoji{Japanese symbol for beginner}</code> (👶) .....	242	
<code>\twemoji{hear-no-evil monkey}</code> (🙉) .....	241	<code>\twemoji{ice hockey}</code> (🏒) 241		<code>\twemoji{jeans}</code> (👖) ....	243	
<code>\twemoji{heart decoration}</code> (💓) .....	241	<code>\twemoji{ice skate}</code> (🛷) .	241	<code>\twemoji{joker}</code> (🃏) ....	243	
<code>\twemoji{heart exclamation}</code> (💓) .....	241	<code>\twemoji{ice}</code> (🧊) .....	210	<code>\twemoji{joystick}</code> (🎮) ..	243	
<code>\twemoji{heart suit}</code> (♥️) 195		<code>\twemoji{ID button}</code> (🆔) .	241	<code>\twemoji{judge}</code> (🧑) ....	243	
<code>\twemoji{heart with arrow}</code> (♥️) .....	241	<code>\twemoji{inbox tray}</code> (📧) 242		<code>\twemoji{kaaba}</code> (🕌) ....	243	
<code>\twemoji{heart with ribbon}</code> (♥️) .....	241	<code>\twemoji{incoming envelope}</code> (✉️) .....	242	<code>\twemoji{kangaroo}</code> (🦘) ..	210	
<code>\twemoji{heavy dollar sign}</code> (💰) .....	241	<code>\twemoji{index pointing up}</code> (☝️) .....	242	<code>\twemoji{keyboard}</code> (⌨️) ..	243	
<code>\twemoji{hedgehog}</code> (🦔) ..	209	<code>\twemoji{infinity}</code> (♾️) ..	242	<code>\twemoji{keycap: *}</code> (⌨️) .	243	
<code>\twemoji{helicopter}</code> (🚁) 204		<code>\twemoji{information}</code> (ℹ️) 242		<code>\twemoji{keycap: 0}</code> (0) .	243	
<code>\twemoji{herb}</code> (🌿) .....	241	<code>\twemoji{input latin letters}</code> (🅡) .....	242	<code>\twemoji{keycap: 1}</code> (1) .	243	
<code>\twemoji{hibiscus}</code> (🌺) ..	241	<code>\twemoji{input latin lowercase}</code> (🅡) .....	242	<code>\twemoji{keycap: 2}</code> (2) .	243	
<code>\twemoji{high voltage}</code> (⚡) .	.....	<code>\twemoji{input latin uppercase}</code> (🅡) .....	242	<code>\twemoji{keycap: 3}</code> (3) .	243	
.....	241	<code>\twemoji{input numbers}</code> (123) .	.....	242	<code>\twemoji{keycap: 4}</code> (4) .	243
<code>\twemoji{high-heeled shoe}</code> (👠) .....	241	<code>\twemoji{input symbols}</code> (123) .	.....	242	<code>\twemoji{keycap: 5}</code> (5) .	243
<code>\twemoji{high-speed train}</code> (🚄) .....	204	<code>\twemoji{jack-o-lantern}</code> (🎃)	.....	242	<code>\twemoji{keycap: 6}</code> (6) .	243
<code>\twemoji{hiking boot}</code> (🥾) 241		<code>\twemoji{Japanese “acceptable” button}</code> (👍) .....	242	<code>\twemoji{keycap: 7}</code> (7) .	243	
<code>\twemoji{hindu temple}</code> (🛤️) .	.....	<code>\twemoji{Japanese “application” button}</code> (📩) .....	242	<code>\twemoji{keycap: 8}</code> (8) .	243	
.....	241	<code>\twemoji{Japanese “bargain” button}</code> (🏷️) .....	242	<code>\twemoji{keycap: 9}</code> (9) .	243	
<code>\twemoji{hippopotamus}</code> (🦘) .	.....	<code>\twemoji{Japanese “congratulations” button}</code> ... 204		<code>\twemoji{keycap: \#}</code> (#) 243		
.....	210	<code>\twemoji{Japanese “discount” button}</code> (🏷️) .....	242	<code>\twemoji{key}</code> (🗝️) .....	243	
<code>\twemoji{hole}</code> (🕳️) ....	241	<code>\twemoji{Japanese “free of charge” button}</code> (🏷️) .....	242	<code>\twemoji{kick scooter}</code> (🛹) .	.....	
<code>\twemoji{hollow red circle}</code> (○) .....	241	<code>\twemoji{Japanese “here” button}</code> (📍) .....	242	<code>\twemoji{kimono}</code> (👘) ....	243	
<code>\twemoji{honey pot}</code> (🍯) .	211	<code>\twemoji{Japanese “monthly amount” button}</code> (🌙) .....	242	<code>\twemoji{kissing cat}</code> (🐱) 243		
<code>\twemoji{honeybee}</code> (🐝) ..	210	<code>\twemoji{Japanese “no vacancy” button}</code> (🚫) .....	242	<code>\twemoji{kissing face with closed eyes}</code> (😘) .....	243	
<code>\twemoji{hook}</code> (🪝) .....	241	<code>\twemoji{Japanese “open for business” button}</code> (🏢) .....	242	<code>\twemoji{kissing face with smiling eyes}</code> (😘) .....	243	
<code>\twemoji{horizontal traffic light}</code> (🚦) .....	204	<code>\twemoji{Japanese “prohibited” button}</code> (🚫) .....	242	<code>\twemoji{kissing face}</code> (😘) .	.....	
<code>\twemoji{horse face}</code> (🐎) 210		<code>\twemoji{Japanese “reserved” button}</code> (🚫) .....	242	<code>\twemoji{kiss}</code> (💋) .....	243	
<code>\twemoji{horse racing}</code> (🏇) .	.....	<code>\twemoji{Japanese “secret” button}</code> (🔒) .....	242			
.....	241	<code>\twemoji{Japanese “service charge” button}</code> (🏢) .....	242			
<code>\twemoji{hospital}</code> (🏥) ..	241	<code>\twemoji{Japanese “vacancy” button}</code> (🚫) .....	242			
<code>\twemoji{hot beverage}</code> (☕) .	.....					
.....	210					
<code>\twemoji{hot dog}</code> (🌭) ...	210					

<code>\twemoji{kitchen knife}</code> (🔪) . . . . . 243	<code>\twemoji{lobster}</code> (🦞) . . . . . 210	<code>\twemoji{man firefighter}</code> (👨‍🚒) . . . . . 245
<code>\twemoji{kite}</code> (🪁) . . . . . 243	<code>\twemoji{locked with key}</code> (🔑) . . . . . 244	<code>\twemoji{man frowning}</code> (😞) . . . . . 245
<code>\twemoji{kiwi fruit}</code> (🥝) 210	<code>\twemoji{locked with pen}</code> (🔒) . . . . . 244	<code>\twemoji{man genie}</code> (🧞) . 245
<code>\twemoji{knocked-out face}</code> (🤪) . . . . . 243	<code>\twemoji{locked}</code> (🔒) . . . . . 244	<code>\twemoji{man gesturing NO}</code> (🙅) . . . . . 245
<code>\twemoji{knot}</code> (🪄) . . . . . 243	<code>\twemoji{locomotive}</code> (🚂) 204	<code>\twemoji{man gesturing OK}</code> (🙆) . . . . . 245
<code>\twemoji{koala}</code> (🐨) . . . . . 210	<code>\twemoji{lollipop}</code> (🍭) . . 210	<code>\twemoji{man getting haircut}</code> (💇) . . . . . 245
<code>\twemoji{lab coat}</code> (🧪) . . 243	<code>\twemoji{long drum}</code> (🥁) . 244	<code>\twemoji{man getting massage}</code> (💆) . . . . . 245
<code>\twemoji{label}</code> (🏷) . . . . . 243	<code>\twemoji{lotion bottle}</code> (🧴) . . . . . 244	<code>\twemoji{man golfing}</code> (🏌) 245
<code>\twemoji{lacrosse}</code> (🥍) . . 243	<code>\twemoji{loudly crying face}</code> (😭) . . . . . 244	<code>\twemoji{man guard}</code> (👮) . 245
<code>\twemoji{ladder}</code> (🪜) . . . . . 243	<code>\twemoji{loudspeaker}</code> (📣) 244	<code>\twemoji{man health worker}</code> (👨‍⚕) . . . . . 245
<code>\twemoji{lady beetle}</code> (🐞) 210	<code>\twemoji{love hotel}</code> (🏨) 244	<code>\twemoji{man in lotus position}</code> (🧘) . . . . . 232
<code>\twemoji{large blue diamond}</code> (💎) . . . . . 243	<code>\twemoji{love letter}</code> (💌) 244	<code>\twemoji{man in manual wheelchair}</code> (🦽) . . . . . 232
<code>\twemoji{large orange diamond}</code> (💎) . . . . . 243	<code>\twemoji{love-you gesture}</code> (👉) . . . . . 244	<code>\twemoji{man in motorized wheelchair}</code> (🦼) . . . . . 232
<code>\twemoji{last quarter moon face}</code> (🌘) . . . . . 217	<code>\twemoji{luggage}</code> (🧳) . . 244	<code>\twemoji{man in steamy room}</code> (🧴) . . . . . 232
<code>\twemoji{last quarter moon}</code> (🌘) . . . . . 217	<code>\twemoji{lungs}</code> (🫁) . . . . . 244	<code>\twemoji{man in tuxedo}</code> (👤) . . . . . 232
<code>\twemoji{last track button}</code> (🎮) . . . . . 243	<code>\twemoji{lying face}</code> (😏) 244	<code>\twemoji{man judge}</code> (👨‍⚖) . 232
<code>\twemoji{latin cross}</code> (✚) 243	<code>\twemoji{mage}</code> (🧙) . . . . . 244	<code>\twemoji{man juggling}</code> (🤹) . . . . . 232
<code>\twemoji{leaf fluttering in wind}</code> (🍃) . . . . . 243	<code>\twemoji{magic wand}</code> (🪄) 244	<code>\twemoji{man kneeling}</code> (🧎) . . . . . 232
<code>\twemoji{leafy green}</code> (🥬) 210	<code>\twemoji{magnet}</code> (🧲) . . . . . 244	<code>\twemoji{man lifting weights}</code> (🏋) . . . . . 232
<code>\twemoji{ledger}</code> (📑) . . . . . 243	<code>\twemoji{magnifying glass tilted left}</code> (🔍) . . . . . 244	<code>\twemoji{man mage}</code> (🧙) . . 232
<code>\twemoji{left arrow curving right}</code> (↷) . . . . . 243	<code>\twemoji{magnifying glass tilted right}</code> (🔍) . . . . . 244	<code>\twemoji{man mechanic}</code> (🔧) . . . . . 232
<code>\twemoji{left arrow}</code> (←) 243	<code>\twemoji{mahjong red dragon}</code> (🀄) . . . . . 244	<code>\twemoji{man mountain biking}</code> (🚴) . . . . . 204
<code>\twemoji{left luggage}</code> (🧳) . . . . . 204	<code>\twemoji{male sign}</code> (♂) . 244	<code>\twemoji{man office worker}</code> (👨‍💼) . . . . . 232
<code>\twemoji{left speech bubble}</code> (💬) . . . . . 243	<code>\twemoji{mammoth}</code> (🐘) . . 210	<code>\twemoji{man pilot}</code> (👨‍✈) . 232
<code>\twemoji{left-facing fist}</code> (✊) . . . . . 243	<code>\twemoji{man artist}</code> (👨‍🎨) 244	<code>\twemoji{man playing handball}</code> (👨‍🏐) . . . . . 232
<code>\twemoji{left-right arrow}</code> (↔) . . . . . 244	<code>\twemoji{man astronaut}</code> (👨‍🚀) . . . . . 244	<code>\twemoji{man playing water polo}</code> (👨‍🏊) . . . . . 232
<code>\twemoji{leg}</code> (🦵) . . . . . 244	<code>\twemoji{man biking}</code> (🚲) 204	<code>\twemoji{man police officer}</code> (👮) . . . . . 232
<code>\twemoji{lemon}</code> (🍋) . . . . . 210	<code>\twemoji{man bouncing ball}</code> (🏀) . . . . . 244	<code>\twemoji{man pouting}</code> (😡) 232
<code>\twemoji{leopard}</code> (🐆) . . 210	<code>\twemoji{man bowing}</code> (🙇) 244	<code>\twemoji{man raising hand}</code> (🙋) . . . . . 232
<code>\twemoji{Leo}</code> (♌) . . . . . 244	<code>\twemoji{man cartwheeling}</code> (🤸) . . . . . 244	<code>\twemoji{man rowing boat}</code> (🚣) . . . . . 204
<code>\twemoji{level slider}</code> (🎚) . . . . . 244	<code>\twemoji{man climbing}</code> (🧗) . . . . . 244	<code>\twemoji{man running}</code> (🏃) 232
<code>\twemoji{Libra}</code> (♎) . . . . . 244	<code>\twemoji{man construction worker}</code> (👨‍🏭) . . . . . 244	<code>\twemoji{man scientist}</code> (👨‍🔬) . . . . . 232
<code>\twemoji{light bulb}</code> (💡) 244	<code>\twemoji{man cook}</code> (👨‍🍳) . . 244	<code>\twemoji{man shrugging}</code> (🤷) . . . . . 232
<code>\twemoji{light rail}</code> (🚆) 204	<code>\twemoji{man dancing}</code> (💃) 244	<code>\twemoji{man singer}</code> (👨‍🎤) 232
<code>\twemoji{light skin tone}</code> (🏻) . . . . . 244	<code>\twemoji{man detective}</code> (🕵) . . . . . 244	
<code>\twemoji{linked paperclips}</code> (🔗) . . . . . 244	<code>\twemoji{man elf}</code> (🧝) . . 244	
<code>\twemoji{link}</code> (🔗) . . . . . 244	<code>\twemoji{man facepalming}</code> (🤦) . . . . . 244	
<code>\twemoji{lion}</code> (🦁) . . . . . 210	<code>\twemoji{man factory worker}</code> (👨‍🏭) . . . . . 244	
<code>\twemoji{lipstick}</code> (💄) . . 244	<code>\twemoji{man fairy}</code> (🧚) . 244	
<code>\twemoji{litter in bin sign}</code> (🗑) . . . . . 244	<code>\twemoji{man farmer}</code> (👨‍🌾) 244	
<code>\twemoji{lizard}</code> (🦎) . . . . . 210	<code>\twemoji{man feeding baby}</code> (👨‍🍼) . . . . . 245	
<code>\twemoji{llama}</code> (🦙) . . . . . 210		



<code>\twemoji{man standing}</code> (👤) . ..... 232	<code>\twemoji{men wrestling}</code> (🤼) . ..... 233	<code>\twemoji{moyai}</code> (🗿) .... 233
<code>\twemoji{man student}</code> (👨🎓) 232	<code>\twemoji{men’s room}</code> (🚺) 233	<code>\twemoji{Mrs. Claus}</code> (👼) 233
<code>\twemoji{man superhero}</code> (🦱) . ..... 232	<code>\twemoji{menorah}</code> (🕯️) ... 233	<code>\twemoji{multiply}</code> (✖️) .. 233
<code>\twemoji{man supervillain}</code> (🦹) ..... 232	<code>\twemoji{mermaid}</code> (🧜) ... 233	<code>\twemoji{mushroom}</code> (🍄) .. 210
<code>\twemoji{man surfing}</code> (🏄) 232	<code>\twemoji{merman}</code> (🧑‍🌊) .... 233	<code>\twemoji{musical keyboard}</code> (🎹) ..... 233
<code>\twemoji{man swimming}</code> (🏊) . ..... 232	<code>\twemoji{merperson}</code> (🧜) . 233	<code>\twemoji{musical notes}</code> (🎵) . ..... 233
<code>\twemoji{man teacher}</code> (👨🏫) 232	<code>\twemoji{metro}</code> (🚇) .... 204	<code>\twemoji{musical note}</code> (🎶) . ..... 233
<code>\twemoji{man technologist}</code> (🧑🔧) ..... 232	<code>\twemoji{microbe}</code> (🦠) ... 209	<code>\twemoji{musical score}</code> (🎼) . ..... 233
<code>\twemoji{man tipping hand}</code> (👉) ..... 232	<code>\twemoji{microscope}</code> (🔬) 233	<code>\twemoji{muted speaker}</code> (🔇) . ..... 233
<code>\twemoji{man vampire}</code> (🧛) 232	<code>\twemoji{middle finger}</code> (👉) . ..... 233	<code>\twemoji{mx claus}</code> (👼) .. 233
<code>\twemoji{man walking}</code> (🚶) 232	<code>\twemoji{military helmet}</code> (🪖) ..... 233	<code>\twemoji{nail polish}</code> (💅) 233
<code>\twemoji{man wearing turban}</code> (👨) ..... 232	<code>\twemoji{military medal}</code> (🎖️) ..... 233	<code>\twemoji{name badge}</code> (📇) 233
<code>\twemoji{man with veil}</code> (🧝) . ..... 232	<code>\twemoji{milky way}</code> (🌌) . 233	<code>\twemoji{national park}</code> (🌳) . ..... 233
<code>\twemoji{man with white cane}</code> (👤) ..... 232	<code>\twemoji{minibus}</code> (🚏) ... 204	<code>\twemoji{nauseated face}</code> (🤢) ..... 233
<code>\twemoji{man zombie}</code> (🧟) 232	<code>\twemoji{minus}</code> (−) .... 233	<code>\twemoji{nazar amulet}</code> (👁️) . ..... 233
<code>\twemoji{man’s shoe}</code> (👞) 232	<code>\twemoji{mirror}</code> (🪞) .... 233	<code>\twemoji{necktie}</code> (👔) ... 233
<code>\twemoji{mango}</code> (🥭) .... 210	<code>\twemoji{mobile phone off}</code> (📴) ..... 233	<code>\twemoji{nerd face}</code> (🤓) . 234
<code>\twemoji{mantelpiece clock}</code> (🕒) ..... 208	<code>\twemoji{mobile phone with arrow}</code> (📶) ..... 233	<code>\twemoji{nesting dolls}</code> (🪆) . ..... 234
<code>\twemoji{manual wheelchair}</code> (♿) ..... 232	<code>\twemoji{mobile phone}</code> (📱) . ..... 233	<code>\twemoji{neutral face}</code> (😐) . ..... 234
<code>\twemoji{man}</code> (👤) ..... 244	<code>\twemoji{money bag}</code> (💰) . 233	<code>\twemoji{NEW button}</code> (NEW) 234
<code>\twemoji{map of Japan}</code> (🗺️) . ..... 232	<code>\twemoji{money with wings}</code> (💸) ..... 233	<code>\twemoji{new moon face}</code> (🌘) . ..... 217
<code>\twemoji{maple leaf}</code> (🍁) 232	<code>\twemoji{money-mouth face}</code> (😬) ..... 233	<code>\twemoji{new moon}</code> (🌘) .. 217
<code>\twemoji{martial arts uniform}</code> (🥋) ..... 232	<code>\twemoji{monkey face}</code> (🐵) 209	<code>\twemoji{newspaper}</code> (📰) . 234
<code>\twemoji{mate}</code> (🍷) .... 210	<code>\twemoji{monkey}</code> (🐵) ... 209	<code>\twemoji{next track button}</code> (▶️) ..... 234
<code>\twemoji{meat on bone}</code> (🍖) . ..... 210	<code>\twemoji{monorail}</code> (🚄) .. 204	<code>\twemoji{NG button}</code> (NG) . 234
<code>\twemoji{mechanical arm}</code> (🦾) ..... 232	<code>\twemoji{moon cake}</code> (🥮) . 210	<code>\twemoji{night with stars}</code> (🌃) ..... 234
<code>\twemoji{mechanical leg}</code> (🦿) ..... 232	<code>\twemoji{moon viewing ceremony}</code> (🌕) ..... 233	<code>\twemoji{nine o’clock}</code> (🕒) . ..... 208
<code>\twemoji{mechanic}</code> (🔧) .. 232	<code>\twemoji{mosque}</code> (🕌) .... 233	<code>\twemoji{nine-thirty}</code> (🕒) 208
<code>\twemoji{medical symbol}</code> (🏥) ..... 232	<code>\twemoji{mosquito}</code> (🦟) .. 209	<code>\twemoji{ninja}</code> (🥷) .... 234
<code>\twemoji{medium skin tone}</code> (👤) ..... 233	<code>\twemoji{motor boat}</code> (🚤) 204	<code>\twemoji{no bicycles}</code> (🚫) 203
<code>\twemoji{medium-dark skin tone}</code> (👤) ..... 233	<code>\twemoji{motor scooter}</code> (🛵) . ..... 204	<code>\twemoji{no entry}</code> (🚫) .. 234
<code>\twemoji{medium-light skin tone}</code> (👤) ..... 233	<code>\twemoji{motorcycle}</code> (🏍️) 204	<code>\twemoji{no littering}</code> (🚫) . ..... 234
<code>\twemoji{megaphone}</code> (📣) . 233	<code>\twemoji{motorized wheelchair}</code> (♿) ..... 233	<code>\twemoji{no mobile phones}</code> (📵) ..... 234
<code>\twemoji{melon}</code> (🍈) .... 210	<code>\twemoji{motorway}</code> (🛣️) .. 204	<code>\twemoji{no one under eighteen}</code> (🚫) ..... 234
<code>\twemoji{men holding hands}</code> (👬) ..... 233	<code>\twemoji{mount fuji}</code> (🗻) 233	<code>\twemoji{no pedestrians}</code> (🚫) ..... 234
<code>\twemoji{men with bunny ears}</code> (🐰) ..... 233	<code>\twemoji{mountain cableway}</code> (🚠) ..... 204	<code>\twemoji{no smoking}</code> (🚫) 234
	<code>\twemoji{mountain railway}</code> (🚞) ..... 203	<code>\twemoji{non-potable water}</code> (🚫) ..... 234
	<code>\twemoji{mountain}</code> (⛰️) .. 233	<code>\twemoji{nose}</code> (👃) .... 234
	<code>\twemoji{mouse face}</code> (🐭) 209	<code>\twemoji{notebook with decorative cover}</code> (📓) ..... 234
	<code>\twemoji{mouse trap}</code> (🐭) 233	
	<code>\twemoji{mouse2}</code> (🐭) .... 209	
	<code>\twemoji{mouth}</code> (👄) .... 233	
	<code>\twemoji{movie camera}</code> (🎥) . ..... 233	

<code>\twemoji{notebook}</code> (📓) .. 234	<code>\twemoji{otter}</code> (🦦) .... 209	<code>\twemoji{person bouncing ball}</code> (🏀) ..... 235
<code>\twemoji{nut and bolt}</code> (🔩) . ..... 234	<code>\twemoji{outbox tray}</code> (📧) 235	<code>\twemoji{person bowling}</code> (🎳) . ..... 235
<code>\twemoji{0 button (blood type)}</code> (📠) ..... 234	<code>\twemoji{owl}</code> (🦉) ..... 209	<code>\twemoji{person cartwheeling}</code> (🤸) ..... 235
<code>\twemoji{octopus}</code> (🐙) ... 209	<code>\twemoji{ox}</code> (🐮) ..... 209	<code>\twemoji{person climbing}</code> (🧗) ..... 235
<code>\twemoji{oden}</code> (🍱) .... 210	<code>\twemoji{oyster}</code> (🦪) .... 209	<code>\twemoji{person facepalming}</code> (🤦) ..... 235
<code>\twemoji{office building}</code> (🏢) ..... 234	<code>\twemoji{P button}</code> (⏏) .. 235	<code>\twemoji{person feeding baby}</code> (👶) ..... 235
<code>\twemoji{office worker}</code> (👔) . ..... 234	<code>\twemoji{package}</code> (📦) ... 235	<code>\twemoji{person fencing}</code> (🥋) ..... 235
<code>\twemoji{ogre}</code> (👹) .... 234	<code>\twemoji{page facing up}</code> (📄) ..... 235	<code>\twemoji{person frowning}</code> (☹) ..... 235
<code>\twemoji{oil drum}</code> (🛢) .. 234	<code>\twemoji{page with curl}</code> (📄) ..... 235	<code>\twemoji{person gesturing NO}</code> (🙅) ..... 235
<code>\twemoji{OK button}</code> (👌) . 234	<code>\twemoji{pager}</code> (📞) .... 235	<code>\twemoji{person gesturing OK}</code> (👌) ..... 235
<code>\twemoji{OK hand}</code> (👌) ... 234	<code>\twemoji{paintbrush}</code> (🖌) 235	<code>\twemoji{person getting haircut}</code> (💇) ..... 235
<code>\twemoji{old key}</code> (🗝) ... 234	<code>\twemoji{palm tree}</code> (🌴) . 235	<code>\twemoji{person getting massage}</code> (💆) ..... 235
<code>\twemoji{old man}</code> (👴) ... 234	<code>\twemoji{palms up together}</code> (🙌) ..... 235	<code>\twemoji{person golfing}</code> (🏌) (🏏) ..... 235
<code>\twemoji{old woman}</code> (👵) . 234	<code>\twemoji{pancakes}</code> (🥞) .. 210	<code>\twemoji{person in bed}</code> (🛏) . ..... 235
<code>\twemoji{older person}</code> (👴) . ..... 234	<code>\twemoji{panda}</code> (🐼) .... 209	<code>\twemoji{person in lotus position}</code> (🧘) ..... 235
<code>\twemoji{olive}</code> (🫒) .... 210	<code>\twemoji{paperclip}</code> (📎) . 235	<code>\twemoji{person in manual wheelchair}</code> (🦽) ..... 235
<code>\twemoji{om}</code> (👩) ..... 234	<code>\twemoji{parachute}</code> (🪂) . 235	<code>\twemoji{person in motorized wheelchair}</code> (🦼) ..... 236
<code>\twemoji{ON arrow}</code> (➡) .. 234	<code>\twemoji{parrot}</code> (🦜) .... 209	<code>\twemoji{person in steamy room}</code> (🧖) ..... 236
<code>\twemoji{oncoming automobile}</code> (🚗) ..... 203	<code>\twemoji{part alternation mark}</code> (↔) ..... 235	<code>\twemoji{person in suit levitating}</code> (🪄) ..... 236
<code>\twemoji{oncoming bus}</code> (🚌) . ..... 203	<code>\twemoji{party popper}</code> (🎉) . ..... 235	<code>\twemoji{person in tuxedo}</code> (👔) ..... 236
<code>\twemoji{oncoming fist}</code> (👊) . ..... 234	<code>\twemoji{partying face}</code> (🥳) . ..... 235	<code>\twemoji{person juggling}</code> (🤹) ..... 236
<code>\twemoji{oncoming police car}</code> (🚔) ..... 203	<code>\twemoji{passenger ship}</code> (🚢) ..... 203	<code>\twemoji{person kneeling}</code> (🧎) ..... 236
<code>\twemoji{oncoming taxi}</code> (🚕) . ..... 203	<code>\twemoji{passport control}</code> (🛂) ..... 203	<code>\twemoji{person lifting weights}</code> (🏋) ..... 236
<code>\twemoji{one o'clock}</code> (🕒) 208	<code>\twemoji{pause button}</code> (⏸) . ..... 235	<code>\twemoji{person mountain biking}</code> (🚵) ..... 203
<code>\twemoji{one-piece swimsuit}</code> (👙) ..... 234	<code>\twemoji{paw prints}</code> (🐾) 209	<code>\twemoji{person playing handball}</code> (🏐) ..... 236
<code>\twemoji{one-thirty}</code> (🕓) 208	<code>\twemoji{peace symbol}</code> (☮) . ..... 235	<code>\twemoji{person playing water polo}</code> (🏊) ..... 236
<code>\twemoji{onion}</code> (🧅) .... 210	<code>\twemoji{peach}</code> (🍑) .... 210	<code>\twemoji{person pouting}</code> (👤) ..... 236
<code>\twemoji{open book}</code> (📖) . 234	<code>\twemoji{peacock}</code> (🦚) ... 209	<code>\twemoji{person raising hand}</code> (🙋) ..... 236
<code>\twemoji{open file folder}</code> (📁) ..... 234	<code>\twemoji{peanuts}</code> (🥜) ... 210	<code>\twemoji{person rowing boat}</code> (🚣) ..... 203
<code>\twemoji{open hands}</code> (👐) 234	<code>\twemoji{pear}</code> (🍐) ..... 210	
<code>\twemoji{open mailbox with lowered flag}</code> (📧) ..... 234	<code>\twemoji{pencil}</code> (🖋) .... 235	
<code>\twemoji{open mailbox with raised flag}</code> (📧) ..... 234	<code>\twemoji{penguin}</code> (🐧) ... 209	
<code>\twemoji{Ophiuchus}</code> (♏) . 234	<code>\twemoji{pensive face}</code> (😞) . ..... 235	
<code>\twemoji{optical disk}</code> (💿) . ..... 235	<code>\twemoji{pen}</code> (🖋) ..... 235	
<code>\twemoji{orange book}</code> (📖) 235	<code>\twemoji{people holding hands}</code> (🤝) ..... 235	
<code>\twemoji{orange circle}</code> (🟠) . ..... 235	<code>\twemoji{people hugging}</code> (🤗) ..... 235	
<code>\twemoji{orange heart}</code> (❤) . ..... 235	<code>\twemoji{people with bunny ears}</code> (🐰) ..... 235	
<code>\twemoji{orange square}</code> (🟠) . ..... 235	<code>\twemoji{people wrestling}</code> (🤼) ..... 235	
<code>\twemoji{orangutan}</code> (🦧) . 209	<code>\twemoji{performing arts}</code> (🎭) ..... 235	
<code>\twemoji{orthodox cross}</code> (✙) (✚) ..... 235	<code>\twemoji{persevering face}</code> (😣) ..... 235	
	<code>\twemoji{person biking}</code> (🚲) . ..... 203	

<code>\twemoji{person running}</code> (🏃) . . . . . 236	<code>\twemoji{police car light}</code> (🚓) . . . . . 203	<code>\twemoji{raised fist}</code> (✊) 237
<code>\twemoji{person shrugging}</code> (🙄) . . . . . 236	<code>\twemoji{police car}</code> (🚓) 203	<code>\twemoji{raised hand}</code> (🙋) 237
<code>\twemoji{person standing}</code> (🧑) . . . . . 236	<code>\twemoji{police officer}</code> (👮) . . . . . 236	<code>\twemoji{raising hands}</code> (🙌) . . . . . 237
<code>\twemoji{person surfing}</code> (🏄) . . . . . 236	<code>\twemoji{poodle}</code> (🐩) . . . . . 209	<code>\twemoji{ram}</code> (🐏) . . . . . 209
<code>\twemoji{person swimming}</code> (🏊) . . . . . 236	<code>\twemoji{pool 8 ball}</code> (🎱) 236	<code>\twemoji{rat}</code> (🐀) . . . . . 209
<code>\twemoji{person taking bath}</code> (🛀) . . . . . 236	<code>\twemoji{popcorn}</code> (🍿) . . . . . 211	<code>\twemoji{razor}</code> (🪒) . . . . . 237
<code>\twemoji{person tipping hand}</code> (🙏) . . . . . 236	<code>\twemoji{post office}</code> (📮) 236	<code>\twemoji{receipt}</code> (🧾) . . . . . 237
<code>\twemoji{person walking}</code> (🚶) . . . . . 236	<code>\twemoji{postal horn}</code> (📯) 236	<code>\twemoji{record button}</code> (⏮) . . . . . 237
<code>\twemoji{person wearing turban}</code> (👤) . . . . . 236	<code>\twemoji{postbox}</code> (📪) . . . . . 236	<code>\twemoji{recycling symbol}</code> (♻️) . . . . . 237
<code>\twemoji{person with skullcap}</code> (👤) . . . . . 236	<code>\twemoji{pot of food}</code> (🍲) 211	<code>\twemoji{red apple}</code> (🍏) . 211
<code>\twemoji{person with veil}</code> (👤) . . . . . 236	<code>\twemoji{potable water}</code> (🚰) . . . . . 237	<code>\twemoji{red circle}</code> (🔴) 237
<code>\twemoji{person with white cane}</code> (🦯) . . . . . 236	<code>\twemoji{potato}</code> (🥔) . . . . . 211	<code>\twemoji{red envelope}</code> (📧) . . . . . 237
<code>\twemoji{petri dish}</code> (🧫) 236	<code>\twemoji{potted plant}</code> (🌱) . . . . . 237	<code>\twemoji{red exclamation mark}</code> (❗) . . . . . 237
<code>\twemoji{pickup truck}</code> (🚚) . . . . . 203	<code>\twemoji{poultry leg}</code> (🍗) 211	<code>\twemoji{red hair}</code> (👩) . . 237
<code>\twemoji{pick}</code> (🔪) . . . . . 236	<code>\twemoji{pound banknote}</code> (💷) . . . . . 237	<code>\twemoji{red heart}</code> (❤️) . 237
<code>\twemoji{pie}</code> (🥧) . . . . . 210	<code>\twemoji{pouting cat}</code> (😾) 237	<code>\twemoji{red paper lantern}</code> (🏮) . . . . . 237
<code>\twemoji{pig face}</code> (🐷) . . 209	<code>\twemoji{pouting face}</code> (😡) . . . . . 237	<code>\twemoji{red question mark}</code> (❓) . . . . . 237
<code>\twemoji{pig nose}</code> (🐷) . . 209	<code>\twemoji{prayer beads}</code> (📿) . . . . . 237	<code>\twemoji{red square}</code> (🟥) 237
<code>\twemoji{pig2}</code> (🐷) . . . . . 209	<code>\twemoji{pregnant woman}</code> (🤰) . . . . . 237	<code>\twemoji{red triangle pointed down}</code> (▼) . . . . . 237
<code>\twemoji{pile of poo}</code> (💩) 236	<code>\twemoji{pretzel}</code> (🥨) . . . 211	<code>\twemoji{red triangle pointed up}</code> (▲) . . . . . 237
<code>\twemoji{pill}</code> (💊) . . . . . 236	<code>\twemoji{princess}</code> (👸) . . 237	<code>\twemoji{registered}</code> (®) 237
<code>\twemoji{pilot}</code> (🛩️) . . . . . 236	<code>\twemoji{prince}</code> (🤴) . . . . 237	<code>\twemoji{relieved face}</code> (😌) . . . . . 237
<code>\twemoji{pinched fingers}</code> (🤞) . . . . . 236	<code>\twemoji{printer}</code> (🖨️) . . . 237	<code>\twemoji{reminder ribbon}</code> (🏷️) . . . . . 237
<code>\twemoji{pinching hand}</code> (🤏) . . . . . 236	<code>\twemoji{prohibited}</code> (🚫) 237	<code>\twemoji{repeat button}</code> (🔁) . . . . . 237
<code>\twemoji{pine decoration}</code> (🎄) . . . . . 236	<code>\twemoji{purple circle}</code> (🟪) . . . . . 237	<code>\twemoji{repeat single button}</code> (🔂) . . . . . 237
<code>\twemoji{pineapple}</code> (🍍) . 210	<code>\twemoji{purple heart}</code> (💜) . . . . . 237	<code>\twemoji{rescue worker's helmet}</code> (🛑) . . . . . 237
<code>\twemoji{ping pong}</code> (🏓) . 236	<code>\twemoji{purple square}</code> (🟪) . . . . . 237	<code>\twemoji{restroom}</code> (🚻) . . 237
<code>\twemoji{pirate flag}</code> (🏴‍☠️) 229	<code>\twemoji{purse}</code> (👛) . . . . 237	<code>\twemoji{reverse button}</code> (⏪) . . . . . 237
<code>\twemoji{Pisces}</code> (♓) . . . . 236	<code>\twemoji{pushpin}</code> (📌) . . . 237	<code>\twemoji{revolving hearts}</code> (💞) . . . . . 237
<code>\twemoji{pizza}</code> (🍕) . . . . 211	<code>\twemoji{puzzle piece}</code> (🧩) . . . . . 237	<code>\twemoji{rhinoceros}</code> (🦏) 209
<code>\twemoji{piñata}</code> (🎉) . . . . 236	<code>\twemoji{rabbit face}</code> (🐰) 209	<code>\twemoji{ribbon}</code> (🎀) . . . . 238
<code>\twemoji{placard}</code> (📜) . . . . 236	<code>\twemoji{rabbit2}</code> (🐩) . . . 209	<code>\twemoji{rice ball}</code> (🍙) . 211
<code>\twemoji{place of worship}</code> (🕌) . . . . . 236	<code>\twemoji{raccoon}</code> (🦝) . . . 209	<code>\twemoji{rice cracker}</code> (🍘) . . . . . 211
<code>\twemoji{play button}</code> (▶️) 236	<code>\twemoji{racehorse}</code> (🐎) . 209	<code>\twemoji{right anger bubble}</code> (😡) . . . . . 238
<code>\twemoji{play or pause button}</code> (⏮) . . . . . 236	<code>\twemoji{racing car}</code> (🏎️) 203	<code>\twemoji{right arrow curving down}</code> (↘️) . . . . . 238
<code>\twemoji{pleading face}</code> (🙏) . . . . . 236	<code>\twemoji{radio button}</code> (📻) . . . . . 237	<code>\twemoji{right arrow curving left}</code> (↶️) . . . . . 238
<code>\twemoji{plunger}</code> (🚰) . . . . 236	<code>\twemoji{radioactive}</code> (☢️) 237	<code>\twemoji{right arrow curving up}</code> (↷️) . . . . . 238
<code>\twemoji{plus}</code> (+) . . . . . 236	<code>\twemoji{radio}</code> (📻) . . . . 237	<code>\twemoji{right arrow}</code> (➡️) 238
<code>\twemoji{polar bear}</code> (🐻) 209	<code>\twemoji{railway car}</code> (🚆) 203	
	<code>\twemoji{railway track}</code> (🚦) . . . . . 203	
	<code>\twemoji{rainbow flag}</code> (🏳️) . . . . . 229	
	<code>\twemoji{rainbow}</code> (🌈) . . . 237	
	<code>\twemoji{raised back of hand}</code> (🙄) . . . . . 237	

<code>\twemoji{right-facing fist}</code> (👊) .....	238	<code>\twemoji{selfie}</code> (🤳) ....	238	<code>\twemoji{small blue diamond}</code> (💠) .....	239
<code>\twemoji{ringed planet}</code> (🪐) .	238	<code>\twemoji{service dog}</code> (🐕) 209		<code>\twemoji{small orange diamond}</code> (💠) .....	239
<code>\twemoji{ring}</code> (💍) .....	238	<code>\twemoji{seven o'clock}</code> (🕒) .	208	<code>\twemoji{smiling cat with heart-eyes}</code> (😸) .....	239
<code>\twemoji{roasted sweet potato}</code> (🍠) .....	211	<code>\twemoji{seven-thirty}</code> (🕒) .	208	<code>\twemoji{smiling face with halo}</code> (😇) .....	239
<code>\twemoji{robot}</code> (🤖) .....	238	<code>\twemoji{sewing needle}</code> (🪡) .	238	<code>\twemoji{smiling face with heart-eyes}</code> (😸) .....	239
<code>\twemoji{rocket}</code> (🚀) ....	203	<code>\twemoji{shallow pan of food}</code> (🥞) .....	211	<code>\twemoji{smiling face with hearts}</code> (😍) .....	239
<code>\twemoji{rock}</code> (🪨) .....	238	<code>\twemoji{shamrock}</code> (🍀) ..	238	<code>\twemoji{smiling face with horns}</code> (😶) .....	239
<code>\twemoji{roll of paper}</code> (📜) .	238	<code>\twemoji{shark}</code> (🦈) ....	209	<code>\twemoji{smiling face with smiling eyes}</code> (😊) .....	239
<code>\twemoji{rolled-up newspaper}</code> (📰) .....	238	<code>\twemoji{shaved ice}</code> (🍧) 211		<code>\twemoji{smiling face with sunglasses}</code> (😎) .....	239
<code>\twemoji{roller coaster}</code> (🎢)	238	<code>\twemoji{sheaf of rice}</code> (🍴) .	238	<code>\twemoji{smiling face with tear}</code> (😏) .....	239
<code>\twemoji{roller skate}</code> (🛼) .	203	<code>\twemoji{sheep}</code> (🐑) ....	209	<code>\twemoji{smiling face}</code> (😊) .	239
<code>\twemoji{rolling on the floor laughing}</code> (🤣) .....	238	<code>\twemoji{shield}</code> (🛡) ....	238	<code>\twemoji{smirking face}</code> (😏) .	239
<code>\twemoji{rooster}</code> (🐓) ...	209	<code>\twemoji{shinto shrine}</code> (⛩) .	238	<code>\twemoji{snail}</code> (🐌) ....	209
<code>\twemoji{rosette}</code> (🏆) ...	238	<code>\twemoji{ship}</code> (🚢) ....	204	<code>\twemoji{snake}</code> (🐍) ....	209
<code>\twemoji{rose}</code> (🌹) .....	238	<code>\twemoji{shooting star}</code> (🌠) .	238	<code>\twemoji{sneezing face}</code> (🤧) .	239
<code>\twemoji{round pushpin}</code> (📌) .	238	<code>\twemoji{shopping bags}</code> (🛍) .	238	<code>\twemoji{snow-capped mountain}</code> (🏔) .....	239
<code>\twemoji{rugby football}</code> (🏈)	238	<code>\twemoji{shopping cart}</code> (🛒) .	239	<code>\twemoji{snowboarder}</code> (🏂) 239	
<code>\twemoji{running shirt}</code> (👕) .	238	<code>\twemoji{shortcake}</code> (🍰) .	211	<code>\twemoji{snowflake}</code> (❄) .	239
<code>\twemoji{running shoe}</code> (👟) .	238	<code>\twemoji{shorts}</code> (🩳) ....	239	<code>\twemoji{snowman without snow}</code> (👶) .....	239
<code>\twemoji{sad but relieved face}</code> (😓) .....	238	<code>\twemoji{shower}</code> (🚿) ....	239	<code>\twemoji{snowman}</code> (👶) ...	239
<code>\twemoji{safety pin}</code> (📌) 238		<code>\twemoji{shrimp}</code> (🍤) ....	209	<code>\twemoji{soap}</code> (🧼) ....	239
<code>\twemoji{safety vest}</code> (🛖) 238		<code>\twemoji{shuffle tracks button}</code> (⏮) .....	239	<code>\twemoji{soccer ball}</code> (⚽) 239	
<code>\twemoji{Sagittarius}</code> (♐) 238		<code>\twemoji{shushing face}</code> (🤫) .	239	<code>\twemoji{socks}</code> (🧦) ....	239
<code>\twemoji{sailboat}</code> (🚤) ..	238	<code>\twemoji{sign of the horns}</code> (🖐) .....	239	<code>\twemoji{soft ice cream}</code> (🍦)	211
<code>\twemoji{sake}</code> (🍷) ....	211	<code>\twemoji{singer}</code> (🎤) ....	239	<code>\twemoji{softball}</code> (🏆) ..	239
<code>\twemoji{salt}</code> (🧂) ....	211	<code>\twemoji{six o'clock}</code> (🕒) 208		<code>\twemoji{soon arrow}</code> (👉) 239	
<code>\twemoji{sandwich}</code> (🥪) ..	211	<code>\twemoji{six-thirty}</code> (🕒) 208		<code>\twemoji{SOS button}</code> (🆘) 239	
<code>\twemoji{Santa Claus}</code> (🎅) 238		<code>\twemoji{skateboard}</code> (🛹) 204		<code>\twemoji{spade suit}</code> (♠) 195	
<code>\twemoji{sari}</code> (👗) ....	238	<code>\twemoji{skier}</code> (🏂) ....	239	<code>\twemoji{spaghetti}</code> (🍝) .	211
<code>\twemoji{satellite antenna}</code> (📡) .....	238	<code>\twemoji{skis}</code> (🎿) ....	239	<code>\twemoji{sparkler}</code> (🎆) ..	239
<code>\twemoji{sauropod}</code> (🦕) ..	209	<code>\twemoji{skull and crossbones}</code> (☠) .....	239	<code>\twemoji{sparkles}</code> (✨) ..	239
<code>\twemoji{saxophone}</code> (🎷) .	238	<code>\twemoji{skull}</code> (💀) ....	239	<code>\twemoji{sparkle}</code> (⚡) ...	239
<code>\twemoji{scarf}</code> (🧣) ....	238	<code>\twemoji{skunk}</code> (🦨) ....	209	<code>\twemoji{speaking heart}</code> (💬) .....	239
<code>\twemoji{school}</code> (🎓) ....	238	<code>\twemoji{sled}</code> (🛷) ....	204	<code>\twemoji{speak-no-evil monkey}</code> (🙈) .....	240
<code>\twemoji{scientist}</code> (🧑) .	238	<code>\twemoji{sleeping face}</code> (😴) .	239	<code>\twemoji{speaker high volume}</code> (🔊) .....	240
<code>\twemoji{scissors}</code> (✂) ..	238	<code>\twemoji{sleepy face}</code> (😪) 239		<code>\twemoji{speaker low volume}</code> (🔇) .....	240
<code>\twemoji{scorpion}</code> (♏) ..	209	<code>\twemoji{slightly frowning face}</code> (😞) .....	239	<code>\twemoji{speaker medium volume}</code> (🔊) .....	240
<code>\twemoji{scorpius}</code> (♏) ..	238	<code>\twemoji{slightly smiling face}</code> (😏) .....	239		
<code>\twemoji{screwdriver}</code> (🔩) 238		<code>\twemoji{slot machine}</code> (🎰) .	239		
<code>\twemoji{scroll}</code> (📜) ....	238	<code>\twemoji{sloth}</code> (🦥) ....	209		
<code>\twemoji{seal}</code> (🦭) ....	209	<code>\twemoji{small airplane}</code> (✈) (🛩)	204		
<code>\twemoji{seat}</code> (🪑) ....	238				
<code>\twemoji{see-no-evil monkey}</code> (🙈) .....	238				
<code>\twemoji{seedling}</code> (🌱) ..	238				

<code>\twemoji{speaking head}</code> (🗣️) . ..... 240	<code>\twemoji{sunrise over mountains}</code> (🌄) ..... 240	<code>\twemoji{ticket}</code> (🎫) .... 241
<code>\twemoji{speech balloon}</code> (💬) ..... 240	<code>\twemoji{sunrise}</code> (🌅) ... 240	<code>\twemoji{tiger face}</code> (🐅) 209
<code>\twemoji{speedboat}</code> (🚤) . 204	<code>\twemoji{sunset}</code> (🌇) .... 240	<code>\twemoji{tiger2}</code> (🐆) .... 210
<code>\twemoji{spider web}</code> (🕸️) 240	<code>\twemoji{sun}</code> (☀️) ..... 206	<code>\twemoji{timer clock}</code> (🕒) 208
<code>\twemoji{spider}</code> (🕷️) .... 240	<code>\twemoji{superhero}</code> (🦱) . 240	<code>\twemoji{tired face}</code> (😩) 241
<code>\twemoji{spiral calendar}</code> (📅) ..... 240	<code>\twemoji{supervillain}</code> (🦹) . ..... 240	<code>\twemoji{toilet}</code> (🚽) .... 241
<code>\twemoji{spiral notepad}</code> (📓) ..... 240	<code>\twemoji{sushi}</code> (🍣) .... 211	<code>\twemoji{Tokyo tower}</code> (🗼) 241
<code>\twemoji{spiral shell}</code> (🐚) . ..... 209	<code>\twemoji{suspension railway}</code> (🚂) ..... 204	<code>\twemoji{tomato}</code> (🍅) .... 211
<code>\twemoji{sponge}</code> (🧽) .... 240	<code>\twemoji{swan}</code> (🦢) ..... 209	<code>\twemoji{tongue}</code> (👅) .... 241
<code>\twemoji{spoon}</code> (🥄) .... 240	<code>\twemoji{sweat droplets}</code> (💧) ..... 240	<code>\twemoji{tooth}</code> (🦷) .... 241
<code>\twemoji{sport utility vehicle}</code> (🚙) ..... 204	<code>\twemoji{synagogue}</code> (🕌) . 240	<code>\twemoji{TOP arrow}</code> (📌) . 241
<code>\twemoji{sports medal}</code> (🏅) . ..... 240	<code>\twemoji{syringe}</code> (💉) ... 240	<code>\twemoji{top hat}</code> (🎩) ... 241
<code>\twemoji{spouting whale}</code> (🐳) ..... 209	<code>\twemoji{T-Rex}</code> (🦖) .... 209	<code>\twemoji{tornado}</code> (🌪️) ... 206
<code>\twemoji{squid}</code> (🐙) .... 209	<code>\twemoji{t-shirt}</code> (👕) ... 240	<code>\twemoji{trackball}</code> (🖱️) . 241
<code>\twemoji{squinting face with tongue}</code> (😝) ..... 240	<code>\twemoji{taco}</code> (🌮) ..... 211	<code>\twemoji{tractor}</code> (🚜) ... 204
<code>\twemoji{stadium}</code> (🏟️) ... 240	<code>\twemoji{takeout box}</code> (🍱) 211	<code>\twemoji{trade mark}</code> (™) 241
<code>\twemoji{star and crescent}</code> (🌙) ..... 240	<code>\twemoji{tamale}</code> (🌯) .... 211	<code>\twemoji{train2}</code> (🚆) .... 204
<code>\twemoji{star of David}</code> (✡️) . ..... 240	<code>\twemoji{tanabata tree}</code> (🌿) . ..... 240	<code>\twemoji{tram car}</code> (🚊) .. 204
<code>\twemoji{star-struck}</code> (😍) 240	<code>\twemoji{tangerine}</code> (🍊) . 211	<code>\twemoji{tram}</code> (🚝) ..... 204
<code>\twemoji{star}</code> (★) ..... 240	<code>\twemoji{taurus}</code> (♉️) .... 240	<code>\twemoji{transgender flag}</code> (🏳️‍⚧️) ..... 229
<code>\twemoji{station}</code> (🚉) ... 204	<code>\twemoji{taxi}</code> (🚕) ..... 204	<code>\twemoji{transgender symbol}</code> (🏳️‍⚧️) ..... 241
<code>\twemoji{Statue of Liberty}</code> (🗽) ..... 240	<code>\twemoji{teacher}</code> (👩) ... 240	<code>\twemoji{triangular flag}</code> (🚩) ..... 241
<code>\twemoji{steaming bowl}</code> (🍲) . ..... 211	<code>\twemoji{teacup without handle}</code> (🍵) ..... 211	<code>\twemoji{triangular ruler}</code> (📐) ..... 241
<code>\twemoji{stethoscope}</code> (🩺) 240	<code>\twemoji{teapot}</code> (🍵) .... 211	<code>\twemoji{trident emblem}</code> (🚰) ..... 241
<code>\twemoji{stop button}</code> (🛑) 240	<code>\twemoji{tear-off calendar}</code> (🗓️) ..... 240	<code>\twemoji{trolleybus}</code> (🚎) 204
<code>\twemoji{stop sign}</code> (🛑) . 240	<code>\twemoji{technologist}</code> (👩) . ..... 240	<code>\twemoji{trophy}</code> (🏆) .... 241
<code>\twemoji{stopwatch}</code> (⌚) . 208	<code>\twemoji{teddy bear}</code> (🧸) 240	<code>\twemoji{tropical drink}</code> (🍹) ..... 211
<code>\twemoji{straight ruler}</code> (📏) ..... 240	<code>\twemoji{telephone receiver}</code> (📞) ..... 241	<code>\twemoji{tropical fish}</code> (🐟) . ..... 210
<code>\twemoji{strawberry}</code> (🍓) 211	<code>\twemoji{telephone}</code> (☎️) . 240	<code>\twemoji{trumpet}</code> (🎺) ... 241
<code>\twemoji{student}</code> (🎒) ... 240	<code>\twemoji{telescope}</code> (🔭) . 241	<code>\twemoji{tulip}</code> (🌷) .... 241
<code>\twemoji{studio microphone}</code> (🎙️) ..... 240	<code>\twemoji{television}</code> (📺) 241	<code>\twemoji{tumbler glass}</code> (🍷) . ..... 211
<code>\twemoji{stuffed flatbread}</code> (🥙) ..... 211	<code>\twemoji{ten o'clock}</code> (🕒) 208	<code>\twemoji{turkey}</code> (🦃) .... 210
<code>\twemoji{sun behind cloud}</code> (☁️) ..... 206	<code>\twemoji{ten-thirty}</code> (🕒) 208	<code>\twemoji{turtle}</code> (🐢) .... 210
<code>\twemoji{sun behind large cloud}</code> (☁️) ..... 206	<code>\twemoji{tennis}</code> (🎾) .... 241	<code>\twemoji{twelve o'clock}</code> (🕒) ..... 208
<code>\twemoji{sun behind rain cloud}</code> (☁️) ..... 206	<code>\twemoji{tent}</code> (🏕️) ..... 241	<code>\twemoji{twelve-thirty}</code> (🕒) . ..... 208
<code>\twemoji{sun behind small cloud}</code> (☁️) ..... 206	<code>\twemoji{test tube}</code> (🧪) . 241	<code>\twemoji{two hearts}</code> (❤️) 241
<code>\twemoji{sun with face}</code> (☀️) . ..... 240	<code>\twemoji{thermometer}</code> (🌡️) 206	<code>\twemoji{two o'clock}</code> (🕒) 208
<code>\twemoji{sunflower}</code> (🌻) . 240	<code>\twemoji{thinking face}</code> (🤔) . ..... 241	<code>\twemoji{two-hump camel}</code> (🐫) ..... 210
	<code>\twemoji{thong sandal}</code> (🩴) . ..... 241	<code>\twemoji{two-thirty}</code> (🕒) 208
	<code>\twemoji{thought balloon}</code> (💭) ..... 241	<code>\twemoji{umbrella on ground}</code> (☂️) ..... 241
	<code>\twemoji{thread}</code> (🧵) .... 241	<code>\twemoji{umbrella with rain drops}</code> (☔) ..... 241
	<code>\twemoji{three o'clock}</code> (🕒) . ..... 208	<code>\twemoji{umbrella}</code> (☂️) .. 241
	<code>\twemoji{three-thirty}</code> (🕒) . ..... 208	<code>\twemoji{unamused face}</code> (😏) . ..... 241
	<code>\twemoji{thumbs down}</code> (👎) 241	
	<code>\twemoji{thumbs up}</code> (👍) . 241	

<code>\twemoji{unicorn}</code> (🦄) ... 210	<code>\twemoji{wheel of dharma}</code> (🌀) ..... 242	<code>\twemoji{woman detective}</code> (🕵️) ..... 243
<code>\twemoji{unlocked}</code> (🔓) .. 241	<code>\twemoji{wheelchair symbol}</code> (♿) ..... 242	<code>\twemoji{woman elf}</code> (🧝) . 243
<code>\twemoji{up arrow}</code> (⬆️) .. 241	<code>\twemoji{white cane}</code> (🦯) 242	<code>\twemoji{woman facepalming}</code> (🤦) ..... 243
<code>\twemoji{UP button}</code> (⬆️) . 241	<code>\twemoji{white circle}</code> (⦿) . ..... 242	<code>\twemoji{woman factory worker}</code> (🏭) ..... 243
<code>\twemoji{up-down arrow}</code> (↕️) . ..... 241	<code>\twemoji{white exclamation mark}</code> (❗) ..... 242	<code>\twemoji{woman fairy}</code> (🧚) 243
<code>\twemoji{up-left arrow}</code> (⬅️) . ..... 241	<code>\twemoji{white flag}</code> (🚩) 242	<code>\twemoji{woman farmer}</code> (👩) . ..... 243
<code>\twemoji{up-right arrow}</code> (➡️) ..... 241	<code>\twemoji{white flower}</code> (💮) . ..... 242	<code>\twemoji{woman feeding baby}</code> (👩) ..... 243
<code>\twemoji{upside-down face}</code> (🙄) ..... 241	<code>\twemoji{white hair}</code> (👱) 242	<code>\twemoji{woman firefighter}</code> (👩) ..... 243
<code>\twemoji{upwards button}</code> (⬆️) . ..... 241	<code>\twemoji{white heart}</code> (💞) 242	<code>\twemoji{woman frowning}</code> (🙄) ..... 243
<code>\twemoji{vampire}</code> (🧛) ... 241	<code>\twemoji{white large square}</code> (◼) ..... 242	<code>\twemoji{woman genie}</code> (🧞) 243
<code>\twemoji{vertical traffic light}</code> (🚦) ..... 204	<code>\twemoji{white medium square}</code> (◻) ..... 242	<code>\twemoji{woman gesturing NO}</code> (🙅) ..... 243
<code>\twemoji{vibration mode}</code> (📳) ..... 241	<code>\twemoji{white medium-small square}</code> (◻) ..... 242	<code>\twemoji{woman gesturing OK}</code> (🙆) ..... 243
<code>\twemoji{victory hand}</code> (✌️) . ..... 241	<code>\twemoji{white question mark}</code> (❓) ..... 243	<code>\twemoji{woman getting haircut}</code> (💇) ..... 243
<code>\twemoji{video camera}</code> (📹) . ..... 242	<code>\twemoji{white small square}</code> (◻) ..... 243	<code>\twemoji{woman getting massage}</code> (💆) ..... 243
<code>\twemoji{video game}</code> (🎮) 242	<code>\twemoji{white square button}</code> (◼) ..... 243	<code>\twemoji{woman golfing}</code> (🏌️) . ..... 243
<code>\twemoji{videocassette}</code> (📼) . ..... 242	<code>\twemoji{wilted flower}</code> (🥀) . ..... 243	<code>\twemoji{woman guard}</code> (👮) 243
<code>\twemoji{violin}</code> (🎻) .... 242	<code>\twemoji{wind chime}</code> (🎐) 243	<code>\twemoji{woman health worker}</code> (👩) ..... 243
<code>\twemoji{Virgo}</code> (♍) .... 242	<code>\twemoji{wind face}</code> (🌬️) . 206	<code>\twemoji{woman in lotus position}</code> (🧘) ..... 243
<code>\twemoji{volcano}</code> (🌋) ... 242	<code>\twemoji{window}</code> (🪟) .... 243	<code>\twemoji{woman in manual wheelchair}</code> (👩) ..... 243
<code>\twemoji{volleyball}</code> (🏐) 242	<code>\twemoji{wine glass}</code> (🍷) 211	<code>\twemoji{woman in motorized wheelchair}</code> (👩) ..... 243
<code>\twemoji{VS button}</code> (⚔️) . 242	<code>\twemoji{winking face with tongue}</code> (😜) ..... 243	<code>\twemoji{woman in room}</code> (👩) ..... 243
<code>\twemoji{vulcan salute}</code> (🖐️) . ..... 242	<code>\twemoji{winking face}</code> (😜) . ..... 243	<code>\twemoji{woman in tuxedo}</code> (👩) ..... 243
<code>\twemoji{waffle}</code> (🍩) .... 211	<code>\twemoji{wolf}</code> (🐺) .... 210	<code>\twemoji{woman judge}</code> (👩) 243
<code>\twemoji{waning crescent moon}</code> (🌘) ..... 217	<code>\twemoji{woman and man holding hands}</code> (👫) ..... 243	<code>\twemoji{woman juggling}</code> (🎪) ..... 243
<code>\twemoji{waning gibbous moon}</code> (🌘) ..... 217	<code>\twemoji{woman astronaut}</code> (👩) ..... 243	<code>\twemoji{woman kneeling}</code> (🧎) ..... 243
<code>\twemoji{warning}</code> (⚠️) ... 242	<code>\twemoji{woman biking}</code> (🚲) . ..... 204	<code>\twemoji{woman lifting weights}</code> (🏋️) ..... 244
<code>\twemoji{wastebasket}</code> (🗑️) 242	<code>\twemoji{woman bouncing ball}</code> (🏐) ..... 243	<code>\twemoji{woman mage}</code> (🧙) 244
<code>\twemoji{watch}</code> (🕒) .... 242	<code>\twemoji{woman bowing}</code> (🙇) . ..... 243	<code>\twemoji{woman mechanic}</code> (🔧) ..... 244
<code>\twemoji{water buffalo}</code> (🐃) . ..... 210	<code>\twemoji{woman cartwheeling}</code> (👯) ..... 243	<code>\twemoji{woman mountain biking}</code> (🚵) ..... 204
<code>\twemoji{water closet}</code> (🚽) . ..... 242	<code>\twemoji{woman climbing}</code> (🧗) . ..... 243	<code>\twemoji{woman office worker}</code> (👩) ..... 244
<code>\twemoji{water pistol}</code> (🔫) . ..... 242	<code>\twemoji{woman construction worker}</code> (👩) ..... 243	<code>\twemoji{woman pilot}</code> (👩) 244
<code>\twemoji{water wave}</code> (🌊) 242	<code>\twemoji{woman cook}</code> (👩) 243	<code>\twemoji{woman playing handball}</code> (🏐) ..... 244
<code>\twemoji{watermelon}</code> (🍉) 211	<code>\twemoji{woman dancing}</code> (💃) . ..... 243	<code>\twemoji{woman playing water polo}</code> (🏊) ..... 244
<code>\twemoji{waving hand}</code> (👋) 242		
<code>\twemoji{wavy dash}</code> (〰️) . 242		
<code>\twemoji{waxing crescent moon}</code> (🌘) ..... 217		
<code>\twemoji{waxing gibbous moon}</code> (🌘) ..... 217		
<code>\twemoji{weary cat}</code> (😩) . 242		
<code>\twemoji{weary face}</code> (😩) 242		
<code>\twemoji{wedding}</code> (💒) ... 242		
<code>\twemoji{whale2}</code> (🐳) .... 210		

<code>\twemoji{woman police officer}</code> (👮) . . . . . 244	<code>\twemoji{women with bunny ears}</code> (👧) . . . . . 244	<code>\twoheadnearrow</code> (↗) . . . . 81
<code>\twemoji{woman pouting}</code> (👄) . . . . . . 244	<code>\twemoji{women wrestling}</code> (👯) . . . . . 244	<code>\twoheadnwarrow</code> (↖) . . . . 84
<code>\twemoji{woman raising hand}</code> (🙋) . . . . . 244	<code>\twemoji{women’s room}</code> (🚺) . . . . . . 244	<code>\twoheadnwarrow</code> (↖) . . . . 81
<code>\twemoji{woman rowing boat}</code> (🚣) . . . . . 204	<code>\twemoji{wood}</code> (🌲) . . . . 244	<code>\twoheadrightarrow</code> (→) . . . . 78
<code>\twemoji{woman running}</code> (🏃) . . . . . . 244	<code>\twemoji{woozy face}</code> (😵) 244	<code>\twoheadrightarrow</code> (→) . . . . 89
<code>\twemoji{woman scientist}</code> (👩) . . . . . 244	<code>\twemoji{world map}</code> (🌐) . 244	<code>\twoheadrightarrow</code> (→) . . . . 84
<code>\twemoji{woman shrugging}</code> (🙄) . . . . . 244	<code>\twemoji{worm}</code> (🪱) . . . . 210	<code>\twoheadrightarrow</code> (→) . . . . 81
<code>\twemoji{woman singer}</code> (🎤) . . . . . . 244	<code>\twemoji{worried face}</code> (😟) . . . . . . 244	<code>\twoheadrightarrowtail</code> (↘) 92
<code>\twemoji{woman standing}</code> (🚶) . . . . . . 244	<code>\twemoji{wrapped gift}</code> (📦) . . . . . . 244	<code>\twoheadsearrow</code> (↘) . . . . 84
<code>\twemoji{woman student}</code> (👩) . . . . . . 244	<code>\twemoji{wrench}</code> (🔧) . . . . 244	<code>\twoheadsearrow</code> (↘) . . . . 81
<code>\twemoji{woman superhero}</code> (🦸) . . . . . 244	<code>\twemoji{writing hand}</code> (✍) . . . . . . 244	<code>\twoheadswarrow</code> (↙) . . . . 84
<code>\twemoji{woman supervillain}</code> (🦹) . . . . . 244	<code>\twemoji{yarn}</code> (🧶) . . . . 244	<code>\twoheadswarrow</code> (↙) . . . . 81
<code>\twemoji{woman surfing}</code> (🏄) . . . . . . 244	<code>\twemoji{yawning face}</code> (😪) . . . . . . 244	<code>\twoheaduparrow</code> (↑) . . . . 89
<code>\twemoji{woman swimming}</code> (🏊) . . . . . . 244	<code>\twemoji{yellow circle}</code> (🟡) . . . . . . 245	<code>\twoheaduparrow</code> (↑) . . . . 84
<code>\twemoji{woman teacher}</code> (👩) . . . . . . 244	<code>\twemoji{yellow heart}</code> (💛) . . . . . . 245	<code>\twoheaduparrow</code> (↑) . . . . 81
<code>\twemoji{woman technologist}</code> (👩) . . . . . 244	<code>\twemoji{yellow square}</code> (🟡) . . . . . . 245	<code>\twoheaduparrow</code> (↑) . . . . 92
<code>\twemoji{woman tipping hand}</code> (🙌) . . . . . 244	<code>\twemoji{yen banknote}</code> (💴) . . . . . . 245	<code>\twoheaduparrowcircle</code> (⤴) 92
<code>\twemoji{woman vampire}</code> (🧛) . . . . . . 244	<code>\twemoji{yin yang}</code> (☯) . . 245	<code>\twoheadwhiteuparrow</code> (⤴) . 89
<code>\twemoji{woman walking}</code> (🚶) . . . . . . 244	<code>\twemoji{yo-yo}</code> (🎮) . . . . 245	<code>\twoheadwhiteuparrowpedestal</code> (⤴) . . . . . 89
<code>\twemoji{woman wearing turban}</code> (👩) . . . . . 244	<code>\twemoji{zany face}</code> (🤪) . 245	<code>\twonotes</code> (🎵) . . . . . 174
<code>\twemoji{woman with headscarf}</code> (👩) . . . . . 244	<code>\twemoji{zebra}</code> (🦓) . . . . 210	<code>\twonotes</code> (🎵) . . . . . 174
<code>\twemoji{woman with veil}</code> (👩) . . . . . 244	<code>\twemoji{zipper-mouth face}</code> (👄) . . . . . 245	<code>txfonts</code> (package) . . . 31, 33, 45, 56, 68, 70, 79, 98, 102–104, 130, 134, 194, 277, 279, 293, 298, 299
<code>\twemoji{woman with white cane}</code> (🚶) . . . . . 244	<code>\twemoji{zombie}</code> (🧟) . . . . 245	<code>typelcm</code> (package) . . . . . 277
<code>\twemoji{woman zombie}</code> (🧟) . . . . . . 244	<code>\twemoji{zzz}</code> (💤) . . . . . 245	<code>\typecolon</code> (§) . . . . . 37
<code>\twemoji{woman’s boot}</code> (👢) . . . . . . 244	<code>twiddle</code> . . . . . <i>see</i> tilde	<code>Type 1</code> (font) . . . . . 290, 291
<code>\twemoji{woman’s clothes}</code> (👚) . . . . . 244	<code>two hearts</code> (♥) . . . . . 241	
<code>\twemoji{woman’s hat}</code> (👒) 244	<code>two o’clock</code> (🕒) . . . . . 208	
<code>\twemoji{woman’s sandal}</code> (👠) . . . . . . 244	<code>two-hump camel</code> (🐪) . . . . 210	
<code>\twemoji{woman}</code> (👩) . . . . 243	<code>two-thirty</code> (🕓) . . . . . 208	
<code>\twemoji{women holding hands}</code> (👯) . . . . . 244	<code>\twoBeamedQuavers</code> (🎵) . . 179	
	<code>\twocaps</code> (M) . . . . . 37	
	<code>\twocup</code> (W) . . . . . 37	
	<code>\twoheaddownarrow</code> (↓) . . . 89	
	<code>\twoheaddownarrow</code> (↓) . . . 84	
	<code>\twoheaddownarrow</code> (↓) . . . 81	
	<code>\twoheaddownarrow</code> (↓) . . . 92	
	<code>\twoheadleftarrow</code> (←) . . . 78	
	<code>\twoheadleftarrow</code> (←) . . . 89	
	<code>\twoheadleftarrow</code> (←) . . . 84	
	<code>\twoheadleftarrow</code> (←) . . . 81	
	<code>\twoheadleftarrow</code> (←) . . . 92	
	<code>\twoheadleftarrowtail</code> (↤) 92	
	<code>\twoheadleftdbkarrow</code> (↔) 92	
	<code>\twoheadmapsfrom</code> (↔) . . . 92	
	<code>\twoheadmapsto</code> (↦) . . . . 92	
	<code>\twoheadnearrow</code> (↗) . . . . 84	
		<code>U</code> (Λ) . . . . . 173
		<code>\U</code> (☹) . . . . . 25
		<code>\U</code> (☹) . . . . . 22
		<code>\U</code> (☹) . . . . . 22
		<code>\u</code> (☹) . . . . . 22
		<code>u</code> (N) . . . . . 173
		<code>\UA</code> (↑) . . . . . 141
		<code>\UArrow</code> (⤴) . . . . . 141
		<code>\UB</code> (↖) . . . . . 176
		<code>\ubar</code> (u) . . . . . 21
		<code>\ubarbbrevis</code> (u) . . . . . 214
		<code>\ubarbrevis</code> (u) . . . . . 214
		<code>\ubarsbrevis</code> (u) . . . . . 214
		<code>\ubrbrak</code> (u) . . . . . 132
		<code>\ubrevislonga</code> (u) . . . . . 214
		<code>ubulb.fd</code> (file) . . . . . 290
		<code>ucs</code> (package) . . . . . 296
		<code>\udesc</code> (u) . . . . . 21
		<code>udingbat.fd</code> (file) . . . . . 264
		<code>\udot</code> (·) . . . . . 34
		<code>\udotdot</code> (·) . . . . . 35, 126
		<code>\udotdot</code> (·) . . . . . 34, 126
		<code>\udots</code> (·) . . . . . 126
		<code>\udots</code> (·) . . . . . 126
		<code>\udtimes</code> (x) . . . . . 38
		<code>\UHORN</code> (U) . . . . . 17
		<code>\uhorn</code> (u) . . . . . 17

<code>\ularc</code> ( $\frown$ )	132	<code>\underleftbroom</code> ( $\underleftarrow{\text{■}}$ )	123	<code>\underscriptleftrightarrow</code>	
<code>\ulblacktriangle</code> ( $\blacktriangledown$ )	158	<code>\underleftflutteringbat</code> ( $\underleftarrow{\text{■}}_{\text{~}}^{\text{~}}$ )	124	( $\underscriptleftarrow{\text{■}}$ )	123
<code>\ulcorner</code> ( $\ulcorner$ )	106			<code>\underscriptrightarrow</code> ( $\underscriptrightarrow{\text{■}}$ )	123
<code>\ulcorner</code> ( $\ulcorner$ )	106	<code>\underleftharp</code> ( $\underleftarrow{\text{■}}$ )	94	<code>\underset</code>	281
<code>\ulcorner</code> ( $\ulcorner$ )	106	<code>\underleftharpharpoon</code> ( $\underleftarrow{\text{■}}$ )	119	<code>undertilde</code> (package)	120, 298, 299
<code>\ulcorner</code> ( $\ulcorner$ )	110	<code>\underleftpitchfork</code> ( $\underleftarrow{\text{■}}$ )	123	<code>\undertilde</code> ( $\sim$ )	26
<code>\ulcorner</code> ( $\ulcorner$ )	109	<code>\underleftrightarrow</code> ( $\underleftarrow{\text{■}}$ )	119	<code>\underwedge</code> ( $\wedge$ )	26
<code>\ulcorner</code> ( $\ulcorner$ )	107	<code>\underleftrightarrow</code> ( $\underleftarrow{\text{■}}$ )	95, 118	Unicode	13, 215, 294–297
<code>\ullcorner</code> ( $\ullcorner$ )	110	<code>\underleftswishingghost</code> ( $\underleftarrow{\text{■}}$ )	124	unicorn ( $\unicor$ )	210
<code>\ullcorner</code> ( $\ullcorner$ )	109	<code>\underleftwitchonbroom</code> ( $\underleftarrow{\text{■}}$ )	124	union	<i>see</i> <code>\cup</code>
<code>\ulrcorner</code> ( $\ulrcorner$ )	110	<code>\underleftwitchonbroom*</code> ( $\underleftarrow{\text{■}}$ )	124	unit disk (ID)	<i>see</i> alphabets, math
<code>\ulrcorner</code> ( $\ulrcorner$ )	109	<code>\underleftwitchonpitchfork</code> ( $\underleftarrow{\text{■}}$ )	124	<code>\unitedpawns</code> ( $\infty$ )	199
<code>ulsy</code> (package)	38, 98, 280, 298	<code>\underleftwitchonpitchfork*</code> ( $\underleftarrow{\text{■}}$ )	124	<code>units</code> (package)	133
<code>\ultriangle</code> ( $\blacktriangledown$ )	158	<code>underline</code>	15, 31, 117, 121	<code>unity</code> (1)	<i>see</i> alphabets, math
<code>umbrella</code> ( $\umbrella$ )	241	<code>\underline</code> ( $\underline{\text{■}}$ )	117	<code>universa</code> (package)	160, 205, 298, 299
<code>umbrella on ground</code> ( $\umbrella$ )	241	<code>\underline</code> ( $\underline{\text{■}}$ )	118	<code>\unlhd</code> ( $\unlhd$ )	32, 33
<code>umbrella with rain drops</code> ( $\umbrella$ )	241	<code>\underline</code> ( $\underline{\text{■}}$ )	118	<code>\unlhd</code> ( $\unlhd$ )	74
<code>\Umd</code> ( $\Umd$ )	178	<code>\underline</code> ( $\underline{\text{■}}$ )	118	<code>\unlhd</code> ( $\unlhd$ )	72, 76
<code>\uminus</code> ( $\ominus$ )	37	<code>\underparen</code> ( $\underparen{\text{■}}$ )	119	<code>\unlhd</code> ( $\unlhd$ )	37
<code>umlaut</code> ( $\u$ )	<i>see</i> accents	<code>\underparenthesis</code> ( $\underparenthesis{\text{■}}$ )	286, 287	<code>unlocked</code> ( $\unlocked$ )	241
<code>umranda</code> (package)	261, 262, 298	<code>\underrightarrow</code> ( $\underrightarrow{\text{■}}$ )	119	<code>\unrhd</code> ( $\unrhd$ )	32, 33
<code>umrandb</code> (package)	262, 263, 298	<code>\underrightarrow</code> ( $\underrightarrow{\text{■}}$ )	95, 118	<code>\unrhd</code> ( $\unrhd$ )	74
<code>unamused face</code> ( $\unamused face$ )	241	<code>\underrightbroom</code> ( $\underrightarrow{\text{■}}$ )	123	<code>\unrhd</code> ( $\unrhd$ )	72, 76
<code>unary operators</code>	31	<code>\underrightflutteringbat</code> ( $\underrightarrow{\text{■}}$ )	124	<code>\unrhd</code> ( $\unrhd$ )	37
<code>\unclear</code> ( $\infty$ )	199	<code>\underrightharp</code> ( $\underrightarrow{\text{■}}$ )	94	<code>up arrow</code> ( $\uparrow$ )	241
<code>\underaccent</code>	286	<code>\underrightharpharpoon</code> ( $\underrightarrow{\text{■}}$ )	119	UP button ( $\uparrow$ )	241
<code>\underarc</code> ( $\underarc$ )	25	<code>\underrightpitchfork</code> ( $\underrightarrow{\text{■}}$ )	123	<code>up-down arrow</code> ( $\updownarrow$ )	241
<code>\underarch</code> ( $\underarch$ )	24	<code>\underrightswishingghost</code> ( $\underrightarrow{\text{■}}$ )	124	<code>up-left arrow</code> ( $\uparrow$ )	241
<code>\underbat</code> ( $\underbat$ )	116	<code>\underrightwitchonbroom</code> ( $\underrightarrow{\text{■}}$ )	124	<code>up-right arrow</code> ( $\uparrow$ )	241
<code>\underbat*</code> ( $\underbat*$ )	116	<code>\underrightwitchonbroom*</code> ( $\underrightarrow{\text{■}}$ )	124	<code>\upalpha</code> ( $\alpha$ )	102
<code>\underbrace</code> ( $\underbrace{\text{■}}$ )	119	<code>\underrightwitchonpitchfork</code> ( $\underrightarrow{\text{■}}$ )	124	<code>\upand</code> ( $\upand$ )	37
<code>\underbrace</code> ( $\underbrace{\text{■}}$ )	118	<code>\underrightwitchonpitchfork*</code> ( $\underrightarrow{\text{■}}$ )	124	<code>\UParrow</code> ( $\Uparrow$ )	202
<code>\underbrace</code> ( $\underbrace{\text{■}}$ )	118	<code>\underrightwitchonpitchfork*</code> ( $\underrightarrow{\text{■}}$ )	124	<code>\Uparrow</code> ( $\Uparrow$ )	78, 107
<code>\underbrace</code> ( $\underbrace{\text{■}}$ )	119	<code>\underring</code> ( $\underring$ )	26	<code>\Uparrow</code> ( $\Uparrow$ )	84
<code>\underbrace</code> ( $\underbrace{\text{■}}$ )	117	<code>underscore</code>	<i>see</i> underline	<code>\Uparrow</code> ( $\Uparrow$ )	110
<code>\underbracket</code> ( $\underbracket{\text{■}}$ )	119	<code>underscore</code> (package)	15	<code>\Uparrow</code> ( $\Uparrow$ )	81
<code>\underbracket</code> ( $\underbracket{\text{■}}$ )	119	<code>\underscriptleftarrow</code> ( $\underscriptleftarrow{\text{■}}$ )	123	<code>\Uparrow</code> ( $\Uparrow$ )	92
<code>\underbracket</code> ( $\underbracket{\text{■}}$ )	286, 287			<code>\Uparrow</code> ( $\Uparrow$ )	111
<code>\underdotted</code> ( $\underdotted$ )	26			<code>\uparrow</code> ( $\uparrow$ )	78, 107, 277
<code>\undergroup</code> ( $\undergroup$ )	119			<code>\uparrow</code> ( $\uparrow$ )	110
<code>\undergroup</code> ( $\undergroup$ )	118			<code>\uparrow</code> ( $\uparrow$ )	84
<code>\undergroup</code> ( $\undergroup$ )	118			<code>\uparrow</code> ( $\uparrow$ )	81
<code>\underleftarrow</code> ( $\underleftarrow{\text{■}}$ )	119			<code>\uparrow</code> ( $\uparrow$ )	95
<code>\underleftarrow</code> ( $\underleftarrow{\text{■}}$ )	95, 118			<code>\uparrow</code> ( $\uparrow$ )	111



<code>\upbackepsilon</code> ( $\varepsilon$ )	103	<code>\Updownline</code> ( $\Downarrow$ )	58	<code>\upmu</code> ( $\mu$ )	102
<code>\upbar</code>	24	<code>\updownline</code> ( $\Uparrow$ )	58	<code>\upnu</code> ( $\nu$ )	102
<code>\upbeta</code> ( $\beta$ )	102	<code>\updownsquigarrow</code> ( $\Updownarrow$ )	86	<code>\Upomega</code> ( $\Omega$ )	102
<code>\upbkarrow</code> ( $\Uparrow$ )	85	<code>\updownwavearrow</code> ( $\Updownarrow$ )	85	<code>\upomega</code> ( $\omega$ )	102
<code>\upblackarrow</code> ( $\Uparrow$ )	89	<code>\updownwhitearrow</code> ( $\Updownarrow$ )	89	<code>\upp</code> ( $\wedge$ )	26
<code>\upblackspoon</code> ( $\Uparrow$ )	97	<code>\upepsilon</code> ( $\epsilon$ )	102	<code>\upparenthfill</code>	287
<code>\upbow</code> ( $\Uparrow$ )	176	<code>\upeta</code> ( $\eta$ )	102	<code>\Upphi</code> ( $\Phi$ )	102
<code>\upbowtie</code> ( $\Uparrow$ )	35, 36	<code>\upfilledspoon</code> ( $\Uparrow$ )	96	<code>\upphi</code> ( $\phi$ )	102
<code>\upbracketfill</code>	287	<code>\upfishtail</code> ( $\Uparrow$ )	64	<code>\Uppi</code> ( $\Pi$ )	102
<code>\upchi</code> ( $\chi$ )	102	<code>\upfootline</code> ( $\Uparrow$ )	58	<code>\uppi</code> ( $\pi$ )	102
<code>\updasharrow</code> ( $\Uparrow$ )	89	<code>\upfree</code> ( $\Uparrow$ )	58	<code>\uppitchfork</code> ( $\Uparrow$ )	98
<code>\updasharrow</code> ( $\Uparrow$ )	92	<code>\Upgamma</code> ( $\Gamma$ )	102	<code>\uppitchfork</code> ( $\Uparrow$ )	96
<code>\Updelta</code> ( $\Delta$ )	102	<code>\upgamma</code> ( $\gamma$ )	102	<code>\uppropto</code> ( $\propto$ )	58
<code>\updelta</code> ( $\delta$ )	102	<code>upgreek</code> (package)	17, 102, 298, 299	<code>\Upsi</code> ( $\Psi$ )	102
<code>\Updownarrow</code> ( $\Updownarrow$ )	78, 107	<code>\upharpoonccw</code> ( $\Uparrow$ )	83	<code>\uppsi</code> ( $\psi$ )	102
<code>\Updownarrow</code> ( $\Updownarrow$ )	85	<code>\upharpooncw</code> ( $\Uparrow$ )	83	<code>upquote</code> (package)	293
<code>\Updownarrow</code> ( $\Updownarrow$ )	110	<code>\upharpoonleft</code> ( $\Uparrow$ )	80	<code>\uprcurvearrow</code> ( $\Uparrow$ )	86
<code>\Updownarrow</code> ( $\Updownarrow$ )	81	<code>\upharpoonleft</code> ( $\Uparrow$ )	79	<code>\uprho</code> ( $\rho$ )	102
<code>\Updownarrow</code> ( $\Updownarrow$ )	92	<code>\upharpoonleft</code> ( $\Uparrow$ )	90	<code>upright Greek letters</code>	17, 102
<code>\Updownarrow</code> ( $\Updownarrow$ )	111	<code>\upharpoonleft</code> ( $\Uparrow$ )	88	<code>\uprightcurvearrow</code> ( $\Uparrow$ )	86
<code>\updownarrow</code> ( $\Updownarrow$ )	78, 107	<code>\upharpoonleft</code> ( $\Uparrow$ )	93	<code>\uprightcurvearrow</code> ( $\Uparrow$ )	92
<code>\updownarrow</code> ( $\Updownarrow$ )	110	<code>\upharpoonleftbar</code> ( $\Uparrow$ )	93	<code>\uprsquigarrow</code> ( $\Uparrow$ )	86
<code>\updownarrow</code> ( $\Updownarrow$ )	85	<code>\upharpoonright</code> ( $\Uparrow$ )	80	<code>\uprsquigarrow</code> ( $\Uparrow$ )	81
<code>\updownarrow</code> ( $\Updownarrow$ )	81	<code>\upharpoonright</code> ( $\Uparrow$ )	79	<code>upside-down symbols</code>	292–293
<code>\updownarrow</code> ( $\Updownarrow$ )	95	<code>\upharpoonright</code> ( $\Uparrow$ )	90	<code>upside-down face</code> ( $\Downarrow$ )	241
<code>\updownarrow</code> ( $\Updownarrow$ )	111	<code>\upharpoonright</code> ( $\Uparrow$ )	88	<code>upside-down symbols</code>	18–21, 25, 280
<code>\updownarrow</code> ( $\Updownarrow$ )	92	<code>\upharpoonright</code> ( $\Uparrow$ )	93, 94	<code>\Upsigma</code> ( $\Sigma$ )	102
<code>\updownarrowbar</code> ( $\Uparrow$ )	89	<code>\upharpoonrightbar</code> ( $\Uparrow$ )	94	<code>\upsigma</code> ( $\sigma$ )	102
<code>\updownarrowbar</code> ( $\Uparrow$ )	92	<code>\upharpoonsleftright</code> ( $\Updownarrow$ )	94	<code>\Upsilon</code> ( $\Upsilon$ )	101
<code>\updownarrows</code> ( $\Updownarrow$ )	79	<code>\upin</code> ( $\Uparrow$ )	64	<code>\upsilon</code> ( $\upsilon$ )	101
<code>\updownarrows</code> ( $\Updownarrow$ )	85	<code>upint</code> (stix package option)	42, 43, 50, 52	<code>\Upsilonmeson</code> ( $\Upsilon$ )	145
<code>\updownarrows</code> ( $\Updownarrow$ )	81	<code>\upint</code> ( $\int$ )	53	<code>\upsilonup</code> ( $\upsilon$ )	102
<code>\updownarrows</code> ( $\Updownarrow$ )	92	<code>\upint</code> ( $\int$ )	50	<code>\upslice</code> ( $\Delta$ )	39
<code>\updownblackarrow</code> ( $\Uparrow$ )	89	<code>\upintsl</code> ( $\int$ )	52	<code>\upspoon</code> ( $\Uparrow$ )	97
<code>\updowncurvearrow</code> ( $\Uparrow$ )	86	<code>\upintup</code> ( $\int$ )	52	<code>\upspoon</code> ( $\Uparrow$ )	96
<code>\updownharpoonleftleft</code> ( $\Uparrow$ )	93	<code>\upiota</code> ( $\iota$ )	102	<code>\upt</code> ( $\perp$ )	26
<code>\updownharpoonleftright</code> ( $\Uparrow$ )	88	<code>\upkappa</code> ( $\kappa$ )	102	<code>\uptau</code> ( $\tau$ )	102
<code>\updownharpoonleftright</code> ( $\Uparrow$ )	83	<code>\Uplambda</code> ( $\Lambda$ )	102	<code>\uptherefore</code> ( $\therefore$ )	126
<code>\updownharpoonleftright</code> ( $\Uparrow$ )	93	<code>\uplambda</code> ( $\lambda$ )	102	<code>\uptherefore</code> ( $\therefore$ )	34, 126
<code>\updownharpoonrightleft</code> ( $\Uparrow$ )	83	<code>\uplcurvearrow</code> ( $\Uparrow$ )	86	<code>\Upttheta</code> ( $\Theta$ )	102
<code>\updownharpoonrightleft</code> ( $\Uparrow$ )	93	<code>\upleftcurvedarrow</code> ( $\Uparrow$ )	86	<code>\upttheta</code> ( $\theta$ )	102
<code>\updownharpoonrightright</code> ( $\Uparrow$ )	93	<code>\uplett</code>	24	<code>\uptodownarrow</code> ( $\Omega$ )	79
<code>\updownharpoons</code> ( $\Updownarrow$ )	80	<code>\upletsquigarrow</code> ( $\Uparrow$ )	86	<code>\uptodownarrow</code> ( $\Omega$ )	89
<code>\updownharpoons</code> ( $\Updownarrow$ )	88	<code>\upletsquigarrow</code> ( $\Uparrow$ )	81	<code>\upuparrows</code> ( $\Uparrow$ )	79
<code>\updownharpoons</code> ( $\Updownarrow$ )	83	<code>\upplus</code> ( $\oplus$ )	34	<code>\upuparrows</code> ( $\Uparrow$ )	78
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	88	<code>\upplus</code> ( $\oplus$ )	32	<code>\upuparrows</code> ( $\Uparrow$ )	89
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	88	<code>\upplus</code> ( $\oplus$ )	36	<code>\upuparrows</code> ( $\Uparrow$ )	85
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	93	<code>\upplus</code> ( $\oplus$ )	36	<code>\upuparrows</code> ( $\Uparrow$ )	81
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	80	<code>\upplus</code> ( $\oplus$ )	35	<code>\upuparrows</code> ( $\Uparrow$ )	92
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	88	<code>\upplus</code> ( $\oplus$ )	37	<code>\upupharpoons</code> ( $\Updownarrow$ )	80
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	83	<code>\Upmapsto</code> ( $\Updownarrow$ )	85	<code>\Upupsilon</code> ( $\Upsilon$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	88	<code>\upmapsto</code> ( $\Uparrow$ )	85	<code>\upupsilon</code> ( $\upsilon$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	83	<code>\upmapsto</code> ( $\Uparrow$ )	81	<code>\upvarepsilonpsilon</code> ( $\epsilon$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	88	<code>\upModels</code> ( $\underline{\Uparrow}$ )	58	<code>\upvarphi</code> ( $\varphi$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	93	<code>\upmodels</code> ( $\underline{\Uparrow}$ )	60	<code>\upvarpi</code> ( $\varpi$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	93	<code>\upmodels</code> ( $\underline{\Uparrow}$ )	58	<code>\upvarrho</code> ( $\varrho$ )	102
<code>\updownharpoonsleftright</code> ( $\Updownarrow$ )	93			<code>\upvarsigma</code> ( $\sigma$ )	102
				<code>\upvartheta</code> ( $\vartheta$ )	102

<code>\upVDash</code> ( $\perp\!\!\!\perp$ )	60	<code>\usym{2646}</code> ( $\Psi$ )	139	<code>\usym{2722}</code> ( $\oplus$ )	152
<code>\upVdash</code> ( $\perp$ )	60	<code>\usym{2647}</code> ( $\mathcal{P}$ )	139	<code>\usym{2723}</code> ( $\oplus$ )	152
<code>\upVdash</code> ( $\perp$ )	58	<code>\usym{2648}</code> ( $\Upsilon$ )	139	<code>\usym{2724}</code> ( $\oplus$ )	152
<code>\upvDash</code> ( $\perp\!\!\!\perp$ )	60	<code>\usym{2649}</code> ( $\mathcal{O}$ )	139	<code>\usym{2725}</code> ( $\oplus$ )	152
<code>\upvdash</code> ( $\perp$ )	60	<code>\usym{2650}</code> ( $\mathcal{X}$ )	139	<code>\usym{2726}</code> ( $\diamond$ )	155
<code>\upvdash</code> ( $\perp$ )	58	<code>\usym{2651}</code> ( $\mathcal{Y}$ )	139	<code>\usym{2727}</code> ( $\diamond$ )	155
upwards button ( $\blacktriangle$ )	241	<code>\usym{2652}</code> ( $\mathcal{Z}$ )	139	<code>\usym{2728}</code> ( $\heartsuit$ )	155
<code>\upwvearrow</code> ( $\dagger$ )	85	<code>\usym{2653}</code> ( $\mathcal{H}$ )	139	<code>\usym{2729}</code> ( $\star$ )	155
<code>\upwhitearrow</code> ( $\dagger$ )	89	<code>\usym{2654}</code> ( $\clubsuit$ )	199	<code>\usym{2730}</code> ( $\star$ )	155
<code>\upwhitearrow</code> ( $\dagger$ )	92	<code>\usym{2655}</code> ( $\clubsuit$ )	199	<code>\usym{2731}</code> ( $\star$ )	155
<code>\Upxi</code> ( $\Xi$ )	102	<code>\usym{2656}</code> ( $\mathcal{I}$ )	199	<code>\usym{2732}</code> ( $\star$ )	155
<code>\upxi</code> ( $\xi$ )	102	<code>\usym{2657}</code> ( $\clubsuit$ )	199	<code>\usym{2733}</code> ( $\star$ )	155
<code>\upY</code> ( $\lambda$ )	35	<code>\usym{2658}</code> ( $\clubsuit$ )	199	<code>\usym{2734}</code> ( $\star$ )	155
<code>\upY</code> ( $\lambda$ )	34	<code>\usym{2659}</code> ( $\clubsuit$ )	199	<code>\usym{2735}</code> ( $\star$ )	155
<code>\upzeta</code> ( $\zeta$ )	102	<code>\usym{2660}</code> ( $\clubsuit$ )	195	<code>\usym{2736}</code> ( $\star$ )	155
<code>\Uranus</code> ( $\delta$ )	138	<code>\usym{2661}</code> ( $\heartsuit$ )	195	<code>\usym{2737}</code> ( $\star$ )	155
<code>\Uranus</code> ( $\mathcal{O}$ )	140	<code>\usym{2662}</code> ( $\diamond$ )	195	<code>\usym{2738}</code> ( $\star$ )	155
<code>\Uranus</code> ( $\mathcal{O}$ )	138	<code>\usym{2663}</code> ( $\clubsuit$ )	195	<code>\usym{2739}</code> ( $\star$ )	155
<code>\uranus</code> ( $\delta$ )	137	<code>\usym{2664}</code> ( $\clubsuit$ )	195	<code>\usym{2740}</code> ( $\clubsuit$ )	155
<code>\urarc</code> ( $\curvearrowright$ )	132	<code>\usym{2665}</code> ( $\heartsuit$ )	195	<code>\usym{2741}</code> ( $\clubsuit$ )	155
<code>\urblacktriangle</code> ( $\blacktriangledown$ )	158	<code>\usym{2666}</code> ( $\diamond$ )	195	<code>\usym{2742}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	106	<code>\usym{2667}</code> ( $\clubsuit$ )	195	<code>\usym{2743}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	106	<code>\usym{2669}</code> ( $\mathcal{J}$ )	175	<code>\usym{2744}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	106	<code>\usym{2672}</code> ( $\clubsuit$ )	217	<code>\usym{2745}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	110	<code>\usym{2673}</code> ( $\clubsuit$ )	217	<code>\usym{2746}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	109	<code>\usym{2674}</code> ( $\clubsuit$ )	217	<code>\usym{2747}</code> ( $\clubsuit$ )	155
<code>\urcorner</code> ( $\lrcorner$ )	107	<code>\usym{2675}</code> ( $\clubsuit$ )	217	<code>\usym{2748}</code> ( $\clubsuit$ )	155
<code>url</code> (package)	293	<code>\usym{2676}</code> ( $\clubsuit$ )	217	<code>\usym{2749}</code> ( $\clubsuit$ )	155
<code>\urtriangle</code> ( $\nabla$ )	158	<code>\usym{2677}</code> ( $\clubsuit$ )	217	<code>\usym{2750}</code> ( $\square$ )	163
<code>urwchancal</code> (package)	134, 298	<code>\usym{2678}</code> ( $\clubsuit$ )	217	<code>\usym{2751}</code> ( $\square$ )	163
<code>\US</code> ( $\_$ )	141, 142	<code>\usym{2679}</code> ( $\clubsuit$ )	217	<code>\usym{2752}</code> ( $\square$ )	163
<code>\US</code> ( $\_$ )	142	<code>\usym{2680}</code> ( $\square$ )	197	<code>\usym{2753}</code> ( $?$ )	163
<code>\usepackage</code>	13	<code>\usym{2681}</code> ( $\square$ )	197	<code>\usym{2754}</code> ( $?$ )	163
<code>\usf</code> ( $\frown$ )	176	<code>\usym{2682}</code> ( $\square$ )	197	<code>\usym{2755}</code> ( $\mathcal{V}$ )	163
<code>\usfz</code> ( $\frown$ )	176	<code>\usym{2683}</code> ( $\square$ )	197	<code>\usym{2756}</code> ( $\diamond$ )	163
<code>ushort</code> (package)	121, 298, 299	<code>\usym{2684}</code> ( $\square$ )	197	<code>\usym{2757}</code> ( $!$ )	163
<code>\ushort</code> ( $\blacksquare$ )	121	<code>\usym{2685}</code> ( $\square$ )	197	<code>\usym{2758}</code> ( $!$ )	163
<code>\ushortdw</code> ( $\blacksquare$ )	121	<code>\usym{2700}</code> ( $\times$ )	149	<code>\usym{2759}</code> ( $!$ )	163
<code>\ushortw</code> ( $\blacksquare$ )	121	<code>\usym{2701}</code> ( $\times$ )	149	<code>\usym{2760}</code> ( $\heartsuit$ )	163
<code>\usym</code>	139, 143, 148–155, 161, 163, 175, 195–199, 202, 203, 206, 207, 217, 231, 247–250	<code>\usym{2702}</code> ( $\times$ )	149	<code>\usym{2761}</code> ( $\heartsuit$ )	163
<code>\usym{2605}</code> ( $\star$ )	155	<code>\usym{2703}</code> ( $\times$ )	149	<code>\usym{2762}</code> ( $\heartsuit$ )	163
<code>\usym{2606}</code> ( $\star$ )	155	<code>\usym{2704}</code> ( $\times$ )	149	<code>\usym{2763}</code> ( $\heartsuit$ )	163
<code>\usym{2609}</code> ( $\odot$ )	139	<code>\usym{2705}</code> ( $\checkmark$ )	153	<code>\usym{2764}</code> ( $\heartsuit$ )	163
<code>\usym{2610}</code> ( $\square$ )	153	<code>\usym{2706}</code> ( $\odot$ )	163	<code>\usym{2765}</code> ( $\heartsuit$ )	163
<code>\usym{2611}</code> ( $\boxtimes$ )	153	<code>\usym{2707}</code> ( $\odot$ )	163	<code>\usym{2766}</code> ( $\heartsuit$ )	163
<code>\usym{2612}</code> ( $\boxtimes$ )	153	<code>\usym{2708}</code> ( $\heartsuit$ )	163	<code>\usym{2767}</code> ( $\heartsuit$ )	163
<code>\usym{2613}</code> ( $\times$ )	153	<code>\usym{2709}</code> ( $\boxtimes$ )	163	<code>\usym{2768}</code> ( $\heartsuit$ )	163
<code>\usym{2640}</code> ( $\heartsuit$ )	139	<code>\usym{2710}</code> ( $\heartsuit$ )	150	<code>\usym{2769}</code> ( $\heartsuit$ )	163
<code>\usym{2641}</code> ( $\delta$ )	139	<code>\usym{2711}</code> ( $\heartsuit$ )	150	<code>\usym{2770}</code> ( $\heartsuit$ )	163
<code>\usym{2642}</code> ( $\mathcal{O}$ )	139	<code>\usym{2712}</code> ( $\heartsuit$ )	150	<code>\usym{2771}</code> ( $\heartsuit$ )	163
<code>\usym{2643}</code> ( $\mathcal{O}$ )	139	<code>\usym{2713}</code> ( $\checkmark$ )	153	<code>\usym{2772}</code> ( $!$ )	163
<code>\usym{2643}</code> ( $\mathcal{O}$ )	139	<code>\usym{2714}</code> ( $\checkmark$ )	153	<code>\usym{2773}</code> ( $!$ )	163
<code>\usym{2644}</code> ( $\mathcal{O}$ )	139	<code>\usym{2715}</code> ( $\times$ )	153	<code>\usym{2774}</code> ( $!$ )	163
<code>\usym{2644}</code> ( $\mathcal{O}$ )	139	<code>\usym{2716}</code> ( $\times$ )	153	<code>\usym{2775}</code> ( $!$ )	163
<code>\usym{2645}</code> ( $\mathcal{O}$ )	139	<code>\usym{2717}</code> ( $\times$ )	153	<code>\usym{2776}</code> ( $\heartsuit$ )	154
		<code>\usym{2718}</code> ( $\times$ )	153	<code>\usym{2777}</code> ( $\heartsuit$ )	154
		<code>\usym{2719}</code> ( $\oplus$ )	152	<code>\usym{2778}</code> ( $\heartsuit$ )	154
		<code>\usym{2720}</code> ( $\mathcal{H}$ )	152	<code>\usym{2779}</code> ( $\heartsuit$ )	154
		<code>\usym{2721}</code> ( $\star$ )	155	<code>\usym{2780}</code> ( $\heartsuit$ )	154

<code>\usym{2781}</code>	Ⓣ	154	<code>\usym{1F022}</code>	Ⓜ	198	<code>\usym{1F061}</code>	Ⓜ	198
<code>\usym{2782}</code>	Ⓝ	154	<code>\usym{1F023}</code>	Ⓜ	198	<code>\usym{1F062}</code>	Ⓜ	197
<code>\usym{2783}</code>	Ⓞ	154	<code>\usym{1F024}</code>	Ⓜ	198	<code>\usym{1F063}</code>	Ⓜ	197
<code>\usym{2784}</code>	Ⓟ	154	<code>\usym{1F025}</code>	Ⓜ	198	<code>\usym{1F064}</code>	Ⓜ	197
<code>\usym{2785}</code>	Ⓠ	154	<code>\usym{1F026}</code>	Ⓜ	198	<code>\usym{1F065}</code>	Ⓜ	197
<code>\usym{2786}</code>	Ⓡ	154	<code>\usym{1F027}</code>	Ⓜ	198	<code>\usym{1F066}</code>	Ⓜ	197
<code>\usym{2787}</code>	Ⓢ	154	<code>\usym{1F028}</code>	Ⓜ	198	<code>\usym{1F067}</code>	Ⓜ	197
<code>\usym{2788}</code>	Ⓣ	154	<code>\usym{1F029}</code>	Ⓜ	198	<code>\usym{1F068}</code>	Ⓜ	197
<code>\usym{2789}</code>	Ⓤ	154	<code>\usym{1F02A}</code>	Ⓜ	198	<code>\usym{1F069}</code>	Ⓜ	197
<code>\usym{2790}</code>	Ⓥ	154	<code>\usym{1F02B}</code>	Ⓜ	198	<code>\usym{1F06A}</code>	Ⓜ	197
<code>\usym{2791}</code>	Ⓦ	154	<code>\usym{1F030}</code>	Ⓜ	197	<code>\usym{1F06B}</code>	Ⓜ	197
<code>\usym{2792}</code>	Ⓧ	154	<code>\usym{1F031}</code>	Ⓜ	197	<code>\usym{1F06C}</code>	Ⓜ	197
<code>\usym{2793}</code>	Ⓨ	154	<code>\usym{1F032}</code>	Ⓜ	197	<code>\usym{1F06D}</code>	Ⓜ	197
<code>\usym{2794}</code>	➔	148	<code>\usym{1F033}</code>	Ⓜ	197	<code>\usym{1F06E}</code>	Ⓜ	197
<code>\usym{2795}</code>	+	163	<code>\usym{1F034}</code>	Ⓜ	197	<code>\usym{1F06F}</code>	Ⓜ	197
<code>\usym{2796}</code>	−	163	<code>\usym{1F035}</code>	Ⓜ	197	<code>\usym{1F070}</code>	Ⓜ	197
<code>\usym{2797}</code>	÷	163	<code>\usym{1F036}</code>	Ⓜ	197	<code>\usym{1F071}</code>	Ⓜ	197
<code>\usym{2798}</code>	↘	148	<code>\usym{1F037}</code>	Ⓜ	197	<code>\usym{1F072}</code>	Ⓜ	197
<code>\usym{2799}</code>	➔	148	<code>\usym{1F038}</code>	Ⓜ	197	<code>\usym{1F073}</code>	Ⓜ	197
<code>\usymH</code>		139, 143, 148–155, 161, 163, 175, 195–199, 203, 206, 207, 217, 231, 250	<code>\usym{1F039}</code>	Ⓜ	197	<code>\usym{1F074}</code>	Ⓜ	197
<code>\usymW</code>		139, 143, 148–155, 161, 163, 175, 195–199, 203, 206, 207, 217, 231, 250	<code>\usym{1F03A}</code>	Ⓜ	197	<code>\usym{1F075}</code>	Ⓜ	197
<code>\usym{1F000}</code>	Ⓜ	198	<code>\usym{1F03B}</code>	Ⓜ	197	<code>\usym{1F076}</code>	Ⓜ	198
<code>\usym{1F001}</code>	Ⓜ	198	<code>\usym{1F03C}</code>	Ⓜ	197	<code>\usym{1F077}</code>	Ⓜ	198
<code>\usym{1F002}</code>	Ⓜ	198	<code>\usym{1F03D}</code>	Ⓜ	197	<code>\usym{1F078}</code>	Ⓜ	198
<code>\usym{1F003}</code>	Ⓜ	198	<code>\usym{1F03E}</code>	Ⓜ	197	<code>\usym{1F079}</code>	Ⓜ	198
<code>\usym{1F004}</code>	Ⓜ	198	<code>\usym{1F03F}</code>	Ⓜ	197	<code>\usym{1F07A}</code>	Ⓜ	198
<code>\usym{1F005}</code>	Ⓜ	198	<code>\usym{1F040}</code>	Ⓜ	197	<code>\usym{1F07B}</code>	Ⓜ	197
<code>\usym{1F006}</code>	Ⓜ	198	<code>\usym{1F041}</code>	Ⓜ	197	<code>\usym{1F07C}</code>	Ⓜ	197
<code>\usym{1F007}</code>	Ⓜ	198	<code>\usym{1F042}</code>	Ⓜ	197	<code>\usym{1F07D}</code>	Ⓜ	197
<code>\usym{1F008}</code>	Ⓜ	198	<code>\usym{1F043}</code>	Ⓜ	197	<code>\usym{1F07E}</code>	Ⓜ	197
<code>\usym{1F009}</code>	Ⓜ	198	<code>\usym{1F044}</code>	Ⓜ	198	<code>\usym{1F07F}</code>	Ⓜ	197
<code>\usym{1F00A}</code>	Ⓜ	198	<code>\usym{1F045}</code>	Ⓜ	198	<code>\usym{1F080}</code>	Ⓜ	197
<code>\usym{1F00B}</code>	Ⓜ	198	<code>\usym{1F046}</code>	Ⓜ	198	<code>\usym{1F081}</code>	Ⓜ	197
<code>\usym{1F00C}</code>	Ⓜ	198	<code>\usym{1F047}</code>	Ⓜ	198	<code>\usym{1F082}</code>	Ⓜ	197
<code>\usym{1F00D}</code>	Ⓜ	198	<code>\usym{1F048}</code>	Ⓜ	198	<code>\usym{1F083}</code>	Ⓜ	197
<code>\usym{1F00E}</code>	Ⓜ	198	<code>\usym{1F049}</code>	Ⓜ	197	<code>\usym{1F084}</code>	Ⓜ	197
<code>\usym{1F00F}</code>	Ⓜ	198	<code>\usym{1F04A}</code>	Ⓜ	197	<code>\usym{1F085}</code>	Ⓜ	197
<code>\usym{1F010}</code>	Ⓜ	198	<code>\usym{1F04B}</code>	Ⓜ	197	<code>\usym{1F086}</code>	Ⓜ	197
<code>\usym{1F011}</code>	Ⓜ	198	<code>\usym{1F04C}</code>	Ⓜ	197	<code>\usym{1F087}</code>	Ⓜ	197
<code>\usym{1F012}</code>	Ⓜ	198	<code>\usym{1F04D}</code>	Ⓜ	197	<code>\usym{1F088}</code>	Ⓜ	197
<code>\usym{1F013}</code>	Ⓜ	198	<code>\usym{1F04E}</code>	Ⓜ	197	<code>\usym{1F089}</code>	Ⓜ	197
<code>\usym{1F014}</code>	Ⓜ	198	<code>\usym{1F04F}</code>	Ⓜ	197	<code>\usym{1F08A}</code>	Ⓜ	197
<code>\usym{1F015}</code>	Ⓜ	198	<code>\usym{1F050}</code>	Ⓜ	197	<code>\usym{1F08B}</code>	Ⓜ	197
<code>\usym{1F016}</code>	Ⓜ	198	<code>\usym{1F051}</code>	Ⓜ	197	<code>\usym{1F08C}</code>	Ⓜ	197
<code>\usym{1F017}</code>	Ⓜ	198	<code>\usym{1F052}</code>	Ⓜ	197	<code>\usym{1F08D}</code>	Ⓜ	197
<code>\usym{1F018}</code>	Ⓜ	198	<code>\usym{1F053}</code>	Ⓜ	197	<code>\usym{1F08E}</code>	Ⓜ	197
<code>\usym{1F019}</code>	Ⓜ	198	<code>\usym{1F054}</code>	Ⓜ	197	<code>\usym{1F08F}</code>	Ⓜ	198
<code>\usym{1F01A}</code>	Ⓜ	198	<code>\usym{1F055}</code>	Ⓜ	197	<code>\usym{1F090}</code>	Ⓜ	198
<code>\usym{1F01B}</code>	Ⓜ	198	<code>\usym{1F056}</code>	Ⓜ	197	<code>\usym{1F091}</code>	Ⓜ	198
<code>\usym{1F01C}</code>	Ⓜ	198	<code>\usym{1F057}</code>	Ⓜ	197	<code>\usym{1F092}</code>	Ⓜ	198
<code>\usym{1F01D}</code>	Ⓜ	198	<code>\usym{1F058}</code>	Ⓜ	197	<code>\usym{1F093}</code>	Ⓜ	198
<code>\usym{1F01E}</code>	Ⓜ	198	<code>\usym{1F059}</code>	Ⓜ	197	<code>\usym{1FOA0}</code>	Ⓜ	196
<code>\usym{1F01F}</code>	Ⓜ	198	<code>\usym{1F05A}</code>	Ⓜ	197	<code>\usym{1FOA1}</code>	Ⓜ	196
<code>\usym{1F020}</code>	Ⓜ	198	<code>\usym{1F05B}</code>	Ⓜ	197	<code>\usym{1FOA2}</code>	Ⓜ	196
<code>\usym{1F021}</code>	Ⓜ	198	<code>\usym{1F05C}</code>	Ⓜ	197	<code>\usym{1FOA3}</code>	Ⓜ	196
			<code>\usym{1F05D}</code>	Ⓜ	198	<code>\usym{1FOA4}</code>	Ⓜ	196
			<code>\usym{1F05E}</code>	Ⓜ	198	<code>\usym{1FOA5}</code>	Ⓜ	196
			<code>\usym{1F05F}</code>	Ⓜ	198	<code>\usym{1FOA6}</code>	Ⓜ	196
			<code>\usym{1F060}</code>	Ⓜ	198	<code>\usym{1FOA7}</code>	Ⓜ	196



<code>\usym{1F367}</code>		248	<code>\usym{1F3A2}</code>		249	<code>\usym{1F3DD}</code>		247
<code>\usym{1F368}</code>		248	<code>\usym{1F3A3}</code>		249	<code>\usym{1F3DE}</code>		247
<code>\usym{1F369}</code>		248	<code>\usym{1F3A4}</code>		249	<code>\usym{1F3DF}</code>		247
<code>\usym{1F36A}</code>		248	<code>\usym{1F3A5}</code>		249	<code>\usym{1F3E0}</code>		247
<code>\usym{1F36B}</code>		248	<code>\usym{1F3A6}</code>		249	<code>\usym{1F3E1}</code>		247
<code>\usym{1F36C}</code>		248	<code>\usym{1F3A7}</code>		249	<code>\usym{1F3E2}</code>		247
<code>\usym{1F36D}</code>		248	<code>\usym{1F3A8}</code>		249	<code>\usym{1F3E3}</code>		247
<code>\usym{1F36E}</code>		248	<code>\usym{1F3A9}</code>		249	<code>\usym{1F3E4}</code>		247
<code>\usym{1F36F}</code>		248	<code>\usym{1F3AA}</code>		249	<code>\usym{1F3E5}</code>		247
<code>\usym{1F370}</code>		248	<code>\usym{1F3AB}</code>		249	<code>\usym{1F3E6}</code>		247
<code>\usym{1F371}</code>		248	<code>\usym{1F3AC}</code>		250	<code>\usym{1F3E7}</code>		247
<code>\usym{1F372}</code>		248	<code>\usym{1F3AD}</code>		250	<code>\usym{1F3E8}</code>		247
<code>\usym{1F373}</code>		248	<code>\usym{1F3AE}</code>		250	<code>\usym{1F3E9}</code>		247
<code>\usym{1F374}</code>		248	<code>\usym{1F3AF}</code>		250	<code>\usym{1F3EA}</code>		247
<code>\usym{1F375}</code>		248	<code>\usym{1F3B0}</code>		250	<code>\usym{1F3EB}</code>		247
<code>\usym{1F376}</code>		248	<code>\usym{1F3B1}</code>		250	<code>\usym{1F3EC}</code>		247
<code>\usym{1F377}</code>		248	<code>\usym{1F3B2}</code>		250	<code>\usym{1F3ED}</code>		247
<code>\usym{1F378}</code>		248	<code>\usym{1F3B3}</code>		250	<code>\usym{1F3EE}</code>		247
<code>\usym{1F379}</code>		248	<code>\usym{1F3B4}</code>		250	<code>\usym{1F3EF}</code>		247
<code>\usym{1F37A}</code>		248	<code>\usym{1F3B5}</code>		175	<code>\usym{1F3F0}</code>		247
<code>\usym{1F37B}</code>		249	<code>\usym{1F3B6}</code>		175	<code>\usym{1F3F1}</code>		247
<code>\usym{1F37C}</code>		249	<code>\usym{1F3B7}</code>		250	<code>\usym{1F3F2}</code>		248
<code>\usym{1F37D}</code>		249	<code>\usym{1F3B8}</code>		250	<code>\usym{1F3F3}</code>		248
<code>\usym{1F37E}</code>		249	<code>\usym{1F3B9}</code>		250	<code>\usym{1F3F4}</code>		248
<code>\usym{1F37F}</code>		249	<code>\usym{1F3BA}</code>		250	<code>\usym{1F3F5}</code>		248
<code>\usym{1F380}</code>		249	<code>\usym{1F3BB}</code>		250	<code>\usym{1F3F6}</code>		248
<code>\usym{1F381}</code>		249	<code>\usym{1F3BC}</code>		175	<code>\usym{1F3F7}</code>		248
<code>\usym{1F382}</code>		249	<code>\usym{1F3BD}</code>		250	<code>\usym{1F3F8}</code>		248
<code>\usym{1F383}</code>		249	<code>\usym{1F3BE}</code>		250	<code>\usym{1F3F9}</code>		248
<code>\usym{1F384}</code>		249	<code>\usym{1F3BF}</code>		250	<code>\usym{1F3FA}</code>		248
<code>\usym{1F385}</code>		249	<code>\usym{1F3C0}</code>		250	<code>\usym{1F3FB}</code>		248
<code>\usym{1F386}</code>		249	<code>\usym{1F3C1}</code>		250	<code>\usym{1F3FC}</code>		248
<code>\usym{1F387}</code>		249	<code>\usym{1F3C2}</code>		247	<code>\usym{1F3FD}</code>		248
<code>\usym{1F388}</code>		249	<code>\usym{1F3C3}</code>		247	<code>\usym{1F3FE}</code>		248
<code>\usym{1F389}</code>		249	<code>\usym{1F3C4}</code>		247	<code>\usym{1F3FF}</code>		248
<code>\usym{1F38A}</code>		249	<code>\usym{1F3C5}</code>		247	<code>\usym{1F400}</code>		248
<code>\usym{1F38B}</code>		249	<code>\usym{1F3C6}</code>		247	<code>\usym{1F401}</code>		248
<code>\usym{1F38C}</code>		249	<code>\usym{1F3C7}</code>		247	<code>\usym{1F402}</code>		248
<code>\usym{1F38D}</code>		249	<code>\usym{1F3C8}</code>		247	<code>\usym{1F403}</code>		248
<code>\usym{1F38E}</code>		249	<code>\usym{1F3C9}</code>		247	<code>\usym{1F404}</code>		248
<code>\usym{1F38F}</code>		249	<code>\usym{1F3CA}</code>		247	<code>\usym{1F405}</code>		248
<code>\usym{1F390}</code>		249	<code>\usym{1F3CB}</code>		247	<code>\usym{1F406}</code>		248
<code>\usym{1F391}</code>		249	<code>\usym{1F3CC}</code>		247	<code>\usym{1F407}</code>		248
<code>\usym{1F392}</code>		249	<code>\usym{1F3CD}</code>		202	<code>\usym{1F408}</code>		248
<code>\usym{1F393}</code>		249	<code>\usym{1F3CE}</code>		202	<code>\usym{1F409}</code>		248
<code>\usym{1F394}</code>		249	<code>\usym{1F3CF}</code>		247	<code>\usym{1F40A}</code>		248
<code>\usym{1F395}</code>		249	<code>\usym{1F3D0}</code>		247	<code>\usym{1F40B}</code>		248
<code>\usym{1F396}</code>		249	<code>\usym{1F3D1}</code>		247	<code>\usym{1F40C}</code>		248
<code>\usym{1F397}</code>		249	<code>\usym{1F3D2}</code>		247	<code>\usym{1F40D}</code>		248
<code>\usym{1F398}</code>		249	<code>\usym{1F3D3}</code>		247	<code>\usym{1F40E}</code>		248
<code>\usym{1F399}</code>		249	<code>\usym{1F3D4}</code>		247	<code>\usym{1F40F}</code>		248
<code>\usym{1F39A}</code>		249	<code>\usym{1F3D5}</code>		247	<code>\usym{1F410}</code>		248
<code>\usym{1F39B}</code>		249	<code>\usym{1F3D6}</code>		247	<code>\usym{1F411}</code>		248
<code>\usym{1F39C}</code>		249	<code>\usym{1F3D7}</code>		247	<code>\usym{1F412}</code>		248
<code>\usym{1F39D}</code>		249	<code>\usym{1F3D8}</code>		247	<code>\usym{1F413}</code>		248
<code>\usym{1F39E}</code>		249	<code>\usym{1F3D9}</code>		247	<code>\usym{1F414}</code>		248
<code>\usym{1F39F}</code>		249	<code>\usym{1F3DA}</code>		247	<code>\usym{1F415}</code>		248
<code>\usym{1F3A0}</code>		249	<code>\usym{1F3DB}</code>		247	<code>\usym{1F416}</code>		248
<code>\usym{1F3A1}</code>		249	<code>\usym{1F3DC}</code>		247	<code>\usym{1F417}</code>		248

<code>\usym{1F418}</code>		248	<code>\usym{1F453}</code>		249	<code>\usym{1F48E}</code>		247
<code>\usym{1F419}</code>		248	<code>\usym{1F454}</code>		249	<code>\usym{1F48F}</code>		247
<code>\usym{1F41A}</code>		248	<code>\usym{1F455}</code>		249	<code>\usym{1F490}</code>		247
<code>\usym{1F41B}</code>		248	<code>\usym{1F456}</code>		249	<code>\usym{1F491}</code>		247
<code>\usym{1F41C}</code>		248	<code>\usym{1F457}</code>		249	<code>\usym{1F492}</code>		247
<code>\usym{1F41D}</code>		248	<code>\usym{1F458}</code>		249	<code>\usym{1F493}</code>		247
<code>\usym{1F41E}</code>		248	<code>\usym{1F459}</code>		249	<code>\usym{1F494}</code>		247
<code>\usym{1F41F}</code>		248	<code>\usym{1F45A}</code>		249	<code>\usym{1F495}</code>		247
<code>\usym{1F420}</code>		248	<code>\usym{1F45B}</code>		249	<code>\usym{1F496}</code>		247
<code>\usym{1F421}</code>		248	<code>\usym{1F45C}</code>		249	<code>\usym{1F497}</code>		247
<code>\usym{1F422}</code>		248	<code>\usym{1F45D}</code>		249	<code>\usym{1F498}</code>		247
<code>\usym{1F423}</code>		249	<code>\usym{1F45E}</code>		249	<code>\usym{1F499}</code>		247
<code>\usym{1F424}</code>		249	<code>\usym{1F45F}</code>		250	<code>\usym{1F49A}</code>		247
<code>\usym{1F425}</code>		249	<code>\usym{1F460}</code>		250	<code>\usym{1F49B}</code>		247
<code>\usym{1F426}</code>		249	<code>\usym{1F461}</code>		250	<code>\usym{1F49C}</code>		247
<code>\usym{1F427}</code>		249	<code>\usym{1F462}</code>		250	<code>\usym{1F49D}</code>		247
<code>\usym{1F428}</code>		249	<code>\usym{1F463}</code>		250	<code>\usym{1F49E}</code>		247
<code>\usym{1F429}</code>		249	<code>\usym{1F464}</code>		250	<code>\usym{1F49F}</code>		247
<code>\usym{1F42A}</code>		249	<code>\usym{1F465}</code>		250	<code>\usym{1F4A0}</code>		248
<code>\usym{1F42B}</code>		249	<code>\usym{1F466}</code>		250	<code>\usym{1F4A1}</code>		248
<code>\usym{1F42C}</code>		249	<code>\usym{1F467}</code>		250	<code>\usym{1F4A2}</code>		248
<code>\usym{1F42D}</code>		249	<code>\usym{1F468}</code>		250	<code>\usym{1F4A3}</code>		248
<code>\usym{1F42E}</code>		249	<code>\usym{1F469}</code>		250	<code>\usym{1F4A4}</code>		248
<code>\usym{1F42F}</code>		249	<code>\usym{1F46A}</code>		250	<code>\usym{1F4A5}</code>		248
<code>\usym{1F430}</code>		249	<code>\usym{1F46B}</code>		250	<code>\usym{1F4A6}</code>		248
<code>\usym{1F431}</code>		249	<code>\usym{1F46C}</code>		250	<code>\usym{1F4A7}</code>		248
<code>\usym{1F432}</code>		249	<code>\usym{1F46D}</code>		250	<code>\usym{1F4A8}</code>		248
<code>\usym{1F433}</code>		249	<code>\usym{1F46E}</code>		250	<code>\usym{1F4A9}</code>		248
<code>\usym{1F434}</code>		249	<code>\usym{1F46F}</code>		250	<code>\usym{1F4AA}</code>		248
<code>\usym{1F435}</code>		249	<code>\usym{1F470}</code>		250	<code>\usym{1F4AB}</code>		248
<code>\usym{1F436}</code>		249	<code>\usym{1F471}</code>		250	<code>\usym{1F4AC}</code>		248
<code>\usym{1F437}</code>		249	<code>\usym{1F472}</code>		247	<code>\usym{1F4AD}</code>		248
<code>\usym{1F438}</code>		249	<code>\usym{1F473}</code>		247	<code>\usym{1F4AE}</code>		248
<code>\usym{1F439}</code>		249	<code>\usym{1F474}</code>		247	<code>\usym{1F4AF}</code>		248
<code>\usym{1F43A}</code>		249	<code>\usym{1F475}</code>		247	<code>\usym{1F4B0}</code>		248
<code>\usym{1F43B}</code>		249	<code>\usym{1F476}</code>		247	<code>\usym{1F4B1}</code>		248
<code>\usym{1F43C}</code>		249	<code>\usym{1F477}</code>		247	<code>\usym{1F4B2}</code>		248
<code>\usym{1F43D}</code>		249	<code>\usym{1F478}</code>		247	<code>\usym{1F4B3}</code>		248
<code>\usym{1F43E}</code>		249	<code>\usym{1F479}</code>		247	<code>\usym{1F4B4}</code>		248
<code>\usym{1F43F}</code>		249	<code>\usym{1F47A}</code>		247	<code>\usym{1F4B5}</code>		248
<code>\usym{1F440}</code>		249	<code>\usym{1F47B}</code>		247	<code>\usym{1F4B6}</code>		248
<code>\usym{1F441}</code>		249	<code>\usym{1F47C}</code>		247	<code>\usym{1F4B7}</code>		248
<code>\usym{1F442}</code>		249	<code>\usym{1F47D}</code>		247	<code>\usym{1F4B8}</code>		248
<code>\usym{1F443}</code>		249	<code>\usym{1F47E}</code>		247	<code>\usym{1F4B9}</code>		248
<code>\usym{1F444}</code>		249	<code>\usym{1F47F}</code>		247	<code>\usym{1F4BA}</code>		248
<code>\usym{1F445}</code>		249	<code>\usym{1F480}</code>		247	<code>\usym{1F4BB}</code>		248
<code>\usym{1F446}</code>		151	<code>\usym{1F481}</code>		247	<code>\usym{1F4BC}</code>		248
<code>\usym{1F447}</code>		151	<code>\usym{1F482}</code>		247	<code>\usym{1F4BD}</code>		248
<code>\usym{1F448}</code>		151	<code>\usym{1F483}</code>		247	<code>\usym{1F4BE}</code>		248
<code>\usym{1F449}</code>		151	<code>\usym{1F484}</code>		247	<code>\usym{1F4BF}</code>		248
<code>\usym{1F44A}</code>		151	<code>\usym{1F485}</code>		247	<code>\usym{1F4C0}</code>		248
<code>\usym{1F44B}</code>		151	<code>\usym{1F486}</code>		247	<code>\usym{1F4C1}</code>		248
<code>\usym{1F44C}</code>		151	<code>\usym{1F487}</code>		247	<code>\usym{1F4C2}</code>		248
<code>\usym{1F44D}</code>		151	<code>\usym{1F488}</code>		247	<code>\usym{1F4C3}</code>		248
<code>\usym{1F44E}</code>		151	<code>\usym{1F489}</code>		247	<code>\usym{1F4C4}</code>		248
<code>\usym{1F44F}</code>		151	<code>\usym{1F48A}</code>		247	<code>\usym{1F4C5}</code>		248
<code>\usym{1F450}</code>		151	<code>\usym{1F48B}</code>		247	<code>\usym{1F4C6}</code>		248
<code>\usym{1F451}</code>		249	<code>\usym{1F48C}</code>		247	<code>\usym{1F4C7}</code>		248
<code>\usym{1F452}</code>		249	<code>\usym{1F48D}</code>		247	<code>\usym{1F4C8}</code>		248

<code>\usym{1F4C9}</code>		248	<code>\usym{1F504}</code>		250	<code>\usym{1F53F}</code>		247
<code>\usym{1F4CA}</code>		248	<code>\usym{1F505}</code>		250	<code>\usym{1F540}</code>		247
<code>\usym{1F4CB}</code>		248	<code>\usym{1F506}</code>		250	<code>\usym{1F541}</code>		247
<code>\usym{1F4CC}</code>		248	<code>\usym{1F507}</code>		250	<code>\usym{1F542}</code>		247
<code>\usym{1F4CD}</code>		248	<code>\usym{1F508}</code>		250	<code>\usym{1F543}</code>		247
<code>\usym{1F4CE}</code>		248	<code>\usym{1F509}</code>		250	<code>\usym{1F544}</code>		247
<code>\usym{1F4CF}</code>		248	<code>\usym{1F50A}</code>		250	<code>\usym{1F545}</code>		247
<code>\usym{1F4D0}</code>		248	<code>\usym{1F50B}</code>		250	<code>\usym{1F546}</code>		152
<code>\usym{1F4D1}</code>		249	<code>\usym{1F50C}</code>		250	<code>\usym{1F547}</code>		152
<code>\usym{1F4D2}</code>		249	<code>\usym{1F50D}</code>		250	<code>\usym{1F548}</code>		152
<code>\usym{1F4D3}</code>		249	<code>\usym{1F50E}</code>		250	<code>\usym{1F549}</code>		247
<code>\usym{1F4D4}</code>		249	<code>\usym{1F50F}</code>		250	<code>\usym{1F54A}</code>		247
<code>\usym{1F4D5}</code>		249	<code>\usym{1F510}</code>		250	<code>\usym{1F54B}</code>		247
<code>\usym{1F4D6}</code>		249	<code>\usym{1F511}</code>		250	<code>\usym{1F54C}</code>		247
<code>\usym{1F4D7}</code>		249	<code>\usym{1F512}</code>		250	<code>\usym{1F54D}</code>		247
<code>\usym{1F4D8}</code>		249	<code>\usym{1F513}</code>		250	<code>\usym{1F54E}</code>		247
<code>\usym{1F4D9}</code>		249	<code>\usym{1F514}</code>		250	<code>\usym{1F54F}</code>		247
<code>\usym{1F4DA}</code>		249	<code>\usym{1F515}</code>		247	<code>\usym{1F550}</code>		207
<code>\usym{1F4DB}</code>		249	<code>\usym{1F516}</code>		247	<code>\usym{1F551}</code>		207
<code>\usym{1F4DC}</code>		249	<code>\usym{1F517}</code>		247	<code>\usym{1F552}</code>		207
<code>\usym{1F4DD}</code>		249	<code>\usym{1F518}</code>		247	<code>\usym{1F553}</code>		207
<code>\usym{1F4DE}</code>		249	<code>\usym{1F519}</code>		247	<code>\usym{1F554}</code>		207
<code>\usym{1F4DF}</code>		249	<code>\usym{1F51A}</code>		247	<code>\usym{1F555}</code>		207
<code>\usym{1F4E0}</code>		249	<code>\usym{1F51B}</code>		247	<code>\usym{1F556}</code>		207
<code>\usym{1F4E1}</code>		249	<code>\usym{1F51C}</code>		247	<code>\usym{1F557}</code>		207
<code>\usym{1F4E2}</code>		249	<code>\usym{1F51D}</code>		247	<code>\usym{1F558}</code>		207
<code>\usym{1F4E3}</code>		249	<code>\usym{1F51E}</code>		247	<code>\usym{1F559}</code>		207
<code>\usym{1F4E4}</code>		249	<code>\usym{1F51F}</code>		247	<code>\usym{1F55A}</code>		207
<code>\usym{1F4E5}</code>		249	<code>\usym{1F520}</code>		247	<code>\usym{1F55B}</code>		207
<code>\usym{1F4E6}</code>		249	<code>\usym{1F521}</code>		247	<code>\usym{1F55C}</code>		207
<code>\usym{1F4E7}</code>		249	<code>\usym{1F522}</code>		247	<code>\usym{1F55D}</code>		207
<code>\usym{1F4E8}</code>		249	<code>\usym{1F523}</code>		247	<code>\usym{1F55E}</code>		207
<code>\usym{1F4E9}</code>		249	<code>\usym{1F524}</code>		247	<code>\usym{1F55F}</code>		207
<code>\usym{1F4EA}</code>		249	<code>\usym{1F525}</code>		247	<code>\usym{1F560}</code>		207
<code>\usym{1F4EB}</code>		249	<code>\usym{1F526}</code>		247	<code>\usym{1F561}</code>		207
<code>\usym{1F4EC}</code>		249	<code>\usym{1F527}</code>		247	<code>\usym{1F562}</code>		207
<code>\usym{1F4ED}</code>		249	<code>\usym{1F528}</code>		247	<code>\usym{1F563}</code>		207
<code>\usym{1F4EE}</code>		249	<code>\usym{1F529}</code>		247	<code>\usym{1F564}</code>		207
<code>\usym{1F4EF}</code>		249	<code>\usym{1F52A}</code>		247	<code>\usym{1F565}</code>		207
<code>\usym{1F4F0}</code>		249	<code>\usym{1F52B}</code>		247	<code>\usym{1F566}</code>		207
<code>\usym{1F4F1}</code>		249	<code>\usym{1F52C}</code>		247	<code>\usym{1F567}</code>		207
<code>\usym{1F4F2}</code>		249	<code>\usym{1F52D}</code>		247	<code>\usym{1F568}</code>		247
<code>\usym{1F4F3}</code>		249	<code>\usym{1F52E}</code>		247	<code>\usym{1F569}</code>		248
<code>\usym{1F4F4}</code>		249	<code>\usym{1F52F}</code>		155	<code>\usym{1F56A}</code>		248
<code>\usym{1F4F5}</code>		249	<code>\usym{1F530}</code>		247	<code>\usym{1F56B}</code>		248
<code>\usym{1F4F6}</code>		249	<code>\usym{1F531}</code>		247	<code>\usym{1F56C}</code>		248
<code>\usym{1F4F7}</code>		249	<code>\usym{1F532}</code>		247	<code>\usym{1F56D}</code>		248
<code>\usym{1F4F8}</code>		249	<code>\usym{1F533}</code>		247	<code>\usym{1F56E}</code>		248
<code>\usym{1F4F9}</code>		249	<code>\usym{1F534}</code>		161	<code>\usym{1F56F}</code>		248
<code>\usym{1F4FA}</code>		249	<code>\usym{1F535}</code>		161	<code>\usym{1F570}</code>		207
<code>\usym{1F4FB}</code>		249	<code>\usym{1F536}</code>		161	<code>\usym{1F571}</code>		248
<code>\usym{1F4FC}</code>		249	<code>\usym{1F537}</code>		161	<code>\usym{1F572}</code>		248
<code>\usym{1F4FD}</code>		249	<code>\usym{1F538}</code>		161	<code>\usym{1F573}</code>		248
<code>\usym{1F4FE}</code>		249	<code>\usym{1F539}</code>		161	<code>\usym{1F574}</code>		248
<code>\usym{1F4FF}</code>		249	<code>\usym{1F53A}</code>		161	<code>\usym{1F575}</code>		248
<code>\usym{1F500}</code>		249	<code>\usym{1F53B}</code>		161	<code>\usym{1F576}</code>		248
<code>\usym{1F501}</code>		249	<code>\usym{1F53C}</code>		161	<code>\usym{1F577}</code>		248
<code>\usym{1F502}</code>		250	<code>\usym{1F53D}</code>		161	<code>\usym{1F578}</code>		248
<code>\usym{1F503}</code>		250	<code>\usym{1F53E}</code>		247	<code>\usym{1F579}</code>		248

<code>\usym{1F57A}</code> (♠) . . . . . 248	<code>\usym{1F5B5}</code> (□) . . . . . 248	<code>\usym{1F5F0}</code> (☼) . . . . . 250
<code>\usym{1F57B}</code> (♠) . . . . . 248	<code>\usym{1F5B6}</code> (♠) . . . . . 249	<code>\usym{1F5F1}</code> (☼) . . . . . 250
<code>\usym{1F57C}</code> (♠) . . . . . 248	<code>\usym{1F5B7}</code> (♠) . . . . . 249	<code>\usym{1F5F2}</code> (☼) . . . . . 250
<code>\usym{1F57D}</code> (♠) . . . . . 248	<code>\usym{1F5B8}</code> (◎) . . . . . 249	<code>\usym{1F5F3}</code> (☼) . . . . . 250
<code>\usym{1F57E}</code> (☞) . . . . . 248	<code>\usym{1F5B9}</code> (♠) . . . . . 249	<code>\usym{1F5F4}</code> (✕) . . . . . 153
<code>\usym{1F57F}</code> (☞) . . . . . 248	<code>\usym{1F5BA}</code> (♠) . . . . . 249	<code>\usym{1F5F5}</code> (☼) . . . . . 153
<code>\usym{1F580}</code> (♠) . . . . . 248	<code>\usym{1F5BB}</code> (♠) . . . . . 249	<code>\usym{1F5F6}</code> (✕) . . . . . 153
<code>\usym{1F581}</code> (♠) . . . . . 248	<code>\usym{1F5BC}</code> (♠) . . . . . 249	<code>\usym{1F5F7}</code> (☼) . . . . . 153
<code>\usym{1F582}</code> (☒) . . . . . 248	<code>\usym{1F5BD}</code> (☒) . . . . . 249	<code>\usym{1F5F8}</code> (✓) . . . . . 153
<code>\usym{1F583}</code> (☒) . . . . . 248	<code>\usym{1F5BE}</code> (☒) . . . . . 249	<code>\usym{1F5F9}</code> (☒) . . . . . 153
<code>\usym{1F584}</code> (☒) . . . . . 248	<code>\usym{1F5BF}</code> (♠) . . . . . 249	<code>\usym{1F5FA}</code> (☞) . . . . . 250
<code>\usym{1F585}</code> (☒) . . . . . 248	<code>\usym{1F5C0}</code> (□) . . . . . 249	<code>\usym{1F5FB}</code> (♠) . . . . . 250
<code>\usym{1F586}</code> (☒) . . . . . 248	<code>\usym{1F5C1}</code> (☒) . . . . . 249	<code>\usym{1F5FC}</code> (♠) . . . . . 250
<code>\usym{1F587}</code> (♠) . . . . . 248	<code>\usym{1F5C2}</code> (☒) . . . . . 249	<code>\usym{1F5FD}</code> (☞) . . . . . 250
<code>\usym{1F588}</code> (♠) . . . . . 248	<code>\usym{1F5C3}</code> (☒) . . . . . 249	<code>\usym{1F5FE}</code> (♠) . . . . . 250
<code>\usym{1F589}</code> (♠) . . . . . 150	<code>\usym{1F5C4}</code> (♠) . . . . . 249	<code>\usym{1F5FF}</code> (♠) . . . . . 250
<code>\usym{1F58A}</code> (♠) . . . . . 150	<code>\usym{1F5C5}</code> (□) . . . . . 249	<code>\usym{1F600}</code> (☺) . . . . . 231
<code>\usym{1F58B}</code> (♠) . . . . . 150	<code>\usym{1F5C6}</code> (□) . . . . . 249	<code>\usym{1F601}</code> (☺) . . . . . 231
<code>\usym{1F58C}</code> (♠) . . . . . 150	<code>\usym{1F5C7}</code> (☒) . . . . . 249	<code>\usym{1F602}</code> (☺) . . . . . 231
<code>\usym{1F58D}</code> (♠) . . . . . 150	<code>\usym{1F5C8}</code> (☒) . . . . . 249	<code>\usym{1F603}</code> (☺) . . . . . 231
<code>\usym{1F58E}</code> (♠) . . . . . 151	<code>\usym{1F5C9}</code> (☒) . . . . . 249	<code>\usym{1F604}</code> (☺) . . . . . 231
<code>\usym{1F58F}</code> (♠) . . . . . 151	<code>\usym{1F5CA}</code> (♠) . . . . . 249	<code>\usym{1F605}</code> (☺) . . . . . 231
<code>\usym{1F590}</code> (♠) . . . . . 151	<code>\usym{1F5CB}</code> (□) . . . . . 249	<code>\usym{1F606}</code> (☺) . . . . . 231
<code>\usym{1F591}</code> (♠) . . . . . 151	<code>\usym{1F5CC}</code> (□) . . . . . 249	<code>\usym{1F607}</code> (☺) . . . . . 231
<code>\usym{1F592}</code> (♠) . . . . . 151	<code>\usym{1F5CD}</code> (☒) . . . . . 249	<code>\usym{1F608}</code> (☺) . . . . . 231
<code>\usym{1F593}</code> (♠) . . . . . 151	<code>\usym{1F5CE}</code> (☒) . . . . . 249	<code>\usym{1F609}</code> (☺) . . . . . 231
<code>\usym{1F594}</code> (♠) . . . . . 151	<code>\usym{1F5CF}</code> (☒) . . . . . 249	<code>\usym{1F60A}</code> (☺) . . . . . 231
<code>\usym{1F595}</code> (♠) . . . . . 151	<code>\usym{1F5D0}</code> (♠) . . . . . 249	<code>\usym{1F60B}</code> (☺) . . . . . 231
<code>\usym{1F596}</code> (♠) . . . . . 151	<code>\usym{1F5D1}</code> (☒) . . . . . 249	<code>\usym{1F60C}</code> (☺) . . . . . 231
<code>\usym{1F597}</code> (♠) . . . . . 151	<code>\usym{1F5D2}</code> (□) . . . . . 249	<code>\usym{1F60D}</code> (☺) . . . . . 231
<code>\usym{1F598}</code> (☞) . . . . . 151	<code>\usym{1F5D3}</code> (☒) . . . . . 249	<code>\usym{1F60E}</code> (☺) . . . . . 231
<code>\usym{1F599}</code> (☞) . . . . . 151	<code>\usym{1F5D4}</code> (□) . . . . . 249	<code>\usym{1F60F}</code> (☺) . . . . . 231
<code>\usym{1F59A}</code> (☞) . . . . . 151	<code>\usym{1F5D5}</code> (☒) . . . . . 249	<code>\usym{1F610}</code> (☺) . . . . . 231
<code>\usym{1F59B}</code> (☞) . . . . . 151	<code>\usym{1F5D6}</code> (☒) . . . . . 249	<code>\usym{1F611}</code> (☺) . . . . . 231
<code>\usym{1F59C}</code> (☞) . . . . . 151	<code>\usym{1F5D7}</code> (☒) . . . . . 249	<code>\usym{1F612}</code> (☺) . . . . . 231
<code>\usym{1F59D}</code> (☞) . . . . . 151	<code>\usym{1F5D8}</code> (☞) . . . . . 249	<code>\usym{1F613}</code> (☺) . . . . . 231
<code>\usym{1F59E}</code> (♠) . . . . . 151	<code>\usym{1F5D9}</code> (✕) . . . . . 249	<code>\usym{1F614}</code> (☺) . . . . . 231
<code>\usym{1F59F}</code> (♠) . . . . . 151	<code>\usym{1F5DA}</code> (AA) . . . . . 249	<code>\usym{1F615}</code> (☺) . . . . . 231
<code>\usym{1F5A0}</code> (♠) . . . . . 151	<code>\usym{1F5DB}</code> (AA) . . . . . 249	<code>\usym{1F616}</code> (☺) . . . . . 231
<code>\usym{1F5A1}</code> (♠) . . . . . 151	<code>\usym{1F5DC}</code> (♠) . . . . . 249	<code>\usym{1F617}</code> (☺) . . . . . 231
<code>\usym{1F5A2}</code> (♠) . . . . . 151	<code>\usym{1F5DD}</code> (☞) . . . . . 249	<code>\usym{1F618}</code> (☺) . . . . . 231
<code>\usym{1F5A3}</code> (♠) . . . . . 151	<code>\usym{1F5DE}</code> (☞) . . . . . 249	<code>\usym{1F619}</code> (☺) . . . . . 231
<code>\usym{1F5A4}</code> (♥) . . . . . 248	<code>\usym{1F5DF}</code> (☒) . . . . . 249	<code>\usym{1F61A}</code> (☺) . . . . . 231
<code>\usym{1F5A5}</code> (♠) . . . . . 248	<code>\usym{1F5E0}</code> (☒) . . . . . 249	<code>\usym{1F61B}</code> (☺) . . . . . 231
<code>\usym{1F5A6}</code> (☞) . . . . . 248	<code>\usym{1F5E1}</code> (☞) . . . . . 249	<code>\usym{1F61C}</code> (☺) . . . . . 231
<code>\usym{1F5A7}</code> (☞) . . . . . 248	<code>\usym{1F5E2}</code> (☞) . . . . . 249	<code>\usym{1F61D}</code> (☺) . . . . . 231
<code>\usym{1F5A8}</code> (☒) . . . . . 248	<code>\usym{1F5E3}</code> (☞) . . . . . 249	<code>\usym{1F61E}</code> (☺) . . . . . 231
<code>\usym{1F5A9}</code> (♠) . . . . . 248	<code>\usym{1F5E4}</code> (∕) . . . . . 249	<code>\usym{1F61F}</code> (☺) . . . . . 231
<code>\usym{1F5AA}</code> (♠) . . . . . 248	<code>\usym{1F5E5}</code> (∕) . . . . . 249	<code>\usym{1F620}</code> (☺) . . . . . 231
<code>\usym{1F5AB}</code> (☒) . . . . . 248	<code>\usym{1F5E6}</code> (☞) . . . . . 249	<code>\usym{1F621}</code> (☺) . . . . . 231
<code>\usym{1F5AC}</code> (☒) . . . . . 248	<code>\usym{1F5E7}</code> (☞) . . . . . 250	<code>\usym{1F622}</code> (☺) . . . . . 231
<code>\usym{1F5AD}</code> (☒) . . . . . 248	<code>\usym{1F5E8}</code> (☞) . . . . . 250	<code>\usym{1F623}</code> (☺) . . . . . 231
<code>\usym{1F5AE}</code> (☒) . . . . . 248	<code>\usym{1F5E9}</code> (☞) . . . . . 250	<code>\usym{1F624}</code> (☞) . . . . . 231
<code>\usym{1F5AF}</code> (☞) . . . . . 248	<code>\usym{1F5EA}</code> (☞) . . . . . 250	<code>\usym{1F625}</code> (☺) . . . . . 231
<code>\usym{1F5B0}</code> (☞) . . . . . 248	<code>\usym{1F5EB}</code> (☞) . . . . . 250	<code>\usym{1F626}</code> (☺) . . . . . 231
<code>\usym{1F5B1}</code> (☞) . . . . . 248	<code>\usym{1F5EC}</code> (☞) . . . . . 250	<code>\usym{1F627}</code> (☺) . . . . . 231
<code>\usym{1F5B2}</code> (☞) . . . . . 248	<code>\usym{1F5ED}</code> (☞) . . . . . 250	<code>\usym{1F628}</code> (☞) . . . . . 231
<code>\usym{1F5B3}</code> (☒) . . . . . 248	<code>\usym{1F5EE}</code> (☞) . . . . . 250	<code>\usym{1F629}</code> (☞) . . . . . 231
<code>\usym{1F5B4}</code> (☒) . . . . . 248	<code>\usym{1F5EF}</code> (☞) . . . . . 250	<code>\usym{1F62A}</code> (☞) . . . . . 231

























































































































































vulcan salute (🖖) . . . . . 242  
 \Vulkanus (♁) . . . . . 140  
 \vv (↵) . . . . . 120  
 \VvDash (≡) . . . . . 56  
 \Vvdash (≡-) . . . . . 56  
 \Vvdash (≡+) . . . . . 55  
 \Vvdash (≡-) . . . . . 62  
 \Vvdash (≡+) . . . . . 60  
 \Vvdash (≡-) . . . . . 58  
 \Vvdash (≡+) . . . . . 64  
 \Vvert (≡) . . . . . 111  
 \Vvert (≡) . . . . . 112  
 \vvvert (≡) . . . . . 108  
 \vysmblkcircle (●) . . . . . 41  
 \vysmblksquare (◐) . . . . . 159  
 \vysmwhtcircle (◉) . . . . . 41  
 \vysmwhtsquare (◑) . . . . . 159  
 \vzigzag (∞) . . . . . 132





































































































**W**































































































































w (P) . . . . . 173  
 waffle (🍩) . . . . . 211  
 \Walley (🐟) . . . . . 230  
 waning crescent moon (🌘) . . . . . 217  
 waning gibbous moon (🌘) . . . . . 217  
 \warning (⚠) . . . . . 229  
 \warning (⚠) . . . . . 205  
 warning (⚠) . . . . . 242  
 \WashCotton (🧺) . . . . . 205  
 \WashSynthetics (🧺) . . . . . 205  
 \WashWool (🧺) . . . . . 205  
 \wasserdicht (🚫) . . . . . 132  
 wastebasket (🗑) . . . . . 242  
 \wasycmd (⌘) . . . . . 202  
 \wasyeuro (€) . . . . . 27  
 \wasylozenge (⬢) . . . . . 202  
 \wasyparagraph (§) . . . . . 30  
 \wasypropto (∝) . . . . . 55  
 wasysym (package) . . . 21, 27, 30,  
 33, 44, 55, 68, 70, 125, 130,  
 136, 137, 140, 143, 152, 154,  
 156, 174, 202, 278, 280, 298,  
 299  
 \wasytherefore (∴) . . . . . 125  
 watch (🕒) . . . . . 242  
 \Water (♾) . . . . . 140  
 \water (💧) . . . . . 145  
 water buffalo (🐃) . . . . . 210  
 water closet (🚽) . . . . . 242  
 water pistol (🔫) . . . . . 242  
 water wave (🌊) . . . . . 242  
 watermelon (🍉) . . . . . 211  
 waving hand (👋) . . . . . 242  
 wavy dash (〰) . . . . . 242  
 wavy-line delimiters . . . 108–112  
 waxing crescent moon (🌘) . . . . . 217  
 waxing gibbous moon (🌘) . . . . . 217

\wbetter (±) . . . . . 199  
 \Wboson (W) . . . . . 145  
 \Wbosonminus (W<sup>-</sup>) . . . . . 145  
 \Wbosonplus (W<sup>+</sup>) . . . . . 145  
 \wdecisive (+-) . . . . . 199  
 \weakpt (×) . . . . . 199  
 \WeakRain (☔) . . . . . 206  
 \WeakRainCloud (☔) . . . . . 206  
 weary cat (😩) . . . . . 242  
 weary face (😩) . . . . . 242  
 weather symbols . . . . . 206, 246  
 Web symbols . . . . . 250–254  
 webomints (package) . . 260, 261,  
 298  
 \Wecker (🕒) . . . . . 207  
 wedding (💒) . . . . . 242  
 \Wedge (⋈) . . . . . 36  
 \Wedge (⋈) . . . . . 37  
 \wedge (∧) . . . . . 34  
 \wedge (∧) . . . . . 32  
 \wedge (∧) . . . . . 36  
 \wedge (∧) . . . . . 35, 36  
 \wedge (∧) . . . . . 35  
 \wedge (∧) . . . . . 37  
 \wedgedot (⋈) . . . . . 37  
 \wedgedot (⋈) . . . . . 35  
 \wedgedot (⋈) . . . . . 37  
 \wedgedoublebar (⋈) . . . . . 37  
 \wedgemidvert (⋈) . . . . . 37  
 \wedgedot (∧) . . . . . 37  
 \wedgeonwedge (⋈) . . . . . 36  
 \wedgeonwedge (⋈) . . . . . 37  
 \wedgedot (⋈) . . . . . 60  
 \wedgedot (⋈) . . . . . 64  
 Weierstrass  $\wp$  function . . *see* \wp  
 \westcross (✠) . . . . . 152  
 \wfermion (↘) . . . . . 144  
 whale2 (🐳) . . . . . 210  
 wheel of dharma (🌀) . . . . . 242  
 \Wheelchair (♿) . . . . . 205  
 wheelchair symbol (♿) . . . . . 242  
 \whfermion (↙) . . . . . 144  
 \whistle (🚪) . . . . . 24  
 \white . . . . . 201  
 white cane (🦯) . . . . . 242  
 white circle (●) . . . . . 242  
 white exclamation mark (!) . . . . . 242  
 white flag (🚩) . . . . . 242  
 white flower (🌸) . . . . . 242  
 white hair (👱) . . . . . 242  
 white heart (♥) . . . . . 242  
 white large square (■) . . . . . 242  
 white medium square (◼) . . . . . 242  
 white medium-small square (◻) . . . . . 242  
 white question mark (?) . . . . . 243  
 white small square (◻) . . . . . 243

white square button (■) . . . 243  
 \whitearrowupfrombar (⬆) . . . 90  
 \whitearrowupfrombar (⬆) . . . 92  
 \whitearrowuppedestal (⬆) . . . 90  
 \whitearrowuppedestalhbar (⬆) . . . . . 90  
 \whitearrowuppedestalvbar (⬆) . . . . . 90  
 \WhiteBishopOnBlack (♖) . . . . . 200  
 \WhiteBishopOnWhite (♖) . . . . . 200  
 \whiteblackspace (◻) . . . . . 97  
 \WhiteEmptySquare (◻) . . . . . 200  
 \whiteinwhitetriangle (⬆) . . . . . 159  
 \WhiteKingOnBlack (♔) . . . . . 200  
 \WhiteKingOnWhite (♔) . . . . . 200  
 \WhiteKnightOnBlack (♞) . . . . . 200  
 \WhiteKnightOnWhite (♞) . . . . . 200  
 \WhitePawnOnBlack (♟) . . . . . 200  
 \WhitePawnOnWhite (♟) . . . . . 200  
 \whitepointerleft (◀) . . . . . 159  
 \whitepointerright (▶) . . . . . 159  
 \WhiteQueenOnBlack (♕) . . . . . 200  
 \WhiteQueenOnWhite (♕) . . . . . 200  
 \WhiteRookOnBlack (♖) . . . . . 200  
 \WhiteRookOnWhite (♖) . . . . . 200  
 \whitesquaretickleft (◻) . . . . . 41  
 \whitesquaretickright (◻) . . . . . 41  
 \whitestone . . . . . 200  
 whole note . . . . . *see* musical symbols  
 \wholeNote (♩) . . . . . 178  
 \wholeNoteDotted (♩.) . . . . . 178  
 \wholeNoteRest (—) . . . . . 180  
 \wholeNoteRestDotted (—.) . . . . . 180  
 \wholeof (ℵ) . . . . . 280  
 \whthorzoval (○) . . . . . 159  
 \whtvertoval (○) . . . . . 159  
 Wick contractions . . . . . 287  
 \wideangledown (∟) . . . . . 129  
 \wideangleup (∟) . . . . . 129  
 \widearc (⤵) . . . . . 120

<code>\widearrow</code> (  )	119	woman cartwheeling (  )	243	woman vampire (  )	244
<code>\widebar</code> (  )	119	woman climbing (  )	243	woman walking (  )	244
<code>\widebridgeabove</code> (  )	115	woman construction worker (  )	243	woman wearing turban (  )	244
<code>\widecheck</code> (  )	119	.....	243	woman with headscarf (  )	244
<code>\widecheck</code> (  )	119	woman cook (  )	243	woman with veil (  )	244
<code>\widehat</code> (  )	118	woman dancing (  )	243	woman with white cane (  )	244
<code>\widehat</code> (  )	118	woman detective (  )	243	woman zombie (  )	244
<code>\widehat</code> (  )	119	woman elf (  )	243	woman's boot (  )	244
<code>\widehat</code> (  )	117	woman facepalming (  )	243	woman's clothes (  )	244
<code>\widehat</code> (  )	117	woman factory worker (  )	243	woman's hat (  )	244
<code>\wideOarc</code> (  )	120	woman fairy (  )	243	woman's sandal (  )	244
<code>\wideparen</code> (  )	119	woman farmer (  )	243	<code>\WomanFace</code> (  )	205
<code>\wideparen</code> (  )	118	woman feeding baby (  )	243	women 164, 169, 202–203, 205,	
<code>\wideparen</code> (  )	120	woman firefighter (  )	243	232–245, 247–250	
<code>\wideparen</code> (  )	118	woman frowning (  )	243	women holding hands (  )	244
<code>\wideparen</code> (  )	117	woman genie (  )	243	women with bunny ears (  )	244
<code>\widering</code> (  )	119	woman gesturing NO (  )	243	women wrestling (  )	244
<code>\widering</code> (  )	120	woman gesturing OK (  )	243	women's room (  )	244
<code>\widering</code> (  )	117	woman getting haircut (  )	243	won	see <code>\textwon</code>
<code>\widering</code> (  )	117	woman getting massage (  )	243	wood (  )	244
<code>\widetilde</code> (  )	118	woman golfing (  )	243	woozy face (  )	244
<code>\widetilde</code> (  )	118	woman guard (  )	243	world balloons	247–250
<code>\widetilde</code> (  )	119	woman health worker (  )	243	world	205
<code>\widetilde</code> (  )	117	woman in lotus position (  )	243	world map (  )	244
<code>\widetilde</code> (  )	117, 120	woman in manual wheelchair (  )	243	<code>\worldflag</code>	223–225
<code>\widetriangle</code> (  )	117	.....	243	<code>worldflags</code> (package)	223, 225,
wilted flower (  )	243	woman in motorized wheelchair	243	298	
<code>\wind</code>	206	(  )	243	<code>\worldflag{Abkhazia}</code> (  )	223
wind chime (  )	243	woman in steamy room (  )	243	.....	223
wind face (  )	206	woman in tuxedo (  )	243	<code>\worldflag{AD}</code> (  )	223
window (  )	243	woman judge (  )	243	<code>\worldflag{AE}</code> (  )	223
Windows®	294	woman juggling (  )	243	<code>\worldflag{AF}</code> (  )	223
wine glass (  )	211	woman kneeling (  )	243	<code>\worldflag{AG}</code> (  )	223
<code>\Winkey</code> (  )	230	woman lifting weights (  )	244	<code>\worldflag{AL}</code> (  )	223
winking face (  )	243	woman mage (  )	244	<code>\worldflag{AM}</code> (  )	224
winking face with tongue (  )	243	woman mechanic (  )	244	<code>\worldflag{AO}</code> (  )	224
<code>\wInnocey</code> (  )	230	woman mountain biking (  )	204	<code>\worldflag{AQ}</code> (  )	224
<code>\Wintertree</code> (  )	231	woman office worker (  )	244	<code>\worldflag{Artsakh}</code> (  )	224
witch's hat	116	woman pilot (  )	244	.....	224
witches	41, 124	woman playing handball (  )	244	<code>\worldflag{AR}</code> (  )	224
<code>\with</code> (&)	38	woman playing water polo (  )	244	<code>\worldflag{AT}</code> (  )	224
<code>\with</code> (L)	199	.....	244	<code>\worldflag{AU}</code> (  )	224
<code>\withattack</code> (→)	199	woman police officer (  )	244	<code>\worldflag{AZ}</code> (  )	224
<code>\withidea</code> (△)	199	woman pouting (  )	244	<code>\worldflag{BA}</code> (  )	224
<code>\withinit</code> (1)	199	woman raising hand (  )	244	<code>\worldflag{BB}</code> (  )	224
<code>\without</code> (┘)	199	woman rowing boat (  )	204	<code>\worldflag{BD}</code> (  )	224
Wizards of the Coast	275	woman running (  )	244	<code>\worldflag{BE}</code> (  )	224
<code>\wn</code> (?)	31	woman scientist (  )	244	<code>\worldflag{BF}</code> (  )	224
wolf (  )	210	woman shrugging (  )	244	<code>\worldflag{BG}</code> (  )	224
woman (  )	243	woman singer (  )	244	<code>\worldflag{BH}</code> (  )	224
woman and man holding hands	243	woman standing (  )	244	<code>\worldflag{BI}</code> (  )	224
(  )	243	woman student (  )	244	<code>\worldflag{BJ}</code> (  )	224
woman artist (  )	243	woman superhero (  )	244	<code>\worldflag{BN}</code> (  )	224
woman astronaut (  )	243	woman supervillain (  )	244		
woman biking (  )	204	woman surfing (  )	244		
woman bouncing ball (  )	243	woman swimming (  )	244		
woman bowing (  )	243	woman teacher (  )	244		
		woman technologist (  )	244		
		woman tipping hand (  )	244		

<code>\worldflag{BO}</code>		... 224	<code>\worldflag{GF}</code>		... 225	<code>\worldflag{LV}</code>		... 224
<code>\worldflag{BR}</code>		... 224	<code>\worldflag{GH}</code>		... 225	<code>\worldflag{LY}</code>		... 225
<code>\worldflag{BS}</code>		... 224	<code>\worldflag{GL}</code>		... 223	<code>\worldflag{MA}</code>		... 225
<code>\worldflag{BT}</code>		... 224	<code>\worldflag{GM}</code>		... 223	<code>\worldflag{MD}</code>		... 225
<code>\worldflag{BW}</code>		... 224	<code>\worldflag{GN}</code>		... 223	<code>\worldflag{ME}</code>		... 225
<code>\worldflag{BY}</code>		... 224	<code>\worldflag{GQ}</code>		... 223	<code>\worldflag{MG}</code>		... 225
<code>\worldflag{BZ}</code>		... 224	<code>\worldflag{GR}</code>		... 223	<code>\worldflag{MH}</code>		... 225
<code>\worldflag{CA}</code>		... 224	<code>\worldflag{GT}</code>		... 223	<code>\worldflag{MK}</code>		... 225
<code>\worldflag{CD}</code>		... 224	<code>\worldflag{GW}</code>		... 224	<code>\worldflag{ML}</code>		... 225
<code>\worldflag{CF}</code>		... 224	<code>\worldflag{GY}</code>		... 224	<code>\worldflag{MM}</code>		... 225
<code>\worldflag{CG}</code>		... 224	<code>\worldflag{HN}</code>		... 224	<code>\worldflag{MN}</code>		... 225
<code>\worldflag{CH}</code>		... 224	<code>\worldflag{HR}</code>		... 224	<code>\worldflag{MR}</code>		... 225
<code>\worldflag{CI}</code>		... 224	<code>\worldflag{HT}</code>		... 224	<code>\worldflag{MT}</code>		... 225
<code>\worldflag{CK}</code>		... 224	<code>\worldflag{HU}</code>		... 224	<code>\worldflag{MU}</code>		... 225
<code>\worldflag{CL}</code>		... 224	<code>\worldflag{ID}</code>		... 224	<code>\worldflag{MV}</code>		... 225
<code>\worldflag{CM}</code>		... 224	<code>\worldflag{IE}</code>		... 224	<code>\worldflag{MW}</code>		... 225
<code>\worldflag{CN}</code>		... 224	<code>\worldflag{IL}</code>		... 224	<code>\worldflag{MX}</code>		... 225
<code>\worldflag{CO}</code>		... 224	<code>\worldflag{IN}</code>		... 224	<code>\worldflag{MY}</code>		... 225
<code>\worldflag{CR}</code>		... 224	<code>\worldflag{IQ}</code>		... 224	<code>\worldflag{MZ}</code>		... 225
<code>\worldflag{CU}</code>		... 224	<code>\worldflag{IR}</code>		... 224	<code>\worldflag{NATO}</code>		... 225
<code>\worldflag{CV}</code>		... 224	<code>\worldflag{IS}</code>		... 224	<code>\worldflag{NA}</code>		... 225
<code>\worldflag{CY}</code>		... 225	<code>\worldflag{IT}</code>		... 224	<code>\worldflag{NE}</code>		... 225
<code>\worldflag{CZ}</code>		... 225	<code>\worldflag{JM}</code>		... 224	<code>\worldflag{NG}</code>		... 225
<code>\worldflag{DE}</code>		... 225	<code>\worldflag{JollyRoger}</code>		... 224	<code>\worldflag{NI}</code>		... 225
<code>\worldflag{DJ}</code>		... 225	.....	224	<code>\worldflag{NL}</code>		... 225	
<code>\worldflag{DK}</code>		... 225	<code>\worldflag{JO}</code>		... 224	<code>\worldflag{NO}</code>		... 225
<code>\worldflag{DM}</code>		... 225	<code>\worldflag{JP}</code>		... 224	<code>\worldflag{NP}</code>		... 225
<code>\worldflag{DO}</code>		... 225	<code>\worldflag{KE}</code>		... 224	<code>\worldflag{NR}</code>		... 225
<code>\worldflag{DZ}</code>		... 225	<code>\worldflag{KG}</code>		... 224	<code>\worldflag{NU}</code>		... 223
<code>\worldflag{EC}</code>		... 225	<code>\worldflag{KH}</code>		... 224	<code>\worldflag{NZ}</code>		... 223
<code>\worldflag{EE}</code>		... 225	<code>\worldflag{KI}</code>		... 224	<code>\worldflag{Olympics}</code>		... 223
<code>\worldflag{EG}</code>		... 225	<code>\worldflag{KM}</code>		... 224	.....	223	
<code>\worldflag{EH}</code>		... 225	<code>\worldflag{KN}</code>		... 224	<code>\worldflag{OM}</code>		... 223
<code>\worldflag{ER}</code>		... 225	<code>\worldflag{KO}</code>		... 224	<code>\worldflag{PA}</code>		... 223
<code>\worldflag{Esperanto}</code>		... 225	<code>\worldflag{KP}</code>		... 224	<code>\worldflag{PE}</code>		... 223
.....	225		<code>\worldflag{KR}</code>		... 224	<code>\worldflag{PG}</code>		... 224
<code>\worldflag{ES}</code>		... 225	<code>\worldflag{KW}</code>		... 224	<code>\worldflag{PH}</code>		... 224
<code>\worldflag{ET}</code>		... 225	<code>\worldflag{KZ}</code>		... 224	<code>\worldflag{PK}</code>		... 224
<code>\worldflag{EU}</code>		... 225	<code>\worldflag{LA}</code>		... 224	<code>\worldflag{PL}</code>		... 224
<code>\worldflag{FI}</code>		... 225	<code>\worldflag{LB}</code>		... 224	<code>\worldflag{PS}</code>		... 224
<code>\worldflag{FJ}</code>		... 225	<code>\worldflag{LC}</code>		... 224	<code>\worldflag{PT}</code>		... 224
<code>\worldflag{FM}</code>		... 225	<code>\worldflag{LI}</code>		... 224	<code>\worldflag{PW}</code>		... 224
<code>\worldflag{FR}</code>		... 225	<code>\worldflag{LK}</code>		... 224	<code>\worldflag{PY}</code>		... 224
<code>\worldflag{GA}</code>		... 225	<code>\worldflag{LR}</code>		... 224	<code>\worldflag{QA}</code>		... 224
<code>\worldflag{GB}</code>		... 225	<code>\worldflag{LS}</code>		... 224	<code>\worldflag{Rainbow}</code>		224
<code>\worldflag{GD}</code>		... 225	<code>\worldflag{LT}</code>		... 224	<code>\worldflag{RedCross}</code>		... 224
<code>\worldflag{GE}</code>		... 225	<code>\worldflag{LU}</code>		... 224	.....	224	

<code>\worldflag{RO}</code> (  ) ... 224	<code>\worldflag{VE}</code> (  ) ... 225	<code>\xleftarrow</code> (  ) ... 95, 121
<code>\worldflag{RS}</code> (  ) ... 224	<code>\worldflag{VN}</code> (  ) ... 225	<code>\xleftbroom</code> (  ) ... 123
<code>\worldflag{RU}</code> (  ) ... 224	<code>\worldflag{VU}</code> (  ) ... 225	<code>\xleftflutteringbat</code> (  ) ... 124
<code>\worldflag{RW}</code> (  ) ... 224	<code>\worldflag{WB}</code> (  ) ... 225	<code>\xlefttharpoondown</code> (  ) ... 121
<code>\worldflag{SA}</code> (  ) ... 224	<code>\worldflag{WS}</code> (  ) ... 225	<code>\xlefttharpoonup</code> (  ) ... 121
<code>\worldflag{SB}</code> (  ) ... 224	<code>\worldflag{YE}</code> (  ) ... 225	<code>\xleftpitchfork</code> (  ) ... 123
<code>\worldflag{SC}</code> (  ) ... 224	<code>\worldflag{ZA}</code> (  ) ... 225	<code>\xLeftrightarrow</code> (  ) ... 122
<code>\worldflag{SD}</code> (  ) ... 224	<code>\worldflag{ZM}</code> (  ) ... 225	<code>\xLeftrightarrow</code> (  ) ... 121
<code>\worldflag{SE}</code> (  ) ... 224	<code>\worldflag{ZW}</code> (  ) ... 225	<code>\xletrightarrow</code> (  ) ... 122
<code>\worldflag{SG}</code> (  ) ... 224	worm (  ) ... 210	<code>\xletrightarrow</code> (  ) ... 121
<code>\worldflag{SI}</code> (  ) ... 224	worried face (  ) ... 244	<code>\xletrightarrow</code> (  ) ... 122
<code>\worldflag{SK}</code> (  ) ... 224	<code>\WorstTree</code> (  ) ... 231	<code>\xletrightarrow</code> (  ) ... 121
<code>\worldflag{SL}</code> (  ) ... 224	<code>\wp</code> (  ) ... 104	<code>\xletrightarrow</code> (  ) ... 95
<code>\worldflag{SM}</code> (  ) ... 224	<code>\wp</code> (  ) ... 105	<code>\xletrightharpoons</code> (  ) ... 121
<code>\worldflag{SN}</code> (  ) ... 224	<code>\wp</code> (  ) ... 105	<code>\xleftswishingghost</code> (  ) ... 124
<code>\worldflag{Somaliland}</code> (  ) ... 224	<code>\wp</code> (  ) ... 104	<code>\xleftwitchonbroom</code> (  ) ... 124
<code>\worldflag{SO}</code> (  ) ... 224	<code>\wp</code> (  ) ... 105	<code>\xleftwitchonbroom*</code> (  ) ... 124
<code>\worldflag{SR}</code> (  ) ... 224	<code>\wp</code> (  ) ... 105	<code>\xleftwitchonpitchfork</code> (  ) ... 124
<code>\worldflag{SS}</code> (  ) ... 224	<code>\wp</code> (  ) ... 104	<code>\xleftwitchonpitchfork*</code> (  ) ... 124
<code>\worldflag{ST}</code> (  ) ... 224	<code>\wp</code> (  ) ... 105	<code>\xlongequal</code> (  ) ... 122
<code>\worldflag{SV}</code> (  ) ... 224	<code>\wq</code> (  ) ... 176	<code>\xlongequal</code> (  ) ... 122
<code>\worldflag{SY}</code> (  ) ... 224	<code>\wq</code> (  ) ... 176	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{SZ}</code> (  ) ... 224	<code>\wq</code> (  ) ... 176	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TD}</code> (  ) ... 224	<code>\wr</code> (  ) ... 32	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TG}</code> (  ) ... 224	<code>\wr</code> (  ) ... 36	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TH}</code> (  ) ... 224	<code>\wr</code> (  ) ... 35	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TJ}</code> (  ) ... 224	<code>\wr</code> (  ) ... 37	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TL}</code> (  ) ... 224	wrapped gift (  ) ... 244	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TM}</code> (  ) ... 225	<code>\wreath</code> (  ) ... 35, 36	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TN}</code> (  ) ... 225	<code>\wreath</code> (  ) ... 35	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TO}</code> (  ) ... 225	wreath product ... <i>see</i> <code>\wr</code>	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{Transnistria}</code> (  ) ... 225	wrench (  ) ... 244	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TR}</code> (  ) ... 225	writing hand (  ) ... 244	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TT}</code> (  ) ... 225	<code>\WritingHand</code> (  ) ... 205	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TV}</code> (  ) ... 225	wsuipa (package) 20, 24, 26, 278, 281, 285, 298, 299	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TW}</code> (  ) ... 225	<code>\wupperhand</code> (  ) ... 199	<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TZ}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{TZ}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{UA}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{UG}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{UNO}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{US}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{UY}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{UZ}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{VA}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122
<code>\worldflag{VC}</code> (  ) ... 225		<code>\xLongleftarrow</code> (  ) ... 122



`\xrightpitchfork` ( $\exists$ ) ... 123  
`\xrightswishingghost` ( $\exists$ ) 124  
`\xrightwitchonbroom` ( $\exists$ ) 124  
`\xrightwitchonbroom*` ( $\exists$ ) .  
 ..... 124  
`\xrightwitchonpitchfork` ( $\exists$ )  
 ..... 124  
`\xrightwitchonpitchfork*`  
 ( $\exists$ ) ..... 124  
`Xs` ..... 152, 153, 205  
`\xsol` (/) ..... 50  
`\XSolid` (X) ..... 152  
`\XSolidBold` (X) ..... 152  
`\XSolidBrush` (X) ..... 152  
`\xswordsdown` (X) ..... 205  
`\xswordsup` (X) ..... 205  
`\xtofrom` ( $\iff$ ) ..... 122  
`\xtwoheadleftarrow` ( $\leftarrow$ ) 122  
`\xtwoheadrightarrow` ( $\longrightarrow$ ) .  
 ..... 122  
`Xy-pic` ..... 284

**Y**

`yarn` (🧶) ..... 244  
`yawning face` (😪) ..... 244  
`\Ydown` (Y) ..... 33  
`\Ydown` (Y) ..... 36  
`yellow circle` (●) ..... 245  
`yellow heart` (♥) ..... 245  
`yellow square` (■) ..... 245  
`yen` ..... *see* `\textyen`  
`\yen` (¥) ..... 132  
`yen banknote` (🏠) ..... 245

`yfonts` (package) . 134, 135, 298,  
 299  
`yhmath` (package) 116, 117, 120,  
 127, 285, 298  
`yin yang` (☯) ..... 245  
`yin-yang symbols` ..... 205, 229,  
 232–246, 261–262  
`\Yinyang` (☯) ..... 205  
`\yinyang` (☯) ..... 229  
`\Yleft` (<) ..... 33  
`\Yleft` (<) ..... 36  
`yo-yo` (🎈) ..... 245  
`\yogh` (ȝ) ..... 21  
`\yogh` (ȝ) ..... 21  
`\Yright` (>) ..... 33  
`\Yright` (>) ..... 36  
`Yu, Billy` ..... 286  
`\Yup` (A) ..... 33  
`\Yup` (A) ..... 36  
`\Yup` (A) ..... 105

**Z**

`\ZA` (A) ..... 141  
`zany face` (😬) ..... 245  
`Zapf Chancery` (font) ..... 134  
`Zapf Dingbats` (font) . 146, 153  
`\ZB` (B) ..... 141  
`\Zbar` (Z) ..... 105  
`\Zborder` ( $\boxminus$ ) ..... 162  
`\Zboson` (Z) ..... 145  
`\ZC` (C) ..... 141  
`\zcmp` (ȝ) ..... 132  
`\ZD` (D) ..... 141  
`\ZE` (E) ..... 141  
`zebra` (🦓) ..... 210  
`\Zeta` (Z) ..... 101  
`\zeta` ( $\zeta$ ) ..... 101  
`\zetaaup` ( $\zeta$ ) ..... 102  
`\Zeus` (⚡) ..... 140

`\ZF` (F) ..... 141  
`\ZG` (G) ..... 141  
`\ZH` (H) ..... 141  
`\ZI` (I) ..... 141  
`zipper-mouth face` (😬) ..... 245  
`\ZJ` (J) ..... 141  
`\ZK` (K) ..... 141  
`\ZL` (L) ..... 141  
`\ZM` (M) ..... 141  
`\ZN` (N) ..... 141  
`\ZO` (O) ..... 141  
`\Zodiac` ..... 138  
`zodiacal symbols` ..... 137–140,  
 257–260  
`zombie` (🧟) ..... 245  
`\ZP` (P) ..... 141  
`\zpipe` ( $\gg$ ) ..... 132  
`\zproject` ( $\uparrow$ ) ..... 132  
`\ZQ` (Q) ..... 141  
`\ZR` (R) ..... 141  
`\ZS` (S) ..... 141  
`\ZT` (T) ..... 141  
`\Ztransf` ( $\bullet \rightsquigarrow \circ$ ) ..... 67  
`\Ztransf` ( $\bullet \rightsquigarrow \circ$ ) ..... 63  
`\ztransf` ( $\circ \rightsquigarrow \bullet$ ) ..... 67  
`\ztransf` ( $\circ \rightsquigarrow \bullet$ ) ..... 62  
`\ZU` (U) ..... 141  
`\Zu` (Z) ..... 100  
`\zugzwang` (☹) ..... 199  
`\ZV` (V) ..... 141  
`\ZW` (W) ..... 141  
`\Zwdr` (🎵) ..... 176  
`\ZwPa` (🎵) ..... 176  
`\ZX` (X) ..... 141  
`\ZY` (Y) ..... 141  
`\ZZ` (Z) ..... 141  
`zzz` (zzz) ..... 245