

---

**The unicodfonttable package\***

Frank Mittelbach

**Abstract**

A package for typesetting font tables for larger fonts, e.g., TrueType or OpenType Unicode fonts. To produce a one-off table, a standalone version is available as well.

**Contents**

1	Introduction	901
2	The user interface	902
	2.1 Keys and their values . . . . .	903
	2.2 A standalone interactive version . . . . .	905
3	Notes on the table data	905
A	Index	906
B	Examples	907
	B.1 Computer Modern Sans — 7-bit font . . . . .	907
	B.2 T <sub>E</sub> X Gyre Heros — 8-bit font . . . . .	907
	B.3 Latin Modern Math — 8-bit fonts . . . . .	908
	B.4 Latin Modern Math compared to New Computer Modern Math . .	909
	B.5 Garamond Libre’s Byzantine Musical Symbols . . . . .	918

**1 Introduction**

When I started to write a new chapter for the third edition of *The L<sup>A</sup>T<sub>E</sub>X Companion* on modern fonts available for different L<sup>A</sup>T<sub>E</sub>X engines, I was a bit surprised that I couldn’t find a way to easily typeset tables showing the glyphs available in TrueType or OpenType fonts. The `nfssfont` package available with L<sup>A</sup>T<sub>E</sub>X only supports fonts from the 8-bit world, but modern fonts that can be used with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X or Lua<sub>T</sub><sub>E</sub>X can contain thousands of glyphs and having a method to display what is available in them was important for me.

I therefore set out to write my own little package and what started as an afternoon exercise ended up being this package, offering plenty of bells and whistles for typesetting such font tables.

As there can be many glyphs in such fonts a tabular representation of them might run for several pages, so the package internally uses the `longtable` package to handle that. In most cases the glyphs inside the fonts are indexed by their Unicode numbers so it is natural to display them sorted by their position in the Unicode character set.

Unicode is organized in named blocks such as “Basic Latin”, “Latin-1 Supplement”, etc., typically consisting of 265 characters each.<sup>1</sup> It is therefore helpful to use these block names as subtitles within the table, to more easily find the information one is looking for.

A common way to represent the number of a single Unicode character is `U+` followed by four (or more) hexadecimal digits. For example, `U+0041` represents the letter “A” and `U+20AC` the Euro currency symbol “€”. We use this convention by showing a Unicode range of sixteen characters at the left of each table row, e.g., `U+0040 – 004F`, followed by the sixteen glyphs in the range. Thus that particular table row from the “Basic

---

\* This is version 1.0h of the package, dated 2023/05/10; the license is LPPL.

<sup>1</sup> Some blocks are smaller, while those containing the Asian ideographs are much larger.

Latin” block would show something like

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0040 - 004F	Ⓒ	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O

If a Unicode character has no glyph representation in a given font then this is indicated by a special symbol (by default a colored hyphen). By default some color is used, but we’ve grayscaled the output for *TUGboat*.

In order to easily locate any Unicode character the table shows by default sixteen hex digits as a column heading. For example, to find Euro currency symbol (U+20AC) one first finds the right row, which is the range U+20A0 - 20AF, and then the C column in that row, and the glyph is there (or an indication that the font is missing that glyph; the line shows that for some of the other slots).

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+20A0 - 20AF	-	¢	-	-	£	-	¤	-	-	¥	-	đ	€	-	-	-

It can be useful to compare two fonts with each other by filling the table with glyphs from a secondary font if the primary font is missing them. For example, the next display shows two rows of Latin Modern Math (black glyphs) and instead of showing a missing glyph symbol in most slots, we use the glyphs from New Computer Modern Math, which has a much larger glyph set (normally red glyphs with gray background but again, grayscaled for *TUGboat*).

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+2A00 - 2A0F	⊙	⊕	⊗	⊘	⊙	⊕	⊗	⊘	⊙	⊕	⊗	⊘	⊙	⊕	⊗	⊘
U+2A10 - 2A1F	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ

## 2 The user interface

The package offers one command to typeset a font table. The appearance of the table can be customized by specifying key/value pairs.

---

`\displayfonttable` `\displayfonttable * [⟨key/value-list⟩] {⟨font-name⟩} [⟨font-features⟩]`

The `⟨font-name⟩` is the font to be displayed. This and the `⟨font-features⟩` argument are passed to `fontspec`, thus they should follow the conventions of that package for specifying a font. The `⟨key/value-list⟩` offers customization possibilities discussed below. The `\displayfonttable*` is a variant of the command, intended for use with 8-bit legacy fonts. It presets some keys, but otherwise behaves identically. The preset values are:

`nostatistics, display-block=none, hex-digits=head, range-end=FF`

For details see the next section.

---

`\fonttablesetup` `\fonttablesetup {⟨key/value-list⟩}`

Instead of or in addition to specifying key/values to `\displayfonttable` it is possible to set them up as defaults. Inside `\displayfonttable` the defaults are applied first, so one can still overwrite their values for an individual table.

---

`\fonttableglyphcount` `\fonttableglyphcount`

While typesetting a font table the package keeps track of the number of glyphs it finds in the font. After the table has finished, this value is available in `\fonttableglyphcount` and it is, for example, used when statistics are produced. At the start of the next table it is reset to zero.

## 2.1 Keys and their values

Several of the available keys are booleans accepting `true` or `false`. They usually exist in pairs so that one can specify the desired behavior without needing to provide a value, e.g., specifying `header` is equivalent to specifying `header=true` or `noheader=false`, etc. In the lists below the default settings are indicated by an underline.

<code>header</code> <code>noheader</code> <code>title-format</code> <code>title-format-cont</code>	<p>The first set of keys is concerned with the overall look and feel of the generated table.</p> <p><b><code>header</code>, <code>noheader</code></b> These keys determine whether a header to the table is produced.</p> <p><b><code>title-format</code>, <code>title-format-cont</code></b> These keys define what is provided as a header title or continuation title if the table consists of several pages. They expect code as their value. This code can contain <code>#1</code> and <code>#2</code> to denote the <code>&lt;font-name&gt;</code> and <code>&lt;font-features&gt;</code> arguments, respectively.</p> <p>By default a title using the <code>\caption</code> command is produced; on continuation titles, the <code>&lt;font-features&gt;</code> are not shown. This is typeset as a <code>longtable</code> header row, so you either need to use <code>\multicolumn</code> or a <code>\caption</code> command—otherwise everything ends up in the first column.</p>
<code>display-block</code> <code>hex-digits</code> <code>hex-digits-font</code> <code>hex-digits-row-format</code> <code>color</code>	<p>These keys handle the inner parts of the table.</p> <p><b><code>display-block</code></b> The Unicode dataset is organized in named blocks that are typically 128 or 256 characters, though some are noticeably larger and a few are smaller. With the <code>display-block</code> key it is possible to specify if and how such blocks should be made visible. The following values are supported:</p> <p><b><code>titles</code></b> Above each display block that contains glyphs the Unicode title of the block is displayed.</p> <p><b><code>rules</code></b> Display blocks are indicated only by a <code>\midrule</code>.</p> <p><b><code>none</code></b> Display blocks are not indicated at all.</p> <p><b><code>hex-digits</code></b> To ease reading the table, rows of hex digits are added to it. Where or if this happens is controlled by this key. Allowed values for it are the following:</p> <p><b><code>block</code></b> A row of hex digits is placed at the beginning of each Unicode block containing glyphs in the displayed font.</p> <p><b><code>foot</code></b> A row is added to the foot of each table page.</p> <p><b><code>head</code></b> A row is added to the top of each table page.</p> <p><b><code>head+foot</code></b> A row is added to the top and the foot of each table page.</p> <p><b><code>none</code></b> All hex digit rows are suppressed.</p> <p><b><code>hex-digits-font</code></b> The font to use for the hex digits, by default <code>\ttfamily\scriptsize</code>.</p> <p><b><code>hex-digits-row-format</code></b> This key defines the format for the hex digits shown on the left of each row. It accepts one argument hold the hex values for the row except for the last digit, e.g. <code>0A3</code> for the values from <code>0A30</code> to <code>0A3F</code>. The default formatting is <code>U+#10\,-\,#1F</code> and without further adjustments it is automatically set in <code>\footnotesize \ttfamily</code> and in the color specified by the <code>color</code> key.</p> <p><b><code>color</code></b> This key determines the color for parts of the table (hex digits and Unicode ranges). It can be either <code>none</code> or a color specification as understood by the <code>\color</code> command. The default is <u><code>blue</code></u>.</p>

---

**statistics** The next set of keys allows altering the statistics that are produced.  
**nostatistics**  
**statistics-font** **statistics**, **nostatistics** These keys determine whether some statistics are listed  
**statistics-format** at the end of the table.

**statistics-font** The font used to typeset the statistics; the default is `\normalfont\small`.

**statistics-format** Code (text) to specify what should be typeset in the statistics. One can use **#1** for the  $\langle font-name \rangle$  and **#2** for the glyph count. The material is typeset on a single line at the end of the table. If several lines are needed you need to use `\parbox` or a similar construct.

---

**glyph-width**  
**missing-glyph**  
**missing-glyph-font**  
**missing-glyph-color**

Another set of keys deals with customization on the glyph level.

**glyph-width** All glyphs are typeset in a box with the same width, the default value is `6pt` which is suitable for most 10pt fonts and make the table fit comfortably into the text width of a typical document.

**missing-glyph** If a slot in a row doesn't have a glyph in the font you may still want display something to indicate this state. By giving the key a value any arbitrary glyph or material can be typeset. The default is to typeset a - (hyphen) in a special color.

Rows that contain no glyph whatsoever are not displayed at all. Instead a small vertical space is added to indicate the one or more rows are omitted.

**missing-glyph-font** The font used for the missing glyphs (the default value is `\ttfamily\scriptsize`).

**missing-glyph-color** If not specified it uses the value specified with the `color` key. If you want a different color, e.g., `red`, you can use a color value or you can specify `none` to use no coloring.

---

**compare-with**  
**compare-color**  
**compare-bgcolor**  
**statistics-compare-format**

You can make comparisons between two fonts, which is useful, for example when dealing with incomplete math fonts and you need to see how well the symbols from one font blend with the supplementary symbols from another font.

**compare-with** If given, the value is a  $\langle comparison-font-name \rangle$  that is used to supply missing glyphs. This means that if the  $\langle font-name \rangle$  to be displayed is missing a glyph in a slot, then the  $\langle comparison-font-name \rangle$  is checked, and if that font has the glyph in question, it will be displayed instead of showing a missing glyph indicator.

**compare-color**, **compare-bgcolor** To distinguish real glyphs from missing but substituted glyphs, they can be colored specially (default `red`) and/or you can have their background colored (default is `black!10`, i.e., a light gray).

**statistics-compare-format** Code (text) to specify what should be typeset in the statistics when comparing two fonts. One can use **#1** for the  $\langle font-name \rangle$  and **#2** for its glyph count, **#3** is the name of the comparison font, **#4** its glyph count, **#5** for the number of glyphs missing in this font and **#6** the number of extra glyphs in it. This code is used instead of `statistics-format` when comparisons are made. The material is typeset on a single line at the end of the table. If several lines are needed you need to use `\parbox` or a similar construct.

---

**range-start** Finally there are two keys for restricting the display range.  
**range-end**

---

**range-start, range-end** The full Unicode set of characters is huge and checking every slot to see if the current font contains a glyph in the slot takes a long time. If you know that font contains only a certain subset then you can speed up the table generation considerably by limiting the search (and consequently the output generation). The **range-start** specifies where to start with the search (default 0000) and **range-end** gives the last slot that is tested (default FFFF).

Thus, by default we restrict the display to slots below 10000, because text fonts seldom contain glyphs in the higher planes. But if you want to see everything of the font (as far as supported by this package) and are prepared to wait for the higher planes to be scanned, you can go up to a value of FFFFF.

However, please note that the LuaTeX fontloader uses the “Supplementary Private Use Area-A”, which starts at F0000, as its own playground and places remapping into it, so by default you see random data instead of font data there. You either have to use the XeTeX engine or load the font with **Renderer=HarfBuzz** in LuaTeX.

These keys are also quite useful in combination with the previous **compare-with** key, to display only, for example, the Greek letters and see how glyphs from two fonts blend with each other.

## 2.2 A standalone interactive version

If you want to quickly display a single font, you can run `unicodedefont.tex` through LuaTeX (or XeTeX). Similar to `nfssfont.tex` (which is for 8-bit fonts with pdfTeX) it asks you a few questions and then generates the font table for you. There are fewer configuration options available, but this workflow saves you writing a document to get a one-off table.

Most font tables need several runs due to the use of `longtable`, which has to find the right width for the columns across several pages. The `unicodedefont` file therefore remembers your selection from the previous run and asks you if you want to reapply it to speed up the process.

## 3 Notes on the table data

If you look at some parts of a Unicode font table you see a number of slots that do not show a “missing glyph” sign, but nonetheless appear to be empty. For example:

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0020–002F		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030–003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040–004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050–005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
U+0060–006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070–007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
U+00A0–00AF		ı	ç	£	¤	¥	¦	§	¨	©	ª	«	¬	®	¯	˘
U+00B0–00BF	°	±	²	³	´	µ	¶	·	,	₁	²	»	¼	½	¾	¿

The reason is that Unicode contains a lot of special spaces or otherwise invisible characters, e.g., U+0020 is the normal space, U+00A0 is a non-breaking space, U+00AD is a soft-hyphen (what L<sup>A</sup>T<sub>E</sub>X users would indicate with `\-`), and so forth. Especially the row U+2000–200F in Table 6 looks strange as it appears to be totally empty, but in fact most of its slots contain spaces of different width.

### General Punctuation

U+2000 - 200F																				
U+2010 - 201F	-	-	-	-	-	-		=	'	'	,	-	“	”	”	-				
U+2020 - 202F	†	‡	•	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F				

Another somewhat surprising area is the “Mathematical Alphanumeric Symbols” block in math fonts, starting at U+1D400. There you see a number of missing characters, the first two being U+1D455 (math italic small h) and U+1D49D (math script B).

### Mathematical Alphanumeric Symbols

U+1D400 - 1D40F	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>
U+1D410 - 1D41F	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>
U+1D420 - 1D42F	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>
U+1D430 - 1D43F	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>	<i>J</i>	<i>K</i>	<i>L</i>
U+1D440 - 1D44F	<i>M</i>	<i>N</i>	<i>O</i>	<i>P</i>	<i>Q</i>	<i>R</i>	<i>S</i>	<i>T</i>	<i>U</i>	<i>V</i>	<i>W</i>	<i>X</i>	<i>Y</i>	<i>Z</i>	<i>a</i>	<i>b</i>
U+1D450 - 1D45F	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>	<i>g</i>	-	<i>i</i>	<i>j</i>	<i>k</i>	<i>l</i>	<i>m</i>	<i>n</i>	<i>o</i>	<i>p</i>	<i>q</i>	<i>r</i>
U+1D460 - 1D46F	<i>s</i>	<i>t</i>	<i>u</i>	<i>v</i>	<i>w</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	<i>F</i>	<i>G</i>	<i>H</i>
U+1D470 - 1D47F	<i>I</i>	<i>J</i>	<i>K</i>	<i>L</i>	<i>M</i>	<i>N</i>	<i>O</i>	<i>P</i>	<i>Q</i>	<i>R</i>	<i>S</i>	<i>T</i>	<i>U</i>	<i>V</i>	<i>W</i>	<i>X</i>
U+1D480 - 1D48F	<i>Y</i>	<i>Z</i>	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>	<i>g</i>	<i>h</i>	<i>i</i>	<i>j</i>	<i>k</i>	<i>l</i>	<i>m</i>	<i>n</i>
U+1D490 - 1D49F	<i>o</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>t</i>	<i>u</i>	<i>v</i>	<i>w</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>A</i>	-	<i>C</i>	<i>D</i>
U+1D4A0 - 1D4AF	-	-	<i>G</i>	-	-	<i>J</i>	<i>K</i>	-	-	<i>N</i>	<i>O</i>	<i>P</i>	<i>Q</i>	-	<i>S</i>	<i>T</i>
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

In this case the reason is *not* that the font fails to implement the characters, but that these characters have already been defined in earlier revisions of the Unicode standard in the lower Unicode plane. For example, the “h” is the Planck constant U+210E and U+212C is the script capital B, etc. The Unicode Consortium decided not to encode the *same* character twice, hence the apparent holes.

### A Index

Numbers written in *italic* refer to the page where the corresponding entry is described or mentioned.

	<b>Symbols</b>			
\,	.....	903	\fonttablesetup	..... 902
\-	.....	905	\footnotesize	..... 903
	<b>C</b>		<b>G</b>	
\caption	.....	903	glyph-width	..... 904
\color	.....	903		
color	.....	903	<b>H</b>	
compare-bgcolor	.....	904	header	..... 903
compare-color	.....	904	hex-digits	..... 903
compare-with	.....	904	hex-digits-font	..... 903
	<b>D</b>		hex-digits-row-format	..... 903
display-block	.....	903		
\displayfonttable	.....	902, 902, 907	<b>M</b>	
\displayfonttable*	.....	902	\midrule	..... 903
	<b>F</b>		missing-glyph	..... 904
\fonttableglyphcount	.....	902	missing-glyph-color	..... 904
			missing-glyph-font	..... 904
			\multicolumn	..... 903

<b>N</b>		<b>S</b>	
noheader .....	903	<code>\scriptsize</code> .....	903, 904
<code>\normalfont</code> .....	904	<code>\small</code> .....	904
nostatistics .....	904	statistics .....	904
<b>P</b>		statistics-compare-format .....	904
<code>\parbox</code> .....	904, 904	statistics-font .....	904
<b>R</b>		statistics-format .....	904
range-end .....	905	<b>T</b>	
range-start .....	905	title-format .....	903
		title-format-cont .....	903
		<code>\ttfamily</code> .....	903, 904

## B Examples

In this section we show the results of a few calls to `\displayfonttable`. The tables are a bit easier to navigate if they use color in some places, but for *TUGboat* this is not practical, so we use black and gray.

Please note that this documentation was produced with Lua $\TeX$ . If you reuse the examples with X $\TeX$ , you may have to specify the font names differently (i.e., following to the `fontspec` documentation for this engine).

### B.1 Computer Modern Sans — 7-bit font

Our first example is the original Computer Modern Sans, with character codes  $\leq 127$ . Command used:

```
\displayfonttable*[color=none, range-end=7F]{cmss10}
```

Table 1: cmss10

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0000-000F	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
U+0010-001F	ı	ı	˘	˙	˚	˛	˜	˝	,	β	æ	œ	ø	Æ	Œ	Ø
U+0020-002F	-	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030-003F	0	1	2	3	4	5	6	7	8	9	:	;	ı	=	ı	?
U+0040-004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050-005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	"	]	^	.
U+0060-006F	‘	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	-	—	"	~	..

### B.2 $\TeX$ Gyre Heros — 8-bit font

This example shows the  $\TeX$  Gyre Heros 8-bit font, in the T1 encoding, with character codes  $\leq 255$ . We used `hex-digits-row-format` to shorten the row titles on the left:

```
\displayfonttable*[color=none,hex-digits-row-format=U+#1]{ec-qhvr}
```

Table 2: ec-qhvr

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+000	˘	˙	˚	˛	˜	˝	˜	˝	-	.						
U+001	“	”	„	«	»	—	—	o	ı	j	ff	fi	fl	ffi	ffl	
U+002	ı	ı	˘	˙	˚	˛	˜	˝	,	β	æ	œ	ø	Æ	Œ	Ø
U+003	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+004	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+005	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_

Table 2: ec-qhvr cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+006	'	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+007	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
U+008	Ă	Ą	Ć	Č	Ď	Ě	Ę	Ğ	Ĺ	Ł	Ł	Ń	Ň	Ń	Ŕ	Ŗ
U+009	Ř	Ś	Ŝ	Ş	Ť	Ŧ	Ú	Û	Ÿ	Ž	Ž	Ž	ı	ı	đ	§
U+00A	ă	ą	ć	č	ď	ě	ę	ğ	ĺ	ł	ł	ń	ň	ņ	ř	ŗ
U+00B	ř	ś	ŝ	ş	ť	ŧ	ú	û	ÿ	ž	ž	ž	ı	ı	ı	£
U+00C	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D	Ð	Ñ	Ò	Ó	Ô	Õ	Œ	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	
U+00E	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F	ð	ñ	ò	ó	ô	õ	œ	ø	ù	ú	û	ü	ý	þ	ß	

B.3 Latin Modern Math — 8-bit fonts

The traditional Latin Modern Math Italic, Symbol and Extension fonts. The symbol font (lmsy10) has two characters added to the Computer Modern symbol repertoire, seen in the last row of the table. Commands used:

```
\displayfonttable*[color=none]{lmmi10}
\displayfonttable*[color=none]{lmsy10}
\displayfonttable*[color=none]{lmex10}
```

Table 3: lmmi10

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0000-000F	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ	Φ	Ψ	Ω	α	β	γ	δ	ε
U+0010-001F	ζ	η	θ	ι	κ	λ	μ	ν	ξ	π	ρ	σ	τ	υ	φ	χ
U+0020-002F	ψ	ω	ε	ϑ	ϖ	ϗ	ς	φ	←	↔	→	↘	↙	▷	◁	
U+0030-003F	0	1	2	3	4	5	6	7	8	9	.	,	<	/	>	*
U+0040-004F	∂	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050-005F	P	Q	R	S	T	U	V	W	X	Y	Z	b	h	#	)	(
U+0060-006F	ℓ	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	ı	j	φ	→	←

Table 4: lmsy10

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0000-000F	—	·	×	*	÷	◊	±	∓	⊕	⊖	⊗	⊘	⊙	◯	◦	●
U+0010-001F	≠	≡	⊆	⊇	≤	≥	≲	≳	~	≈	⊂	⊃	⊆	⊇	↖	↗
U+0020-002F	←	→	↑	↓	↔	↗	↘	≈	⇐	⇒	↑	↓	↔	↖	↗	∝
U+0030-003F	∞	∞	∈	∃	Δ	∇	/	∣	∨	∃	¬	∅	ℜ	ℑ	⊥	⊥
U+0040-004F	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ
U+0050-005F	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ
U+0060-006F	⊢	⊣	⊤	⊥	⊦	⊧	{	}	⟨	⟩			↕	↕	↘	↙
U+0070-007F	√	∏	∇	f	∩	∩	⊆	⊆	§	†	‡	♣	♣	♣	♥	♠
U+00A0-00AF	-	-	-	-	-	-	-	-	-	-	-	-	-	≤	≥	-

Table 5: lmex10

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0000-000F	(	)	[	]	[	]	[	]	{	}	⟨	⟩			/	\



**Table 5:** *lmex10 cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0010-001F	(	)	(	)	[	]	[	]	[	]	{	}	<	>	/	\
U+0020-002F	(	)	[	]	[	]	[	]	{	}	<	>	/	\	/	\
U+0030-003F	(	)	[	]	[	]	'	'	'	'	'	'	'	'	'	'
U+0040-004F	(	)	'	'	<	>	□	□	ℱ	ℱ	⊙	⊙	⊕	⊕	⊗	⊗
U+0050-005F	Σ	Π	∫	∪	∩	⊕	∧	∨	Σ	Π	∫	∪	∩	⊕	∧	∨
U+0060-006F	∏	∏	ˆ	ˆ	ˆ	˜	˜	˜			[	]	[	]	{	}
U+0070-007F	√	√	√	√	√		Γ	∏	↑	↓	˘	˘	˘	˘	↑	↓

**B.4 Latin Modern Math compared to New Computer Modern Math**

This example shows the extra symbols available in New Computer Modern Math in comparison to Latin Modern Math as the base font. We use the following setup (including settings for the grayscaled *TUGboat* output, as an example of color overrides):

```
\displayfonttable[hex-digits=head+foot, range-end=1FFFF,
  compare-with=New Computer Modern Math,
  title-format=\caption{Latin Modern Math compared to
    New Computer Modern Math},
  title-format-cont=\caption{LM Math vs.\ NewCM Math,
    \emph{cont.}},
  compare-color=black, compare-bgcolor=black!5,
  missing-glyph-color=black!50, color=black!75]
{Latin Modern Math}
```

That is, glyphs only in NewCM are shown with a light gray background.

We also extended the range to cover U+10000 to U+1FFFF in order to include the Unicode Math alphabets.

**Table 6:** Latin Modern Math compared to New Computer Modern Math

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Basic Latin</b>																
U+0020-002F		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
U+0030-003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040-004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050-005F	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	ˆ	-
U+0060-006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

**Table 6:** LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Latin-1 Supplement</b>																
U+00A0-00AF		ı	ċ	£	¤	¥		§	¨	©	ª	«	¬		®	-
U+00B0-00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0-00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0-00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0-00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0-00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
<b>Latin Extended-A</b>																
U+0100-010F	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Č	č	Ď	ď		
U+0110-011F	Đ	đ	Ē	ē	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ
U+0120-012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĭ	ĭ	Į	į
U+0130-013F	Ĵ	ı	IJ	ij	Ĵ	ĵ	Ƙ	ƙ	κ	Ĺ	ĺ	Ł	ł	L	l	Ł
U+0140-014F	Ľ	ł	Ń	ń	Ņ	ņ	Ň	ň	ŋ	Đ	đ	Ō	ō	Ŏ	ö	
U+0150-015F	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş		
U+0160-016F	Š	š	Ţ	ţ	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů		
U+0170-017F	Ű	ű	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	f
<b>Latin Extended-B</b>																
U+0180-018F	ƀ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+01A0-01AF	Œ	œ	-	-	-	-	-	-	-	-	-	-	-	-	-	Ů
U+01B0-01BF	ƒ	-	-	-	-	Ƶ	-	-	-	-	-	-	-	-	-	-
U+0210-021F	-	-	-	-	-	-	-	-	Ş	ş	Ţ	ţ	-	-	-	-
U+0230-023F	-	-	-	-	-	-	-	J	-	-	-	-	-	-	-	-
<b>Spacing Modifier Letters</b>																
U+02C0-02CF	-	-	-	-	-	-	^	˘	-	-	-	-	-	-	-	-
U+02D0-02DF	-	-	-	-	-	-	-	˙	˚	˛	˜	˝	-	-	-	-
<b>Combining Diacritical Marks</b>																
U+0300-030F	ˆ	˜	˘	˙	˚	˛	˜	˝	˞	˟	ˠ	ˡ	ˢ	ˣ	ˤ	˥
U+0310-031F	◌̂	◌̃	◌̄	◌̅	◌̆	◌̇	◌̈	◌̉	◌̊	◌̋	◌̌	◌̍	◌̎	◌̏	◌̐	◌̑
U+0320-032F	◌̒	◌̓	◌̔	◌̕	◌̖	◌̗	◌̘	◌̙	◌̚	◌̛	◌̜	◌̝	◌̞	◌̟	◌̠	◌̡
U+0330-033F	◌̣	◌̤	◌̥	◌̦	◌̧	◌̨	◌̩	◌̪	◌̫	◌̬	◌̭	◌̮	◌̯	◌̰	◌̱	◌̲
U+0340-034F	◌̳	◌̴	◌̵	◌̶	◌̷	◌̸	◌̹	◌̺	◌̻	◌̼	◌̽	◌̾	◌̿	◌̿	◌̿	◌̿
<b>Greek and Coptic</b>																
U+0390-039F	-	Α	Β	Γ	Δ	Ε	Ζ	Η	Θ	Ι	Κ	Λ	Μ	Ν	Ξ	Ο
U+03A0-03AF	Π	Ρ	-	Σ	Τ	Υ	Φ	Χ	Ψ	Ω	-	-	-	-	-	-
U+03B0-03BF	-	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο
U+03C0-03CF	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	-	-	-	-	-	-
U+03D0-03DF	-	ϑ	-	-	-	ϕ	ϖ	-	-	-	-	-	Ϝ	ϝ	-	-
U+03F0-03FF	Ϻ	ϻ	-	-	Ϙ	ϙ	Ϛ	-	-	-	-	-	-	-	-	-

**Table 6:** LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Latin Extended Additional</b>																
U+1EA0-1EAF	À	à	Á	á	Â	â	Ã	ã	Ä	ä	Å	å	Ă	ă	Ą	ą
U+1EB0-1EBF	Ȧ	ȧ	Ȩ	ȩ	Ȫ	ȫ	Ȭ	ȭ	Ȯ	ȯ	Ȱ	ȱ	Ȳ	ȳ	ȴ	ȵ
U+1EC0-1ECF	È	è	É	é	Ê	ê	Ë	ë	Ě	ě	İ	ı	Į	į	Ų	ų
U+1ED0-1EDF	Ŏ	ŏ	Ő	ő	Ȫ	ȫ	Ȭ	ȭ	Ȯ	ȯ	Ȱ	ȱ	Ȳ	ȳ	ȴ	ȵ
U+1EE0-1EEF	Ŭ	ŭ	Ų	ų	Ȫ	ȫ	Ȭ	ȭ	Ȯ	ȯ	Ȱ	ȱ	Ȳ	ȳ	ȴ	ȵ
U+1EF0-1EFF	Ȫ	ȫ	Ȭ	ȭ	Ȯ	ȯ	Ȱ	ȱ	Ȳ	ȳ	-	-	-	-	-	-
<b>General Punctuation</b>																
U+2000-200F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2010-201F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2020-202F	†	‡	•	▶	•	••	•••	•	-	-	-	-	-	-	-	-
U+2030-203F	‰	‱	/	”	”	”	”	”	”	”	”	”	”	”	”	”
U+2040-204F	ˆ	ˆ	**	•	/	[	]	??	?!	!?	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2050-205F	ˆ	*	%	ˆ	ˆ	*	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2060-206F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Currency Symbols</b>																
U+20A0-20AF	-	€	-	-	-	-	-	-	-	-	-	-	€	-	-	-
<b>Combining Diacritical Marks for Symbols</b>																
U+20D0-20DF	ˆ	ˆ			ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+20E0-20EF	-	ˆ	-	-	△	\		ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+20F0-20FF	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Letterlike Symbols</b>																
U+2100-210F	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2110-211F	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2120-212F	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2130-213F	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
U+2140-214F	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ
<b>Arrows</b>																
U+2190-219F	←	↑	→	↓	↔	↕	↖	↗	↘	↙	↔	↔	↔	↔	↔	↔
U+21A0-21AF	→	↓	←	→	←	↑	→	↓	↕	↔	↔	↔	↔	↔	↔	↔
U+21B0-21BF	↖	↗	↘	↙	↕	↖	↗	↘	↙	↕	↕	↕	↕	↕	↕	↕
U+21C0-21CF	→	→	↓	↓	↔	↕	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
U+21D0-21DF	←	↑	⇒	↓	↔	↕	↖	↗	↘	↙	↕	↕	↕	↕	↕	↕
U+21E0-21EF	←	↑	→	↓	↔	↕	↖	↗	↘	↙	↕	↕	↕	↕	↕	↕
U+21F0-21FF	⇒	↖	↗	↘	↙	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕	↕
<b>Mathematical Operators</b>																
U+2200-220F	∀	∅	∂	∃	∄	∅	Δ	∇	∈	∉	∈	∋	∋	∋	■	∏
U+2210-221F	∏	∑	-	≠	+	/	\	*	◦	•	√	∛	∜	∝	∞	∟
U+2220-222F	∠	∠	∠					∧	∨	∩	∪	∫	∫	∫	∫	∫
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table 6: LM Math vs. NewCM Math, cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+2230 - 223F	ℳ	ℒ	℔	ℑ	∴	∵	∶	∷	∸	∹	∺	∻	∼	≈	≅	≆
U+2240 - 224F	∿	≈	≈	≈	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+2250 - 225F	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+2260 - 226F	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+2270 - 227F	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+2280 - 228F	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+2290 - 229F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+22A0 - 22AF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+22B0 - 22BF	↷	↶	↵	↴	↳	↲	↱	↰	↯	↮	↭	↬	↫	↪	↩	↨
U+22C0 - 22CF	∧	∨	∩	∪	◇	⋅	⋆	⋇	⋈	⋉	⋊	⋋	⋌	⋍	⋎	⋏
U+22D0 - 22DF	⊆	⊇	⊈	⊉	⊊	⊋	⊌	⊍	⊎	⊏	⊐	⊑	⊒	⊓	⊔	⊕
U+22E0 - 22EF	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠	≠
U+22F0 - 22FF	∴	∵	∶	∷	∸	∹	∺	∻	∼	≈	≅	≆	≇	≈	≉	≊

Miscellaneous Technical

U+2300 - 230F	∅	↵	△	∧	∨	∩	∪	⊆	⊇	⊈	⊉	⊊	⊋	⊌	⊍	⊎
U+2310 - 231F	⊏	⊐	⊑	⊒	⊓	⊔	⊕	⊖	⊗	⊘	⊙	⊚	⊛	⊜	⊝	⊞
U+2320 - 232F	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫	∫
U+2330 - 233F	↗	↘	↙	↚	↛	↜	↝	↞	↠	↡	↢	↣	↤	↥	↦	↧
U+2340 - 234F	↘	↙	↚	↛	↜	↝	↞	↠	↡	↢	↣	↤	↥	↦	↧	↨
U+2350 - 235F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+2360 - 236F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+2370 - 237F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+2380 - 238F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+2390 - 239F	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23A0 - 23AF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23B0 - 23BF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23C0 - 23CF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23D0 - 23DF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23E0 - 23EF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯
U+23F0 - 23FF	⊠	⊡	⊢	⊣	⊤	⊥	⊦	⊧	⊨	⊩	⊪	⊫	⊬	⊭	⊮	⊯

Control Pictures

U+2420 - 242F	-	-	␣	␣	-	-	-	-	-	-	-	-	-	-	-	-
---------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Box Drawing

U+2500 - 250F	—	—			---	---	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮
U+2510 - 251F	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌	┌
U+2520 - 252F	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└	└
U+2530 - 253F	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐	┐
U+2540 - 254F	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘	┘
U+2550 - 255F	═	═	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

**Table 6:** LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+2560 - 256F																
U+2570 - 257F																
<b>Block Elements</b>																
U+2580 - 258F																
U+2590 - 259F																
<b>Geometric Shapes</b>																
U+25A0 - 25AF																
U+25B0 - 25BF																
U+25C0 - 25CF																
U+25D0 - 25DF																
U+25E0 - 25EF																
U+25F0 - 25FF																
<b>Miscellaneous Shapes</b>																
U+2600 - 260F																
U+2610 - 261F																
U+2620 - 262F																
U+2630 - 263F																
U+2640 - 264F																
U+2660 - 266F																
U+2670 - 267F																
U+2680 - 268F																
U+26A0 - 26AF																
U+26B0 - 26BF																
<b>Dingbats</b>																
U+2710 - 271F																
U+2720 - 272F																
U+2730 - 273F																
U+2750 - 275F																
U+2770 - 277F																
U+2790 - 279F																
U+27A0 - 27AF																
<b>Miscellaneous Mathematical Symbols-A</b>																
U+27C0 - 27CF																
U+27D0 - 27DF																
U+27E0 - 27EF																
<b>Supplemental Arrows-A</b>																
U+27F0 - 27FF																

Table 6: LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Supplemental Arrows-B</b>																
U+2900 - 290F	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$	$\rightleftarrows$
U+2910 - 291F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2920 - 292F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2930 - 293F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2940 - 294F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2950 - 295F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2960 - 296F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2970 - 297F	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$

**Miscellaneous Mathematical Symbols-B**

U+2980 - 298F	$\parallel$	$\cdot$	$\circ$	$\int$	$\int$	$($	$)$	$($	$)$	$($	$)$	$[$	$]$	$[$	$]$	$[$	$]$
U+2990 - 299F	$\int$	$\langle$	$\rangle$	$\leftarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$($	$)$	$\vdots$	$\ddots$	$\triangle$	$\square$	$\square$	$\triangle$	$\triangle$	$\triangle$
U+29A0 - 29AF	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+29B0 - 29BF	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$	$\circ$
U+29C0 - 29CF	$\circ$	$\circ$	$\circ$	$\circ$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$
U+29D0 - 29DF	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+29E0 - 29EF	$\square$	$\leq$	$\sqcup$	$\neq$	$\neq$	$\neq$	$\neq$	$\neq$	$\neq$	$\nabla$	$\nabla$	$\blacktriangledown$	$\blacktriangledown$	$\blacktriangledown$	$\blacktriangledown$	$\blacktriangledown$	$\blacktriangledown$
U+29F0 - 29FF	$\diamond$	$\blacklozenge$	$\circ$	$\bullet$	$\rightarrow$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$	$\setminus$

**Supplemental Mathematical Operators**

U+2A00 - 2A0F	$\odot$	$\oplus$	$\otimes$	$\cup$	$\cup$	$\cap$	$\cap$	$\mathbb{M}$	$\mathbb{W}$	$\times$	$\Sigma$	$\$$	$\int$	$f$	$f$	$f$
U+2A10 - 2A1F	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$f$	$\int$	$\int$	$\int$	$\int$
U+2A20 - 2A2F	$\gg$	$\uparrow$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\ddagger$	$\times$
U+2A30 - 2A3F	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$	$\times$
U+2A40 - 2A4F	$\cap$	$\cup$	$\cup$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$	$\cap$
U+2A50 - 2A5F	$\rightarrow$	$\dot{\lambda}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$	$\dot{\nu}$	$\dot{\mu}$
U+2A60 - 2A6F	$\triangle$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$	$\nabla$
U+2A70 - 2A7F	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$
U+2A80 - 2A8F	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$
U+2A90 - 2A9F	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$
U+2AA0 - 2AAF	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$	$\approx$
U+2AB0 - 2ABF	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2AC0 - 2ACF	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$	$\rightarrow$
U+2AD0 - 2ADF	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$	$\square$
U+2AE0 - 2AEF	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$	$\perp$
U+2AF0 - 2AFF	$\circ$	$\circ$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$	$\#$

**Table 6:** LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Miscellaneous Symbols and Arrows</b>																
U+2B00 - 2B0F																
U+2B10 - 2B1F																
U+2B20 - 2B2F																
U+2B30 - 2B3F																
U+2B40 - 2B4F																
U+2B50 - 2B5F																
U+2B60 - 2B6F																
U+2B70 - 2B7F					-	-										
U+2B80 - 2B8F																
U+2B90 - 2B9F																
U+2BA0 - 2BAF																
U+2BB0 - 2BBF																
U+2BC0 - 2BCF																
U+2BD0 - 2BDF																
U+2BE0 - 2BEF																
U+2BF0 - 2BFF																
<b>Supplemental Punctuation</b>																
U+2E10 - 2E1F	-	-	-	-	-	-	-	-	↓	-	-	-	-	-	-	-
<b>CJK Symbols and Punctuation</b>																
U+3010 - 301F	-	-	〒	-	-	-	[	]	-	-	-	-	-	-	-	-
U+3030 - 303F	～	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Private Use Area</b>																
U+E000 - E00F	A	B	Γ	Δ	E	Z	H	Θ	I	K	Λ	M	N	Ξ	O	Π
U+E010 - E01F	P	Σ	T	Υ	Φ	X	Ψ	Ω	α	β	γ	δ	ε	ζ	η	θ
U+E020 - E02F	ι	κ	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ	υ	φ	χ	ψ
U+E030 - E03F	ω	€	⚡	⚡	-	-	-	-	-	-	-	-	-	-	-	-
U+E040 - E04F	-	A	B	Γ	Δ	E	Z	H	Θ	I	K	Λ	M	N	Ξ	O
U+E050 - E05F	Π	P	Σ	T	Υ	Φ	X	Ψ	Ω	α	β	γ	δ	ε	ζ	η
U+E060 - E06F	θ	ι	κ	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ	υ	φ	χ
U+E070 - E07F	ψ	ω	€	-	-	-	-	-	-	-	-	-	-	-	-	-
U+E370 - E37F	-	-	-	-	-	-	♫	♫	-	-	-	-	-	-	-	-
U+E390 - E39F	-	-	-	-	-	♫	-	♫	♫	♫	♫	♫	-	-	-	-
U+E3D0 - E3DF	-	-	-	f	-	-	-	-	-	-	-	-	-	-	-	-
U+EA50 - EA5F	-	-	-	-	-	-	-	♫	-	-	-	-	-	-	-	-
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table 6: LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
<b>Alphabetic Presentation Forms</b>																
U+FB00–FB0F	ff	fi	fl	ffi	ffl	-	-	-	-	-	-	-	-	-	-	-
<b>Arabic Presentation Forms-B</b>																
U+FEF0–FEFF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Mathematical Alphanumeric Symbols</b>																
U+1D400–1D40F	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>
U+1D410–1D41F	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>
U+1D420–1D42F	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>
U+1D430–1D43F	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>
U+1D440–1D44F	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>
U+1D450–1D45F	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	-	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>
U+1D460–1D46F	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>
U+1D470–1D47F	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>
U+1D480–1D48F	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>
U+1D490–1D49F	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	-	<b>C</b>	<b>D</b>
U+1D4A0–1D4AF	-	-	<b>G</b>	-	-	<b>J</b>	<b>K</b>	-	-	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	-	<b>S</b>	<b>T</b>
U+1D4B0–1D4BF	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	-	<b>f</b>	-	<b>h</b>	<b>i</b>	<b>j</b>
U+1D4C0–1D4CF	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	-	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>
U+1D4D0–1D4DF	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>
U+1D4E0–1D4EF	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>
U+1D4F0–1D4FF	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>
U+1D500–1D50F	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	-	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	-	-	<b>J</b>	<b>K</b>	<b>L</b>
U+1D510–1D51F	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	-	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	-	<b>a</b>	<b>b</b>
U+1D520–1D52F	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>
U+1D530–1D53F	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	-	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	-
U+1D540–1D54F	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	-	<b>O</b>	-	-	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	
U+1D550–1D55F	<b>Y</b>	-	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>
U+1D560–1D56F	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
U+1D570–1D57F	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>
U+1D580–1D58F	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>
U+1D590–1D59F	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>
U+1D5A0–1D5AF	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>
U+1D5B0–1D5BF	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>
U+1D5C0–1D5CF	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>
U+1D5D0–1D5DF	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>
U+1D5E0–1D5EF	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>
U+1D5F0–1D5FF	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>
U+1D600–1D60F	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>
U+1D610–1D61F	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>
U+1D620–1D62F	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>
U+1D630–1D63F	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
U+1D640–1D64F	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>
U+1D650–1D65F	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>
U+1D660–1D66F	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>	<b>w</b>	<b>x</b>	<b>y</b>	<b>z</b>
U+1D670–1D67F	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>J</b>	<b>K</b>	<b>L</b>	<b>M</b>	<b>N</b>	<b>O</b>	<b>P</b>
U+1D680–1D68F	<b>Q</b>	<b>R</b>	<b>S</b>	<b>T</b>	<b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>	<b>Z</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>e</b>	<b>f</b>
U+1D690–1D69F	<b>g</b>	<b>h</b>	<b>i</b>	<b>j</b>	<b>k</b>	<b>l</b>	<b>m</b>	<b>n</b>	<b>o</b>	<b>p</b>	<b>q</b>	<b>r</b>	<b>s</b>	<b>t</b>	<b>u</b>	<b>v</b>
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F



Table 6: LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+1D6A0-1D6AF	w	x	y	z	ι	ϵ	-	-	A	B	Γ	Δ	E	Z	H	Θ
U+1D6B0-1D6BF	I	K	Λ	M	N	Ξ	O	Π	P	Θ	Σ	T	Υ	Φ	X	Ψ
U+1D6C0-1D6CF	Ω	∇	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ
U+1D6D0-1D6DF	ο	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	∂	ε	ϑ	κ	φ
U+1D6E0-1D6EF	ϱ	Ϙ	A	B	Γ	Δ	E	Z	H	Θ	I	K	Λ	M	N	Ξ
U+1D6F0-1D6FF	O	Π	P	Θ	Σ	T	Υ	Φ	X	Ψ	Ω	∇	α	β	γ	δ
U+1D700-1D70F	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ
U+1D710-1D71F	υ	φ	χ	ψ	ω	∂	ε	ϑ	κ	φ	ϱ	Ϙ	A	B	Γ	Δ
U+1D720-1D72F	E	Z	H	Θ	I	K	Λ	M	N	Ξ	O	Π	P	Θ	Σ	T
U+1D730-1D73F	Υ	Φ	X	Ψ	Ω	∇	α	β	γ	δ	ε	ζ	η	θ	ι	κ
U+1D740-1D74F	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	∂
U+1D750-1D75F	ε	ϑ	κ	φ	ϱ	Ϙ	A	B	Γ	Δ	E	Z	H	Θ	I	K
U+1D760-1D76F	Λ	M	N	Ξ	O	Π	P	Θ	Σ	T	Υ	Φ	X	Ψ	Ω	∇
U+1D770-1D77F	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο	π
U+1D780-1D78F	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	∂	ε	ϑ	κ	φ	ϱ	Ϙ
U+1D790-1D79F	A	B	Γ	Δ	E	Z	H	Θ	I	K	Λ	M	N	Ξ	O	Π
U+1D7A0-1D7AF	P	Θ	Σ	T	Υ	Φ	X	Ψ	Ω	∇	α	β	γ	δ	ε	ζ
U+1D7B0-1D7BF	η	θ	ι	κ	λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ	υ	φ
U+1D7C0-1D7CF	χ	ψ	ω	∂	ε	ϑ	κ	φ	ϱ	Ϙ	F	F	-	-	0	1
U+1D7D0-1D7DF	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7
U+1D7E0-1D7EF	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3
U+1D7F0-1D7FF	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9

Arabic Mathematical Alphabetic Symbols

U+1EE00-1EE0F	ا	ب	ج	د	هـ	و	ز	ح	ط	ي	ك	ل	م	ن	س	ع
U+1EE10-1EE1F	ف	ص	ق	ر	ش	ت	ث	خ	ذ	ض	ظ	غ	س	ع	ف	ق
U+1EE20-1EE2F	و	ب	ج	-	هـ	-	-	ح	-	ي	ك	ل	م	ن	س	ع
U+1EE30-1EE3F	ف	ص	ق	-	ش	ت	ث	خ	-	ض	-	ظ	-	-	-	-
U+1EE40-1EE4F	-	-	ج	-	-	-	-	ح	-	ي	-	ل	-	ن	س	ع
U+1EE50-1EE5F	-	ص	ق	-	ش	-	-	خ	-	ض	-	ظ	-	س	-	ع
U+1EE60-1EE6F	-	با	جا	-	ها	-	-	حا	طا	يا	كا	-	ما	نا	سا	عا
U+1EE70-1EE7F	فا	صا	قا	-	شا	تا	ثا	خا	-	ضا	ظا	غا	سا	-	فا	عا
U+1EE80-1EE8F	هـ	بهـ	جهـ	دهـ	ههـ	وهـ	زهـ	حهـ	طهـ	يهـ	-	لهـ	مهـ	نهـ	سهـ	عهـ
U+1EE90-1EE9F	فهـ	صهـ	قهـ	رهـ	شهـ	تهـ	ثهـ	خهـ	ذهـ	ضهـ	ظهـ	غهـ	-	-	-	-
U+1EEA0-1EEAF	-	ب	ج	د	-	و	ز	ح	ط	ي	-	ل	م	ن	س	ع
U+1EEB0-1EEBF	ف	ص	ق	ر	ش	ت	ث	خ	ذ	ض	ظ	غ	-	-	-	-
U+1EEF0-1EEFF	حد	مح	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Transport and Map Symbols

U+1F6D0-1F6DF	-	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-
---------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Geometric Shapes Extended

U+1F780-1F78F	◀	▲	▶	▼	•	○	◌	◌	◌	◌	◌	◌	◌	◌	◌	◌
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table 6: LM Math vs. NewCM Math, *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+1F790-1F79F	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻	◻
U+1F7A0-1F7AF	◊	+	+	+	+	+	+	+	×	×	×	×	×	×	×	*
U+1F7B0-1F7BF	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
U+1F7C0-1F7CF	^	^	^	^	+	+	+	+	*	*	*	*	*	*	*	*
U+1F7D0-1F7DF	*	*	*	*	*	⊙	⊙	⊙	⊙	-	-	-	-	-	-	-
U+1F7E0-1F7EF	●	●	●	●	●	■	■	■	■	■	■	■	■	■	■	■
U+1F7F0-1F7FF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	←

Supplemental Arrows-C

U+1F800-1F80F	←	↑	→	↓	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	-	-	-	-
U+1F810-1F81F	←	↑	→	↓	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F820-1F82F	←	↑	→	↓	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F830-1F83F	←	↑	→	↓	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F840-1F84F	↔	↕	↔	↕	↔	↕	↔	↕	-	-	-	-	-	-	-	-	-	-
U+1F850-1F85F	←	↑	→	↓	↖	↗	↘	↙	↔	↕	-	-	-	-	-	-	-	-
U+1F860-1F86F	←	↑	→	↓	↖	↗	↘	↙	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F870-1F87F	←	↑	→	↓	↖	↗	↘	↙	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F880-1F88F	←	↑	→	↓	↖	↗	↘	↙	-	-	-	-	-	-	-	-	-	-
U+1F890-1F89F	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F8A0-1F8AF	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕	↔	↕
U+1F8B0-1F8BF	↔	↕	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Total number of glyphs shown from Latin Modern Math: 2045  
 Comparison font New Computer Modern Math has 0 missing and 1963 extra glyphs

### B.5 Garamond Libre’s Byzantine Musical Symbols

As a final example we exhibit the Byzantine Musical Symbols as provided by Garamond Libre. Command used:

```
\displayfonttable[range-start=1D000, range-end=1D0FF,
    hex-digits=block,
    missing-glyph-color=black!50, color=black!75,
    statistics-format=Total number of glyphs in
    this block of #1 is #2]
{Garamond Libre}
```

Note that we have altered the text produced by the statistics, because the default is somewhat misleading if only a portion of the font is displayed. This produces the following table:

Table 7: Garamond Libre

	Byzantine Musical Symbols															
U+1D000-1D00F	♩	♪	♫	♬	♭	♮	♯	♮	♭	♮	♯	♮	♭	♮	♯	♮
U+1D010-1D01F	♩	♪	♫	♬	♭	♮	♯	♮	♭	♮	♯	♮	♭	♮	♯	♮
U+1D020-1D02F	♩	♪	♫	♬	♭	♮	♯	♮	♭	♮	♯	♮	♭	♮	♯	♮
U+1D030-1D03F	♩	♪	♫	♬	♭	♮	♯	♮	♭	♮	♯	♮	♭	♮	♯	♮
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table 7: Garamond Libre *cont.*

U+1D040-1D04F	Œ	✓	X	س	س	س	س	س	س	س	س	س	س	س	س	س	س
U+1D050-1D05F	Ÿ	Ź	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D060-1D06F	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D070-1D07F	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D080-1D08F	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D090-1D09F	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0A0-1D0AF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0B0-1D0BF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0C0-1D0CF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0D0-1D0DF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0E0-1D0EF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
U+1D0F0-1D0FF	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	Ʒ	
	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	

Total number of glyphs in this block of Garamond Libre is 246

◇ Frank Mittelbach  
Mainz, Germany  
<https://www.latex-project.org>  
<https://ctan.org/pkg/unicodetable>