

se2thesis – A Thesis Class for the Chair of Software Engineering II at the University of Passau, Germany*

Stephan Lukasczyk[†]

Released 2023-07-04

Abstract

One can choose from a wide variety of templates to write a thesis. Many universities provide very rigorous style guides and force their students to obey to those guides, even though they might be questionable from a typographics point of view. Other universities do not provide such guides and leave it to their students to choose or come up with a template. The latter is causing very differently-looking theses. To avoid such a situation in the future this bundle combines several L^AT_EX packages and classes for the use at the Chair of Software Engineering II at the University of Passau. We provide, among others, a document class for theses that shall be used by our students. The bundle is designed in a way that one can use the basic components as standalone packages to allow their reuse for other projects.

Contents

I User Documentation	1
1 Introduction	1
1.1 Installation	1
1.2 General Macros	2
2 License	2
3 The se2thesis class	2
3.1 Load-time options	2
3.2 The title page	3
3.3 Type-area settings	5
3.4 Abstract for the thesis	5
3.5 Acknowledgements	5
3.6 Document structuring	5
3.7 Authorship declaration	6
3.8 Research Questions and findings summaries	6
4 The se2colors package	8

*This file describes v3.1.0, last revised 2023-07-04.

[†]E-mail: tex@lukasczyk.me

5	The <code>se2fonts</code> package	10
6	The <code>se2packages</code> package	11
6.1	The Recommended Packages	11
6.1.1	Quoting with <code>csquotes</code>	11
6.1.2	Number formatting with <code>siunitx</code>	11
6.1.3	Code Listings	11
6.1.4	Designing Tables	12
6.1.5	Controlling Ligatures, Orphans, and Widows	12
6.1.6	Use <code>microtype</code> for Microtypographic Optimisation	12
6.1.7	Use <code>biblatex</code> for Bibliographic References	12
6.1.8	Use <code>cleveref</code> for Internal References	13
6.2	Loading <code>se2packages</code>	13
6.3	Additional Recommended Packages	15
II	Implementation	15
1	Global helpers	16
2	The <code>se2thesis</code> implementation	16
2.1	Define Variables	17
2.2	Load-time options	18
2.3	Package loading	20
2.4	User macros for the title page	20
2.5	Define logo, paper size, and paper style	21
2.6	The title page	23
2.7	Styling of the sectioning commands	28
2.8	Provide an environment for abstracts	29
2.9	Provide an environment for acknowledgements	29
2.10	Document structuring macros	30
2.11	Declaration of authorship	30
2.12	Research questions and summary boxes	31
3	Translations for <code>se2thesis</code>	32
3.1	English Translations	32
3.2	German Translations	33
4	<code>se2colors</code> implementation	34
4.1	Load-time options	34
4.2	Option handling	34
4.3	Colour definitions	35
5	<code>se2fonts</code> implementation	37
5.1	Load-time options	37
5.2	Option handling	37
5.3	Helper macros	38
5.4	Font loading	38

6	se2packages implementation	40
6.1	Load-time options	40
6.2	Option handling	42
6.3	Package loading	42
	Index	45

Part I

User Documentation

The first part of this file provides the documentation for the user of the `se2thesis` bundle. We provide the implementation in the second part of this document, starting at page 15, for those who are curious.

1 Introduction

The University of Passau does not provide a common thesis template to its students. For theses, written at the Chair of Software Engineering II, many students chose between two templates that were provided by different people from the chair; other students chose from the large variety of templates available from the internet, causing each thesis looking differently.

The author of this package provided a template, which he initially created for his bachelor and master thesis, that was recommended and used by many students. The implementation of that template, however, was very hacky and required some changes over time. This lead to the idea of creating a new template from scratch, that shall be used by all our students for their various types of theses, from bachelor to PhD level. The result is the `se2thesis` bundle.

The bundle itself consists of several L^AT_EX classes and packages that also allow reuse of various parts of it. Its main class is the `se2thesis` document class, an extension of the KOMA-Script `scrreprt` document class. The packages `se2colors` and `se2fonts` provide necessary colour and font settings for the `se2thesis` class. They are available as separate packages, however, to allow their reuse for other classes, packages, and projects, as well.

1.1 Installation

The `se2thesis` bundle is available from CTAN¹. It is part of both MiK^TE_X and T_EXLive. You can find its development version from GitHub². The easiest way of installing it is through your T_EX distribution; please check your distribution's documentation on this. Note that it might be necessary to update your T_EX distribution because they might not provide you updates; for example, there is a new version of T_EXLive every year which needs to be installed separately. If you have installed an older version of `se2thesis` consider updating it to the latest version available from CTAN through your distribution.

For manual installation, we recommend to clone the Git repository and run the `l3build` tool that we also use for building the bundle. Running `l3build ctan` builds the source files and compiles the documentation. This creates a folder `build` containing these artefacts; `build/doc` contains the documentation, `build/local` the source files. See the documentation of `l3build` and your T_EX distribution on how to install them manually. Please note that `l3build` also provides a `l3build install` target to install the bundle files to your local texmf tree.

The “Island of T_EX” project provides Docker images of T_EXLive. If you do not want to install/update T_EXLive on your system you might want to consider their `latest` image, which contains a recent T_EXLive 2023 build. They build their images weekly, thus also recent releases of `se2thesis` will be part of the image soon after their release date.

¹ctan.org/pkg/se2thesis

²github.com/se2p/se2thesis

1.2 General Macros

They all have in common one macro, `\IfFormatAtLeastTF`; this macro is part of the latest L^AT_EX kernel. However, not all users might have upgraded their T_EX installation to a level using a recently-enough kernel version. Therefore, every class and package of this bundle will conditionally define the following macro:

`\IfFormatAtLeastTF \IfFormatAtLeastTF {<version>} {<then block>} {<else-block>}`

Checks whether the used L^AT_EX format is at least the one from the given date value. The date needs to be specified either in YYYY/MM/DD or in YYYY-MM-DD format.

2 License

Permission is granted to copy, distribute, and/or modify this software under the terms of the L^AT_EX Project Public License (LPPL), version 1.3c or later (<https://www.latex-project.org/lppl.txt>). The software has the status ‘maintained’.

3 The se2thesis class

The se2thesis class is the central component of this bundle. It provides a wide variety of settings, mostly regarding the title page (see Section 3.2) and the type area (see Section 3.3).

We aim to keep the se2thesis class relatively small, especially considering packages that we load. Currently, the class itself loads the se2colors (see Section 4) and se2fonts (see Section 5) packages. The following packages and classes are loaded: expl3, l3keys2e in case one uses a L^AT_EX kernel from before 2022–06–01, graphicx, translations, KOMA-Script, xcolor, ifthen, as well as fontspec, unicode-math, and libertine-otf if one uses LuaT_EX; for pdfL^AT_EX we load fontenc, libertine-type1, and AnonymousPro instead of the latter three. Furthermore, we load microtype; when using LuaT_EX, we also load lua-widow-control and selnolig.

However, we recommend to use a couple of further packages, together with some further options to those package. We describe these settings in Section 6. Please consider looking at this section when starting to write your document.

Before we start with a detailed documentation of the class, we explain one helper macro that can be used to check whether a package has been loaded.

`\slcd_package_if_loaded_p:n * \slcd_package_if_loaded:nTF {<package name>} {<true code>} {<false code>}`
`\slcd_package_if_loaded:nTF *`

Updated: 2022-09-27

Checks whether a package has been loaded and conditionally executes code.

3.1 Load-time options

The se2thesis class defines several load-time options, all of them optional, on top of the options provided by the KOMA-Script document classes.

`class class = <choice>`

Set the base document class. Values are `scrreprt`, `scrartcl`, or `scrbook`. Default is `scrbook`.

paper `paper = <choice>`

Set the paper format. Possible values are `a4` or `b5`. Default is `a4`.

logfile `logfile = {<path-to-file>}`

Defines the path to the University's logo for the title page.

thesistype `thesistype = <choice>`

Defines the type of the thesis. Possible values are: `bachelor` for a bachelor thesis, `bachelorproposal` for a proposal to a bachelor thesis, `master` for a master thesis, `masterproposal` for a proposal to a master thesis, `phdproposal` for a proposal to a PhD thesis, and `phd` for a PhD thesis.

colormode `colormode = <choice>`

Select the color scheme used by the automatically loaded `se2colors` package, see Section 4 for a description.

fontmode `fontmode = <choice>`

Updated: 2023-01-10 Select the font scheme used by the automatically loaded `se2fonts` package, see Section 5 for a description.

This option is deprecated and will be removed in the future!

3.2 The title page

Designing a title package for a thesis can be complicated. There might be some requirements that are not obvious to the user, especially considering the positioning of elements. The University of Passau, for example, requires the logo to be positioned on the top right of a page; theses—especially PhD theses that shall be published through the University's library system—could be rejected from publication by the library until this is fixed.

We thus redeclare the standard `\maketitle` macro from KOMA-Script and customise it to our needs.

\@maketitle `\@maketitle`

We override the definition of the `\@maketitle` macro for our needs.

In addition to the macros provided by the KOMA-Script classes for the title-page values (e.g. `\author`, `\title`, we provide some further macros that can be used. Setting values to these macros is optional in any case, if they are not set, the corresponding value is not put to the title page.

\version `\version {<version>}`

Specify the version of the document. This can, for example, be a `git` hash of the current version.

\degreeprogramme `\degreeprogramme {<programme-name>}`

Specify the degree programme the thesis is meant to be accepted in. Possible values are, among others, 'Informatik' if you are writing your thesis in German, or 'Computer Science' if you are writing the thesis in English.

```
\matrnumber \matrnumber {\(matriculation-number)}
```

Specify the matriculation number of the student writing the thesis. This is required for Bachelor and Master theses.

```
\supervisor \supervisor {\(name)}  
\cosupervisor \cosupervisor {\(name)}
```

Specify the name of your supervisor and co-supervisor. Both people usually are professors.

```
\advisor \advisor {\(name)}  
\coadvisor \coadvisor {\(name)}
```

Specify the name of your advisor and co-advisor. Both people usually are PhD students or postdocs.

```
\department \department {\(name)}  
\institute [\short-name] {\(name)}
```

Specify the department and institute. The department is, for example, ‘Faculty of Computer Science and Mathematics’, the institute, for example, ‘Chair of Software Engineering II’. If the `\department` value is not specified, we use ‘Faculty of Computer Science’ as the default value for English theses and ‘Fakultät für Informatik und Mathematik’ as the default value of German theses.

```
\external \external {\(name)}
```

Specify the name of an external referee.

```
\location \location {\name-of-town}
```

Specify the name of your residence town for the signature field.

To define the path to the logo graphics we require a different workflow: We do not bundle logo graphics with this package due to legal restrictions. They can be downloaded from the University’s website; please note that the website for downloading the logo graphics is only accessible from within the University’s campus network or a VPN connection. To specify the path to the logo graphics, we provide a load-time option to the `se2thesis` class called `logfile` (see Section 3.1).

When printing the thesis in two-side mode—which we recommend—the back of the title page again denotes author and title on the bottom.

```
\@lowertitleback \l@lowertitleback
```

Override this internal macro of KOMA-Script to print this information on the back side of the title page.

Additionally, we provide some internal rewritings to standard macros from KOMA-Script that allow to automatically split authors using the `\and` command.

```
\author \author {\(author)}
```

```
\@author
```

We rewrite the definitions of `\author` and `\@author` to do this splitting automatically. Additionally, this also adds a correctly translated version of ‘and’ between the author names if required.

3.3 Type-area settings

The `se2thesis` class manipulates the type area compared to the default settings of the KOMA-Script classes. Our settings are inspired by the `classicthesis` package, which itself is inspired by the style used by famous statistician Edward Tufte. We provide pre-defined settings for DIN-A4, DIN-A5, and DIN-B5 papers. If you need settings for other paper sizes, please open an issue on this package's GitHub repository (<https://github.com/se2p/se2thesis>) and we will happily include those settings in a future release of this bundle.

Additionally, we are setting the page footer in a way that it contains the page numbers in the outer margin and the headmarks split from the page numbers by a vertical bar.

3.4 Abstract for the thesis

Each thesis shall come with an abstract that summarises its content. The abstract should be written in the language the thesis is written in. Additionally, there is the requirement to provide a German abstract if the thesis is written in a foreign language.

```
\abstract \abstract
```

We ensure that the `\abstract` command is defined for all document classes.

`abstract (env.)` To typeset an abstract, we provide an environment called `abstract`. The environment takes an optional argument that specifies the language that is used in this abstract. Setting the abstract's language will cause its title to change to the respective language; additionally, hyphenation is also changed for that language.

```
\begin{abstract}[language]
  Your abstract text.
\end{abstract}
```

3.5 Acknowledgements

`acknowledgements (env.)` We provide the `acknowledgements` environment to typeset acknowledgements for your thesis. Using this environment is optional. Usually, bachelor and master thesis do not contain such an acknowledgements section, however, there is no general rule to this.

```
\begin{acknowledgements}[language]
  Your acknowledgements.
\end{acknowledgements}
```

3.6 Document structuring

A larger work, such as a thesis, is usually structured in three large blocks: a frontmatter that provides all the overview, such as abstract, table of contents, etc., a mainmatter that contains all the actual content, and a backmatter for appendices. `se2thesis` ensures that the following macros are defined because they are not provided by all KOMA-Script classes.

```
\frontmatter \frontmatter
\mainmatter \mainmatter
\backmatter \backmatter
```

Switches between frontmatter, mainmatter, and backmatter. Most notably, the frontmatter will have roman page numbers, while the other two will have arabic page numbers.

3.7 Authorship declaration

The University of Passau requires its students to provide an authorship declaration as part of their thesis for submission. They provide a template form, which would not fit the style of the `se2thesis` class. Thus, we provide the `\authorshipDeclaration` macro to typeset such a declaration. It uses the original (German) text of the declaration and fills in the values that are specified by the `\author` and `\location` macros.

```
\authorshipDeclaration \authorshipDeclaration
```

Print the authorship declaration text.

Please note: the authorship declaration will always be printed in German, no matter what the language of the thesis is. This happens due to legal requirements. In order to make this work, you have to load the `babel` or `polyglossia` package in a way that it also supports German hyphenation. For example, use

```
\usepackage[ngerman,main=UKenglish]{babel}
```

for a thesis with *traditional English*³ as its main language and support for German.

```
\signatureBox \signatureBox [<width>] {<signature-name>}
```

A helper macro to print the signature box for the authorship declaration. The optional argument `[<width>]` allows to specify a custom width for the signature line. The default is 5 cm. The mandatory argument `{<signature-name>}` specifies the name of the signee, which will be typeset below the signature line.

3.8 Research Questions and findings summaries

Most theses written at our Chair will require the student to provide some empirical evaluation of their work to shed insights whether their proposed ideas are actually useful. For an empirical study, one needs to specify research questions and maybe also hypotheses. The `se2thesis` class supports this by providing environments for this.

`resq (env.)` The `resq` environment shall be used to specify a research question.
`hyp (env.)` The `hyp` environment shall be used to specify a hypothesis.

`summary (env.)` After describing the results, we recommend to give an explicit summary of the findings for a research question or hypothesis. This summary shall be given in one or two sentences. The `summary` environment provides a convenient way for this; it will be typeset in a highlighted box that is easy to spot and also allows readers of the work to quickly grasp the main findings.

```
\begin{summary}{label-reference}
  The summary text itself.
\end{summary}
```

³there is a nice, probably photoshopped, picture of a Steam setup dialogue stating that American English is a ‘simplified version’ of British English, see <https://jakubmarian.com/is-american-english-simplified-and-british-english-traditional/>.

The environment expects as a parameter a label, for example, to a research question; however, this can also be arbitrary text.

4 The `se2colors` package

Several colours are specific to the university and we want to have a comprehensive interface to access them throughout all our packages.

The `se2colors` package provides this exact features. One can load it using `\usepackage{se2colors}` in the document preamble.

`cmode` `cmode = <choice>`

Updated: 2022-11-03 Selects the colour mode that shall be used for creating the results, a choice from the options specified in Table 1. The default setting is `4C`.

Table 1: Options provided by `se2colors`.

Option	Description
<code>cmode=4C</code>	Define colours in CMYK colour space (<i>default</i>).
<code>cmode=CMYK</code>	Alias for the previous.
<code>CMYK, cmyk</code>	Aliases for the previous.
<code>cmode=RGB</code>	Define colours in RGB colour space.
<code>RGB, rgb</code>	Aliases for the previous.
<code>cmode=BW</code>	Define colours in black-and-white colour space.
<code>cmode=1C</code>	Alias for the previous.
<code>gray</code>	Alias for the previous.

We define two basic colours that are taken from the University's logo, namely UPSE2-Gray  and UPSE2-Orange .

Additionally, we define four colours for the four faculties of the University:

- the Faculty of Law UPSE2-JUR ,
- the School of Business, Economics and Information Systems UPSE2-WIWI ,
- the Faculty of Arts and Humanities UPSE2-PHIL , and
- the Faculty of Computer Science and Mathematics UPSE2-FIM .

Finally, we define a full set of supplementary colours:

- UPSE2-DarkGray  with its derivatives
UPSE2-DarkGray1 , UPSE2-DarkGray2 , UPSE2-DarkGray3 , UPSE2-DarkGray4 , and UPSE2-DarkGray5 .
- UPSE2-White  with its derivatives
UPSE2-White1 , UPSE2-White2 , UPSE2-White3 , UPSE2-White4 , and UPSE2-White5 .
- UPSE2-MediumGray  with its derivatives
UPSE2-MediumGray1 , UPSE2-MediumGray2 , UPSE2-MediumGray3 , UPSE2-MediumGray4 , and UPSE2-MediumGray5 .
- UPSE2-LightGray  with its derivatives
UPSE2-LightGray1 , UPSE2-LightGray2 , UPSE2-LightGray3 , UPSE2-LightGray4 , and UPSE2-LightGray5 .

- UPSE2-Orange  with its derivatives
UPSE2-Orange1 , UPSE2-Orange2 , UPSE2-Orange3 , UPSE2-Orange4 , and UPSE2-Orange5 .
- UPSE2-LightRed  with its derivatives
UPSE2-LightRed1 , UPSE2-LightRed2 , UPSE2-LightRed3 , UPSE2-LightRed4 , and UPSE2-LightRed5 .
- UPSE2-DarkRed  with its derivatives
UPSE2-DarkRed1 , UPSE2-DarkRed2 , UPSE2-DarkRed3 , UPSE2-DarkRed4 , and UPSE2-DarkRed5 .
- UPSE2-Green  with its derivatives
UPSE2-Green1 , UPSE2-Green2 , UPSE2-Green3 , UPSE2-Green4 , and UPSE2-Green5 .
- UPSE2-Blue  with its derivatives
UPSE2-Blue1 , UPSE2-Blue2 , UPSE2-Blue3 , UPSE2-Blue4 , and UPSE2-Blue5 .
- UPSE2-AccentGray  with its derivatives
UPSE2-AccentGray1 , UPSE2-AccentGray2 , UPSE2-AccentGray3 , UPSE2-AccentGray4 , and UPSE2-AccentGray5 .

5 The se2fonts package

The `se2fonts` package sets the fonts of the document. In the first version of the bundle, we were running to use Hermann Zaph's *Palatino*, *Helvetica*, and *Neo Euler* fonts. However, we figured out that they are not part of a standard L^AT_EX installation, and thus required manual work by the user to install them. Furthermore, loading the fonts did not always work in a correct way.

Thus, we decided to rethink this decision and—as a consequence—now use different fonts that are part of a recent standard L^AT_EX installation: we use the *Libertinus* fonts⁴ for serif, sans-serif, and math typesetting and the *Anonymous Pro* font⁵ as a monospaced font.

Please note: this change might affect the way your documents look, and also might affect paragraph and line breaks!

If you are using L^AU_T_EX, fonts are expected to be present as open-type fonts; using pdfL^AT_EX will fallback to Type-1 fonts.

Please note: the package does not support X_FT_EX!

The following options are defined by the `se2fonts` package to influence the selection of the fonts.

`fmode` `fmode = <choice>`

Updated: 2022-11-03 The argument is deprecated and will raise a warning. It is to be removed by a future version of the `se2thesis` bundle.

The following list provides examples for each of the fonts:

- An example text in Libertinus Serif
- An example text in Libertinus Sans
- An example text in Anonymous Pro

The package provides additional helper functions that are also available to the user.

`\pdftexengine` `\pdftexengine`
`\xetexengine` `\xetexengine`
`\luatexengine` `\luatexengine`

These commands alias the built-in L^AT_EX3 macros `\sys_if_engine_pdftex_p:`, `\sys_if_engine_xetex_p:`, and `\sys_if_engine_luatex_p:`. They can be used to check which engine the user is currently running.

`\ifengineTF` `\ifengineTF {<engine>} {<then block>} {<else block>}`
`\ifengineT` `\ifengineT {<engine>} {<then block>}`
`\ifengineF` `\ifengineF {<engine>} {<then block>}`

Allows to execute code based on the running engine. The base variant `\ifengineTF` expects the user to specify a condition, which can be built of combinations of the `\pdftexengine`, `\xetexengine`, and `\luatexengine` macros, followed by the code that will be executed if the condition holds and the code that will be executed if the condition does not hold.

For convenience, we provide the variants `\ifengineT` and `\ifengineF` that allow to omit an empty then or else branch, respectively.

⁴<https://github.com/alerque/libertinus>

⁵<https://www.marksimonson.com/fonts/view/anonymous-pro>

6 The `se2packages` package

Several packages can be useful for writing a thesis. We provide a simple package for the user that loads these support packages with the recommended options. Please note that you might not need all these packages, however, having a look at them (especially their documentation) might give you an insight whether to use a certain package. Our general recommendation is to use as few packages as you can; some might have conflicts, others basically do the same, or are outdated. Please consider reading the documentation of each package you are using to figure out whether they have any conflicts with other packages (for example, one cannot use the recommended `siunitx` package together with `Slunits`) or they might require to be loaded at special places in your preamble (for example, `hyperref` is usually meant to be loaded as the last package, except you are also using `cleveref`, which needs to be loaded *after* `hyperref`).

6.1 The Recommended Packages

We first present the packages we recommend and give a rationale why we believe they should be used. Afterwards, we will discuss how to load the `se2packages` package to use one or the other of these recommended packages in the next section.

6.1.1 Quoting with `csquotes`

The `csquotes` packages allows you for intelligent quoting of text. While verbose quotes are not that common in computer science, the package still provides some useful macros to the user.

6.1.2 Number formatting with `siunitx`

While `siunitx`'s original purpose was to format physical quantities, it provides a lot of useful features when typesetting theses (and other documents) in computer science. When you skim through its documentation, especiall look at the `\qty` and `\num` macros, as well as the section on typesetting tabular material. We also recommend reading an extensive discussion on number formatting, precision of presented numbers, and more related topics in Beyer et al.'s journal paper on requirements and solutions for reliable benchmarking [1].

6.1.3 Code Listings

We prefer using the `minted` package for code listings because it provides a lot of options for styling as well as built-in support for a huge number of languages. However, this package requires the installation of Python and the setting of the `-shell-escape` option to your `TEX` engine. Please read the package's documentation to set it up; the aforementioned Docker images from the Island of `TEX` project provide you everything set up already.

In case you do not want to use the `minted` package, please consider using `listings` for typesetting your code listings.

Please be aware to use *either* `minted` *or* `listings`!

6.1.4 Designing Tables

A basically mandatory package to all users of tables is the `booktabs` package. Especially its documentation is a must-read! It provides a large variety of hints for designing tables, most notably that one should never ever use vertical lines; horizontal lines should be used sparsely; `booktabs` provides three macros for lines that shall be used instead of `\hline` from standard L^AT_EX: `\toprule` for a rule on the top of a table, above the column heads; `\midrule` to separate column heads and the content, and `\bottomrule` to mark the bottom of a table. We highly recommend that you follow this style when writing your thesis.

Note that captions of tables shall be put *above* the table whereas captions of figures shall go *below* the figure. The rationale is that a figure should be more or less self explaining while a table almost always needs some explanation.

Unfortunately, the distances when using a `\caption` above a table are wrong by default; when creating tables, consider loading the `hvfloats` package and use its `\tabcaption` instead of `\caption` for tables. The `hvfloats` package furthermore provides additional useful macros to typeset all kinds of floats.

6.1.5 Controlling Ligatures, Orphans, and Widows

When using L^aT_EX (which we recommend anyway), we additionally recommend to use the `selnolig` and `lua-widow-control` packages. The former implements a better control over ligatures, the latter provides better control over orphans and widows.

For some reason we were not yet able to fix properly, `lua-widow-control` works on some machine but fails on others, although they are using the same version of T_EXLive. We therefore deactivate `lua-widow-control` by default.

6.1.6 Use `microtype` for Microtypographic Optimisation

`microtype` is a game changer when writing documents. While standard L^AT_EX provides reasonably good typography, the `microtype` package brings it to the next level. We refer you to the documentation of the package for details.

Additionally, we prefer to have a thin space around the m-dash. Although we are aware of the discussion whether to have such a space in English, we think it looks more beautiful and thus recommend it.

6.1.7 Use `biblatex` for Bibliographic References

The standard way of typesetting bibliographic references used to be BIBT_EX. The original BIBT_EX, however, seems to be very outdated in various ways: it originally only supported 7bit character sets and creating citation styles requires the usage of a kind of an archaic language. BibL^AT_EX resolves many of the drawbacks of BIBT_EX; when combined with the `biber` engine, it supports full UTF-8 unicode, therefore correct sorting of the references now works out of the box; also creating citation styles can now be done using simple L^AT_EX commands.

6.1.8 Use `cleveref` for Internal References

LATEX provides an easy-to-use reference mechanism using the `\label` and `\ref` macros. However, this requires some manual effort and the text needs to specify whether a reference is to a figure, section, or table. We often see in drafts artefacts such as ‘we discuss our findings in 4’; but what is ‘4’ here? Is it a section? A table? A figure?

To avoid such confusion, use the `cleveref` package, which automatically infers the type of the reference (see its documentation on how this works). The `cleveref` package furthermore avoids an additional, common mistake: between the name of the element and its reference one needs to have a non-breaking space that is often forgotten. Instead people are using normal spaces that can break at the end of a line which looks very ugly.

Please note that, in contrast to most other packages, `cleveref` has to be loaded *after* the `hyperref` package!

6.2 Loading se2packages

When you load the `se2packages` package it will automatically load the `csquotes` and `booktabs` packages because we believe that you definitely should use them. Still, it is possible to avoid this by setting the following load-time options to the package.

`csquotes` `csquotes = <true, false>`
`nocsquotes` `nocsquotes`

The argument to `csquotes` can be one of `true` or `false`. The latter does not load `csquotes`, the former is the default value. By using `nocsquotes` you can also avoid that `csquote` is loaded.

`booktabs` `booktabs = <true, false>`
`nobooktabs` `nobooktabs`

The argument to `booktabs` can be one of `true` or `false`. The latter does not load `booktabs`, the former is the default value. By using `nobooktabs` you can also avoid that `booktabs` is loaded.

The `siunitx` package is helpful to set quantities and to automatically format numbers consistently. The following load-time option loads it automatically.

`siunitx` `siunitx = <true, false>`

Decides whether the package loads `siunitx` and sets the options for `siunitx` to the values we recommend. The default value is `false`, set it to `true` to load `siunitx`.

We provide a load-time option to load `minted` and configure it.

`minted` `minted = <true, false>`

Decides whether the package loads `minted` and sets the options for `minted` to the values we recommend. The default value is `false`, set it to `true` to load `minted`. Note that `minted` requires additional installation effort and the use of the `-shell-escape` option, see its documentation.

We also provide a load-time option to load `listings` and configure it. This option and the `minted` option are mutually exclusive!

```
listings listings = <true, false>
```

Decides whether the package loads `listings` and sets the options for `listings` to the values we recommend. The default value is `false`, set it to `true` to load `listings`.

We provide a load-time option to load `selnolig`.

```
selnolig selnolig = <true, false>  
noselnolig noselnolig
```

The argument to `selnolig` can be one of `true` or `false`. The latter does not load `selnolig`, the former is the default value. By using `noselnolig` you can also avoid that `selnolig` is loaded.

We provide a load-time option to load `lua-widow-control`.

```
widowcontrol widowcontrol = <true, false>  
nowidowcontrol nowidowcontrol
```

The argument to `widowcontrol` can be one of `true` or `false`. The former loads `lua-widow-control`, the latter is the default value. By using `nowidowcontrol` you can also avoid that `lua-widow-control` is loaded.

We provide a load-time option to load and configure `microtype`.

```
microtype microtype = <true, false>  
nomicrotype nomicrotype
```

The argument to `microtype` can be one of `true` or `false`. The latter does not load `microtype`, the former is the default value. By using `nomicrotype` you can also avoid that `microtype` is loaded.

We provide a load-time option to load and configure `biblatex`.

```
biblatex biblatex = <true, false>
```

Decides whether the package loads `biblatex` and sets the options for `biblatex` to the values we recommend. The default value is `false`, set it to `true` to load `biblatex`.

Additionally, we provide a load-time option to load `cleveref`. This option makes use of L^AT_EX's hook system to load it as the very last thing in the preamble. You shall not use this option, but load `cleveref` on your own, if your document requires packages that need to be loaded even *after* `cleveref`.

```
cleveref cleveref = <true, false>
```

Decides whether the package load `cleveref`. The default value is `false`, set it to `true` to load `cleveref`.

Lastly, we provide one option to load all recommended packages (with `minted` preferred over `listings`).

```
all all = <true, false>
```

Decides whether the package loads all recommended packages. The default value is `false`, set it to `true` to load them.

6.3 Additional Recommended Packages

The following packages are not part of `se2packages` because they serve a very specific purpose. They might not be needed by many thesis writers, however, we mention them here in order to give you a pointer. We list them in alphabetic order.

- `algorithm2e`: provides tooling for typesetting algorithm diagrams. We recommend loading it with the following options:

```
\usepackage[ruled,noline,noend,linesnumbered]{algorithm2e}
```

- `hvfloat`: a package to control captions, fullpage, and double-page floats. We recommend to load it and use its `\tabcaption` for table captions.
- `lettrine`: allows to start a paragraph with a large initial. This is a beautiful opener for the first paragraph of a thesis' main content.
- `mathtools`: an enhanced version of the famous \mathcal{AM} Smathpackage that provides more functionality and fixes some of the known bugs.
- `pdfx`: adds support for PDF/X and PDF/A, which is useful for creating documents that can be archived, for example, by the University's library.
- `pgfplots`: a library for creating all kinds of plots, based on `pgf`, which is also the basis of the `tikz` package.
- `sidenotesplus`: a package to place all kinds of objects in the margin of a document, from footnotes (then called sidenotes) to figures and tables.
- `subcaption`: support for sub-captions and sub-figures.
- `tabulararray`: a rewrite of L^AT_EX's array and tabular abilities in L^AT_EX3. While the package offers a great combination of several other packages' functionality, it tends to be quite slow for large tables due to the way it is implemented internally.
- `tcolorbox`: allows to typeset coloured boxes, for example, for short summaries on research questions or hypotheses.
- `tikz`: for creating all kinds of figures. Beware: TikZ is a really huge package with a lot of functionality and a manual of more than 1300 pages.

References

- [1] Dirk Beyer, Stefan Löwe, and Philipp Wendler: *Reliable benchmarking: requirements and solutions*. STTT 21(1): 1–29 (2019)

Part II Implementation

The second part of this file provides the implementation of the package for a better understanding of what is happening.

1 Global helpers

These helpers might be useful for many exported packages and classes, thus we keep them on the global level of this implementation.

```
1  <*init>
    Load only the essential support (expl3) ‘up-front’, and only if required.
2  \@ifundefined{ExplLoaderFileDate}
3      { \RequirePackage{expl3} }
4      {}

Make sure that the version of l3kernel in use is sufficiently new. We use \ExplFileVersion as \@ifpackagelater does not work for pre-loaded expl3 in the absence of the package.

5  \@ifl@t@r\ExplLoaderFileDate{2020-01-09}
6      {}
7  {%
8      \PackageError{se2colors}{Support package expl3 too old}
9      {%
10         You need to update your installation of the bundles 'l3kernel' and
11         'l3packages'. \MessageBreak
12         Loading~se2colors~will~abort!%
13     }%
14     \endinput
15 }%
```

\IfFormatAtLeastTF This macro is not present in older kernels, thus we use the L^AT_EX 2 _{ε} mechanism as this is correct for this case.

```
16 \providecommand \IfFormatAtLeastTF { \@ifl@t@r \fmtversion }
```

(End of definition for \IfFormatAtLeastTF. This function is documented on page 2.)

```
17 </init>
```

2 The se2thesis implementation

Start the DocStrip guards.

```
18 <*class>
```

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

```
19 <@@=slcd>
```

Identify the class and give the overall version number.

```
20 \ProvidesExplClass {se2thesis} {2023-07-04} {3.1.0}
```

```
21 {A thesis class for the Chair of Software Engineering II}
```

\slcd_package_if_loaded:nTF
\slcd_package_if_loaded:nT
\slcd_package_if_loaded:nF
\slcd_package_if_loaded_p:n

Defines various L^AT_EX3 variants for the internal \@ifpackageloaded macro to check whether a package has been loaded.

```
22 \prg_new_conditional:Nnn \slcd_package_if_loaded:n { p, T, F, TF }
```

```
23 {
```

```
24     \use:c { @ifpackageloaded }
```

```
25     { #1 }
```

```
26     { \prg_return_true: }
```

```

27     { \prg_return_false: }
28 }
```

(End of definition for `\slcd_package_if_loaded:nTF` and others. These functions are documented on page 2.)

Load required packages early.

```

29 \RequirePackage{graphicx}
30 \RequirePackage{translations}
31 \LoadDictionary{se2translations}
32 \DeclareTranslationFallback{version-of-date}{%
33   Version~\l_slcd_version_tl\ of~\@date
34 }
35 \DeclareTranslation{German}{version-of-date}{%
36   Version~\l_slcd_version_tl\ vom~\@date
37 }
38 \DeclareTranslation{English}{version-of-date}{%
39   Version~\l_slcd_version_tl\ of~\@date
40 }
```

2.1 Define Variables

The following variables are necessary for the argument handling.

`\l_slcd_paper_int`

A variable to store the key of the page size selected by the user.

```
41 \int_new:N \l_slcd_paper_int
```

(End of definition for `\l_slcd_paper_int`.)

We also need properties to store class options that are not for us, thus shall be handled by the underlying base class.

`\l_slcd_base_class_tl`

`\l_slcd_clsopts_prop`

`\l_slcd_unknown_clsopts_prop`

```

42 \tl_new:N \l_slcd_base_class_tl
43 \prop_new:N \l_slcd_clsopts_prop
44 \prop_new:N \l_slcd_unknown_clsopts_prop
```

(End of definition for `\l_slcd_base_class_tl`, `\l_slcd_clsopts_prop`, and `\l_slcd_unknown_clsopts_prop`.)

Define internal variables to hold the values of the fields of the title page.

`\l_slcd_version_tl`

`\l_slcd_degreeprogramme_tl`

`\l_slcd_matrnumber_tl`

`\l_slcd_supervisor_tl`

`\l_slcd_cosupervisor_tl`

`\l_slcd_advisor_tl`

`\l_slcd_coadvisor_tl`

`\l_slcd_department_tl`

`\l_slcd_institute_tl`

`\l_slcd_external_tl`

`\l_slcd_logofile_tl`

`\l_slcd_signature_tl`

`\l_slcd_location_tl`

```

45 \tl_new:N \l_slcd_version_tl
46 \tl_new:N \l_slcd_degreeprogramme_tl
47 \tl_new:N \l_slcd_matrnumber_tl
48 \tl_new:N \l_slcd_supervisor_tl
49 \tl_new:N \l_slcd_cosupervisor_tl
50 \tl_new:N \l_slcd_advisor_tl
51 \tl_new:N \l_slcd_coadvisor_tl
52 \tl_new:N \l_slcd_department_tl
53 \tl_new:N \l_slcd_institute_tl
54 \tl_new:N \l_slcd_external_tl
55 \tl_new:N \l_slcd_logofile_tl
56 \tl_new:N \l_slcd_signature_tl
57 \tl_new:N \l_slcd_location_tl
```

(End of definition for `\l_slcd_version_tl` and others.)

Define several dimensions for the `typearea` package to define the package style.

```
\l_slcd_marginspace_dim
\l_slcd_headmarkspace_dim
\l_slcd_rulespace_dim
\l_slcd_pagemark_minipage_dim
\l_slcd_ruleraise_dim
\l_slcd_rulewidth_dim
\l_slcd_rulethickness_dim
58 \dim_new:N \l_slcd_marginspace_dim
59 \dim_new:N \l_slcd_headmarkspace_dim
60 \dim_new:N \l_slcd_rulespace_dim
61 \dim_new:N \l_slcd_pagemark_minipage_dim
62 \dim_new:N \l_slcd_ruleraise_dim
63 \dim_new:N \l_slcd_rulewidth_dim
64 \dim_new:N \l_slcd_rulethickness_dim
65 \dim_gset:Nn \l_slcd_marginspace_dim { -1.85cm }
66 \dim_gset:Nn \l_slcd_headmarkspace_dim { 0.75cm }
67 \dim_gset:Nn \l_slcd_rulespace_dim { 10pt }
68 \dim_gset:Nn \l_slcd_pagemark_minipage_dim { 1.5cm }
69 \dim_gset:Nn \l_slcd_ruleraise_dim { -5pt }
70 \dim_gset:Nn \l_slcd_rulewidth_dim { 1.25pt }
71 \dim_gset:Nn \l_slcd_rulethickness_dim { 15pt }
```

(End of definition for `\l_slcd_marginspace_dim` and others.)

2.2 Load-time options

We define the key-value interface for the class.

```
\l_slcd_base_class_tl
\l_slcd_unknown_clsopts_prop
\l_slcd_paper_int
\l_slcd_thesis_type_tl
\l_slcd_licensetype_tl
\l_slcd_licensemodifier_tl
\l_slcd_licenseversion_tl
\l_slcd_colormode_tl
\l_slcd_fontmode_tl
72 \keys_define:nn { seiithesis }
73 {
74   class .choice:,
75   class / report .meta:n = {class=scrreprt},
76   class / scrreprt .code:n = \tl_gset:Nn \l_slcd_base_class_tl {scrreprt},
77   class / article .meta:n = {class=scrartcl},
78   class / scrartcl .code:n = \tl_gset:Nn \l_slcd_base_class_tl {scrartcl},
79   class / book .meta:n = {class=scrbook},
80   class / scrbook .code:n = \tl_gset:Nn \l_slcd_base_class_tl {scrbook},
81   class .initial:n = scrbook,
82
83   paper .choices:nn = {a4,b5}{
84     \int_gset_eq:NN \l_slcd_paper_int \l_keys_choice_int
85   },
86   paper .initial:n = a4,
87
88   logfile .tl_gset:N = \l_slcd_logfile_tl,
89   logfile .initial:n =,
90
91   thesistype .choice:,
92   thesistype / bachelor .code:n = \tl_gset:Nn \l_slcd_thesis_type_tl {bachelor},
93   thesistype / bachelorproposal .code:n = {
94     \tl_gset:Nn \l_slcd_thesis_type_tl {bachelorproposal}
95   },
96   thesistype / master .code:n = \tl_gset:Nn \l_slcd_thesis_type_tl {master},
97   thesistype / masterproposal .code:n = {
98     \tl_gset:Nn \l_slcd_thesis_type_tl {masterproposal}
99   },
```

```

100 thesistype / phd .code:n = \tl_gset:Nn \l__slcd_thesis_type_tl {phd},
101 thesistype / phdproposal .code:n =
102     \tl_gset:Nn \l__slcd_thesis_type_tl {phdproposal}
103 },
104 thesistype .initial:n = master,
105
106 colormode .choices:nn = {cmyk,rgb,bw}{
107     \tl_gset_eq:NN \l__slcd_colormode_tl \l_keys_choice_tl
108 },
109 colormode .initial:n = cmyk,
110
111 fontmode .choices:nn = {original,replacement,auto}{
112     \tl_gset_eq:NN \l__slcd_fontmode_tl \l_keys_choice_tl
113 },
114 fontmode .initial:n = auto,
115
116 unknown .code:n =
117     \prop_gput:NVn \l__slcd_unknown_clsopts_prop \l_keys_key_tl {#1}
118 },
119 }

```

(End of definition for `\l__slcd_base_class_tl` and others.)

Handle the options

```

120 \IfFormatAtLeastTF { 2022-06-01 }
121   { \ProcessKeyOptions [ seiithesis ] }
122   {
123     \RequirePackage{ 13keys2e }
124     \ProcessKeysOptions { seiithesis }
125   }

```

Handle the known options for base class

```

126 \prop_map_inline:Nn \l__slcd_clsopts_prop
127   {
128     \tl_if_empty:nTF {#2}
129       { \PassOptionsToClass {#1} {\l__slcd_base_class_tl} }
130       {
131         \clist_map_inline:nn {#2}
132           { \PassOptionsToClass {#1=##1} {\l__slcd_base_class_tl} }
133       }
134   }

```

Load the base class

```
135 \LoadClass{\l__slcd_base_class_tl}
```

Attempt to handle the unknown options

```

136 \prop_map_inline:Nn \l__slcd_unknown_clsopts_prop
137   {
138     \cs_if_exist:cT {KV@KOMA.\l__slcd_base_class_tl.cls@#1}
139     {
140       \tl_if_empty:nTF {#2}
141         { \KOMAoptions{#1} }
142         { \KOMAoption{#1}{#2} }
143     }
144   }

```

2.3 Package loading

We load some packages with options that depend on options to the `se2thesis` class. Thus, we load them here to be able to hand them over the respective values.

We start with the `se2colors` and `se2fonts` packages.

```
145 \PassOptionsToPackage{\l__slcd_colormode_tl}{se2colors}
146 \RequirePackage{se2colors}
147
148 \RequirePackage{se2fonts}
```

2.4 User macros for the title page

In addition to the macros provided by the KOMA-Script classes for the title-page values (e.g. `\author`, `\title`), provide these additional macros to the user.

`\version` Specify the version of the document, e.g., a git hash.

```
149 \ProvideDocumentCommand \version { m }
150 {
151     \tl_set:Nn \l__slcd_version_tl {#1}
152 }
```

(End of definition for `\version`. This function is documented on page 3.)

`\degreeprogramme` Specify the degree programme the thesis is meant to be accepted in.

```
153 \ProvideDocumentCommand \degreeprogramme { m }
154 {
155     \tl_set:Nn \l__slcd_degreeprogramme_tl {#1}
156 }
```

(End of definition for `\degreeprogramme`. This function is documented on page 3.)

`\matrnumber` Specify the matriculation number of the student.

```
157 \ProvideDocumentCommand \matrnumber { m }
158 {
159     \tl_set:Nn \l__slcd_matrnumber_tl {#1}
160 }
```

(End of definition for `\matrnumber`. This function is documented on page 4.)

`\supervisor` Specify the supervisor and co-supervisor of the thesis, usually a professor.

```
161 \ProvideDocumentCommand \supervisor { m }
162 {
163     \tl_set:Nn \l__slcd_supervisor_tl {#1}
164 }
165 \ProvideDocumentCommand \cosupervisor { m }
166 {
167     \tl_set:Nn \l__slcd_cosupervisor_tl {#1}
168 }
```

(End of definition for `\supervisor` and `\cosupervisor`. These functions are documented on page 4.)

`\advisor` Specify the advisor and co-advisor of the thesis, usually a PhD student or postdoc.

```

169 \ProvideDocumentCommand \advisor { m }
170 {
171     \tl_set:Nn \l__slcd_advisor_tl {#1}
172 }
173 \ProvideDocumentCommand \coadvisor { m }
174 {
175     \tl_set:Nn \l__slcd_coadvisor_tl {#1}
176 }
```

(End of definition for `\advisor` and `\coadvisor`. These functions are documented on page 4.)

`\department` Specify the university's department and institute you are writing the thesis for.

```

177 \ProvideDocumentCommand \department { m }
178 {
179     \tl_set:Nn \l__slcd_department_tl {#1}
180 }
181 \ProvideDocumentCommand \institute { o m }
182 {
183     \tl_set:Nn \l__slcd_institute_tl {#2}
184 }
```

(End of definition for `\department` and `\institute`. These functions are documented on page 4.)

`\external` Specify an external referee.

```

185 \ProvideDocumentCommand \external { m }
186 {
187     \tl_set:Nn \l__slcd_external_tl {#1}
188 }
```

(End of definition for `\external`. This function is documented on page 4.)

`\location` Specify the location for the signature field.

```

189 \ProvideDocumentCommand \location { m }
190 {
191     \tl_set:Nn \l__slcd_location_tl {#1}
192 }
```

(End of definition for `\location`. This function is documented on page 4.)

2.5 Define logo, paper size, and paper style

For the logo on the titlepage, we define further variables to store its height and a box to store the logo itself.

```

\l__slcd_logo_height_dim
\l__slcd_logo_box
193 \dim_if_exist:NF \l__slcd_logo_height_dim
194 {
195     \dim_new:N \l__slcd_logo_height_dim
196     \int_compare:nTF { \l__slcd_paper_int=1 }
197     {
198         \dim_gset:Nn \l__slcd_logo_height_dim { 67.5pt }
199     } {
200         \dim_gset:Nn \l__slcd_logo_height_dim { 56.8pt }
201     }
```

```

202     }
203 \box_if_exist:NF \l__slcd_logo_box
204 {
205     \box_new:N \l__slcd_logo_box
206 }
207 \tl_if_empty:NF \l__slcd_logofile_tl
208 {
209     \hbox_gset:Nn \l__slcd_logo_box
210     {
211         \includegraphics[%
212             height=\l__slcd_logo_height_dim%
213         ]{\l__slcd_logofile_tl}
214     }
215 }

```

(End of definition for `\l__slcd_logo_height_dim` and `\l__slcd_logo_box`.)

Set the paper size depending on the selected `paper` option.

```

216 \int_compare:nTF { \l__slcd_paper_int=1 }
217 {
218     \areaset[current]{350pt}{567pt}
219     \setlength{\marginparsep}{8.5cm}
220     \setlength{\marginparsep}{1em}
221 }{
222     \areaset[current]{350pt}{567pt}
223     \setlength{\marginparsep}{7.4cm}
224     \setlength{\marginparsep}{0.87em}
225 }

```

Provide the package style. We start by loading the `scrlayer-scrpage` package with the appropriate options and set some basic properties.

```

226 \PassOptionsToPackage{automark}{scrlayer-scrpage}
227 \RequirePackage{scrlayer-scrpage}
228 \clearpairofpagestyles
229 \setkomafont{pagefoot}{\normalfont\sffamily}

```

We can then define the footer for odd pages, which will appear on the right side of the page's footer. This definition contains first, as an optional argument, the style of a page with `pagestyle` set to `empty`, i.e., a page where a new chapter starts, and afterwards the style of a regular right-hand side page.

```

230 \rofoot[{
231     \group_begin: \ \group_end:
232     \footnotesize%
233     \hspace*\{\l__slcd_headmarkspace_dim\}%
234     \group_begin:
235         \color{UPSE2-Blue}%
236         \rule[\l__slcd_ruleraise_dim]{\l__slcd_rulewidth_dim}{\l__slcd_rulethickness_dim}%
237     \group_end:
238     \hspace*\{\l__slcd_rulespace_dim\}%
239     \begin{minipage}[b]{\l__slcd_pagemark_minipage_dim}%
240         \normalsize\textrm{\pagemark}%
241     \end{minipage}%
242     \hspace{\l__slcd_marginspace_dim}%
243 }]{%
244     \group_begin: \ \group_end:
245     \footnotesize%

```

```

246 \group_begin:
247   \color{UPSE2-Blue}\headmark
248 \group_end:
249 \hspace*\{\l_slcd_rulespace_dim\}%
250 \group_begin:
251   \color{UPSE2-Blue}%
252   \rule[\l_slcd_ruleraise_dim]{\l_slcd_rulewidth_dim}{\l_slcd_rulethickness_dim}%
253 \group_end:
254 \hspace*\{\l_slcd_rulespace_dim\}%
255 \begin{minipage}[b]{\l_slcd_pagemark_minipage_dim}%
256   \normalsize\textrm{\textbf{\pagemark}}%
257 \end{minipage}%
258 \hspace{\l_slcd_marginspace_dim}%
259 }

```

Similarly, we define the footer for even pages, which will appear on the left side of the page's footer.

```

260 \lefoot[{
261   \null\hspace{\l_slcd_marginspace_dim}%
262   \footnotesize%
263   \begin{minipage}[b]{\l_slcd_pagemark_minipage_dim}%
264     \raggedleft\normalsize\textrm{\textbf{\pagemark}}%
265   \end{minipage}%
266   \footnotesize%
267   \hspace*\{\l_slcd_rulespace_dim\}%
268   \group_begin:
269     \color{UPSE2-Blue}%
270     \rule[\l_slcd_ruleraise_dim]{\l_slcd_rulewidth_dim}{\l_slcd_rulethickness_dim}%
271   \group_end:
272 }]{%
273   \null\hspace{\l_slcd_marginspace_dim}%
274   \footnotesize%
275   \begin{minipage}[b]{\l_slcd_pagemark_minipage_dim}%
276     \raggedleft\normalsize\textrm{\textbf{\pagemark}}%
277   \end{minipage}%
278   \footnotesize%
279   \hspace*\{\l_slcd_rulespace_dim\}%
280   \group_begin:
281     \color{UPSE2-Blue}%
282     \rule[\l_slcd_ruleraise_dim]{\l_slcd_rulewidth_dim}{\l_slcd_rulethickness_dim}%
283   \group_end:
284   \hspace*\{\l_slcd_headmarkspace_dim\}%
285   \group_begin:
286     \color{UPSE2-Blue}\headmark
287   \group_end:
288 }

```

Finally, set the page style.

```
289 \pagestyle{scrheadings}
```

2.6 The title page

We start out by adjusting some KOMA-Script fonts.

```
290 \setkomafont{title}{\Huge}
```

```

291 \setkomafont{subtitle}{\Large}
292 \setkomafont{subject}{\normalsize}
293 \setkomafont{author}{\large}
294 \setkomafont{date}{\normalsize}
295 \setkomafont{publishers}{\normalsize}

\author Allow for automated splitting of author's names.
\@author
296 \seq_new:N \l__slcd_author_seq
297 \renewcommand*\author[2][]{
298   \seq_gset_split:Nnn \l__slcd_author_seq {\and} {#2}
299   \tl_if_empty:nTF {#1}
300   { \tl_set:Nn \l__slcd_signature_tl {#2} }
301   { \tl_set:Nn \l__slcd_signature_tl {#1} }
302 }
303 \renewcommand*\@author{
304   \group_begin:
305     \hyphenpenalty=100000
306     \seq_use:Nnnn \l__slcd_author_seq {\GetTranslation{and}} {,~} {~\&~}
307   \group_end:
308 }

(End of definition for \author and \@author. These functions are documented on page 4.)

```

Define a new layer using the functionality from `scrlayer-scrpage` for the logo image.

```

309 \DeclareNewLayer[
310   mode=picture,
311   foreground,
312   align=tr,
313   hoffset=\oddsidemargin+1.5in+\textwidth,
314   voffset=\coverpagetopmargin+1.5in+\ht\strutbox,
315   width=\textwidth - \box_wd:N \l__slcd_logo_box,
316   height=\box_ht:N \l__slcd_logo_box,
317   contents={\putUL{\box_use:N \l__slcd_logo_box}},
318 ]{title.seii.logo}
319 \DeclareNewPageStyleByLayers{title.seii}{title.seii.logo}
320 \renewcommand*\titlepagestyle{title.seii}

```

Redefine the `\maketitle` command. The following code is an adapted version of the corresponding KOMA-Script macro by Markus Kohm.

```

321 \renewcommand*\maketitle[1][1]{
322   \begin{titlepage}
323     \setcounter{page}{#1}
324     \def\thefootnote{\fnsymbol{footnote}}
325     \edef\titlepage@restore{%
326       \noexpand\endgroup
327       \noexpand\global\noexpand\@colht\the\@colht
328       \noexpand\global\noexpand\@colroom\the\@colroom
329       \noexpand\global\vsiz\the\vsiz
330       \noexpand\global\noexpand\@titlepageiscoverpagefalse
331       \noexpand\let\noexpand\titlepage@restore\noexpand\relax
332     }%
333     \begingroup
334     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
335     \oddsidemargin=\dimexpr 0in\relax
336     \evensidemargin=\dimexpr 0in\relax

```

```

337   \textwidth=\dimexpr \paperwidth-2in\relax
338   \textheight=\dimexpr
339   \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
340   \headheight=0pt
341   \headsep=0pt
342   \footskip=\baselineskip
343   \@colht=\textheight
344   \@colroom=\textheight
345   \vsize=\textheight
346   \columnwidth=\textwidth
347   \hsize=\textwidth
348   \linewidth=\hsize
349   \setparsizes{\z@}{\z@}{\z@}\par@updaterelative
350   \thispagestyle{title.seii}
351 %
352   \@maketitle
353 %
354   \if@twoside
355     \tempswatru
356     \if@tempswa
357       \next@tpage
358       \begin{minipage}[t]{\textwidth}
359         \@uppertitleback
360       \end{minipage}
361       \vfill
362       \begin{minipage}[b]{\textwidth}
363         \@lowertitleback
364       \end{minipage}\par
365       \@thanks\let\@thanks\empty
366     \fi
367   \fi
368   \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
369   \end{titlepage}
370 }

```

\l_slcd_title_box Define a box for the title if it does not yet exist.

```

371 \box_if_exist:N \l\_slcd_title_box
372 {
373   \box_new:N \l\_slcd_title_box
374 }

```

(End of definition for \l_slcd_title_box.)

\@maketitle Redeclare the \@maketitle macro.

```

375 \renewcommand*\@maketitle{%
376   \group_begin:
377   \setparsizes{\z@}{\z@}{\z@}\par@updaterelative
378   \thispagestyle{title.seii}
379   \hbox_gset:Nn \l\_slcd_title_box
380   {
381     \parbox{\textwidth}{\l\_slcd_print_title:}
382   }
383   \null
384   \skip_vertical:n { 2.5 \box_ht:N \l\_slcd_logo_box }

```

```

385     \box_use:N \l__slcd_title_box
386     \skip_vertical:n { .5 \box_ht:N \l__slcd_logo_box }
387 \group_end:
388 \@thanks\let\@thanks\@empty
389 }

```

(End of definition for `\@maketitle`. This function is documented on page 3.)

Load the `ifthen` package.

```
390 \RequirePackage{ifthen}
```

Prints the title formatted appropriately. We start with printing the title, optional subtitle, and the author names.

```

391 \cs_new:Nn \__slcd_print_title:
392 {
393     \group_begin:
394         \usekomafont{title}\centering\@title\par
395     \group_end:
396     \ifx\@subtitle\@empty\else{%
397         \medskip\usekomafont{subtitle}\centering\@subtitle\par%
398     }\fi
399     \bigskip
400     \group_begin:
401         \usekomafont{author}\centering\@author\par
402     \group_end:
403     \bigskip

```

The next block generates the text that describes the thesis. In case of a PhD thesis, this text is predefined to match the requirements. In case of a bachelor or master thesis, or a proposal thereof, we generate a text based on the values of the `thesistype` load-time option and the values of the `\degreeprogramme`, `\department`, and `\institute` variables.

```

404     \exp_args:NV
405     {
406         \begin{center}
407             \tl_if_eq:NnTF \l__slcd_thesis_type_tl { phd } {
408                 \begin{Dissertation~ zur~ Erlangung~ des~ Doktorgrades\\
409                     der~ Naturwissenschaften~ (Dr.\,rer.\,nat.)\\
410                     eingereicht~ an~ der~ Fakultät~ für~ Informatik~ und~ Mathematik\\
411                     der~ Universität~ Passau\\
412                     \rule{\textwidth}{.1pt}\\
413                     Dissertation~ submitted~ to\\
414                     the~ Faculty~ of~ Computer~ Science~ and~ Mathematics\\
415                     of~ the~ University~ of~ Passau\\
416                     in~ partial~ fulfillment~ of~ obtaining\\
417                     the~ degree~ of~ a~ Doctor~ of~ Natural~ Sciences
418             } {
419                 \tl_if_eq:NnT \l__slcd_thesis_type_tl { bachelor } {
420                     \GetTranslation{Bachelor-thesis}
421                 } \tl_if_eq:NnT \l__slcd_thesis_type_tl { bachelorproposal } {
422                     \GetTranslation{Bachelor-thesis-proposal}
423                 } \tl_if_eq:NnT \l__slcd_thesis_type_tl { master } {
424                     \GetTranslation{Master-thesis}
425                 } \tl_if_eq:NnT \l__slcd_thesis_type_tl { masterproposal }
426             }

```

```

427      { \GetTranslation{Master-thesis-proposal} }
428      \tl_if_eq:NnT \l__slcd_thesis_type_tl { phdproposal }
429          { \GetTranslation{PhD-thesis-proposal} }
430      \tl_if_empty:NF \l__slcd_degreetype_tl
431          {
432              \in~\l__slcd_degreetype_tl
433          }
434      \par
435      \tl_if_empty:NF \l__slcd_department_tl { \l__slcd_department_tl \par }
436          \tl_if_empty:NF \l__slcd_institute_tl { \l__slcd_institute_tl \par }
437      }
438  \end{center}\par\bigskip

```

Finally, generate a table with information about supervisors, advisors, etc.

```

439  \begin{center}
440      \begin{tabular}{@{} l @{\quad} l @{}}
441          \tl_if_empty:NF \l__slcd_matrnumber_tl
442              {
443                  \GetTranslation{Matrnumber} & \l__slcd_matrnumber_tl \\
444              }
445          \tl_if_empty:NF \l__slcd_supervisor_tl
446              {
447                  \GetTranslation{Supervisor} & \l__slcd_supervisor_tl \\
448              }
449          \tl_if_empty:NF \l__slcd_cosupervisor_tl
450              {
451                  \GetTranslation{Co-supervisor} & \l__slcd_cosupervisor_tl \\
452              }
453          \tl_if_empty:NF \l__slcd_advisor_tl
454              {
455                  \GetTranslation{Advisor} & \l__slcd_advisor_tl \\
456              }
457          \tl_if_empty:NF \l__slcd_coadvisor_tl
458              {
459                  \GetTranslation{Co-advisor} & \l__slcd_coadvisor_tl \\
460              }
461          \tl_if_empty:NF \l__slcd_external_tl
462              {
463                  \GetTranslation{External} & \l__slcd_external_tl \\
464              }
465      \end{tabular}
466  \end{center}\par\medskip

```

Last, print the date or the version.

```

468  \group_begin:
469      \usekomafont{date}
470      \centering
471      \tl_if_empty:NTF \l__slcd_version_tl
472          { \@date }
473          { \GetTranslation{version-of-date} }
474          \par\smallskip
475      \group_end:
476  }
477

```

\@lowertitleback Afterwards, override the definition of \@lowertitleback.

```

478 \renewcommand*\@lowertitleback{%
479   \group_begin:
480     \noindent\textbf{\@author}: \\
481     \emph{\@title} \\
482     \tl_if_eq:NnT \l_slcd_thesis_type_tl { bachelor } {
483       \GetTranslation{Bachelor-thesis},~ }
484     \tl_if_eq:NnT \l_slcd_thesis_type_tl { master } {
485       \GetTranslation{Master-thesis},~ }
486     \tl_if_eq:NnT \l_slcd_thesis_type_tl { phd } {
487       \GetTranslation{PhD-thesis},~ }
488     \GetTranslation{up},~\the\year.
489   \group_end:
490 }
```

(End of definition for \@lowertitleback. This function is documented on page 4.)

2.7 Styling of the sectioning commands

We change the formatting of the chapter, section, and sub-section headings.

```

491 \addtokomafont{chapterprefix}{\raggedleft\bfseries}
492 \addtokomafont{chapter}{\mdseries}
493 \addtokomafont{section}{\large\mdseries}
494 \addtokomafont{subsection}{\normalsize\mdseries}
495 \renewcommand*\chapterformat{%
496   \enskip\mbox{%
497     \scalebox{3}{\color{UPSE2-DarkGray}\thechapter\autodot}}%
498   }%
499 }
500 \renewcommand{\chapterlinesformat}[3]{%
501   \parbox[b]{\textwidth}{\hrulefill#2}\par%
502   #3\par\bigskip%
503   \hrule%
504 }
505 \RedeclareSectionCommand[afterskip=1.5\baselineskip]{chapter}
506 \renewcommand*\chapterlineswithprefixformat[3]{%
507   \Ifstr{#1}{chapter}
508     {\#2\textls*[75]{\MakeUppercase{#3}}}% change definition for chapter
509     {\#2\#3}% original definition
510   }%
511 \renewcommand*\sectionlinesformat[4]{%
512   #3\textls*[75]{\MakeUppercase{#4}}%
513 }

Change the loop of a \paragraph to be italic and end with a full stop.

514 \setkomafont{paragraph}{\normalsize\normalfont\itshape}
515 \AddtoDoHook{heading/endgroup/paragraph}{\headingdot}
516 \newcommand*\headingdot[1]{.}

Change the width of a dictum

517 \renewcommand*\dictumwidth{0.42\linewidth}
```

2.8 Provide an environment for abstracts

We want to allow abstracts in German and English, which is also a requirement when writing a thesis in English. First, ensure that the `\abstract` macro is available for all classes.

```
\abstract
```

```
518 \providecommand{\abstract}{}{}
```

(End of definition for `\abstract`. This function is documented on page 5.)

Then redefine the `\abstract` environment such that it provides an optional argument for language selection.

- `abstract (env.)` Used to typeset an abstract for the thesis. The optional argument allows to specify a language. As a default the current document language will be used.

```
519 \RenewDocumentEnvironment { abstract } { o }
520 {
521     \group_begin:
522     \IfNoValueF {#1} { \selectlanguage{#1} }
523     \scr@ifundefinedorrelax{chapter}{%
524         \Iftocfeature{toc}{leveldown}
525         {\subsection*{}}
526         {\section*{}}
527     }{%
528         \let\clearpage\relax
529         \Iftocfeature{toc}{leveldown}
530         {\section*{}}
531         {\chapter*{}}
532     } { \GetTranslation{Abstract} }
533 } {
534     \group_end:
535 }
```

2.9 Provide an environment for acknowledgements

Often, especially in a PhD thesis, one wants to acknowledge the help of certain people, for example, supervisors, family, and friends.

- `acknowledgements (env.)` Use to typeset the acknowledgements for the thesis.

```
536 \NewDocumentEnvironment { acknowledgements } { o }
537 {
538     \group_begin:
539     \IfNoValueF {#1} { \selectlanguage{#1} }
540     \scr@ifundefinedorrelax{chapter}{%
541         \Iftocfeature{toc}{leveldown}
542         {\subsection*{}}
543         {\section*{}}
544     }{%
545         \Iftocfeature{toc}{leveldown}
546         {\section*{}}
547         {\chapter*{}}
548     } { \GetTranslation{Acknowledgements} }
549 } {
550     \group_end:
551 }
```

2.10 Document structuring macros

Ensure that these macros are defined. These are the exact definitions from KOMA-Script.

```
552 \newif\if@mainmatter\@mainmattertrue
```

\frontmatter Starts the frontmatter. Most notably, set the page numbers to roman.

```
553 \providetcommand*\{\frontmatter\}
554 {
555     \if@twoside\cleardoubleoddpage\else\clearpage\fi
556     \@mainmatterfalse
557     \pagenumbering { roman }
558 }
```

(End of definition for `\frontmatter`. This function is documented on page 6.)

\mainmatter Starts the mainmatter or the backmatter. Most notably, set the page numbers to arabic.

```
559 \providetcommand*\{\mainmatter\}
560 {
561     \if@twoside\cleardoubleoddpage\else\clearpage\fi
562     \@mainmattertrue
563     \pagenumbering { arabic }
564 }
565 \providetcommand*\{\backmatter\}
566 {
567     \if@twoside\cleardoubleoddpage\else\clearpage\fi
568     \@mainmatterfalse
569 }
```

(End of definition for `\mainmatter` and `\backmatter`. These functions are documented on page 6.)

2.11 Declaration of authorship

\authorshipDeclaration Provide a command to typeset the authorship declaration.

```
570 \NewDocumentCommand \authorshipDeclaration { o }
571 {
572     \par
573     \group_begin:
574         \selectlanguage{ngerman}
575         \IfNoValueF {#1}
576             { \tl_gset:Nn \l__slcd_location_tl {#1} }

577
578     \tl_if_empty:NT \l__slcd_location_tl
579     {
580         \msg_new:nnn { seiithesis }
581             { no-location-specified }
582             {
583                 You~ need~ to~ specify~ a~ location~ for~ the~ authorship~
584                 declaration.~ Either~ via~ the~ location~ macro~ or~ via~ the~
585                 optional~ argument~ of~ the~ authorshipDeclaration~ macro.
586             }
587         \msg_warning:nn { seiithesis } { no-location-specified }
588     }
589
590     \scr@ifundefinedorrelax{chapter}{
```

```

591     \Iftocfeature{toc}{leveleldown}
592         {\subsection*{}}
593         {\section*{}}
594     }{
595         \Iftocfeature{toc}{leveleldown}
596         {\section*{}}
597         {\chapter*{}}
598     } { Eigenständigkeitserklärung }

599
600     Hiermit~ versichere~ ich,~ \l_slcd_signature_tl,
601     \begin{enumerate}
602         \item dass~ ich~ die~ vorliegende~ Arbeit~ selbstständig~ und~ ohne~
603             unzulässige~ Hilfe~ verfasst~ und~ keine~ anderen~ als~ die~
604             angegebenen~ Quellen~ und~ Hilfsmittel~ benutzt,~ sowie~ die~
605             wörtlich~ und~ sinngemäß~ übernommenen~ Passagen~ aus~ anderen~
606             Werken~ kenntlich~ gemacht~ habe.
607         \item Außerdem~ erkläre~ ich,~ dass~ ich~ der~ Universität~ ein~
608             einfaches~ Nutzungsrecht~ zum~ Zwecke~ der~ Überprüfung~ mittels~
609             einer~ Plagiatssoftware~ in~ anonymisierter~ Form~ einräume.
610     \end{enumerate}\par
611     \bigskip
612     \noindent \l_slcd_location_tl,~ \@date\hfill
613     \signatureBox{\l_slcd_signature_tl}
614     \group_end:
615     \strut\cleardoublepage
616 }

```

(End of definition for `\authorshipDeclaration`. This function is documented on page 6.)

`\signatureBox` Provide a box for the signature.

```

617 \newcommand*{\signatureBox}[2][5cm]{%
618   \parbox[t]{#1}{%
619     \centering
620     \rule{\linewidth}{.3pt}\v\makebox[0pt][c]{#2}%
621   }%
622 }

```

(End of definition for `\signatureBox`. This function is documented on page 6.)

2.12 Research questions and summary boxes

We utilise the `ntheorem` package for defining new theorem environments that are used for defining research questions and hypotheses. Therefore, start with loading this package. `ntheorem`.

```

623 \slcd_package_if_loaded:nT { amsmath }%
624   {%
625     \PassOptionsToPackage{amsmath}{ntheorem}%
626   }%
627 \RequirePackage{ntheorem}%
628 \theoremseparator{:}

```

`resq` (*env.*) We can then define the `resq` and `hyp` environments using the `\newtheorem` macro from `hyp` (*env.*) `ntheorem`.

```

629 \newtheorem{resq}{Research- Question}%
630 \newtheorem{hyp}{Hypothesis}%

```

For the summary boxes, we utilise the `tcolorbox` package. We start with loading this package.

```

631 \RequirePackage{tcolorbox}

summary (env.) The summary environment expects a label and has the summary text in its content.

632 \NewDocumentEnvironment { summary } { m }
633   { \begin{tcolorbox}[title={Summary~ (#1)}] }
634   { \end{tcolorbox} }

635 </class>

```

3 Translations for `se2thesis`

```
636 <*translations>
```

3.1 English Translations

```
637 <*english>
```

We provide the following English translations.

```

638 \ProvideDictionaryFor{English}{se2translations}[2023/07/04]
639 \ProvideDictTranslation{abstract}{abstract}
640 \ProvideDictTranslation{Abstract}{Abstract}
641 \ProvideDictTranslation{acknowledgement}{acknowledgement}
642 \ProvideDictTranslation{Acknowledgement}{Acknowledgement}
643 \ProvideDictTranslation{acknowledgements}{acknowledgements}
644 \ProvideDictTranslation{Acknowledgements}{Acknowledgements}
645 \ProvideDictTranslation{advisor}{advisor}
646 \ProvideDictTranslation{Advisor}{Advisor}
647 \ProvideDictTranslation{advisors}{advisors}
648 \ProvideDictTranslation{Advisors}{Advisors}
649 \ProvideDictTranslation{co-advisor}{co-advisor}
650 \ProvideDictTranslation{Co-advisor}{Co-advisor}
651 \ProvideDictTranslation{co-advisors}{co-advisors}
652 \ProvideDictTranslation{Co-advisors}{Co-advisors}
653 \ProvideDictTranslation{matrnumber}{matriculation number}
654 \ProvideDictTranslation{Matrnumber}{Matriculation number}
655 \ProvideDictTranslation{supervisor}{supervisor}
656 \ProvideDictTranslation{Supervisor}{Supervisor}
657 \ProvideDictTranslation{co-supervisor}{co-supervisor}
658 \ProvideDictTranslation{Co-supervisor}{Co-supervisor}
659 \ProvideDictTranslation{external}{external examiner}
660 \ProvideDictTranslation{External}{External Examiner}
661 \ProvideDictTranslation{degreeprogramme}{programme}
662 \ProvideDictTranslation{Degreeprogramme}{Programme}
663 \ProvideDictTranslation{Bachelor-thesis}{Bachelor Thesis}
664 \ProvideDictTranslation{Bachelor-thesis-proposal}{Bachelor Thesis Proposal}
665 \ProvideDictTranslation{Master-thesis}{Master Thesis}
666 \ProvideDictTranslation{Master-thesis-proposal}{Master Thesis Proposal}
667 \ProvideDictTranslation{PhD-thesis}{PhD Thesis}
668 \ProvideDictTranslation{PhD-thesis-proposal}{PhD Thesis Proposal}
669 \ProvideDictTranslation{date}{date}
670 \ProvideDictTranslation{Date}{Date}
671 \ProvideDictTranslation{university-of-passau}{University of Passau}

```

```

672 \ProvideDictTranslation{up}{University of Passau}
673 \ProvideDictTranslation{fim}{Faculty of Computer Science and Mathematics}
674 </english>

```

3.2 German Translations

```

675 <*german>

```

We provide the following German translations.

```

676 \ProvideDictionaryFor{German}{se2translations}[2023/07/04]
677 \ProvideDictTranslation{abstract}{Zusammenfassung}
678 \ProvideDictTranslation{Abstract}{Zusammenfassung}
679 \ProvideDictTranslation{acknowledgement}{Danksagung}
680 \ProvideDictTranslation{Acknowledgement}{Danksagung}
681 \ProvideDictTranslation{acknowledgements}{Danksagungen}
682 \ProvideDictTranslation{Acknowledgements}{Danksagungen}
683 \ProvideDictTranslation{advisor}{Betreuer}
684 \ProvideDictTranslation{Advisor}{Betreuer}
685 \ProvideDictTranslation{advisors}{Betreuer}
686 \ProvideDictTranslation{Advisors}{Betreuer}
687 \ProvideDictTranslation{co-advisor}{Mitbetreuer}
688 \ProvideDictTranslation{Co-advisor}{Mitbetreuer}
689 \ProvideDictTranslation{co-advisors}{Mitbetreuer}
690 \ProvideDictTranslation{Co-advisors}{Mitbetreuer}
691 \ProvideDictTranslation{matrnumber}{Matrikelnummer}
692 \ProvideDictTranslation{Matrnumber}{Matrikelnummer}
693 \ProvideDictTranslation{supervisor}{Prüfer}
694 \ProvideDictTranslation{Supervisor}{Prüfer}
695 \ProvideDictTranslation{co-supervisor}{Zweitprüfer}
696 \ProvideDictTranslation{Co-supervisor}{Zweitprüfer}
697 \ProvideDictTranslation{external}{Externer Gutachter}
698 \ProvideDictTranslation{External}{Externer Gutachter}
699 \ProvideDictTranslation{degreeprogramme}{Studiengang}
700 \ProvideDictTranslation{Degreeprogramme}{Studiengang}
701 \ProvideDictTranslation{Bachelor-thesis}{Bachelorarbeit}
702 \ProvideDictTranslation{Bachelor-thesis-proposal}{Bachelorarbeitsproposal}
703 \ProvideDictTranslation{Master-thesis}{Masterarbeit}
704 \ProvideDictTranslation{Master-thesis-proposal}{Masterarbeitsproposal}
705 \ProvideDictTranslation{PhD-thesis}{Dissertation}
706 \ProvideDictTranslation{PhD-thesis-proposal}{Dissertationsproposal}
707 \ProvideDictTranslation{date}{Datum}
708 \ProvideDictTranslation{Date}{Datum}
709 \ProvideDictTranslation{university-of-passau}{Universität Passau}
710 \ProvideDictTranslation{up}{Universität Passau}
711 \ProvideDictTranslation{fim}{Fakultät für Informatik und Mathematik}
712 </german>
713 </translations>

```

4 se2colors implementation

Start the DocStrip guards.

714 <*package>

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

715 <@=slcd_colors>

Identify the package and give the overall version information.

716 \ProvidesExplPackage {se2colors} {2023-07-04} {3.1.0}

717 {A colour support package for the se2thesis bundle}

4.1 Load-time options

\l_slcd_colors_colormode_tl Holds the colour mode selected by the user as a package load-time option.

```
718 \keys_define:nn { seiicolors }
  {
    cmode .choice:,
    cmode / 4C .code:n = {
      \PassOptionsToPackage{cmyk}{xcolor}
      \tl_gset:Nn \l_slcd_colors_colormode_tl {4C}
    },
    cmode / RGB .code:n = {
      \PassOptionsToPackage{rgb}{xcolor}
      \tl_gset:Nn \l_slcd_colors_colormode_tl {RGB}
    },
    cmode / BW .code:n = {
      \PassOptionsToPackage{gray}{xcolor}
      \tl_gset:Nn \l_slcd_colors_colormode_tl {BW}
    },
    cmode / CMYK .meta:n = {cmode=4C},
    cmode / cmyk .meta:n = {cmode=4C},
    cmode / rgb .meta:n = {cmode=RGB},
    cmode / gray .meta:n = {cmode=BW},
    RGB .meta:n = {cmode=RGB},
    rgb .meta:n = {cmode=RGB},
    CMYK .meta:n = {cmode=4C},
    cmyk .meta:n = {cmode=4C},
    gray .meta:n = {cmode=BW},
  }
  \keys_set:nn { seiicolors } { cmode = 4C }
```

(End of definition for \l_slcd_colors_colormode_tl.)

4.2 Option handling

```
744 \IfFormatAtLeastTF { 2022-06-01 }
  { \ProcessKeyOptions [ seiicolors ] }
  {
    \RequirePackage { l3keys2e }
    \ProcessKeysOptions { seiicolors }
  }
```

4.3 Colour definitions

Load the `xcolor` package for colour definitions.

```
750 \RequirePackage{xcolor}
```

Define the primary colours gray and orange as given by the University of Passau's style guides.

```
751 \definecolorset[named]{RGB/cmyk}{UPSE2-}{}{%
752   Orange,242,148,0/0.00,0.44,0.95,0.01;%
753   Gray,153,159,158/0.40,0.28,0.28,0.00;%
754   JUR,229,49,56/0.01,0.90,0.81,0.01;%
755   WIWI,0,96,57/0.87,0.20,0.87,0.36;%
756   PHIL,188,42,51/0.06,0.93,0.81,0.11;%
757   FIM,0,90,161/0.93,0.63,0.01,0.02;%
758   DarkGray,77,77,77/0.74,0.67,0.62,0.18;%
759   White,255,255,255/0.00,0.00,0.00,0.00;%
760   MediumGray,127,127,127/0.52,0.43,0.40,0.02;%
761   LightGray,229,229,229/0.08,0.06,0.04,0.00;%
762   LightRed,229,49,56/0.01,0.90,0.81,0.01;%
763   DarkRed,188,42,51/0.06,0.93,0.80,0.11;%
764   Green,0,96,57/0.87,0.20,0.86,0.35;%
765   Blue,0,90,161/0.93,0.63,0.01,0.02;%
766   AccentGray,153,159,158/0.40,0.28,0.28,0.00%
767 }
```

Define the derived colours.

```
768 \colorlet{UPSE2-DarkGray1}{UPSE2-DarkGray!20!white}
769 \colorlet{UPSE2-DarkGray2}{UPSE2-DarkGray!40!white}
770 \colorlet{UPSE2-DarkGray3}{UPSE2-DarkGray!60!white}
771 \colorlet{UPSE2-DarkGray4}{UPSE2-DarkGray!75!black}
772 \colorlet{UPSE2-DarkGray5}{UPSE2-DarkGray!50!black}
773 \colorlet{UPSE2-White1}{UPSE2-White!95!black}
774 \colorlet{UPSE2-White2}{UPSE2-White!85!black}
775 \colorlet{UPSE2-White3}{UPSE2-White!75!black}
776 \colorlet{UPSE2-White4}{UPSE2-White!65!black}
777 \colorlet{UPSE2-White5}{UPSE2-White!50!black}
778 \colorlet{UPSE2-MediumGray1}{UPSE2-MediumGray!20!white}
779 \colorlet{UPSE2-MediumGray2}{UPSE2-MediumGray!40!white}
780 \colorlet{UPSE2-MediumGray3}{UPSE2-MediumGray!60!white}
781 \colorlet{UPSE2-MediumGray4}{UPSE2-MediumGray!75!black}
782 \colorlet{UPSE2-MediumGray5}{UPSE2-MediumGray!50!black}
783 \colorlet{UPSE2-LightGray1}{UPSE2-LightGray!90!black}
784 \colorlet{UPSE2-LightGray2}{UPSE2-LightGray!75!black}
785 \colorlet{UPSE2-LightGray3}{UPSE2-LightGray!55!black}
786 \colorlet{UPSE2-LightGray4}{UPSE2-LightGray!25!black}
787 \colorlet{UPSE2-LightGray5}{UPSE2-LightGray!10!black}
788 \colorlet{UPSE2-Orange1}{UPSE2-Orange!20!white}
789 \colorlet{UPSE2-Orange2}{UPSE2-Orange!40!white}
790 \colorlet{UPSE2-Orange3}{UPSE2-Orange!60!white}
791 \colorlet{UPSE2-Orange4}{UPSE2-Orange!75!black}
792 \colorlet{UPSE2-Orange5}{UPSE2-Orange!50!black}
793 \colorlet{UPSE2-LightRed1}{UPSE2-LightRed!20!white}
794 \colorlet{UPSE2-LightRed2}{UPSE2-LightRed!40!white}
795 \colorlet{UPSE2-LightRed3}{UPSE2-LightRed!60!white}
796 \colorlet{UPSE2-LightRed4}{UPSE2-LightRed!75!black}
```

```
797 \colorlet{UPSE2-LightRed5}{UPSE2-LightRed!50!black}
798 \colorlet{UPSE2-DarkRed1}{UPSE2-DarkRed!20!white}
799 \colorlet{UPSE2-DarkRed2}{UPSE2-DarkRed!40!white}
800 \colorlet{UPSE2-DarkRed3}{UPSE2-DarkRed!60!white}
801 \colorlet{UPSE2-DarkRed4}{UPSE2-DarkRed!75!black}
802 \colorlet{UPSE2-DarkRed5}{UPSE2-DarkRed!50!black}
803 \colorlet{UPSE2-Green1}{UPSE2-Green!10!white}
804 \colorlet{UPSE2-Green2}{UPSE2-Green!25!white}
805 \colorlet{UPSE2-Green3}{UPSE2-Green!50!white}
806 \colorlet{UPSE2-Green4}{UPSE2-Green!75!white}
807 \colorlet{UPSE2-Green5}{UPSE2-Green!90!white}
808 \colorlet{UPSE2-Blue1}{UPSE2-Blue!20!white}
809 \colorlet{UPSE2-Blue2}{UPSE2-Blue!40!white}
810 \colorlet{UPSE2-Blue3}{UPSE2-Blue!60!white}
811 \colorlet{UPSE2-Blue4}{UPSE2-Blue!75!black}
812 \colorlet{UPSE2-Blue5}{UPSE2-Blue!50!black}
813 \colorlet{UPSE2-AccentGray1}{UPSE2-AccentGray!20!white}
814 \colorlet{UPSE2-AccentGray2}{UPSE2-AccentGray!40!white}
815 \colorlet{UPSE2-AccentGray3}{UPSE2-AccentGray!60!white}
816 \colorlet{UPSE2-AccentGray4}{UPSE2-AccentGray!75!black}
817 \colorlet{UPSE2-AccentGray5}{UPSE2-AccentGray!50!black}
818 </package>
```

5 se2fonts implementation

Start the DocStrip guards.

819 `\begin{package}`

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

820 `\@=slcd_fonts`

Identify the package and give the overall version information.

821 `\ProvidesExplPackage {se2fonts} {2023-07-04} {3.1.0}`

822 `{A font-selection support package for the se2thesis bundle}`

5.1 Load-time options

`\l_slcd_fonts_fontmode_tl` Holds the font-selection mode specified by the user as a package load-time option. *Please note:* this option is deprecated!

```
823 \tl_new:N \l_slcd_fonts_fontmode_tl
824 \keys_define:nn { seiifonts }
825 {
826   fmode .choice:,
827   fmode / original .code:n =
828     \tl_gset:Nn \l_slcd_fonts_fontmode_tl {original}
829   },
830   fmode / replacement .code:n =
831     \tl_gset:Nn \l_slcd_fonts_fontmode_tl {replacement}
832   },
833   fmode / auto .code:n =
834     \tl_gset:Nn \l_slcd_fonts_fontmode_tl {auto}
835   },
836   original .meta:n = {fmode=original},
837   replacement .meta:n = {fmode=replacement},
838   auto .meta:n = {fmode=auto},
839 }
```

(End of definition for `\l_slcd_fonts_fontmode_tl`.)

5.2 Option handling

```
840 \IfFormatAtLeastTF { 2022-06-01 }
841   { \ProcessKeyOptions [ seiifonts ] }
842   {
843     \RequirePackage{ 13keys2e }
844     \ProcessKeysOptions { seiifonts }
845   }

Define a warning message
846 \msg_set:nnn { seiifonts } { deprecated-option }
847   { The~ option~ fmode~ to~ the~ se2fonts~ package~ is~ deprecated. }
848   { Remove~ it~ from~ your~ code. }

Raise the warning if the option was used
849 \tl_if_empty:NF \l_slcd_fonts_fontmode_tl
850   {
851     \msg_warning:nn { seiifonts } { deprecated-option }
```

```
852 }
```

5.3 Helper macros

We define several alias macros to identify which engine the user is running.

```
\pdftexengine
\xetexengine
\luatexengine
 853 \cs_new_eq:NN \pdftexengine \sys_if_engine_pdftex_p:
 854 \cs_new_eq:NN \xetexengine \sys_if_engine_xetex_p:
 855 \cs_new_eq:NN \luatexengine \sys_if_engine_luatex_p:

(End of definition for \pdftexengine, \xetexengine, and \luatexengine. These functions are documented on page 10.)
```

`\ifengineTF` True, if the engine used matches the given first argument.

```
\ifengineT
\ifengineT
\ifengineF
 856 \NewExpandableDocumentCommand \ifengineTF { mmm }
 857 {
 858   \bool_if:nTF { #1 } { #2 } { #3 }
 859 }
 860 \NewExpandableDocumentCommand \ifengineT { mm }
 861 {
 862   \bool_if:nT { #1 } { #2 }
 863 }
 864 \NewExpandableDocumentCommand \ifengineF { mm }
 865 {
 866   \bool_if:nF { #1 } { #2 }
 867 }
```

(End of definition for `\ifengineTF`, `\ifengineT`, and `\ifengineF`. These functions are documented on page 10.)

The package is not tested with X_ET_EX, thus we provide an error to the user and stop the execution if they want to use the package with X_ET_EX.

```
\ifengineT { \xetexengine }
{
 870   \msg_set:nnnn { seiifonts } { xetex-not-supported }
 871     { XeTeX~ is~ not~ supported~ by~ the~ se2fonts~ package. }
 872     { Switch~ to~ pdfTeX~ or~ (preferably)~ LuaTeX. }
 873   \msg_error:nn { seiifonts } { xetex-not-supported }
}
874 }
```

5.4 Font loading

Depending on the engine used by the user, we can use `fontspec` for loading fonts.

```
\ifengineTF { \luatexengine }
{
 875 }
```

If the user uses LuaT_EX, load `fontspec` and `unicode-math`.

```

 877 \RequirePackage{fontspec}
 878 \RequirePackage{unicode-math}
```

To make sure the scaling of the fonts matches, we let `fontspec` do this matching based on the lower-case characters.

```

 879 \defaultfontfeatures{ Scale = MatchLowercase }
 880 \defaultfontfeatures[\rmfamily]{ Scale = 1 }
```

Load the respective `libertinus-otf` package and omit the monospaced font.

```

 881 \PassOptionsToPackage{mono=false}{libertinus-otf}
 882 \RequirePackage{libertinus-otf}
```

Load the *Anonymous Pro* monospaced font.

```
883     \setmonofont{AnonymousPro}[  
884         RawFeature      = {+tnum, +lnum},  
885         Scale          = {MatchLowercase},  
886         FakeStretch    = {0.9},  
887         UprightFont   = *-Regular,  
888         ItalicFont    = *-Italic,  
889         SlantedFont   = *-Italic,  
890         BoldFont       = *-Bold,  
891         BoldItalicFont = *-BoldItalic,  
892         Extension     = .ttf,  
893     ]  
894 } {
```

The user does not use LuaTeX, thus fallback to T1 fonts.

```
895     \PassOptionsToPackage{T1}{fontenc}  
896     \PassOptionsToPackage{scale=0.85}{AnonymousPro}  
897     \PassOptionsToPackage{mono=false}{libertinus-type1}  
898     \RequirePackage{fontenc}  
899     \RequirePackage{AnonymousPro}  
900     \RequirePackage{libertinus-type1}  
901 }  
902 </package>
```

6 se2packages implementation

Start the DocStrip guards.

903 `\begin{package}`

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *submodule* should be used directly.

904 `\@=slcd_packages`

Identify the package and give the overall version information.

905 `\ProvidesExplPackage {se2packages} {2023-07-04} {3.1.0}`

906 `{Supporting packages for the se2thesis bundle}`

6.1 Load-time options

Before we define the actual options, define some Boolean variables to store the selected values.

`\l_slcd_packages_csqoutes_bool` Whether or not to load `csquotes`.

907 `\bool_new:N \l_slcd_packages_csqoutes_bool`

(End of definition for `\l_slcd_packages_csqoutes_bool`.)

`\l_slcd_packages_booktabs_bool` Whether or not to load `booktabs`.

908 `\bool_new:N \l_slcd_packages_booktabs_bool`

(End of definition for `\l_slcd_packages_booktabs_bool`.)

`\l_slcd_packages_siunitx_bool` Whether or not to load and configure `siunitx`.

909 `\bool_new:N \l_slcd_packages_siunitx_bool`

(End of definition for `\l_slcd_packages_siunitx_bool`.)

`\l_slcd_packages_minted_bool` Whether or not to load and configure `minted`.

910 `\bool_new:N \l_slcd_packages_minted_bool`

(End of definition for `\l_slcd_packages_minted_bool`.)

`\l_slcd_packages_listings_bool` Whether or not to load and configure `listings`.

911 `\bool_new:N \l_slcd_packages_listings_bool`

(End of definition for `\l_slcd_packages_listings_bool`.)

`\l_slcd_packages_biblatex_bool` Whether or not to load and configure `biblatex`.

912 `\bool_new:N \l_slcd_packages_biblatex_bool`

(End of definition for `\l_slcd_packages_biblatex_bool`.)

`\l_slcd_packages_selnolig_bool` Whether or not to load `selnolig` (LuaT_EX only).

913 `\bool_new:N \l_slcd_packages_selnolig_bool`

(End of definition for `\l_slcd_packages_selnolig_bool`.)

`\l_slcd_packages_luawidowcontrol_bool` Whether or not to load `luawidowcontrol` (LuaT_EX only).

914 `\bool_new:N \l_slcd_packages_luawidowcontrol_bool`

(End of definition for \l_slcd_packages_luawidowcontrol_bool.)

\l_slcd_packages_microtype_bool Whether or not to load microtype.

915 \bool_new:N \l_slcd_packages_microtype_bool

(End of definition for \l_slcd_packages_microtype_bool.)

\l_slcd_packages_cleverref_bool Whether or not to load and configure cleverref.

916 \bool_new:N \l_slcd_packages_cleverref_bool

(End of definition for \l_slcd_packages_cleverref_bool.)

\l_slcd_packages_all_bool Whether or not to load and configure all recommended packages.

917 \bool_new:N \l_slcd_packages_all_bool

(End of definition for \l_slcd_packages_all_bool.)

Define the actual load-time options.

```
918 \keys_define:nn { seiipackages }
  {
    csquotes .bool_gset:N = \l_slcd_packages_csquotes_bool,
    csquotes .initial:n = true,
    nocssquotes .meta:n = {csquotes=false},
    booktabs .bool_gset:N = \l_slcd_packages_booktabs_bool,
    booktabs .initial:n = true,
    nobooktabs .meta:n = {booktabs=false},
    siunitx .bool_gset:N = \l_slcd_packages_siunitx_bool,
    siunitx .initial:n = false,
    minted .bool_gset:N = \l_slcd_packages_minted_bool,
    minted .initial:n = false,
    listings .bool_gset:N = \l_slcd_packages_listings_bool,
    listings .initial:n = false,
    biblatex .bool_gset:N = \l_slcd_packages_biblatex_bool,
    biblatex .initial:n = false,
    selnolig .bool_gset:N = \l_slcd_packages_selnolig_bool,
    selnolig .initial:n = true,
    noselnolig .meta:n = {selnolig=false},
    widowcontrol .bool_gset:N = \l_slcd_packages_luawidowcontrol_bool,
    widowcontrol .initial:n = false,
    nowidowcontrol .meta:n = {widowcontrol=false},
    microtype .bool_gset:N = \l_slcd_packages_microtype_bool,
    microtype .initial:n = true,
    nomicrotype .meta:n = {microtype=false},
    cleverref .bool_gset:N = \l_slcd_packages_cleverref_bool,
    cleverref .initial:n = false,
```

```

955     all .bool_gset:N = \l__slcd_packages_all_bool,
956     all .initial:n = false,
957 }
```

6.2 Option handling

```

958 \IfFormatAtLeastTF { 2022-06-01 }
959   { \ProcessKeyOptions [ seiipackages ] }
960   {
961     \RequirePackage{ l3keys2e }
962     \ProcessKeysOptions { seiipackages }
963 }
```

Define an error message if both `minted` and `listings` are requested.

```

964 \msg_set:nnn { seiipackages } { conflicting-packages }
965   { Setting~ both~ minted~ and~ listings~ to~ true~ is~ not~ possible. }
966   { Choose~ either~ of~ them! }
```

Define a message for logging that a specific package will be loaded by `se2packages`.

Expects as parameter the name of the package that will be loaded.

```

967 \msg_new:nnn { seiipackages } { load-package }
968   { se2packages~ loads~ the~ #1~ package now. }
```

And, in case both values are set to `true`, raise the error message.

```

969 \bool_lazy_and:nnT { \l__slcd_packages_minted_bool } { \l__slcd_packages_listings_bool }
970   {
971     \msg_error:nn { seiipackages } { conflicting-packages }
972 }
```

In case the `all` option is set, set all other values to `true`.

```

973 \bool_if:NT \l__slcd_packages_all_bool
974   {
975     \bool_gset_true:N \l__slcd_packages_csquotes_bool
976     \bool_gset_true:N \l__slcd_packages_booktabs_bool
977     \bool_gset_true:N \l__slcd_packages_siunitx_bool
978     \bool_gset_true:N \l__slcd_packages_minted_bool
979     \bool_gset_false:N \l__slcd_packages_listings_bool
980     \bool_gset_true:N \l__slcd_packages_selnolig_bool
981     \bool_gset_true:N \l__slcd_packages_luawidowcontrol_bool
982     \bool_gset_true:N \l__slcd_packages_microtype_bool
983     \bool_gset_true:N \l__slcd_packages_biblatex_bool
984     \bool_gset_true:N \l__slcd_packages_clevereref_bool
985 }
```

6.3 Package loading

Conditionally load the `csquotes` package.

```

986 \bool_if:NT \l__slcd_packages_csquotes_bool
987   {
988     \msg_info:nnn { seiipackages } { load-package } { csquotes }
989     \RequirePackage{csquotes}
990 }
```

Conditionally load the `booktabs` package.

```

991 \bool_if:NT \l__slcd_packages_booktabs_bool
992   {
993     \msg_info:nnn { seiipackages } { load-package } { booktabs }
```

```

994     \RequirePackage{booktabs}
995 }
Conditionally load and configure the siunitx package.
996 \bool_if:NT \l__slcd_packages_siunitx_bool
997 {
998     \msg_info:nnn { seiipackages } { load-package } { siunitx }
999     \RequirePackage[
1000         add-integer-zero=false,
1001         detect-inline-weight=math,
1002         detect-weight=true,
1003         free-standing-units,
1004         group-minimum-digits=4,
1005         list-final-separator={, and },
1006         round-mode=figures,
1007         round-precision=3,
1008         separate-uncertainty=true,
1009         uncertainty-mode=separate,
1010     ]{siunitx}
1011 }
Conditionally load and configure the minted package.
1012 \bool_if:NT \l__slcd_packages_minted_bool
1013 {
1014     \msg_info:nnn { seiipackages } { load-package } { minted }
1015     \RequirePackage[newfloat=true]{minted}
1016     \setminted{
1017         autogobble,
1018         breaklines=true,
1019         fontsize=\footnotesize,
1020         frame=single,
1021         linenos=false,
1022         resetmargins=true,
1023         xleftmargin=1em,
1024         xrightmargin=1em,
1025     }
1026 }
Conditionally load and configure the listings package.
1027 \bool_if:NT \l__slcd_packages_listings_bool
1028 {
1029     \msg_info:nnn { seiipackages } { load-package } { listings }
1030     \RequirePackage{listings}
1031     \lstset{
1032         basicstyle=\footnotesize\ttfamily,
1033         breaklines=true,
1034         captionpos=t,
1035         extendedchars=true,
1036         frame=single,
1037         keywordstyle=\color{blue}\bfseries,
1038         showspaces=false,
1039         showtabs=false,
1040         showstringspaces=false,
1041         tabsize=2,
1042     }

```

```

1043     }
Conditionally load selnolig if present and we run LuaTeX.
1044 \bool_lazy_and:nnT { \l__slcd_packages_selnolig_bool } { \sys_if_engine_luatex_p: }
1045 {
1046     \IfFileExists { selnolig.sty }
1047     {
1048         \RequirePackage{selnolig}
1049     }
1050     \msg:nnnn { seiipackages }
1051         { selnolig-not-available }
1052         { Could~ not~ find~ selnolig.sty }
1053         { You~ might~ want~ to~ install~ it~ for~ better~ ligatures~ control.}
1054     \msg_note:nn { seipackages } { selnolig-not-available }
1055 }
1056 }

Conditionally load luawidowcontrol if present and we run LuaTeX.
1057 \bool_lazy_and:nnT { \l__slcd_packages_luawidowcontrol_bool } { \sys_if_engine_luatex_p: }
1058 {
1059     \IfFileExists { lua-widow-control.sty }
1060     {
1061         \RequirePackage{lua-widow-control}
1062     }
1063     \msg:nnnn { seiipackages }
1064         { lua-widow-control-not-available }
1065         { Could~ not~ find~ lua-widow-control.sty }
1066         {
1067             You~ might~ want~ to~ install~ it~ for~ better~ control~ over~
1068             widows~ and~ orphans.
1069         }
1070     \msg_note:nn { seipackages } { lua-widow-control-not-available }
1071 }
1072 }

Conditionally load and configure microtype. If a package option requires for the
lua-widow-control package, we do not set penalties for widows and orphans but let that
package control these penalties.
1073 \bool_if:NT \l__slcd_packages_microtype_bool
1074 {
1075     \msg_info:nnn { seiipackages } { load-package } { microtype }
1076     \RequirePackage{microtype}
1077     \bool_if:NF \l__slcd_packages_luawidowcontrol_bool
1078     {
1079         \clubpenalty=10000
1080         \widowpenalty=10000
1081         \displaywidowpenalty=10000
1082     }
1083     \SetExtraKerning{
1084         encoding = {OT1,T1,T2A,LY1,OT4,QX,T5,TS1,EU1,EU2}
1085     }{
1086         \textemdash = {167,167},
1087         - = {167,167}
1088     }
1089 }

```

```

    Conditionally load and configure the biblatax package.

1090 \bool_if:NT \l__slcd_packages_biblatax_bool
1091 {
1092     \msg_info:nnn { seiipackages } { load-package } { biblatax }
1093     \PassOptionsToPackage
1094     {
1095         backend=biber,
1096         backref=true,
1097         giveninits=true,
1098         hyperref=auto,
1099         maxnames=100,
1100         minalphanames=3,
1101         sorting=nyt,
1102         style=alphabetic,
1103     } { biblatax }
1104     \RequirePackage{biblatax}
1105 }

```

Conditionally load the cleveref package as the last of the preamble.

```

1106 \bool_if:NT \l__slcd_packages_cleveref_bool
1107 {
1108     \msg_info:nnn { seiipackages } { load-package } { cleveref }
1109     \AddToHook { beginDocument/before }
1110     {
1111         \RequirePackage[capitalise]{cleveref}
1112     }
1113 }
1114 </package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
\&	306
\,	410
\\"	409, 410, 411, 412, 413, 414, 415, 416, 417, 443, 447, 451, 455, 459, 463, 480, 481, 615, 620
\u	33, 36, 39, 231, 244, 432

A	
abstract (env.)	5, <u>519</u>
\abstract	5, <u>29</u> , <u>518</u>
acknowledgements (env.)	5, <u>536</u>
\AddtoDoHook	515
\AddToHook	1109
\addtokomafont	491, 492, 493, 494
\advisor	4, <u>169</u>
all	<u>14</u>

B	
\and	4, <u>298</u>
\areaset	218, 222
\author	3, 4, 6, <u>20</u> , <u>296</u>
\authorshipDeclaration	6, <u>570</u>
\autodot	497
\backmatter	6, <u>559</u>
\baselineskip	342, 505
\begin	239, 255, 263, 275, 322, <u>358</u> , 362, 406, 439, 440, 601, 633
\begingroup	333
\bfseries	491, 1037
\biblatax	<u>14</u>
\bigskip	399, 403, 438, 502, 611
\booktabs	<u>13</u>

bool commands:	csquotes	13
	\bool_gset_false:N	979
	\bool_gset_true:N	975,
	976, 977, 978, 980, 981, 982, 983, 984	
	\bool_if:NTF	973, 986, 991,
	996, 1012, 1027, 1073, 1077, 1090, 1106	
	\bool_if:nTF	858, 862, 866
	\bool_lazy_and:nnTF . .	969, 1044, 1057
	\bool_new:N	907, 908, 909,
	910, 911, 912, 913, 914, 915, 916, 917	
\bottomrule	12	
box commands:		
	\box_ht:N	316, 384, 386
	\box_if_exist:NTF	203, 371
	\box_new:N	205, 373
	\box_use:N	317, 385
	\box_wd:N	315
	C	
\caption	12	
\centering	394, 397, 401, 470, 619	
\chapter	531, 547, 597	
\chapterformat	495	
\chapterlinesformat	500	
\chapterlineswithprefixformat	506	
class	2	
\cleardoubleoddpage	555, 561, 567	
\cleardoublepage	615	
\clearpage	368, 528, 555, 561, 567	
\clearpairofpagestyles	228	
\cleveref	14	
clist commands:		
	\clist_map_inline:nn	131
\clubpenalty	1079	
cmode	8	
\coadvisor	4, 169	
\color 235, 247, 251, 269, 281, 286, 497, 1037		
\colorlet		
	. 768, 769, 770, 771, 772, 773, 774,	
	775, 776, 777, 778, 779, 780, 781,	
	782, 783, 784, 785, 786, 787, 788,	
	789, 790, 791, 792, 793, 794, 795,	
	796, 797, 798, 799, 800, 801, 802,	
	803, 804, 805, 806, 807, 808, 809,	
	810, 811, 812, 813, 814, 815, 816, 817	
colormode	3	
\columnwidth	346	
\cosupervisor	4, 161	
\coverpagebottommargin	339	
\coverpagetopmargin	314, 334, 339	
cs commands:		
	\cs_if_exist:NTF	138
	\cs_new:Nn	391
	\cs_new_eq:NN	853, 854, 855
	D	
\DeclareNewLayer	309	
\DeclareNewPageStyleByLayers	319	
\DeclareTranslation	35, 38	
\DeclareTranslationFallback	32	
\def	324	
\defaultfontfeatures	879, 880	
\definecolorset	751	
\degreeprogramme	3, 26, 153	
\department	4, 26, 177	
\dictumwidth	517	
dim commands:		
	\dim_gset:Nn	
	... 65, 66, 67, 68, 69, 70, 71, 198, 200	
	\dim_if_exist:NTF	193
	\dim_new:N 58, 59, 60, 61, 62, 63, 64, 195	
\dimexpr	334, 335, 336, 337, 338	
\displaywidowpenalty	1081	
	E	
\edef	325	
\else	368, 396, 555, 561, 567	
\emph	481	
\end	241, 257, 265, 277,	
	360, 364, 369, 438, 465, 466, 610, 634	
\endgroup	326	
\endinput	14	
\enskip	496	
environments:		
	\abstract	5, 519
	\acknowledgements	5, 536
	\hyp	6, 629
	\resq	6, 629
	\summary	6, 632
\evensidemargin	336	
exp commands:		
	\exp_args:NV	404
\ExplFileVersion	16	
\ExplLoaderFileVersion	5	
\external	4, 185	
	F	
\fi	366, 367, 368, 398, 555, 561, 567	
\fmode	10	
\fmtversion	16	
\fnsymbol	324	
\fontmode	3	
\footnotesize	232,	
	245, 262, 266, 274, 278, 1019, 1032	
\footskip	342	
\frontmatter	6, 553	

	G	
\GetTranslation	306, 421, 423, 425, 427, 429, 443, 447, 451, 455, 459, 463, 473, 483, 485, 487, 488, 532, 548	
\global	327, 328, 329, 330	
group commands:		
\group_begin:	231, 234, 244, 246, 250, 268, 280, 285, 304, 376, 393, 400, 468, 479, 521, 538, 573	
\group_end:	231, 237, 244, 248, 253, 271, 283, 287, 307, 387, 395, 402, 475, 489, 534, 550, 614	
	H	
hbox commands:		
\hbox_gset:Nn	209, 379	
\headheight	340	
\headingdot	515, 516	
\headmark	247, 286	
\headsep	341	
\hfill	612	
\hline	12	
\hrule	503	
\hrulefill	501	
\hspace	347, 348	
\hskip	233, 238, 242, 249, 254, 258, 261, 267, 273, 279, 284	
\ht	314	
\Huge	290	
hyp (env.)	6, 629	
\hyphenpenalty	305	
	I	
\ifengineF	10, 856	
\ifengineT	10, 856, 868	
\ifengineTF	10, 856, 875	
\IfFileExists	1046, 1059	
\IfFormatAtLeastTF 2, 16, 120, 744, 840, 958		
\IfNoValueF	522, 539, 575	
\Ifstr	507	
\Iftocfeature .	524, 529, 541, 545, 591, 595	
\ifx	368, 396	
\includegraphics	211	
\institute	4, 26, 177	
int commands:		
\int_compare:nTF	196, 216	
\int_gset_eq:NN	84	
\int_new:N	41	
\item	602, 607	
\itshape	514	
	K	
keys commands:		
\l_keys_choice_int	84	
	L	
\l_keys_choice_tl	107, 112	
\keys_define:nn	72, 718, 824, 918	
\l_keys_key_tl	117	
\keys_set:nn	743	
\KOMAoption	142	
\KOMAoptions	141	
	M	
\mainmatter	6, 559	
\makebox	620	
\maketitle	3, 24, 321	
\MakeUppercase	508, 512	
\marginparsep	219, 220, 223, 224	
\matrnumber	4, 157	
\mbox	496	
\mdseries	492, 493, 494	
\medskip	397, 467	
\MessageBreak	11	
\microtype	14	
\midrule	12	
\minted	13	
msg commands:		
\msg:nnnn	1050, 1063	
\msg_error:nn	873, 971	
\msg_info:nnn	988, 993, 998, 1014, 1029, 1075, 1092, 1108	
\msg_new:nnn	580, 967	
\msg_note:nn	1054, 1070	
\msg_set:nnnn	846, 870, 964	
\msg_warning:nn	587, 851	
	N	
\newcommand	516, 617	
\NewDocumentCommand	570	
\NewDocumentEnvironment	536, 632	
\NewExpandableDocumentCommand	856, 860, 864	
\newif	552	
\newtheorem	31, 629, 630	

nobooktabs	13
nocssquotes	13
\noexpand	326, 327, 328, 329, 330, 331
\noindent	480, 612
nomicrotype	14
\normalfont	229, 514
\normalsize	240,
	256, 264, 276, 292, 294, 295, 494, 514
noselnolig	14
nowidowcontrol	14
\null	261, 273, 383
\num	11
 O	
\oddsidemargin	313, 335
 P	
\PackageError	8
\pagemark	240, 256, 264, 276
\pagenumbering	557, 563
\pagestyle	289
paper	3
\paperheight	339
\paperwidth	337
\par	364, 394, 397, 401, 434, 435,
	436, 438, 467, 474, 501, 502, 572, 610
\paragraph	28
\parbox	381, 501, 618
\PassOptionsToClass	129, 132
\PassOptionsToPackage	145, 226, 625,
	722, 726, 730, 881, 895, 896, 897, 1093
\pdfengine	10, 853
prg commands:	
	\prg_new_conditional:Nnn
	22
	\prg_return_false:
	27
	\prg_return_true:
	26
\ProcessKeyOptions	121, 745, 841, 959
\ProcessKeysOptions	124, 748, 844, 962
prop commands:	
	\prop_gput:Nnn
	117
	\prop_map_inline:Nn
	126, 136
	\prop_new:N
	43, 44
\providecommand	16, 518, 553, 559, 565
\ProvideDictionaryFor	638, 676
\ProvideDictTranslation
	639, 640, 641, 642, 643, 644,
	645, 646, 647, 648, 649, 650, 651,
	652, 653, 654, 655, 656, 657, 658,
	659, 660, 661, 662, 663, 664, 665,
	666, 667, 668, 669, 670, 671, 672,
	673, 677, 678, 679, 680, 681, 682,
	683, 684, 685, 686, 687, 688, 689,
	690, 691, 692, 693, 694, 695, 696,
	697, 698, 699, 700, 701, 702, 703,
	704, 705, 706, 707, 708, 709, 710, 711
\ProvideDocumentCommand	149, 153, 157,
	161, 165, 169, 173, 177, 181, 185, 189
\ProvidesExplClass	20
\ProvidesExplPackage	716, 821, 905
\putUL	317
 Q	
\qty	11
\quad	440
 R	
\raggedleft	264, 276, 491
\RedeclareSectionCommand	505
\ref	13
\relax	331, 334, 335, 336, 337, 339, 368, 528
\renewcommand	297, 303, 320,
	321, 375, 478, 495, 500, 506, 511, 517
\RenewDocumentEnvironment	519
\RequirePackage	3, 29, 30,
	123, 146, 148, 227, 390, 627, 631,
	747, 750, 843, 877, 878, 882, 898,
	899, 900, 961, 989, 994, 999, 1015,
	1030, 1048, 1061, 1076, 1104, 1111
\req (env.)	6, 629
\rmfamily	880
\rofoot	230
\rule	236, 252, 270, 282, 413, 620
 S	
\scalebox	497
\section	526, 530, 543, 546, 593, 596
\sectionlinesformat	511
\selectlanguage	522, 539, 574
\selnolig	14
seq commands:	
	\seq_gset_split:Nnn
	298
	\seq_new:N
	296
	\seq_use:Nnnn
	306
\setcounter	323
\SetExtraKerning	1083
\setkomafont	229, 290, 291, 292, 293, 294, 295, 514
\setlength	219, 220, 223, 224
\setminted	1016
\setmonofont	883
\setparsizes	349, 377
\sffamily	229
\signatureBox	6, 613, 617
\siunitx	13
skip commands:	
	\skip_vertical:n
	384, 386
slcd commands:	
	\slcd_package_if_loaded:n
	22

```

\slcd_package_if_loaded:nTF  2, 22, 623
\slcd_package_if_loaded_p:n . . . 2, 22
slcd internal commands:
\l__slcd_advisor_tl . 45, 171, 453, 455
\l__slcd_author_seq . . . 296, 298, 306
\l__slcd_base_class_tl . . . .
. . . . . 42, 72, 129, 132, 135, 138
\l__slcd_clsopts_prop . . . . 42, 126
\l__slcd_coadvisor_tl 45, 175, 457, 459
\l__slcd_colormode_tl . . . . 72, 145
\l__slcd_colors_colormode_tl . . . . 718
\l__slcd_cosupervisor_tl . . . .
. . . . . 45, 167, 449, 451
\l__slcd_degreeprogramme_tl . . .
. . . . . 45, 155, 430, 432
\l__slcd_department_tl . . 45, 179, 435
\l__slcd_external_tl 45, 187, 461, 463
\l__slcd_fontmode_tl . . . . 72
\l__slcd_fonts_fontmode_tl 823, 849
\l__slcd_headmarkspace_dim . . .
. . . . . 58, 233, 284
\l__slcd_institute_tl . . 45, 183, 436
\l__slcd_licensemodifier_tl . . . 72
\l__slcd_licensesetup_type . . . . 72
\l__slcd_licenseversion_tl . . . . 72
\l__slcd_location_tl . . .
. . . . . 45, 191, 576, 578, 612
\l__slcd_logo_box . . .
. . . . . 193, 315, 316, 317, 384, 386
\l__slcd_logo_height_dim . . . . 193
\l__slcd_logofile_tl . 45, 88, 207, 213
\l__slcd_marginspace_dim . . .
. . . . . 58, 242, 258, 261, 273
\l__slcd_matrnumber_tl . . .
. . . . . 45, 159, 441, 443
\l__slcd_packages_all_bool . . .
. . . . . 917, 955, 973
\l__slcd_packages_biblatex_bool . . .
. . . . . 912, 937, 983, 1090
\l__slcd_packages_booktabs_bool . . .
. . . . . 908, 924, 976, 991
\l__slcd_packages_cleveref_bool . . .
. . . . . 916, 952, 984, 1106
\l__slcd_packages_csquotes_bool . . .
. . . . . 907, 920, 975, 986
\l__slcd_packages_listings_bool . . .
. . . . . 911, 934, 969, 979, 1027
\l__slcd_packages_luawidowcontrol_
bool . . . . 914, 944, 981, 1057, 1077
\l__slcd_packages_microtype_bool . . .
. . . . . 915, 948, 982, 1073
\l__slcd_packages_minted_bool . . .
. . . . . 910, 931, 969, 978, 1012
\l__slcd_packages_selnolig_bool . . .
. . . . . 913, 940, 980, 1044
\l__slcd_packages_siunitx_bool . . .
. . . . . 909, 928, 977, 996
\l__slcd_pagemark_minipage_dim . . .
. . . . . 58, 239, 255, 263, 275
\l__slcd_paper_int . . 41, 72, 196, 216
\l__slcd_print_title: . . . . 381, 391
\l__slcd_ruleraise_dim . . .
. . . . . 58, 236, 252, 270, 282
\l__slcd_rulespace_dim . . .
. . . . . 58, 238, 249, 254, 267, 279
\l__slcd_rulethickness_dim . . .
. . . . . 58, 236, 252, 270, 282
\l__slcd_rulewidth_dim . . .
. . . . . 58, 236, 252, 270, 282
\l__slcd_signature_tl . . .
. . . . . 45, 300, 301, 600, 613
\l__slcd_supervisor_tl . . .
. . . . . 45, 163, 445, 447
\l__slcd_thesis_type_tl . . 72, 407,
420, 422, 424, 426, 428, 482, 484, 486
\l__slcd_title_box . . . . 371, 379, 385
\l__slcd_unknown_clsopts_prop . . .
. . . . . 42, 72, 136
\l__slcd_version_tl . . .
. . . . . 33, 36, 39, 45, 151, 471
\smallskip . . . . . 474
\strut . . . . . 615
\strutbox . . . . . 314
\subsection . . . . . 525, 542, 592
\summary (env.) . . . . . 6, 632
\supervisor . . . . . 4, 161
sys commands:
\sys_if_engine_luatex_p: . . .
. . . . . 10, 855, 1044, 1057
\sys_if_engine_pdftex_p: . . . . 10, 853
\sys_if_engine_xetex_p: . . . . 10, 854

```

T

```

\tabcaption . . . . . 12, 15
TeX and LATEX 2 $\varepsilon$  commands:
\@author . . . . . 4, 296, 401, 480
\@colht . . . . . 327, 343
\@colroom . . . . . 328, 344
\@date . . . . . 33, 36, 39, 472, 612
\@empty . . . . . 365, 388, 396
\@if@t@r . . . . . 5, 16
\@ifpackagelater . . . . . 16
\@ifpackageloaded . . . . . 16
\@ifundefined . . . . . 2
\@lowertitleback . . . . 4, 28, 363, 478
\@mainmatterfalse . . . . . 556, 568
\@mainmattertrue . . . . . 552, 562

```

\@maketitle	3, 25, 352, 375
\@plus	349, 377
\@subtitle	396, 397
\@tempswattrue	355
\@thanks	365, 388
\@title	394, 481
\@titlepageiscoverpagefalse	330
\@uppertitleback	359
\if@mainmatter	552
\if@tempswa	356
\if@twoside	354, 555, 561, 567
\l@lowertitleback	4
\next@tpage	357
\par@updaterelative	349, 377
\scr@ifundefinedorrelax	523, 540, 590
\titlepage@restore	325, 331, 368
\z@	349, 377
\textbf	240, 256, 264, 276, 480
\textemdash	1086
\textheight	338, 343, 344, 345
\textls	508, 512
\textwidth	313, 315, 337, 346, 347, 358, 362, 381, 413, 501
\the	327, 328, 329, 488
\thechapter	497
\thefootnote	324
\theoremseparator	628
\thesistype	3
\thispagestyle	350, 378
\title	3, 20
\titlepagestyle	320
tl commands:	
\tl_gset:Nn	... 76, 78, 80, 92, 94, 96, 98, 100,
	102, 576, 723, 727, 731, 828, 831, 834
\tl_gset_eq:NN	107, 112
\tl_if_empty:NTF	... 207, 430, 435, 436, 441, 445, 449, 453, 457, 461, 471, 578, 849
\tl_if_empty:nTF	128, 140, 299
\tl_if_eq:NnTF	407, 420, 422, 424, 426, 428, 482, 484, 486
\tl_new:N	42, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 823
\tl_set:Nn	151, 155, 159, 163, 167, 171, 175, 179, 183, 187, 191, 300, 301
\topmargin	334
\toprule	12
\ttfamily	1032
	U
use commands:	
\use:N	24
\usekomafont	394, 397, 401, 469
	V
\version	3, 149
\vfill	361
\vsize	329, 345
	W
widowcontrol	14
\widowpenalty	1080
	X
\xetexengine	10, 853, 868
	Y
\year	488